Plot on Channel 7085 MHz



MIMO <Ant. 4+2(2)>

EUT Mode	802.11be EHT40 Full RU

Plot on Channel 5965 MHz



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-90.080 MHz	-67.560 MHz	1.000 MHz	5.89555 GHz	-56.28 dBm	-51.99 dB	-11.99 dB
-67.560 MHz	-45.040 MHz	1.000 MHz	5.89753 GHz	-56.27 dBm	-51.98 dB	-12.03 dB
-45.040 MHz	-23.520 MHz	1.000 MHz	5.94139 GHz	-41.25 dBm	-36.97 dB	-16.93 dB
-23.520 MHz	-22.520 MHz	1.000 MHz	5.94158 GHz	-40.61 dBm	-36.32 dB	-18.32 dB
22.520 MHz	23.520 MHz	1.000 MHz	5.98842 GHz	-39.34 dBm	-35.05 dB	-17.05 dB
23.520 MHz	45.040 MHz	1.000 MHz	5.98861 GHz	-39.99 dBm	-35.71 dB	-15.67 dB
45.040 MHz	67.560 MHz	1.000 MHz	6.03247 GHz	-56.28 dBm	-51.99 dB	-12.04 dB
67.560 MHz	90.080 MHz	1.000 MHz	6.05193 GHz	-55.97 dBm	-51.68 dB	-11.68 dB

Date: 15.SEP.2024 16:10:44

Plot on Channel 6205 MHz



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-92.992 MHz	-69.744 MHz	1.000 MHz	6.12438 GHz	-56.08 dBm	-51.94 dB	-11.94 dB
-69.744 MHz	-46.496 MHz	1.000 MHz	6.13535 GHz	-56.53 dBm	-52.38 dB	-12.43 dB
-46.496 MHz	-24.248 MHz	1.000 MHz	6.18066 GHz	-43.24 dBm	-39.10 dB	-19.07 dB
-24.248 MHz	-23.248 MHz	1.000 MHz	6.18085 GHz	-42.37 dBm	-38.22 dB	-20.22 dB
23.248 MHz	24.248 MHz	1.000 MHz	6.22915 GHz	-42.24 dBm	-38.09 dB	-20.09 dB
24.248 MHz	46.496 MHz	1.000 MHz	6.22934 GHz	-42.96 dBm	-38.81 dB	-18.78 dB
46.496 MHz	69.744 MHz	1.000 MHz	6.27465 GHz	-56.53 dBm	-52.38 dB	-12.43 dB
69.744 MHz	92.992 MHz	1.000 MHz	6.29604 GHz	-56.22 dBm	-52.07 dB	-12.07 dB

Date: 15.SEP.2024 16:14:53

Plot on Channel 6405 MHz



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-91.520 MHz	-68.640 MHz	1.000 MHz	6.32346 GHz	-55.64 dBm	-51.97 dB	-11.97 dB
-68.640 MHz	-45.760 MHz	1.000 MHz	6.33645 GHz	-56.02 dBm	-52.36 dB	-12.40 dB
-45.760 MHz	-23.880 MHz	1.000 MHz	6.38103 GHz	-40.94 dBm	-37.27 dB	-17.24 dB
-23.880 MHz	-22.880 MHz	1.000 MHz	6.38122 GHz	-40.23 dBm	-36.56 dB	-18.56 dB
22.880 MHz	23.880 MHz	1.000 MHz	6.42878 GHz	-40.46 dBm	-36.80 dB	-18.80 dB
23.880 MHz	45.760 MHz	1.000 MHz	6.42897 GHz	-41.13 dBm	-37.47 dB	-17.43 dB
45.760 MHz	68.640 MHz	1.000 MHz	6.47355 GHz	-56.00 dBm	-52.34 dB	-12.39 dB
68.640 MHz	91.520 MHz	1.000 MHz	6.48892 GHz	-55.58 dBm	-51.92 dB	-11.92 dB

Date: 15.SEP.2024 16:19:08

Plot on Channel 6445 MHz



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-90.528 MHz	-67.896 MHz	1.000 MHz	6.35583 GHz	-55.51 dBm	-51.38 dB	-11.38 dB
-67.896 MHz	-45.264 MHz	1.000 MHz	6.37719 GHz	-55.86 dBm	-51.73 dB	-11.78 dB
-45.264 MHz	-23.632 MHz	1.000 MHz	6.42128 GHz	-40.58 dBm	-36.46 dB	-16.42 dB
-23.632 MHz	-22.632 MHz	1.000 MHz	6.42147 GHz	-39.66 dBm	-35.53 dB	-17.53 dB
22.632 MHz	23.632 MHz	1.000 MHz	6.46853 GHz	-40.09 dBm	-35.97 dB	-17.97 dB
23.632 MHz	45.264 MHz	1.000 MHz	6.46872 GHz	-40.61 dBm	-36.48 dB	-16.45 dB
45.264 MHz	67.896 MHz	1.000 MHz	6.51281 GHz	-55.70 dBm	-51.57 dB	-11.62 dB
67.896 MHz	90.528 MHz	1.000 MHz	6.53508 GHz	-55.42 dBm	-51.29 dB	-11.29 dB

Date: 15.SEP.2024 16:25:37

Plot on Channel 6485 MHz



Plot on Channel 6525 MHz



Plot on Channel 6565 MHz



Plot on Channel 6685 MHz



Plot on Channel 6845 MHz



Plot on Channel 6885 MHz



Plot on Channel 6925 MHz



Plot on Channel 7005 MHz



Plot on Channel 7085 MHz



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-90.944 MHz	-68.208 MHz	1.000 MHz	6.99924 GHz	-55.78 dBm	-52.48 dB	-12.48 dB
-68.208 MHz	-45.472 MHz	1.000 MHz	7.01688 GHz	-56.38 dBm	-53.09 dB	-13.13 dB
-45.472 MHz	-23.736 MHz	1.000 MHz	7.06117 GHz	-39.80 dBm	-36.50 dB	-16.46 dB
-23.736 MHz	-22.736 MHz	1.000 MHz	7.06136 GHz	-38.99 dBm	-35.70 dB	-17.70 dB
22.736 MHz	23.736 MHz	1.000 MHz	7.10864 GHz	-39.93 dBm	-36.63 dB	-18.63 dB
23.736 MHz	45.472 MHz	1.000 MHz	7.10883 GHz	-40.39 dBm	-37.10 dB	-17.06 dB
45.472 MHz	68.208 MHz	1.000 MHz	7.15312 GHz	-57.35 dBm	-54.05 dB	-14.10 dB
68.208 MHz	90.944 MHz	1.000 MHz	7.16403 GHz	-57.06 dBm	-53.76 dB	-13.76 dB

MIMO <Ant. 4+2(4)>

EUT Mode	802.11be EHT80 Full RU

Plot on Channel 5985 MHz



Plot on Channel 6225 MHz



Plot on Channel 6385 MHz



Plot on Channel 6465 MHz



Plot on Channel 6545 MHz



Plot on Channel 6625 MHz



Plot on Channel 6705 MHz



Plot on Channel 6785 MHz



Plot on Channel 6865 MHz



Plot on Channel 6945 MHz



Plot on Channel 7025 MHz



MIMO <Ant. 4+2(2)>

EUT Mode	802.11be EHT80 Full RU

Plot on Channel 5985 MHz



Plot on Channel 6225 MHz



Plot on Channel 6385 MHz



Plot on Channel 6465 MHz



Plot on Channel 6545 MHz



Plot on Channel 6625 MHz



Plot on Channel 6705 MHz



Plot on Channel 6785 MHz



Plot on Channel 6865 MHz



Plot on Channel 6945 MHz



Plot on Channel 7025 MHz



MIMO <Ant. 4+2(4)>

EUT Mode	802.11be EHT160 Full RU

Plot on Channel 6025 MHz



Plot on Channel 6185 MHz



Plot on Channel 6345 MHz



Plot on Channel 6505 MHz



Plot on Channel 6665 MHz



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz



MIMO <Ant. 4+2(2)>

EUT Mode	802.11be EHT160 Full RU

Plot on Channel 6025 MHz



Plot on Channel 6185 MHz



Plot on Channel 6345 MHz



Plot on Channel 6505 MHz



Plot on Channel 6665 MHz



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz



MIMO <Ant. 4+2(4)>

EUT Mode	802.11be EHT320 Full RU

Plot on Channel 6105 MHz



Plot on Channel 6265 MHz



Plot on Channel 6425 MHz



Plot on Channel 6585 MHz



Plot on Channel 6745 MHz



Plot on Channel 6905 MHz



MIMO <Ant. 4+2(2)>

EUT Mode	802.11be EHT320 Full RU

Plot on Channel 6105 MHz



Plot on Channel 6265 MHz



Plot on Channel 6425 MHz



Plot on Channel 6585 MHz



Plot on Channel 6745 MHz



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-690.432 MHz	-517.824 MHz	5.000 MHz	6.21406 GHz	-40.79 dBm	-43.59 dB	-3.59 dB
-517.824 MHz	-345.216 MHz	5.000 MHz	6.22787 GHz	-40.92 dBm	-43.72 dB	-3.76 dB
-345.216 MHz	-173.608 MHz	5.000 MHz	6.40048 GHz	-39.90 dBm	-42.70 dB	-14.74 dB
-173.608 MHz	-172.608 MHz	5.000 MHz	6.57189 GHz	-35.78 dBm	-38.58 dB	-18.58 dB
172.608 MHz	173.608 MHz	5.000 MHz	6.91811 GHz	-36.24 dBm	-39.04 dB	-19.04 dB
173.608 MHz	345.216 MHz	5.000 MHz	7.07984 GHz	-41.55 dBm	-44.35 dB	-16.83 dB
345.216 MHz	517.824 MHz	5.000 MHz	7.26213 GHz	-46.16 dBm	-48.96 dB	-9.01 dB
517.824 MHz	690.432 MHz	5.000 MHz	7.26351 GHz	-46.13 dBm	-48.93 dB	-8.93 dB

Date: 17.SEP.2024 13:05:40

Plot on Channel 6905 MHz



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-680.256 MHz	-510.192 MHz	5.000 MHz	6.39141 GHz	-40.61 dBm	-43.44 dB	-3.44 dB
-510.192 MHz	-340.128 MHz	5.000 MHz	6.39549 GHz	-40.69 dBm	-43.52 dB	-3.56 dB
-340.128 MHz	-171.064 MHz	5.000 MHz	6.56555 GHz	-39.98 dBm	-42.80 dB	-14.84 dB
-171.064 MHz	-170.064 MHz	5.000 MHz	6.73444 GHz	-33.83 dBm	-36.66 dB	-16.66 dB
170.064 MHz	171.064 MHz	5.000 MHz	7.07556 GHz	-36.11 dBm	-38.94 dB	-18.94 dB
171.064 MHz	340.128 MHz	5.000 MHz	7.24445 GHz	-43.22 dBm	-46.05 dB	-18.08 dB
340.128 MHz	510.192 MHz	5.000 MHz	7.41451 GHz	-49.68 dBm	-52.51 dB	-12.55 dB
510.192 MHz	680.256 MHz	5.000 MHz	7.41587 GHz	-49.78 dBm	-52.61 dB	-12.61 dB

Date: 17.SEP.2024 13:12:30

<N_{SS} = 2>

Test Result of 26dB & 99% Occupied Bandwidth

MIMO <Ant. 4+2>

<802.11be EHT20>

99% Occupied Bandwidth	26dB Bandwidth
	

Note: The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

<802.11be EHT40>

99% Occupied Bandwidth	26dB Bandwidth
	

Note: The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

<802.11be EHT80>

99% Occupied Bandwidth	26dB Bandwidth
	

Note: The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

<802.11be EHT160>

99% Occupied Bandwidth	26dB Bandwidth
	

Note: The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

<802.11be EHT320>

99% Occupied Bandwidth	26dB Bandwidth
	

Note: The occupied channel bandwidth is maintained within the band of operation for all of the modulations.

MIMO <Ant. 4+2>

<802.11be EHT20>

Maximum Power Density Plot (dBm/MHz)


Note:

1. EIRP Power Density (dBm/MHz) = Measured value+ Duty Factor + Directional Gain
2. The test plot is showing a bin by bin combined result mathematically adds two traces.

Power Density Plot Trace 1 (Ant 4)	Power Density Plot Trace 2 (Ant 2)
	

<802.11be EHT40>

Maximum Power Density Plot (dBm/MHz)


Note:

1. EIRP Power Density (dBm/MHz) = Measured value+ Duty Factor + Directional Gain
2. The test plot is showing a bin by bin combined result mathematically adds two traces.

Power Density Plot Trace 1 (Ant 4)	Power Density Plot Trace 2 (Ant 2)
	

<802.11be EHT80>

Maximum Power Density Plot (dBm/MHz)


Note:

1. EIRP Power Density (dBm/MHz) = Measured value+ Duty Factor + Directional Gain
2. The test plot is showing a bin by bin combined result mathematically adds two traces.

Power Density Plot Trace 1 (Ant 4)	Power Density Plot Trace 2 (Ant 2)
	

<802.11be EHT160>

Maximum Power Density Plot (dBm/MHz)


Note:

1. EIRP Power Density (dBm/MHz) = Measured value+ Duty Factor + Directional Gain
2. The test plot is showing a bin by bin combined result mathematically adds two traces.

Power Density Plot Trace 1 (Ant 4)	Power Density Plot Trace 2 (Ant 2)
	

<802.11be EHT320>

Maximum Power Density Plot (dBm/MHz)


Note:

1. EIRP Power Density (dBm/MHz) = Measured value+ Duty Factor + Directional Gain
2. The test plot is showing a bin by bin combined result mathematically adds two traces.

Power Density Plot Trace 1 (Ant 4)	Power Density Plot Trace 2 (Ant 2)
	

In-Band Emissions (Channel Mask)

MIMO <Ant. 4+2(4)>

EUT Mode	802.11be EHT20 Full RU

Plot on Channel 5955 MHz



Plot on Channel 6195 MHz



Plot on Channel 6415 MHz



Plot on Channel 6435 MHz



Plot on Channel 6475 MHz



Plot on Channel 6515 MHz



Plot on Channel 6535 MHz



Plot on Channel 6695 MHz