











Mode	36																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.86</td><td>77.96</td><td>88.20</td><td>-10.24</td><td>71.04</td><td>34.31</td><td>8.99</td><td>36.38</td><td>0.00</td><td>318</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.86	77.96	88.20	-10.24	71.04	34.31	8.99	36.38	0.00	318	287	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>113.92</td><td>-----</td><td>-----</td><td>107.07</td><td>34.20</td><td>9.04</td><td>36.39</td><td>0.00</td><td>318</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.92	-----	-----	107.07	34.20	9.04	36.39	0.00	318	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.86	77.96	88.20	-10.24	71.04	34.31	8.99	36.38	0.00	318	287	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	113.92	-----	-----	107.07	34.20	9.04	36.39	0.00	318	287	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.54</td><td>66.90</td><td>68.20</td><td>-1.30</td><td>59.99</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>318</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.54	66.90	68.20	-1.30	59.99	34.30	8.99	36.38	0.00	318	287	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>105.01</td><td>-----</td><td>-----</td><td>98.17</td><td>34.20</td><td>9.03</td><td>36.39</td><td>0.00</td><td>318</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.01	-----	-----	98.17	34.20	9.03	36.39	0.00	318	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.54	66.90	68.20	-1.30	59.99	34.30	8.99	36.38	0.00	318	287	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	105.01	-----	-----	98.17	34.20	9.03	36.39	0.00	318	287	AVERAGE																																																																																							







Mode	37																																																																											
	Band Edge																																																																											
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																											
ANT	4																																																																											
Pol.	Horizontal						Fundamental																																																																					
Peak																																																																												
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.64</td><td>74.96</td><td>88.20</td><td>-13.24</td><td>64.77</td><td>36.60</td><td>9.83</td><td>36.24</td><td>0.00</td><td>361 22 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	7133.64	74.96	88.20	-13.24	64.77	36.60	9.83	36.24	0.00	361 22 PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>111.43</td><td>-----</td><td>-----</td><td>101.46</td><td>36.40</td><td>9.80</td><td>36.23</td><td>0.00</td><td>361 22 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	7085.00	111.43	-----	-----	101.46	36.40	9.80	36.23	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	7133.64	74.96	88.20	-13.24	64.77	36.60	9.83	36.24	0.00	361 22 PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	7085.00	111.43	-----	-----	101.46	36.40	9.80	36.23	0.00	361 22 PEAK																																																																		
Avg																																																																												
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.76</td><td>62.36</td><td>68.20</td><td>-5.84</td><td>52.21</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>361 22 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	7126.76	62.36	68.20	-5.84	52.21	36.56	9.83	36.24	0.00	361 22 AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>102.24</td><td>-----</td><td>-----</td><td>92.31</td><td>36.37</td><td>9.79</td><td>36.23</td><td>0.00</td><td>361 22 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	7085.00	102.24	-----	-----	92.31	36.37	9.79	36.23	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	7126.76	62.36	68.20	-5.84	52.21	36.56	9.83	36.24	0.00	361 22 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																		
1	7085.00	102.24	-----	-----	92.31	36.37	9.79	36.23	0.00	361 22 AVERAGE																																																																		







Mode	37																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.12</td><td>77.64</td><td>88.20</td><td>-10.56</td><td>67.49</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>252</td><td>283</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.12	77.64	88.20	-10.56	67.49	36.56	9.83	36.24	0.00	252	283	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>114.34</td><td>-----</td><td>-----</td><td>104.45</td><td>36.33</td><td>9.79</td><td>36.23</td><td>0.00</td><td>252</td><td>283</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	114.34	-----	-----	104.45	36.33	9.79	36.23	0.00	252	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7126.12	77.64	88.20	-10.56	67.49	36.56	9.83	36.24	0.00	252	283	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	114.34	-----	-----	104.45	36.33	9.79	36.23	0.00	252	283	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.80</td><td>66.35</td><td>68.20</td><td>-1.85</td><td>56.21</td><td>36.55</td><td>9.83</td><td>36.24</td><td>0.00</td><td>252</td><td>283</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.80	66.35	68.20	-1.85	56.21	36.55	9.83	36.24	0.00	252	283	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>105.33</td><td>-----</td><td>-----</td><td>95.36</td><td>36.40</td><td>9.80</td><td>36.23</td><td>0.00</td><td>252</td><td>283</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	105.33	-----	-----	95.36	36.40	9.80	36.23	0.00	252	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.80	66.35	68.20	-1.85	56.21	36.55	9.83	36.24	0.00	252	283	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	105.33	-----	-----	95.36	36.40	9.80	36.23	0.00	252	283	AVERAGE																																																																																							







Mode	38																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																															
ANT	4																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.20</td><td>70.12</td><td>88.20</td><td>-18.08</td><td>63.20</td><td>34.32</td><td>8.98</td><td>36.38</td><td>0.00</td><td>300</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5920.20	70.12	88.20	-18.08	63.20	34.32	8.98	36.38	0.00	300	307	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>107.12</td><td>-----</td><td>100.25</td><td>34.20</td><td>9.07</td><td>36.40</td><td>0.00</td><td>300</td><td>307</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	107.12	-----	100.25	34.20	9.07	36.40	0.00	300	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																							
1	5920.20	70.12	88.20	-18.08	63.20	34.32	8.98	36.38	0.00	300	307	PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	107.12	-----	100.25	34.20	9.07	36.40	0.00	300	307	PEAK																																																																																					
Avg																																																																																																
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>60.16</td><td>68.20</td><td>-8.04</td><td>53.25</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>300</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5925.00	60.16	68.20	-8.04	53.25	34.30	8.99	36.38	0.00	300	307	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>98.35</td><td>-----</td><td>91.49</td><td>34.17</td><td>9.08</td><td>36.39</td><td>0.00</td><td>300</td><td>307</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	98.35	-----	91.49	34.17	9.08	36.39	0.00	300	307
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																							
1	5925.00	60.16	68.20	-8.04	53.25	34.30	8.99	36.38	0.00	300	307	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																							
1	5985.00	98.35	-----	91.49	34.17	9.08	36.39	0.00	300	307	AVERAGE																																																																																					







Mode	38																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																	
ANT	4																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.72</td><td>74.12</td><td>88.20</td><td>-14.08</td><td>67.20</td><td>34.31</td><td>8.99</td><td>36.38</td><td>0.00</td><td>315</td><td>289</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5923.72	74.12	88.20	-14.08	67.20	34.31	8.99	36.38	0.00	315	289	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>110.86</td><td>-----</td><td>104.02</td><td>34.20</td><td>9.03</td><td>36.39</td><td>0.00</td><td>315</td><td>289</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5985.00	110.86	-----	104.02	34.20	9.03	36.39	0.00	315	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5923.72	74.12	88.20	-14.08	67.20	34.31	8.99	36.38	0.00	315	289	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	110.86	-----	104.02	34.20	9.03	36.39	0.00	315	289	PEAK																																																																																							
Avg																																																																																																		
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.04</td><td>64.27</td><td>68.20</td><td>-3.93</td><td>57.36</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>315</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5924.04	64.27	68.20	-3.93	57.36	34.30	8.99	36.38	0.00	315	289	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>101.25</td><td>-----</td><td>94.39</td><td>34.20</td><td>9.05</td><td>36.39</td><td>0.00</td><td>315</td><td>289</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5985.00	101.25	-----	94.39	34.20	9.05	36.39	0.00	315	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5924.04	64.27	68.20	-3.93	57.36	34.30	8.99	36.38	0.00	315	289	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	101.25	-----	94.39	34.20	9.05	36.39	0.00	315	289	AVERAGE																																																																																							







		39																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.64</td><td>74.52</td><td>88.20</td><td>-13.68</td><td>64.37</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>200</td><td>220</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.64	74.52	88.20	-13.68	64.37	36.56	9.83	36.24	0.00	200	220	PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>110.30</td><td>-----</td><td>-----</td><td>100.72</td><td>36.06</td><td>9.74</td><td>36.22</td><td>0.00</td><td>200</td><td>220</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	110.30	-----	-----	100.72	36.06	9.74	36.22	0.00	200	220	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7126.64	74.52	88.20	-13.68	64.37	36.56	9.83	36.24	0.00	200	220	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7025.00	110.30	-----	-----	100.72	36.06	9.74	36.22	0.00	200	220	PEAK																																																																																								
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.10</td><td>63.46</td><td>68.20</td><td>-4.74</td><td>53.32</td><td>36.55</td><td>9.83</td><td>36.24</td><td>0.00</td><td>200</td><td>220</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.10	63.46	68.20	-4.74	53.32	36.55	9.83	36.24	0.00	200	220	AVERAGE	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>100.12</td><td>-----</td><td>-----</td><td>90.76</td><td>35.88</td><td>9.69</td><td>36.21</td><td>0.00</td><td>200</td><td>220</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	100.12	-----	-----	90.76	35.88	9.69	36.21	0.00	200	220	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7125.10	63.46	68.20	-4.74	53.32	36.55	9.83	36.24	0.00	200	220	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7025.00	100.12	-----	-----	90.76	35.88	9.69	36.21	0.00	200	220	AVERAGE																																																																																								







Mode	39																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.90</td><td>75.42</td><td>88.20</td><td>-12.78</td><td>65.23</td><td>36.60</td><td>9.83</td><td>36.24</td><td>0.00</td><td>300</td><td>283</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7133.90	75.42	88.20	-12.78	65.23	36.60	9.83	36.24	0.00	300	283	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>111.30</td><td>-----</td><td>-----</td><td>101.84</td><td>35.96</td><td>9.71</td><td>36.21</td><td>0.00</td><td>300</td><td>283</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	111.30	-----	-----	101.84	35.96	9.71	36.21	0.00	300	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7133.90	75.42	88.20	-12.78	65.23	36.60	9.83	36.24	0.00	300	283	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7025.00	111.30	-----	-----	101.84	35.96	9.71	36.21	0.00	300	283	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.10</td><td>64.94</td><td>68.20</td><td>-3.26</td><td>54.00</td><td>36.55</td><td>9.83</td><td>36.24</td><td>0.00</td><td>300</td><td>283</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.10	64.94	68.20	-3.26	54.00	36.55	9.83	36.24	0.00	300	283	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>102.04</td><td>-----</td><td>-----</td><td>92.68</td><td>35.88</td><td>9.69</td><td>36.21</td><td>0.00</td><td>300</td><td>283</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	102.04	-----	-----	92.68	35.88	9.69	36.21	0.00	300	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.10	64.94	68.20	-3.26	54.00	36.55	9.83	36.24	0.00	300	283	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7025.00	102.04	-----	-----	92.68	35.88	9.69	36.21	0.00	300	283	AVERAGE																																																																																							







		40																																																																																															
Mode	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																
ANT	4																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.40</td><td>72.03</td><td>88.20</td><td>-16.17</td><td>65.09</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5915.40	72.03	88.20	-16.17	65.09	34.34	8.98	36.38	0.00	100	238	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>105.48</td><td>-----</td><td>-----</td><td>98.61</td><td>34.20</td><td>9.07</td><td>36.40</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6025.00	105.48	-----	-----	98.61	34.20	9.07	36.40	0.00	100	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5915.40	72.03	88.20	-16.17	65.09	34.34	8.98	36.38	0.00	100	238	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	105.48	-----	-----	98.61	34.20	9.07	36.40	0.00	100	238	PEAK																																																																																					
Avg																																																																																																	
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.40</td><td>61.38</td><td>68.20</td><td>-6.82</td><td>54.47</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5924.40	61.38	68.20	-6.82	54.47	34.30	8.99	36.38	0.00	100	238	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>95.16</td><td>-----</td><td>-----</td><td>88.29</td><td>34.20</td><td>9.07</td><td>36.40</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6025.00	95.16	-----	-----	88.29	34.20	9.07	36.40	0.00	100	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5924.40	61.38	68.20	-6.82	54.47	34.30	8.99	36.38	0.00	100	238	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	95.16	-----	-----	88.29	34.20	9.07	36.40	0.00	100	238	AVERAGE																																																																																					







Mode	40																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.00</td><td>76.47</td><td>88.20</td><td>-11.73</td><td>69.56</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>300</td><td>282</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.00	76.47	88.20	-11.73	69.56	34.30	8.99	36.38	0.00	300	282	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>109.53</td><td>-----</td><td>-----</td><td>102.67</td><td>34.20</td><td>9.06</td><td>36.40</td><td>0.00</td><td>300</td><td>282</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	109.53	-----	-----	102.67	34.20	9.06	36.40	0.00	300	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.00	76.47	88.20	-11.73	69.56	34.30	8.99	36.38	0.00	300	282	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	109.53	-----	-----	102.67	34.20	9.06	36.40	0.00	300	282	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.20</td><td>65.82</td><td>68.20</td><td>-2.38</td><td>58.90</td><td>34.31</td><td>8.99</td><td>36.38</td><td>0.00</td><td>300</td><td>282</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.20	65.82	68.20	-2.38	58.90	34.31	8.99	36.38	0.00	300	282	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>99.28</td><td>-----</td><td>-----</td><td>92.41</td><td>34.20</td><td>9.07</td><td>36.40</td><td>0.00</td><td>300</td><td>282</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.28	-----	-----	92.41	34.20	9.07	36.40	0.00	300	282
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.20	65.82	68.20	-2.38	58.90	34.31	8.99	36.38	0.00	300	282	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	99.28	-----	-----	92.41	34.20	9.07	36.40	0.00	300	282	AVERAGE																																																																																							







Mode	41																																																																																																																
	Band Edge																																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																																
ANT	4																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																										
Avg																																																																																																																	
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7133.08</td><td>78.01</td><td>88.20</td><td>-10.19</td><td>67.82</td><td>36.60</td><td>9.83</td><td>36.24</td><td>0.00</td><td>196</td><td>224</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7133.08	78.01	88.20	-10.19	67.82	36.60	9.83	36.24	0.00	196	224	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>108.55</td><td>-----</td><td>-----</td><td>99.24</td><td>35.83</td><td>9.68</td><td>36.20</td><td>0.00</td><td>196</td><td>224</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	108.55	-----	-----	99.24	35.83	9.68	36.20	0.00	196	224	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7133.08	78.01	88.20	-10.19	67.82	36.60	9.83	36.24	0.00	196	224	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	6985.00	108.55	-----	-----	99.24	35.83	9.68	36.20	0.00	196	224	PEAK																																																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.32</td><td>65.52</td><td>68.20</td><td>-2.68</td><td>55.37</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>196</td><td>224</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.32	65.52	68.20	-2.68	55.37	36.56	9.83	36.24	0.00	196	224	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>98.38</td><td>-----</td><td>-----</td><td>89.12</td><td>35.80</td><td>9.65</td><td>36.19</td><td>0.00</td><td>196</td><td>224</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	98.38	-----	-----	89.12	35.80	9.65	36.19	0.00	196	224	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	7127.32	65.52	68.20	-2.68	55.37	36.56	9.83	36.24	0.00	196	224	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	6985.00	98.38	-----	-----	89.12	35.80	9.65	36.19	0.00	196	224	AVERAGE																																																																																																					







Mode	41																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																
ANT	4																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.52</td><td>77.42</td><td>88.20</td><td>-10.78</td><td>67.26</td><td>36.57</td><td>9.83</td><td>36.24</td><td>0.00</td><td>274</td><td>285</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7128.52	77.42	88.20	-10.78	67.26	36.57	9.83	36.24	0.00	274	285	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>110.37</td><td>-----</td><td>-----</td><td>101.11</td><td>35.80</td><td>9.65</td><td>36.19</td><td>0.00</td><td>274</td><td>285</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6985.00	110.37	-----	-----	101.11	35.80	9.65	36.19	0.00	274	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	7128.52	77.42	88.20	-10.78	67.26	36.57	9.83	36.24	0.00	274	285	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	110.37	-----	-----	101.11	35.80	9.65	36.19	0.00	274	285	PEAK																																																																																					
Avg																																																																																																	
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.80</td><td>66.15</td><td>68.20</td><td>-2.05</td><td>55.99</td><td>36.57</td><td>9.83</td><td>36.24</td><td>0.00</td><td>274</td><td>285</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	7127.80	66.15	68.20	-2.05	55.99	36.57	9.83	36.24	0.00	274	285	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>100.61</td><td>-----</td><td>-----</td><td>91.35</td><td>35.80</td><td>9.65</td><td>36.19</td><td>0.00</td><td>274</td><td>285</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6985.00	100.61	-----	-----	91.35	35.80	9.65	36.19	0.00	274	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	7127.80	66.15	68.20	-2.05	55.99	36.57	9.83	36.24	0.00	274	285	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	6985.00	100.61	-----	-----	91.35	35.80	9.65	36.19	0.00	274	285	AVERAGE																																																																																					





Mode	42																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																															
ANT	4																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.08</td><td>70.03</td><td>88.20</td><td>-18.17</td><td>63.11</td><td>34.32</td><td>8.98</td><td>36.38</td><td>0.00</td><td>400</td><td>329 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5919.08	70.03	88.20	-18.17	63.11	34.32	8.98	36.38	0.00	400	329 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>102.10</td><td>-----</td><td>-----</td><td>95.26</td><td>34.13</td><td>9.09</td><td>36.38</td><td>0.00</td><td>400</td><td>329 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6105.00	102.10	-----	-----	95.26	34.13	9.09	36.38	0.00	400	329 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5919.08	70.03	88.20	-18.17	63.11	34.32	8.98	36.38	0.00	400	329 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																						
1	6105.00	102.10	-----	-----	95.26	34.13	9.09	36.38	0.00	400	329 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.68</td><td>59.71</td><td>68.20</td><td>-8.49</td><td>52.00</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>400</td><td>329 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5924.68	59.71	68.20	-8.49	52.00	34.30	8.99	36.38	0.00	400	329 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>92.78</td><td>-----</td><td>-----</td><td>85.91</td><td>34.10</td><td>9.11</td><td>36.34</td><td>0.00</td><td>400</td><td>329 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6105.00	92.78	-----	-----	85.91	34.10	9.11	36.34	0.00	400	329 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5924.68	59.71	68.20	-8.49	52.00	34.30	8.99	36.38	0.00	400	329 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																						
1	6105.00	92.78	-----	-----	85.91	34.10	9.11	36.34	0.00	400	329 AVERAGE																																																																																					







Mode	42																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																							
ANT	4																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>76.83</td><td>88.20</td><td>-11.37</td><td>69.91</td><td>34.31</td><td>8.99</td><td>36.38</td><td>0.00</td><td>296</td><td>295 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	76.83	88.20	-11.37	69.91	34.31	8.99	36.38	0.00	296	295 PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>107.30</td><td>-----</td><td>-----</td><td>100.25</td><td>34.20</td><td>9.14</td><td>36.29</td><td>0.00</td><td>296</td><td>295 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	107.30	-----	-----	100.25	34.20	9.14	36.29	0.00	296	295 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5923.56	76.83	88.20	-11.37	69.91	34.31	8.99	36.38	0.00	296	295 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6105.00	107.30	-----	-----	100.25	34.20	9.14	36.29	0.00	296	295 PEAK																																																																													
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>68.16</td><td>68.20</td><td>-0.04</td><td>61.25</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>296</td><td>295 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	68.16	68.20	-0.04	61.25	34.30	8.99	36.38	0.00	296	295 PEAK	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>97.15</td><td>-----</td><td>-----</td><td>90.29</td><td>34.17</td><td>9.08</td><td>36.39</td><td>0.00</td><td>296</td><td>295 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	97.15	-----	-----	90.29	34.17	9.08	36.39	0.00	296	295 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5924.96	68.16	68.20	-0.04	61.25	34.30	8.99	36.38	0.00	296	295 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	6105.00	97.15	-----	-----	90.29	34.17	9.08	36.39	0.00	296	295 AVERAGE																																																																													





Mode	42																																																																																				
	Harmonic																																																																																				
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																				
ANT	4																																																																																				
Pol.	Horizontal								Vertical																																																																												
Peak Avg																																																																																					
	Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170_1224_240624 HORIZONTAL																																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12210.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>51.58</td><td>39.39</td><td>12.99</td><td>57.81</td><td>0.63</td><td>-- -- PEAK</td></tr><tr><td>2 18315.00</td><td>37.06</td><td>74.00</td><td>-36.94</td><td>59.01</td><td>37.52</td><td>5.88</td><td>55.81</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>3 20635.50</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>64.87</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>4 30940.00</td><td>51.69</td><td>88.20</td><td>-36.51</td><td>68.93</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12210.00	46.78	74.00	-27.22	51.58	39.39	12.99	57.81	0.63	-- -- PEAK	2 18315.00	37.06	74.00	-36.94	59.01	37.52	5.88	55.81	-9.54	-- -- PEAK	3 20635.50	44.42	74.00	-29.58	64.87	37.80	6.24	54.95	-9.54	-- -- PEAK	4 30940.00	51.69	88.20	-36.51	68.93	40.44	7.91	56.05	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																												
1 12210.00	46.78	74.00	-27.22	51.58	39.39	12.99	57.81	0.63	-- -- PEAK																																																																												
2 18315.00	37.06	74.00	-36.94	59.01	37.52	5.88	55.81	-9.54	-- -- PEAK																																																																												
3 20635.50	44.42	74.00	-29.58	64.87	37.80	6.24	54.95	-9.54	-- -- PEAK																																																																												
4 30940.00	51.69	88.20	-36.51	68.93	40.44	7.91	56.05	-9.54	-- -- PEAK																																																																												
Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12210.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>51.90</td><td>39.39</td><td>12.99</td><td>57.81</td><td>0.63</td><td>-- -- PEAK</td></tr><tr><td>2 18315.00</td><td>37.34</td><td>74.00</td><td>-36.66</td><td>59.29</td><td>37.52</td><td>5.88</td><td>55.81</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>3 20635.50</td><td>40.40</td><td>74.00</td><td>-33.60</td><td>60.85</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>4 30940.00</td><td>50.19</td><td>88.20</td><td>-38.01</td><td>67.43</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12210.00	47.10	74.00	-26.90	51.90	39.39	12.99	57.81	0.63	-- -- PEAK	2 18315.00	37.34	74.00	-36.66	59.29	37.52	5.88	55.81	-9.54	-- -- PEAK	3 20635.50	40.40	74.00	-33.60	60.85	37.80	6.24	54.95	-9.54	-- -- PEAK	4 30940.00	50.19	88.20	-38.01	67.43	40.44	7.91	56.05	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																												
1 12210.00	47.10	74.00	-26.90	51.90	39.39	12.99	57.81	0.63	-- -- PEAK																																																																												
2 18315.00	37.34	74.00	-36.66	59.29	37.52	5.88	55.81	-9.54	-- -- PEAK																																																																												
3 20635.50	40.40	74.00	-33.60	60.85	37.80	6.24	54.95	-9.54	-- -- PEAK																																																																												
4 30940.00	50.19	88.20	-38.01	67.43	40.44	7.91	56.05	-9.54	-- -- PEAK																																																																												







Mode	42	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL







Mode	43																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_6.525-6.875_802.11be EHT320_CH95_Full RU_6425MHz																																																																																																																							
ANT	4																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7222.40</td><td>57.04</td><td>74.00</td><td>-16.96</td><td>69.00</td><td>36.90</td><td>9.92</td><td>59.73</td><td>0.95</td><td>350</td><td>22</td><td>Peak</td></tr><tr><td>2</td><td>7222.40</td><td>50.98</td><td>54.00</td><td>-3.02</td><td>62.94</td><td>36.90</td><td>9.92</td><td>59.73</td><td>0.95</td><td>350</td><td>22</td><td>Average</td></tr><tr><td>3</td><td>12850.00</td><td>46.31</td><td>88.20</td><td>-41.89</td><td>50.17</td><td>39.85</td><td>13.26</td><td>57.77</td><td>0.80</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>19275.00</td><td>38.36</td><td>74.00</td><td>-35.64</td><td>59.12</td><td>37.85</td><td>6.12</td><td>55.19</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>20625.00</td><td>44.01</td><td>74.00</td><td>-29.99</td><td>64.46</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>30940.00</td><td>52.46</td><td>88.20</td><td>-35.74</td><td>69.70</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7222.40	57.04	74.00	-16.96	69.00	36.90	9.92	59.73	0.95	350	22	Peak	2	7222.40	50.98	54.00	-3.02	62.94	36.90	9.92	59.73	0.95	350	22	Average	3	12850.00	46.31	88.20	-41.89	50.17	39.85	13.26	57.77	0.80	--	--	PEAK	4	19275.00	38.36	74.00	-35.64	59.12	37.85	6.12	55.19	-9.54	--	--	PEAK	5	20625.00	44.01	74.00	-29.99	64.46	37.80	6.24	54.95	-9.54	--	--	Peak	6	30940.00	52.46	88.20	-35.74	69.70	40.44	7.91	56.05	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																															
1	7222.40	57.04	74.00	-16.96	69.00	36.90	9.92	59.73	0.95	350	22	Peak																																																																																																												
2	7222.40	50.98	54.00	-3.02	62.94	36.90	9.92	59.73	0.95	350	22	Average																																																																																																												
3	12850.00	46.31	88.20	-41.89	50.17	39.85	13.26	57.77	0.80	--	--	PEAK																																																																																																												
4	19275.00	38.36	74.00	-35.64	59.12	37.85	6.12	55.19	-9.54	--	--	PEAK																																																																																																												
5	20625.00	44.01	74.00	-29.99	64.46	37.80	6.24	54.95	-9.54	--	--	Peak																																																																																																												
6	30940.00	52.46	88.20	-35.74	69.70	40.44	7.91	56.05	-9.54	--	--	Peak																																																																																																												







Mode	43	
	Harmonic	
	U-NII-5_6.525-6.875_802.11be EHT320_CH95_Full RU_6425MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL





Mode	44																																																																																																				
	Band Edge																																																																																																				
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																				
ANT	4																																																																																																				
Pol.	Horizontal					Fundamental																																																																																															
Peak																																																																																																					
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto					Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																															
Avg																																																																																																					
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto					Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7126.50</td><td>71.23</td><td>88.20</td><td>-16.97</td><td>61.08</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00 400 170 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7126.50	71.23	88.20	-16.97	61.08	36.56	9.83	36.24	0.00 400 170 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6745.00</td><td>102.42</td><td>-----</td><td>-----</td><td>93.17</td><td>35.80</td><td>9.63</td><td>36.18</td><td>0.00 400 170 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6745.00	102.42	-----	-----	93.17	35.80	9.63	36.18	0.00 400 170 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																												
1	7126.50	71.23	88.20	-16.97	61.08	36.56	9.83	36.24	0.00 400 170 PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																												
1	6745.00	102.42	-----	-----	93.17	35.80	9.63	36.18	0.00 400 170 PEAK																																																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>7126.00</td><td>61.07</td><td>68.20</td><td>-7.13</td><td>50.92</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00 400 170 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	7126.00	61.07	68.20	-7.13	50.92	36.56	9.83	36.24	0.00 400 170 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6745.00</td><td>91.87</td><td>-----</td><td>-----</td><td>82.62</td><td>35.80</td><td>9.63</td><td>36.18</td><td>0.00 400 170 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6745.00	91.87	-----	-----	82.62	35.80	9.63	36.18	0.00 400 170 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																												
1	7126.00	61.07	68.20	-7.13	50.92	36.56	9.83	36.24	0.00 400 170 AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																												
1	6745.00	91.87	-----	-----	82.62	35.80	9.63	36.18	0.00 400 170 AVERAGE																																																																																												







Mode	44																																																	
	Band Edge																																																	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																	
ANT	4																																																	
Pol.	Vertical					Fundamental																																												
Peak																																																		
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto					Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																												
Avg																																																		
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto					Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																												
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7141.50</td><td>66.86</td><td>88.20</td><td>-21.34</td><td>56.61</td><td>36.65</td><td>9.84</td><td>36.24</td><td>0.00</td><td>400</td><td>329</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7141.50	66.86	88.20	-21.34	56.61	36.65	9.84	36.24	0.00	400	329	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
									Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	7141.50	66.86	88.20	-21.34	56.61	36.65	9.84	36.24	0.00	400	329	PEAK																																						
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6745.00</td><td>103.82</td><td>-----</td><td>-----</td><td>94.57</td><td>35.87</td><td>9.51</td><td>36.13</td><td>0.00</td><td>400</td><td>329</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6745.00	103.82	-----	-----	94.57	35.87	9.51	36.13	0.00	400	329	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
									Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	6745.00	103.82	-----	-----	94.57	35.87	9.51	36.13	0.00	400	329	PEAK																																						
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7132.50</td><td>56.58</td><td>68.20</td><td>-11.62</td><td>46.39</td><td>36.60</td><td>9.83</td><td>36.24</td><td>0.00</td><td>400</td><td>329</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7132.50	56.58	68.20	-11.62	46.39	36.60	9.83	36.24	0.00	400	329	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
									Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	7132.50	56.58	68.20	-11.62	46.39	36.60	9.83	36.24	0.00	400	329	AVERAGE																																						
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6745.00</td><td>92.47</td><td>-----</td><td>-----</td><td>83.24</td><td>35.86</td><td>9.50</td><td>36.13</td><td>0.00</td><td>400</td><td>329</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6745.00	92.47	-----	-----	83.24	35.86	9.50	36.13	0.00	400	329	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																										
									Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	6745.00	92.47	-----	-----	83.24	35.86	9.50	36.13	0.00	400	329	AVERAGE																																						



Mode	44									
	Harmonic									
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz									
ANT	4									
Pol.	Horizontal					Vertical				
Peak Avg										
	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 HORIZONTAL					Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 VERTICAL				
	Limit	Read	Ant	Cable	Aux	APos	TPos			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	7242.00	55.01	88.20	-33.19	66.75	36.90	9.94	59.76	1.18	348 26 Peak
2	7242.00	50.86	68.20	-17.34	62.00	36.90	9.94	59.76	1.18	348 26 Average
3	7351.20	59.75	74.00	-14.25	71.69	36.69	10.05	59.88	1.20	150 226 Peak
4	7351.20	52.37	54.00	-1.63	64.31	36.69	10.05	59.88	1.20	150 226 Average
5	13490.00	48.58	88.20	-39.62	51.71	40.18	13.74	58.02	0.97	-- -- PEAK
6	20235.00	46.21	74.00	-27.79	66.89	37.67	6.19	55.00	-9.54	150 263 PEAK
7	20235.00	43.44	54.00	-10.56	64.12	37.67	6.19	55.00	-9.54	150 263 Average
8	20625.00	44.65	74.00	-29.35	65.10	37.80	6.24	54.95	-9.54	-- -- Peak
9	30940.00	53.69	88.20	-34.51	70.93	40.44	7.91	56.05	-9.54	-- -- Peak
	Limit	Read	Ant	Cable	Aux	APos	TPos			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	7239.20	55.41	88.20	-32.79	67.14	36.90	9.94	59.75	1.18	300 275 Peak
2	7239.20	51.15	68.20	-17.05	62.80	36.90	9.94	59.75	1.18	300 275 Average
3	7331.60	60.70	74.00	-13.30	72.56	36.77	10.03	59.86	1.20	250 286 Peak
4	7331.60	53.87	54.00	-0.13	65.73	36.77	10.03	59.86	1.20	250 286 Average
5	13490.00	48.39	88.20	-39.81	51.52	40.18	13.74	58.02	0.97	-- -- PEAK
6	20235.00	45.53	74.00	-28.47	66.21	37.67	6.19	55.00	-9.54	150 211 PEAK
7	20235.00	43.60	54.00	-10.40	64.28	37.67	6.19	55.00	-9.54	150 211 Average
8	20625.00	40.27	74.00	-33.73	60.72	37.80	6.24	54.95	-9.54	-- -- Peak
9	30940.00	50.35	88.20	-37.85	67.59	40.44	7.91	56.05	-9.54	-- -- Peak







Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL





Mode	45																																																	
	Band Edge																																																	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																	
ANT	4																																																	
Pol.	Horizontal																																																	
Peak	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5921.36</td><td>70.57</td><td>88.20</td><td>-17.63</td><td>63.66</td><td>34.31</td><td>8.98</td><td>36.38</td><td>0.00</td><td>400</td><td>5 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.36	70.57	88.20	-17.63	63.66	34.31	8.98	36.38	0.00	400	5 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1 5921.36	70.57	88.20	-17.63	63.66	34.31	8.98	36.38	0.00	400	5 PEAK																																								
Fundamental	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6265.00</td><td>98.55</td><td>-----</td><td>-----</td><td>91.22</td><td>34.32</td><td>9.22</td><td>36.21</td><td>0.00</td><td>400</td><td>5 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6265.00	98.55	-----	-----	91.22	34.32	9.22	36.21	0.00	400	5 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1 6265.00	98.55	-----	-----	91.22	34.32	9.22	36.21	0.00	400	5 PEAK																																								
Avg	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5921.00</td><td>60.62</td><td>68.20</td><td>-7.58</td><td>53.71</td><td>34.31</td><td>8.98</td><td>36.38</td><td>0.00</td><td>400</td><td>5 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.00	60.62	68.20	-7.58	53.71	34.31	8.98	36.38	0.00	400	5 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1 5921.00	60.62	68.20	-7.58	53.71	34.31	8.98	36.38	0.00	400	5 AVERAGE																																								
Fundamental	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6265.00</td><td>88.89</td><td>-----</td><td>-----</td><td>81.00</td><td>34.74</td><td>9.29</td><td>36.14</td><td>0.00</td><td>400</td><td>5 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6265.00	88.89	-----	-----	81.00	34.74	9.29	36.14	0.00	400	5 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1 6265.00	88.89	-----	-----	81.00	34.74	9.29	36.14	0.00	400	5 AVERAGE																																								







Mode	45																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.24</td><td>75.66</td><td>88.20</td><td>-12.54</td><td>68.75</td><td>34.31</td><td>8.98</td><td>36.38</td><td>0.00</td><td>290</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.24	75.66	88.20	-12.54	68.75	34.31	8.98	36.38	0.00	290	293	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>105.78</td><td>-----</td><td>-----</td><td>98.84</td><td>34.14</td><td>9.12</td><td>36.32</td><td>0.00</td><td>290</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	105.78	-----	-----	98.84	34.14	9.12	36.32	0.00	290	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.24	75.66	88.20	-12.54	68.75	34.31	8.98	36.38	0.00	290	293	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6265.00	105.78	-----	-----	98.84	34.14	9.12	36.32	0.00	290	293	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.00</td><td>66.41</td><td>68.20</td><td>-1.79</td><td>59.50</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>290</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.00	66.41	68.20	-1.79	59.50	34.30	8.99	36.38	0.00	290	293	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6265.00</td><td>95.74</td><td>-----</td><td>-----</td><td>88.83</td><td>34.12</td><td>9.12</td><td>36.33</td><td>0.00</td><td>290</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	95.74	-----	-----	88.83	34.12	9.12	36.33	0.00	290	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.00	66.41	68.20	-1.79	59.50	34.30	8.99	36.38	0.00	290	293	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6265.00	95.74	-----	-----	88.83	34.12	9.12	36.33	0.00	290	293	AVERAGE																																																																																							





Mode	45																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																																							
ANT	4																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7211.20</td><td>56.97</td><td>74.00</td><td>-17.03</td><td>68.94</td><td>36.90</td><td>9.91</td><td>59.72</td><td>0.94</td><td>350</td><td>23</td><td>Peak</td></tr><tr><td>2</td><td>7211.20</td><td>51.99</td><td>54.00</td><td>-2.01</td><td>63.96</td><td>36.90</td><td>9.91</td><td>59.72</td><td>0.94</td><td>350</td><td>23</td><td>Average</td></tr><tr><td>3</td><td>12530.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>51.09</td><td>39.33</td><td>13.12</td><td>57.76</td><td>0.71</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>18795.00</td><td>37.82</td><td>74.00</td><td>-36.18</td><td>58.96</td><td>37.82</td><td>6.04</td><td>55.46</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>20625.00</td><td>44.18</td><td>74.00</td><td>-29.82</td><td>64.63</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>30940.00</td><td>52.41</td><td>88.20</td><td>-35.79</td><td>69.65</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7211.20	56.97	74.00	-17.03	68.94	36.90	9.91	59.72	0.94	350	23	Peak	2	7211.20	51.99	54.00	-2.01	63.96	36.90	9.91	59.72	0.94	350	23	Average	3	12530.00	47.29	74.00	-26.71	51.09	39.33	13.12	57.76	0.71	--	--	PEAK	4	18795.00	37.82	74.00	-36.18	58.96	37.82	6.04	55.46	-9.54	--	--	PEAK	5	20625.00	44.18	74.00	-29.82	64.63	37.80	6.24	54.95	-9.54	--	--	Peak	6	30940.00	52.41	88.20	-35.79	69.65	40.44	7.91	56.05	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	7211.20	56.97	74.00	-17.03	68.94	36.90	9.91	59.72	0.94	350	23	Peak																																																																																																												
2	7211.20	51.99	54.00	-2.01	63.96	36.90	9.91	59.72	0.94	350	23	Average																																																																																																												
3	12530.00	47.29	74.00	-26.71	51.09	39.33	13.12	57.76	0.71	--	--	PEAK																																																																																																												
4	18795.00	37.82	74.00	-36.18	58.96	37.82	6.04	55.46	-9.54	--	--	PEAK																																																																																																												
5	20625.00	44.18	74.00	-29.82	64.63	37.80	6.24	54.95	-9.54	--	--	Peak																																																																																																												
6	30940.00	52.41	88.20	-35.79	69.65	40.44	7.91	56.05	-9.54	--	--	Peak																																																																																																												







Mode	45	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH63_Full RU_6265MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL







Mode	46												
	Harmonic												
	U-NII-8_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz												
ANT	4												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	7298.00	54.66	74.00	-19.34	66.39	36.90	10.00	59.82	1.19	156	230	Peak	
2	7298.00	52.55	54.00	-1.45	64.28	36.90	10.00	59.82	1.19	156	230	Average	
3	13170.00	47.89	88.20	-40.31	51.70	39.70	13.46	57.86	0.89	--	--	PEAK	
4	19755.00	37.99	74.00	-36.01	59.04	37.42	6.12	55.05	-9.54	--	--	PEAK	
5	20625.00	43.88	74.00	-30.12	64.33	37.80	6.24	54.95	-9.54	--	--	Peak	
6	30940.00	52.49	88.20	-35.71	69.73	40.44	7.91	56.05	-9.54	--	--	Peak	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	7292.40	55.41	74.00	-18.59	67.14	36.90	9.99	59.81	1.19	248	284	Peak	
2	7292.40	51.15	54.00	-2.85	62.80	36.90	9.99	59.81	1.19	248	284	Average	
3	13170.00	47.82	88.20	-40.38	51.63	39.70	13.46	57.86	0.89	--	--	PEAK	
4	19755.00	37.73	74.00	-36.27	58.78	37.42	6.12	55.05	-9.54	--	--	PEAK	
5	20625.00	39.97	74.00	-34.03	60.42	37.80	6.24	54.95	-9.54	--	--	Peak	
6	30940.00	50.81	88.20	-37.39	68.05	40.44	7.91	56.05	-9.54	--	--	Peak	







Mode	46	
	Harmonic	
	U-NII-8_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL



Mode	47																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																		
ANT	4																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7189.24</td><td>80.00</td><td>88.20</td><td>-8.20</td><td>69.50</td><td>36.86</td><td>9.89</td><td>36.25</td><td>0.00</td><td>168</td><td>221</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7189.24	80.00	88.20	-8.20	69.50	36.86	9.89	36.25	0.00	168	221	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>104.84</td><td>-----</td><td>-----</td><td>95.48</td><td>35.88</td><td>9.69</td><td>36.21</td><td>0.00</td><td>168</td><td>221</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	104.84	-----	-----	95.48	35.88	9.69	36.21	0.00	168	221
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7189.24	80.00	88.20	-8.20	69.50	36.86	9.89	36.25	0.00	168	221	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6905.00	104.84	-----	-----	95.48	35.88	9.69	36.21	0.00	168	221	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7128.38</td><td>63.20</td><td>68.20</td><td>-5.00</td><td>53.04</td><td>36.57</td><td>9.83</td><td>36.24</td><td>0.00</td><td>168</td><td>221</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7128.38	63.20	68.20	-5.00	53.04	36.57	9.83	36.24	0.00	168	221	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>92.96</td><td>-----</td><td>-----</td><td>83.70</td><td>35.80</td><td>9.64</td><td>36.18</td><td>0.00</td><td>168</td><td>221</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	92.96	-----	-----	83.70	35.80	9.64	36.18	0.00	168	221
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7128.38	63.20	68.20	-5.00	53.04	36.57	9.83	36.24	0.00	168	221	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6905.00	92.96	-----	-----	83.70	35.80	9.64	36.18	0.00	168	221	AVERAGE																																																																																							







Mode	47																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																			
ANT	4																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7208.96</td><td>80.35</td><td>88.20</td><td>-7.85</td><td>69.80</td><td>36.90</td><td>9.91</td><td>36.26</td><td>0.00</td><td>267</td><td>285</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7208.96	80.35	88.20	-7.85	69.80	36.90	9.91	36.26	0.00	267	285	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>107.44</td><td>-----</td><td>-----</td><td>98.19</td><td>35.80</td><td>9.63</td><td>36.18</td><td>0.00</td><td>267</td><td>285</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	107.44	-----	-----	98.19	35.80	9.63	36.18	0.00	267	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7208.96	80.35	88.20	-7.85	69.80	36.90	9.91	36.26	0.00	267	285	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	6905.00	107.44	-----	-----	98.19	35.80	9.63	36.18	0.00	267	285	PEAK																																																																																								
Avg																																																																																																				
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.34</td><td>65.95</td><td>68.20</td><td>-2.25</td><td>55.80</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>267</td><td>285</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.34	65.95	68.20	-2.25	55.80	36.56	9.83	36.24	0.00	267	285	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>97.40</td><td>-----</td><td>-----</td><td>88.15</td><td>35.81</td><td>9.61</td><td>36.17</td><td>0.00</td><td>267</td><td>285</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	97.40	-----	-----	88.15	35.81	9.61	36.17	0.00	267	285	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7126.34	65.95	68.20	-2.25	55.80	36.56	9.83	36.24	0.00	267	285	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	97.40	-----	-----	88.15	35.81	9.61	36.17	0.00	267	285	AVERAGE																																																																																								







Mode	47																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																													
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																																																																																																																													
ANT	4																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																												
Peak Avg	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7244.00</td><td>62.88</td><td>88.20</td><td>-25.32</td><td>74.62</td><td>36.90</td><td>9.94</td><td>59.76</td><td>1.18</td><td>144 220 Peak</td></tr><tr><td>2 7244.00</td><td>56.21</td><td>68.20</td><td>-11.99</td><td>67.95</td><td>36.90</td><td>9.94</td><td>59.76</td><td>1.18</td><td>144 220 Average</td></tr><tr><td>3 7303.60</td><td>61.89</td><td>74.00</td><td>-12.11</td><td>73.64</td><td>36.89</td><td>10.00</td><td>59.83</td><td>1.19</td><td>144 230 Peak</td></tr><tr><td>4 7303.60</td><td>52.11</td><td>54.00</td><td>-1.89</td><td>63.86</td><td>36.89</td><td>10.00</td><td>59.83</td><td>1.19</td><td>144 230 Average</td></tr><tr><td>5 13810.00</td><td>49.01</td><td>88.20</td><td>-39.19</td><td>52.03</td><td>39.92</td><td>14.01</td><td>58.01</td><td>1.06</td><td>-- -- PEAK</td></tr><tr><td>6 20625.00</td><td>43.03</td><td>74.00</td><td>-30.97</td><td>63.48</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>7 20715.00</td><td>38.03</td><td>74.00</td><td>-35.97</td><td>58.31</td><td>37.96</td><td>6.21</td><td>54.91</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>8 30940.00</td><td>50.24</td><td>88.20</td><td>-37.96</td><td>67.48</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 7244.00	62.88	88.20	-25.32	74.62	36.90	9.94	59.76	1.18	144 220 Peak	2 7244.00	56.21	68.20	-11.99	67.95	36.90	9.94	59.76	1.18	144 220 Average	3 7303.60	61.89	74.00	-12.11	73.64	36.89	10.00	59.83	1.19	144 230 Peak	4 7303.60	52.11	54.00	-1.89	63.86	36.89	10.00	59.83	1.19	144 230 Average	5 13810.00	49.01	88.20	-39.19	52.03	39.92	14.01	58.01	1.06	-- -- PEAK	6 20625.00	43.03	74.00	-30.97	63.48	37.80	6.24	54.95	-9.54	-- -- Peak	7 20715.00	38.03	74.00	-35.97	58.31	37.96	6.21	54.91	-9.54	-- -- PEAK	8 30940.00	50.24	88.20	-37.96	67.48	40.44	7.91	56.05	-9.54	-- -- Peak	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7242.00</td><td>62.28</td><td>88.20</td><td>-25.92</td><td>74.02</td><td>36.90</td><td>9.94</td><td>59.76</td><td>1.18</td><td>295 306 Peak</td></tr><tr><td>2 7242.00</td><td>55.43</td><td>68.20</td><td>-12.77</td><td>67.17</td><td>36.90</td><td>9.94</td><td>59.76</td><td>1.18</td><td>295 306 Average</td></tr><tr><td>3 7295.20</td><td>62.34</td><td>74.00</td><td>-11.66</td><td>74.07</td><td>36.90</td><td>10.00</td><td>59.82</td><td>1.19</td><td>300 291 Peak</td></tr><tr><td>4 7295.20</td><td>53.75</td><td>54.00</td><td>-0.25</td><td>65.48</td><td>36.90</td><td>10.00</td><td>59.82</td><td>1.19</td><td>300 291 Average</td></tr><tr><td>5 13810.00</td><td>48.43</td><td>88.20</td><td>-39.77</td><td>51.45</td><td>39.92</td><td>14.01</td><td>58.01</td><td>1.06</td><td>-- -- PEAK</td></tr><tr><td>6 20635.50</td><td>40.08</td><td>74.00</td><td>-33.92</td><td>60.53</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>7 20715.00</td><td>37.08</td><td>74.00</td><td>-36.92</td><td>57.36</td><td>37.96</td><td>6.21</td><td>54.91</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>8 30940.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>64.47</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 7242.00	62.28	88.20	-25.92	74.02	36.90	9.94	59.76	1.18	295 306 Peak	2 7242.00	55.43	68.20	-12.77	67.17	36.90	9.94	59.76	1.18	295 306 Average	3 7295.20	62.34	74.00	-11.66	74.07	36.90	10.00	59.82	1.19	300 291 Peak	4 7295.20	53.75	54.00	-0.25	65.48	36.90	10.00	59.82	1.19	300 291 Average	5 13810.00	48.43	88.20	-39.77	51.45	39.92	14.01	58.01	1.06	-- -- PEAK	6 20635.50	40.08	74.00	-33.92	60.53	37.80	6.24	54.95	-9.54	-- -- Peak	7 20715.00	37.08	74.00	-36.92	57.36	37.96	6.21	54.91	-9.54	-- -- PEAK	8 30940.00	47.23	88.20	-40.97	64.47	40.44	7.91	56.05	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																					
1 7244.00	62.88	88.20	-25.32	74.62	36.90	9.94	59.76	1.18	144 220 Peak																																																																																																																																																																																																																					
2 7244.00	56.21	68.20	-11.99	67.95	36.90	9.94	59.76	1.18	144 220 Average																																																																																																																																																																																																																					
3 7303.60	61.89	74.00	-12.11	73.64	36.89	10.00	59.83	1.19	144 230 Peak																																																																																																																																																																																																																					
4 7303.60	52.11	54.00	-1.89	63.86	36.89	10.00	59.83	1.19	144 230 Average																																																																																																																																																																																																																					
5 13810.00	49.01	88.20	-39.19	52.03	39.92	14.01	58.01	1.06	-- -- PEAK																																																																																																																																																																																																																					
6 20625.00	43.03	74.00	-30.97	63.48	37.80	6.24	54.95	-9.54	-- -- Peak																																																																																																																																																																																																																					
7 20715.00	38.03	74.00	-35.97	58.31	37.96	6.21	54.91	-9.54	-- -- PEAK																																																																																																																																																																																																																					
8 30940.00	50.24	88.20	-37.96	67.48	40.44	7.91	56.05	-9.54	-- -- Peak																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																																																																																					
1 7242.00	62.28	88.20	-25.92	74.02	36.90	9.94	59.76	1.18	295 306 Peak																																																																																																																																																																																																																					
2 7242.00	55.43	68.20	-12.77	67.17	36.90	9.94	59.76	1.18	295 306 Average																																																																																																																																																																																																																					
3 7295.20	62.34	74.00	-11.66	74.07	36.90	10.00	59.82	1.19	300 291 Peak																																																																																																																																																																																																																					
4 7295.20	53.75	54.00	-0.25	65.48	36.90	10.00	59.82	1.19	300 291 Average																																																																																																																																																																																																																					
5 13810.00	48.43	88.20	-39.77	51.45	39.92	14.01	58.01	1.06	-- -- PEAK																																																																																																																																																																																																																					
6 20635.50	40.08	74.00	-33.92	60.53	37.80	6.24	54.95	-9.54	-- -- Peak																																																																																																																																																																																																																					
7 20715.00	37.08	74.00	-36.92	57.36	37.96	6.21	54.91	-9.54	-- -- PEAK																																																																																																																																																																																																																					
8 30940.00	47.23	88.20	-40.97	64.47	40.44	7.91	56.05	-9.54	-- -- Peak																																																																																																																																																																																																																					







Mode	47	
	Harmonic	
	U-NII-8_6.875-7.125_802.11be EHT320_CH191_Full RU_6905MHz	
ANT	4	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL





<N_{SS} = 2>

Mode	20																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.63</td><td>73.67</td><td>88.20</td><td>-14.53</td><td>66.76</td><td>34.31</td><td>8.98</td><td>36.38</td><td>0.00</td><td>287</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.63	73.67	88.20	-14.53	66.76	34.31	8.98	36.38	0.00	287	207	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>115.93</td><td>-----</td><td>-----</td><td>109.09</td><td>34.20</td><td>9.03</td><td>36.39</td><td>0.00</td><td>287</td><td>207</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.93	-----	-----	109.09	34.20	9.03	36.39	0.00	287	207	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.63	73.67	88.20	-14.53	66.76	34.31	8.98	36.38	0.00	287	207	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	115.93	-----	-----	109.09	34.20	9.03	36.39	0.00	287	207	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>64.58</td><td>68.20</td><td>-3.62</td><td>57.67</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>287</td><td>207</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	64.58	68.20	-3.62	57.67	34.30	8.99	36.38	0.00	287	207	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.20</td><td>-----</td><td>-----</td><td>100.37</td><td>34.20</td><td>9.02</td><td>36.39</td><td>0.00</td><td>287</td><td>207</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.20	-----	-----	100.37	34.20	9.02	36.39	0.00	287	207	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	64.58	68.20	-3.62	57.67	34.30	8.99	36.38	0.00	287	207	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	107.20	-----	-----	100.37	34.20	9.02	36.39	0.00	287	207	AVERAGE																																																																																							







Mode	20																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_Full RU_5955MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.89</td><td>76.00</td><td>88.20</td><td>-12.20</td><td>69.08</td><td>34.31</td><td>8.99</td><td>36.38</td><td>0.00</td><td>306</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.89	76.00	88.20	-12.20	69.08	34.31	8.99	36.38	0.00	306	287	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>117.51</td><td>-----</td><td>-----</td><td>110.67</td><td>34.20</td><td>9.03</td><td>36.39</td><td>0.00</td><td>306</td><td>287</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.51	-----	-----	110.67	34.20	9.03	36.39	0.00	306	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.89	76.00	88.20	-12.20	69.08	34.31	8.99	36.38	0.00	306	287	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	117.51	-----	-----	110.67	34.20	9.03	36.39	0.00	306	287	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>65.74</td><td>68.20</td><td>-2.46</td><td>58.03</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>306</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	65.74	68.20	-2.46	58.03	34.30	8.99	36.38	0.00	306	287	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.74</td><td>-----</td><td>-----</td><td>100.91</td><td>34.20</td><td>9.02</td><td>36.39</td><td>0.00</td><td>306</td><td>287</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.74	-----	-----	100.91	34.20	9.02	36.39	0.00	306	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	65.74	68.20	-2.46	58.03	34.30	8.99	36.38	0.00	306	287	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	107.74	-----	-----	100.91	34.20	9.02	36.39	0.00	306	287	AVERAGE																																																																																							







		21																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																																																														
ANT	4+2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>76.44</td><td>88.20</td><td>-11.76</td><td>66.31</td><td>36.55</td><td>9.82</td><td>36.24</td><td>0.00</td><td>193</td><td>128</td><td>PEAK</td></tr><tr><td>2</td><td>7126.00</td><td>78.77</td><td>88.20</td><td>-9.43</td><td>68.62</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>193</td><td>128</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	76.44	88.20	-11.76	66.31	36.55	9.82	36.24	0.00	193	128	PEAK	2	7126.00	78.77	88.20	-9.43	68.62	36.56	9.83	36.24	0.00	193	128	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>101.20</td><td>-----</td><td>-----</td><td>91.10</td><td>36.52</td><td>9.82</td><td>36.24</td><td>0.00</td><td>193</td><td>128</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	101.20	-----	-----	91.10	36.52	9.82	36.24	0.00	193	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.00	76.44	88.20	-11.76	66.31	36.55	9.82	36.24	0.00	193	128	PEAK																																																																																																			
2	7126.00	78.77	88.20	-9.43	68.62	36.56	9.83	36.24	0.00	193	128	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	101.20	-----	-----	91.10	36.52	9.82	36.24	0.00	193	128	PEAK																																																																																																			
Avg																																																																																																															
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>67.26</td><td>68.20</td><td>-0.94</td><td>57.13</td><td>36.55</td><td>9.82</td><td>36.24</td><td>0.00</td><td>193</td><td>128</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.00</td><td>62.40</td><td>68.20</td><td>-5.80</td><td>52.25</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>193</td><td>128</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	67.26	68.20	-0.94	57.13	36.55	9.82	36.24	0.00	193	128	AVERAGE	2	7126.00	62.40	68.20	-5.80	52.25	36.56	9.83	36.24	0.00	193	128	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>91.95</td><td>-----</td><td>-----</td><td>81.85</td><td>36.52</td><td>9.82</td><td>36.24</td><td>0.00</td><td>193</td><td>128</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	91.95	-----	-----	81.85	36.52	9.82	36.24	0.00	193	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.00	67.26	68.20	-0.94	57.13	36.55	9.82	36.24	0.00	193	128	AVERAGE																																																																																																			
2	7126.00	62.40	68.20	-5.80	52.25	36.56	9.83	36.24	0.00	193	128	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	91.95	-----	-----	81.85	36.52	9.82	36.24	0.00	193	128	AVERAGE																																																																																																			







		21																																																																	
Mode	Band Edge																																																																		
	U-NII-8_6.875-7.125_802.11be EHT20_CH233_Full RU_7115MHz																																																																		
ANT	4+2																																																																		
Pol.	Vertical																																																																		
Peak																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>77.86</td><td>88.20</td><td>-10.34</td><td>67.73</td><td>36.55</td><td>9.82</td><td>36.24</td><td>0.00</td><td>282</td><td>292</td><td>PEAK</td></tr><tr><td>2</td><td>7126.00</td><td>76.89</td><td>88.20</td><td>-11.31</td><td>66.74</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>282</td><td>292</td><td></td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	77.86	88.20	-10.34	67.73	36.55	9.82	36.24	0.00	282	292	PEAK	2	7126.00	76.89	88.20	-11.31	66.74	36.56	9.83	36.24	0.00	282	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	7125.00	77.86	88.20	-10.34	67.73	36.55	9.82	36.24	0.00	282	292	PEAK																																																							
2	7126.00	76.89	88.20	-11.31	66.74	36.56	9.83	36.24	0.00	282	292																																																								
Fundamental																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>101.92</td><td>-----</td><td>-----</td><td>91.86</td><td>36.48</td><td>9.81</td><td>36.23</td><td>0.00</td><td>282</td><td>292</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	101.92	-----	-----	91.86	36.48	9.81	36.23	0.00	282	292	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	7115.00	101.92	-----	-----	91.86	36.48	9.81	36.23	0.00	282	292	PEAK																																																							
Avg																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>67.58</td><td>68.20</td><td>-0.62</td><td>57.45</td><td>36.55</td><td>9.82</td><td>36.24</td><td>0.00</td><td>282</td><td>292</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.00</td><td>62.12</td><td>68.20</td><td>-6.08</td><td>51.97</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>282</td><td>292</td><td></td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	67.58	68.20	-0.62	57.45	36.55	9.82	36.24	0.00	282	292	AVERAGE	2	7126.00	62.12	68.20	-6.08	51.97	36.56	9.83	36.24	0.00	282	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	7125.00	67.58	68.20	-0.62	57.45	36.55	9.82	36.24	0.00	282	292	AVERAGE																																																							
2	7126.00	62.12	68.20	-6.08	51.97	36.56	9.83	36.24	0.00	282	292																																																								
Fundamental																																																																			
	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>92.23</td><td>-----</td><td>-----</td><td>82.13</td><td>36.52</td><td>9.82</td><td>36.24</td><td>0.00</td><td>282</td><td>292</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	92.23	-----	-----	82.13	36.52	9.82	36.24	0.00	282	292	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	7115.00	92.23	-----	-----	82.13	36.52	9.82	36.24	0.00	282	292	AVERAGE																																																							







Mode	22																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.84</td><td>78.25</td><td>88.20</td><td>-9.95</td><td>71.34</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>199</td><td>169</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.84	78.25	88.20	-9.95	71.34	34.30	8.99	36.38	0.00	199	169	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>113.28</td><td>-----</td><td>-----</td><td>106.45</td><td>34.21</td><td>9.01</td><td>36.39</td><td>0.00</td><td>199</td><td>169</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.28	-----	-----	106.45	34.21	9.01	36.39	0.00	199	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.84	78.25	88.20	-9.95	71.34	34.30	8.99	36.38	0.00	199	169	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	113.28	-----	-----	106.45	34.21	9.01	36.39	0.00	199	169	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>67.10</td><td>68.20</td><td>-1.10</td><td>60.19</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>199</td><td>169</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	67.10	68.20	-1.10	60.19	34.30	8.99	36.38	0.00	199	169	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>103.99</td><td>-----</td><td>-----</td><td>97.13</td><td>34.20</td><td>9.05</td><td>36.39</td><td>0.00</td><td>199</td><td>169</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.99	-----	-----	97.13	34.20	9.05	36.39	0.00	199	169
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	67.10	68.20	-1.10	60.19	34.30	8.99	36.38	0.00	199	169	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	103.99	-----	-----	97.13	34.20	9.05	36.39	0.00	199	169	AVERAGE																																																																																							



Mode	22																																																																																															
	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_Full RU_5965MHz																																																																																															
ANT	4+2																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.12</td><td>76.70</td><td>88.20</td><td>-11.50</td><td>69.79</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>353</td><td>97 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5924.12	76.70	88.20	-11.50	69.79	34.30	8.99	36.38	0.00	353	97 PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>112.61</td><td>-----</td><td>-----</td><td>105.77</td><td>34.20</td><td>9.03</td><td>36.39</td><td>0.00</td><td>353</td><td>97 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5965.00	112.61	-----	-----	105.77	34.20	9.03	36.39	0.00	353
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																						
1	5924.12	76.70	88.20	-11.50	69.79	34.30	8.99	36.38	0.00	353	97 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																						
1	5965.00	112.61	-----	-----	105.77	34.20	9.03	36.39	0.00	353	97 PEAK																																																																																					
Avg																																																																																																
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.68</td><td>65.43</td><td>68.20</td><td>-2.77</td><td>58.52</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>353</td><td>97 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5924.68	65.43	68.20	-2.77	58.52	34.30	8.99	36.38	0.00	353	97 AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>103.32</td><td>-----</td><td>-----</td><td>96.48</td><td>34.20</td><td>9.03</td><td>36.39</td><td>0.00</td><td>353</td><td>97 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg	1	5965.00	103.32	-----	-----	96.48	34.20	9.03	36.39	0.00	353
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																						
1	5924.68	65.43	68.20	-2.77	58.52	34.30	8.99	36.38	0.00	353	97 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB	cm	deg																																																																																						
1	5965.00	103.32	-----	-----	96.48	34.20	9.03	36.39	0.00	353	97 AVERAGE																																																																																					







Mode	23																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7185.64</td><td>52.29</td><td>88.20</td><td>-35.91</td><td>41.81</td><td>36.84</td><td>9.89</td><td>36.25</td><td>0.00</td><td>184</td><td>125</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7185.64	52.29	88.20	-35.91	41.81	36.84	9.89	36.25	0.00	184	125	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>114.37</td><td>-----</td><td>-----</td><td>104.61</td><td>36.22</td><td>9.77</td><td>36.23</td><td>0.00</td><td>184</td><td>125</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	114.37	-----	-----	104.61	36.22	9.77	36.23	0.00	184	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7185.64	52.29	88.20	-35.91	41.81	36.84	9.89	36.25	0.00	184	125	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	114.37	-----	-----	104.61	36.22	9.77	36.23	0.00	184	125	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.16</td><td>67.22</td><td>68.20</td><td>-0.98</td><td>57.08</td><td>36.55</td><td>9.83</td><td>36.24</td><td>0.00</td><td>184</td><td>125</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	67.22	68.20	-0.98	57.08	36.55	9.83	36.24	0.00	184	125	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>104.45</td><td>-----</td><td>-----</td><td>94.64</td><td>36.26</td><td>9.78</td><td>36.23</td><td>0.00</td><td>184</td><td>125</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	104.45	-----	-----	94.64	36.26	9.78	36.23	0.00	184	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.16	67.22	68.20	-0.98	57.08	36.55	9.83	36.24	0.00	184	125	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	104.45	-----	-----	94.64	36.26	9.78	36.23	0.00	184	125	AVERAGE																																																																																							







Mode	23																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT40_CH227_Full RU_7085MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.32</td><td>77.69</td><td>88.20</td><td>-10.51</td><td>67.55</td><td>36.55</td><td>9.83</td><td>36.24</td><td>0.00</td><td>299</td><td>279</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.32	77.69	88.20	-10.51	67.55	36.55	9.83	36.24	0.00	299	279	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>113.99</td><td>-----</td><td>-----</td><td>104.10</td><td>36.33</td><td>9.79</td><td>36.23</td><td>0.00</td><td>299</td><td>279</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	113.99	-----	-----	104.10	36.33	9.79	36.23	0.00	299	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.32	77.69	88.20	-10.51	67.55	36.55	9.83	36.24	0.00	299	279	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	113.99	-----	-----	104.10	36.33	9.79	36.23	0.00	299	279	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.32</td><td>66.77</td><td>68.20</td><td>-1.43</td><td>56.63</td><td>36.55</td><td>9.83</td><td>36.24</td><td>0.00</td><td>299</td><td>279</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.32	66.77	68.20	-1.43	56.63	36.55	9.83	36.24	0.00	299	279	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>105.37</td><td>-----</td><td>-----</td><td>95.44</td><td>36.37</td><td>9.79</td><td>36.23</td><td>0.00</td><td>299</td><td>279</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	105.37	-----	-----	95.44	36.37	9.79	36.23	0.00	299	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.32	66.77	68.20	-1.43	56.63	36.55	9.83	36.24	0.00	299	279	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	105.37	-----	-----	95.44	36.37	9.79	36.23	0.00	299	279	AVERAGE																																																																																							







Mode	24																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.36</td><td>78.95</td><td>88.20</td><td>-9.25</td><td>72.04</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>180</td><td>170</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	78.95	88.20	-9.25	72.04	34.30	8.99	36.38	0.00	180	170	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>110.69</td><td>-----</td><td>-----</td><td>103.86</td><td>34.20</td><td>9.02</td><td>36.39</td><td>0.00</td><td>180</td><td>170</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	110.69	-----	-----	103.86	34.20	9.02	36.39	0.00	180	170
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.36	78.95	88.20	-9.25	72.04	34.30	8.99	36.38	0.00	180	170	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	110.69	-----	-----	103.86	34.20	9.02	36.39	0.00	180	170	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.56</td><td>67.18</td><td>68.20</td><td>-1.02</td><td>60.26</td><td>34.31</td><td>8.99</td><td>36.38</td><td>0.00</td><td>180</td><td>170</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	67.18	68.20	-1.02	60.26	34.31	8.99	36.38	0.00	180	170	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>101.54</td><td>-----</td><td>-----</td><td>94.69</td><td>34.20</td><td>9.04</td><td>36.39</td><td>0.00</td><td>180</td><td>170</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.54	-----	-----	94.69	34.20	9.04	36.39	0.00	180	170
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.56	67.18	68.20	-1.02	60.26	34.31	8.99	36.38	0.00	180	170	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	101.54	-----	-----	94.69	34.20	9.04	36.39	0.00	180	170	AVERAGE																																																																																							







Mode	24																																																																																																														
	Band Edge																																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full RU_5985MHz																																																																																																														
ANT	4+2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																								
Avg																																																																																																															
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.36</td><td>75.64</td><td>88.20</td><td>-12.56</td><td>68.73</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>297</td><td>284</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.36	75.64	88.20	-12.56	68.73	34.30	8.99	36.38	0.00	297	284	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>112.21</td><td>-----</td><td>-----</td><td>105.36</td><td>34.20</td><td>9.05</td><td>36.40</td><td>0.00</td><td>297</td><td>284</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	112.21	-----	-----	105.36	34.20	9.05	36.40	0.00	297	284	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.36	75.64	88.20	-12.56	68.73	34.30	8.99	36.38	0.00	297	284	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5985.00	112.21	-----	-----	105.36	34.20	9.05	36.40	0.00	297	284	PEAK																																																																																																			







Mode	25																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																			
ANT	4+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7129.94</td><td>78.84</td><td>88.20</td><td>-9.36</td><td>68.67</td><td>36.58</td><td>9.83</td><td>36.24</td><td>0.00</td><td>173 133 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7129.94	78.84	88.20	-9.36	68.67	36.58	9.83	36.24	0.00	173 133 PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>113.69</td><td>-----</td><td>104.26</td><td>35.93</td><td>9.71</td><td>36.21</td><td>0.00</td><td>173</td><td>133 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	113.69	-----	104.26	35.93	9.71	36.21	0.00	173	133 PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7129.94	78.84	88.20	-9.36	68.67	36.58	9.83	36.24	0.00	173 133 PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7025.00	113.69	-----	104.26	35.93	9.71	36.21	0.00	173	133 PEAK																																																																											
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7126.20</td><td>67.92</td><td>68.20</td><td>-0.28</td><td>57.77</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>173 133 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7126.20	67.92	68.20	-0.28	57.77	36.56	9.83	36.24	0.00	173 133 AVERAGE	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>102.62</td><td>-----</td><td>93.04</td><td>36.06</td><td>9.74</td><td>36.22</td><td>0.00</td><td>173</td><td>133 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7025.00	102.62	-----	93.04	36.06	9.74	36.22	0.00	173	133 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7126.20	67.92	68.20	-0.28	57.77	36.56	9.83	36.24	0.00	173 133 AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7025.00	102.62	-----	93.04	36.06	9.74	36.22	0.00	173	133 AVERAGE																																																																											







Mode	25																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-8_6.875-7.125_802.11be EHT80_CH215_Full RU_7025MHz																																																																																																																			
ANT	4+2																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																													
Avg																																																																																																																				
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																													
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.62</td><td>79.38</td><td>88.20</td><td>-8.82</td><td>69.22</td><td>36.57</td><td>9.83</td><td>36.24</td><td>0.00</td><td>400</td><td>79 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line Margin	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.62	79.38	88.20	-8.82	69.22	36.57	9.83	36.24	0.00	400	79 PEAK	<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>111.20</td><td>-----</td><td>-----</td><td>101.74</td><td>35.96</td><td>9.71</td><td>36.21</td><td>0.00</td><td>400</td><td>79 PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line Margin	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7025.00	111.20	-----	-----	101.74	35.96	9.71	36.21	0.00	400	79 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
									Freq	Level	Line Margin																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	7125.62	79.38	88.20	-8.82	69.22	36.57	9.83	36.24	0.00	400	79 PEAK																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
									Freq	Level	Line Margin																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	7025.00	111.20	-----	-----	101.74	35.96	9.71	36.21	0.00	400	79 PEAK																																																																																																									
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.10</td><td>67.58</td><td>68.20</td><td>-0.62</td><td>57.44</td><td>36.55</td><td>9.83</td><td>36.24</td><td>0.00</td><td>400</td><td>79 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line Margin	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.10	67.58	68.20	-0.62	57.44	36.55	9.83	36.24	0.00	400	79 AVERAGE	<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>101.74</td><td>-----</td><td>-----</td><td>92.20</td><td>36.83</td><td>9.73</td><td>36.22</td><td>0.00</td><td>400</td><td>79 AVERAGE</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark				Freq	Level	Line Margin	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7025.00	101.74	-----	-----	92.20	36.83	9.73	36.22	0.00	400	79 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
									Freq	Level	Line Margin																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	7125.10	67.58	68.20	-0.62	57.44	36.55	9.83	36.24	0.00	400	79 AVERAGE																																																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
									Freq	Level	Line Margin																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	7025.00	101.74	-----	-----	92.20	36.83	9.73	36.22	0.00	400	79 AVERAGE																																																																																																									







Mode	26																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																
ANT	4+2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5902.60</td><td>75.48</td><td>88.20</td><td>-12.72</td><td>68.51</td><td>34.39</td><td>8.96</td><td>36.38</td><td>0.00</td><td>200</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5902.60	75.48	88.20	-12.72	68.51	34.39	8.96	36.38	0.00	200	172	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>108.94</td><td>-----</td><td>-----</td><td>102.08</td><td>34.18</td><td>9.07</td><td>36.39</td><td>0.00</td><td>200</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6025.00	108.94	-----	-----	102.08	34.18	9.07	36.39	0.00	200	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5902.60	75.48	88.20	-12.72	68.51	34.39	8.96	36.38	0.00	200	172	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	108.94	-----	-----	102.08	34.18	9.07	36.39	0.00	200	172	PEAK																																																																																					
Avg																																																																																																	
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>65.43</td><td>68.20</td><td>-2.77</td><td>58.52</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>200</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5925.00	65.43	68.20	-2.77	58.52	34.30	8.99	36.38	0.00	200	172	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>99.23</td><td>-----</td><td>-----</td><td>92.36</td><td>34.10</td><td>9.11</td><td>36.34</td><td>0.00</td><td>200</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	6025.00	99.23	-----	-----	92.36	34.10	9.11	36.34	0.00	200	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	5925.00	65.43	68.20	-2.77	58.52	34.30	8.99	36.38	0.00	200	172	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																								
1	6025.00	99.23	-----	-----	92.36	34.10	9.11	36.34	0.00	200	172	AVERAGE																																																																																					







Mode	26																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_Full RU_6025MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>73.75</td><td>88.20</td><td>-14.45</td><td>66.84</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>333</td><td>294</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	73.75	88.20	-14.45	66.84	34.30	8.99	36.38	0.00	333	294	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>110.36</td><td>-----</td><td>-----</td><td>103.52</td><td>34.14</td><td>9.08</td><td>36.38</td><td>0.00</td><td>333</td><td>294</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	110.36	-----	-----	103.52	34.14	9.08	36.38	0.00	333	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5925.00	73.75	88.20	-14.45	66.84	34.30	8.99	36.38	0.00	333	294	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	110.36	-----	-----	103.52	34.14	9.08	36.38	0.00	333	294	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.60</td><td>63.55</td><td>68.20</td><td>-4.65</td><td>56.64</td><td>34.31</td><td>8.98</td><td>36.38</td><td>0.00</td><td>333</td><td>294</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.60	63.55	68.20	-4.65	56.64	34.31	8.98	36.38	0.00	333	294	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>98.04</td><td>-----</td><td>-----</td><td>91.20</td><td>34.13</td><td>9.09</td><td>36.38</td><td>0.00</td><td>333</td><td>294</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.04	-----	-----	91.20	34.13	9.09	36.38	0.00	333	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.60	63.55	68.20	-4.65	56.64	34.31	8.98	36.38	0.00	333	294	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	98.04	-----	-----	91.20	34.13	9.09	36.38	0.00	333	294	AVERAGE																																																																																							







Mode	27																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7143.88</td><td>79.08</td><td>88.20</td><td>-9.12</td><td>68.82</td><td>36.66</td><td>9.84</td><td>36.24</td><td>0.00</td><td>200</td><td>129</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7143.88	79.08	88.20	-9.12	68.82	36.66	9.84	36.24	0.00	200	129	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>107.50</td><td>-----</td><td>-----</td><td>97.90</td><td>36.08</td><td>9.74</td><td>36.22</td><td>0.00</td><td>200</td><td>129</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	107.50	-----	-----	97.90	36.08	9.74	36.22	0.00	200	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7143.88	79.08	88.20	-9.12	68.82	36.66	9.84	36.24	0.00	200	129	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6985.00	107.50	-----	-----	97.90	36.08	9.74	36.22	0.00	200	129	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.40</td><td>65.73</td><td>68.20</td><td>-2.47</td><td>55.59</td><td>36.55</td><td>9.83</td><td>36.24</td><td>0.00</td><td>200</td><td>129</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.40	65.73	68.20	-2.47	55.59	36.55	9.83	36.24	0.00	200	129	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>97.92</td><td>-----</td><td>-----</td><td>88.28</td><td>36.11</td><td>9.75</td><td>36.22</td><td>0.00</td><td>200</td><td>129</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	97.92	-----	-----	88.28	36.11	9.75	36.22	0.00	200	129
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.40	65.73	68.20	-2.47	55.59	36.55	9.83	36.24	0.00	200	129	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6985.00	97.92	-----	-----	88.28	36.11	9.75	36.22	0.00	200	129	AVERAGE																																																																																							







Mode	27																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11be EHT160_CH207_Full RU_6985MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7133.32</td><td>78.49</td><td>88.20</td><td>-9.71</td><td>68.30</td><td>36.60</td><td>9.83</td><td>36.24</td><td>0.00</td><td>300</td><td>279</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7133.32	78.49	88.20	-9.71	68.30	36.60	9.83	36.24	0.00	300	279	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>110.01</td><td>-----</td><td>-----</td><td>100.75</td><td>35.80</td><td>9.65</td><td>36.19</td><td>0.00</td><td>300</td><td>279</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	110.01	-----	-----	100.75	35.80	9.65	36.19	0.00	300	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7133.32	78.49	88.20	-9.71	68.30	36.60	9.83	36.24	0.00	300	279	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6985.00	110.01	-----	-----	100.75	35.80	9.65	36.19	0.00	300	279	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7127.56</td><td>66.68</td><td>68.20</td><td>-1.52</td><td>56.52</td><td>36.57</td><td>9.83</td><td>36.24</td><td>0.00</td><td>300</td><td>279</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7127.56	66.68	68.20	-1.52	56.52	36.57	9.83	36.24	0.00	300	279	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>99.73</td><td>-----</td><td>-----</td><td>90.39</td><td>35.85</td><td>9.69</td><td>36.20</td><td>0.00</td><td>300</td><td>279</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	99.73	-----	-----	90.39	35.85	9.69	36.20	0.00	300	279
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7127.56	66.68	68.20	-1.52	56.52	36.57	9.83	36.24	0.00	300	279	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6985.00	99.73	-----	-----	90.39	35.85	9.69	36.20	0.00	300	279	AVERAGE																																																																																							





		28																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.44</td><td>78.28</td><td>88.20</td><td>-9.92</td><td>71.37</td><td>34.31</td><td>8.98</td><td>36.38</td><td>0.00</td><td>248</td><td>168</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.44	78.28	88.20	-9.92	71.37	34.31	8.98	36.38	0.00	248	168	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>107.01</td><td>-----</td><td>-----</td><td>99.95</td><td>34.20</td><td>9.15</td><td>36.29</td><td>0.00</td><td>248</td><td>168</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	107.01	-----	-----	99.95	34.20	9.15	36.29	0.00	248	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.44	78.28	88.20	-9.92	71.37	34.31	8.98	36.38	0.00	248	168	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	107.01	-----	-----	99.95	34.20	9.15	36.29	0.00	248	168	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>66.90</td><td>68.20</td><td>-1.30</td><td>59.99</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>248</td><td>168</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	66.90	68.20	-1.30	59.99	34.30	8.99	36.38	0.00	248	168	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>96.44</td><td>-----</td><td>-----</td><td>89.18</td><td>34.33</td><td>9.18</td><td>36.25</td><td>0.00</td><td>248</td><td>168</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	96.44	-----	-----	89.18	34.33	9.18	36.25	0.00	248	168
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	66.90	68.20	-1.30	59.99	34.30	8.99	36.38	0.00	248	168	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	96.44	-----	-----	89.18	34.33	9.18	36.25	0.00	248	168	AVERAGE																																																																																							







Mode	28																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5912.92</td><td>74.89</td><td>88.20</td><td>-13.31</td><td>67.95</td><td>34.35</td><td>8.97</td><td>36.38</td><td>0.00</td><td>300</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5912.92	74.89	88.20	-13.31	67.95	34.35	8.97	36.38	0.00	300	293	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>107.26</td><td>-----</td><td>-----</td><td>100.44</td><td>34.10</td><td>9.09</td><td>36.37</td><td>0.00</td><td>300</td><td>293</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	107.26	-----	-----	100.44	34.10	9.09	36.37	0.00	300	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5912.92	74.89	88.20	-13.31	67.95	34.35	8.97	36.38	0.00	300	293	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	107.26	-----	-----	100.44	34.10	9.09	36.37	0.00	300	293	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.12</td><td>66.17</td><td>68.20</td><td>-2.03</td><td>59.26</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00</td><td>300</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.12	66.17	68.20	-2.03	59.26	34.30	8.99	36.38	0.00	300	293	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>96.58</td><td>-----</td><td>-----</td><td>89.72</td><td>34.20</td><td>9.06</td><td>36.40</td><td>0.00</td><td>300</td><td>293</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	96.58	-----	-----	89.72	34.20	9.06	36.40	0.00	300	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.12	66.17	68.20	-2.03	59.26	34.30	8.99	36.38	0.00	300	293	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6105.00	96.58	-----	-----	89.72	34.20	9.06	36.40	0.00	300	293	AVERAGE																																																																																							





Mode	28																																																																												
	Harmonic																																																																												
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz																																																																												
ANT	4+2																																																																												
Pol.	Horizontal						Vertical																																																																						
Peak Avg																																																																													
	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m 88HA9170_1224_240624 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m 88HA9170_1224_240624 VERTICAL																																																																						
<table><tr><th></th><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12210.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>52.18</td><td>39.39</td><td>12.99</td><td>57.81</td><td>0.63</td><td>-- -- PEAK</td></tr><tr><td>2</td><td>18315.00</td><td>38.78</td><td>74.00</td><td>-35.22</td><td>60.73</td><td>37.52</td><td>5.88</td><td>55.81</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>3</td><td>30940.00</td><td>53.08</td><td>88.20</td><td>-35.12</td><td>70.32</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12210.00	47.38	74.00	-26.62	52.18	39.39	12.99	57.81	0.63	-- -- PEAK	2	18315.00	38.78	74.00	-35.22	60.73	37.52	5.88	55.81	-9.54	-- -- PEAK	3	30940.00	53.08	88.20	-35.12	70.32	40.44	7.91	56.05	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	12210.00	47.38	74.00	-26.62	52.18	39.39	12.99	57.81	0.63	-- -- PEAK																																																																			
2	18315.00	38.78	74.00	-35.22	60.73	37.52	5.88	55.81	-9.54	-- -- PEAK																																																																			
3	30940.00	53.08	88.20	-35.12	70.32	40.44	7.91	56.05	-9.54	-- -- Peak																																																																			







Mode	28	
	Harmonic	
	U-NII-5_5.925-6.425_802.11be EHT320_CH31_Full RU_6105MHz	
ANT	4+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL







Mode	29																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-6_6.425-6.525_802.11be EHT320_CH95_Full RU_6425MHz																																																																																																																																													
ANT	4+2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170_1224_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12850.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>51.29</td><td>39.85</td><td>13.26</td><td>57.77</td><td>0.80</td><td>-- -- PEAK</td></tr><tr><td>2 19275.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>59.46</td><td>37.85</td><td>6.12</td><td>55.19</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>3 20625.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>64.27</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>4 30940.00</td><td>52.70</td><td>88.20</td><td>-35.50</td><td>69.94</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12850.00	47.43	88.20	-40.77	51.29	39.85	13.26	57.77	0.80	-- -- PEAK	2 19275.00	38.70	74.00	-35.30	59.46	37.85	6.12	55.19	-9.54	-- -- PEAK	3 20625.00	43.82	74.00	-30.18	64.27	37.80	6.24	54.95	-9.54	-- -- Peak	4 30940.00	52.70	88.20	-35.50	69.94	40.44	7.91	56.05	-9.54	-- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170_1224_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12850.00</td><td>47.27</td><td>88.20</td><td>-40.93</td><td>51.13</td><td>39.85</td><td>13.26</td><td>57.77</td><td>0.80</td><td>-- -- PEAK</td></tr><tr><td>2 19275.00</td><td>38.46</td><td>74.00</td><td>-35.54</td><td>59.22</td><td>37.85</td><td>6.12</td><td>55.19</td><td>-9.54</td><td>-- -- PEAK</td></tr><tr><td>3 20625.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>60.84</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>4 30940.00</td><td>49.86</td><td>88.20</td><td>-38.34</td><td>67.10</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12850.00	47.27	88.20	-40.93	51.13	39.85	13.26	57.77	0.80	-- -- PEAK	2 19275.00	38.46	74.00	-35.54	59.22	37.85	6.12	55.19	-9.54	-- -- PEAK	3 20625.00	40.39	74.00	-33.61	60.84	37.80	6.24	54.95	-9.54	-- -- Peak	4 30940.00	49.86	88.20	-38.34	67.10	40.44	7.91	56.05	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 12850.00	47.43	88.20	-40.77	51.29	39.85	13.26	57.77	0.80	-- -- PEAK																																																																																																																																					
2 19275.00	38.70	74.00	-35.30	59.46	37.85	6.12	55.19	-9.54	-- -- PEAK																																																																																																																																					
3 20625.00	43.82	74.00	-30.18	64.27	37.80	6.24	54.95	-9.54	-- -- Peak																																																																																																																																					
4 30940.00	52.70	88.20	-35.50	69.94	40.44	7.91	56.05	-9.54	-- -- Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 12850.00	47.27	88.20	-40.93	51.13	39.85	13.26	57.77	0.80	-- -- PEAK																																																																																																																																					
2 19275.00	38.46	74.00	-35.54	59.22	37.85	6.12	55.19	-9.54	-- -- PEAK																																																																																																																																					
3 20625.00	40.39	74.00	-33.61	60.84	37.80	6.24	54.95	-9.54	-- -- Peak																																																																																																																																					
4 30940.00	49.86	88.20	-38.34	67.10	40.44	7.91	56.05	-9.54	-- -- Peak																																																																																																																																					







Mode	29	
	Harmonic	
	U-NII-6_6.425-6.525_802.11be EHT320_CH95_Full RU_6425MHz	
ANT	4+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL





Mode	30																																																																																																		
	Band Edge																																																																																																		
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7134.50</td><td>74.73</td><td>88.20</td><td>-13.47</td><td>64.53</td><td>36.61</td><td>9.83</td><td>36.24</td><td>0.00</td><td>233</td><td>127</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7134.50	74.73	88.20	-13.47	64.53	36.61	9.83	36.24	0.00	233	127	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6745.00</td><td>106.24</td><td>-----</td><td>-----</td><td>96.99</td><td>35.81</td><td>9.61</td><td>36.17</td><td>0.00</td><td>233</td><td>127</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6745.00	106.24	-----	-----	96.99	35.81	9.61	36.17	0.00	233	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																									
1	7134.50	74.73	88.20	-13.47	64.53	36.61	9.83	36.24	0.00	233	127	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																									
1	6745.00	106.24	-----	-----	96.99	35.81	9.61	36.17	0.00	233	127	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.00</td><td>63.26</td><td>68.20</td><td>-4.94</td><td>53.11</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>233</td><td>127</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	7127.00	63.26	68.20	-4.94	53.11	36.56	9.83	36.24	0.00	233	127	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6745.00</td><td>96.11</td><td>-----</td><td>-----</td><td>86.82</td><td>35.90</td><td>9.53</td><td>36.14</td><td>0.00</td><td>233</td><td>127</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	6745.00	96.11	-----	-----	86.82	35.90	9.53	36.14	0.00	233	127
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																									
1	7127.00	63.26	68.20	-4.94	53.11	36.56	9.83	36.24	0.00	233	127	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																									
1	6745.00	96.11	-----	-----	86.82	35.90	9.53	36.14	0.00	233	127	AVERAGE																																																																																							







Mode	30																																																							
	Band Edge																																																							
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																							
ANT	4+2																																																							
Pol.	Vertical					Fundamental																																																		
Peak																																																								
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto					Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																		
Avg																																																								
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto					Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																		
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7143.00</td><td>72.98</td><td>88.20</td><td>-15.22</td><td>62.72</td><td>36.66</td><td>9.84</td><td>36.24</td><td>0.00</td><td>300</td><td>316 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7143.00	72.98	88.20	-15.22	62.72	36.66	9.84	36.24	0.00	300	316 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
									Freq	Level																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 7143.00	72.98	88.20	-15.22	62.72	36.66	9.84	36.24	0.00	300	316 PEAK																																														
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6745.00</td><td>106.89</td><td>-----</td><td>-----</td><td>97.64</td><td>35.81</td><td>9.61</td><td>36.17</td><td>0.00</td><td>300</td><td>316 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6745.00	106.89	-----	-----	97.64	35.81	9.61	36.17	0.00	300	316 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
									Freq	Level																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 6745.00	106.89	-----	-----	97.64	35.81	9.61	36.17	0.00	300	316 PEAK																																														
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7130.00</td><td>63.52</td><td>68.20</td><td>-4.68</td><td>53.35</td><td>36.58</td><td>9.83</td><td>36.24</td><td>0.00</td><td>300</td><td>316 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7130.00	63.52	68.20	-4.68	53.35	36.58	9.83	36.24	0.00	300	316 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
									Freq	Level																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 7130.00	63.52	68.20	-4.68	53.35	36.58	9.83	36.24	0.00	300	316 AVERAGE																																														
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6745.00</td><td>97.08</td><td>-----</td><td>-----</td><td>87.78</td><td>35.90</td><td>9.54</td><td>36.14</td><td>0.00</td><td>300</td><td>316 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 6745.00	97.08	-----	-----	87.78	35.90	9.54	36.14	0.00	300	316 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
									Freq	Level																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 6745.00	97.08	-----	-----	87.78	35.90	9.54	36.14	0.00	300	316 AVERAGE																																														







Mode	30																																																																																																																																																																														
	Harmonic																																																																																																																																																																														
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz																																																																																																																																																																														
ANT	4+2																																																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																																																						
Peak Avg																																																																																																																																																																															
	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13490.00</td><td>47.04</td><td>88.20</td><td>-41.16</td><td>50.17</td><td>40.18</td><td>13.74</td><td>58.02</td><td>0.97</td><td>-- -- PEAK</td></tr><tr><td>2 20235.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>69.31</td><td>37.67</td><td>6.19</td><td>55.00</td><td>-9.54</td><td>150 157 PEAK</td></tr><tr><td>3 20235.00</td><td>45.03</td><td>54.00</td><td>-8.97</td><td>65.71</td><td>37.67</td><td>6.19</td><td>55.00</td><td>-9.54</td><td>150 157 Average</td></tr><tr><td>4 20635.50</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>63.92</td><td>37.00</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>5 30940.00</td><td>54.19</td><td>88.20</td><td>-34.01</td><td>71.43</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table> Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBHA9170_1224_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13490.00</td><td>47.49</td><td>88.20</td><td>-40.71</td><td>50.62</td><td>40.18</td><td>13.74</td><td>58.02</td><td>0.97</td><td>-- -- PEAK</td></tr><tr><td>2 20235.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>67.30</td><td>37.67</td><td>6.19</td><td>55.00</td><td>-9.54</td><td>150 213 PEAK</td></tr><tr><td>3 20235.00</td><td>44.96</td><td>54.00</td><td>-9.04</td><td>65.64</td><td>37.67</td><td>6.19</td><td>55.00</td><td>-9.54</td><td>150 213 Average</td></tr><tr><td>4 20730.00</td><td>40.94</td><td>74.00</td><td>-33.06</td><td>61.16</td><td>38.02</td><td>6.21</td><td>54.91</td><td>-9.54</td><td>-- -- Peak</td></tr><tr><td>5 30940.00</td><td>50.22</td><td>88.20</td><td>-37.98</td><td>67.46</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>-- -- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13490.00	47.04	88.20	-41.16	50.17	40.18	13.74	58.02	0.97	-- -- PEAK	2 20235.00	48.63	74.00	-25.37	69.31	37.67	6.19	55.00	-9.54	150 157 PEAK	3 20235.00	45.03	54.00	-8.97	65.71	37.67	6.19	55.00	-9.54	150 157 Average	4 20635.50	43.47	74.00	-30.53	63.92	37.00	6.24	54.95	-9.54	-- -- Peak	5 30940.00	54.19	88.20	-34.01	71.43	40.44	7.91	56.05	-9.54	-- -- Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13490.00	47.49	88.20	-40.71	50.62	40.18	13.74	58.02	0.97	-- -- PEAK	2 20235.00	46.62	74.00	-27.38	67.30	37.67	6.19	55.00	-9.54	150 213 PEAK	3 20235.00	44.96	54.00	-9.04	65.64	37.67	6.19	55.00	-9.54	150 213 Average	4 20730.00	40.94	74.00	-33.06	61.16	38.02	6.21	54.91	-9.54	-- -- Peak	5 30940.00	50.22	88.20	-37.98	67.46	40.44	7.91	56.05	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																						
1 13490.00	47.04	88.20	-41.16	50.17	40.18	13.74	58.02	0.97	-- -- PEAK																																																																																																																																																																						
2 20235.00	48.63	74.00	-25.37	69.31	37.67	6.19	55.00	-9.54	150 157 PEAK																																																																																																																																																																						
3 20235.00	45.03	54.00	-8.97	65.71	37.67	6.19	55.00	-9.54	150 157 Average																																																																																																																																																																						
4 20635.50	43.47	74.00	-30.53	63.92	37.00	6.24	54.95	-9.54	-- -- Peak																																																																																																																																																																						
5 30940.00	54.19	88.20	-34.01	71.43	40.44	7.91	56.05	-9.54	-- -- Peak																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																						
1 13490.00	47.49	88.20	-40.71	50.62	40.18	13.74	58.02	0.97	-- -- PEAK																																																																																																																																																																						
2 20235.00	46.62	74.00	-27.38	67.30	37.67	6.19	55.00	-9.54	150 213 PEAK																																																																																																																																																																						
3 20235.00	44.96	54.00	-9.04	65.64	37.67	6.19	55.00	-9.54	150 213 Average																																																																																																																																																																						
4 20730.00	40.94	74.00	-33.06	61.16	38.02	6.21	54.91	-9.54	-- -- Peak																																																																																																																																																																						
5 30940.00	50.22	88.20	-37.98	67.46	40.44	7.91	56.05	-9.54	-- -- Peak																																																																																																																																																																						







Mode	30	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH159_Full RU_6745MHz	
ANT	4+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL



		31																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-7_6.525-6.875_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.80</td><td>74.86</td><td>88.20</td><td>-13.34</td><td>67.95</td><td>34.31</td><td>8.98</td><td>36.38</td><td>0.00</td><td>200</td><td>166</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.80	74.86	88.20	-13.34	67.95	34.31	8.98	36.38	0.00	200	166	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>107.71</td><td>-----</td><td>-----</td><td>100.37</td><td>34.39</td><td>9.19</td><td>36.24</td><td>0.00</td><td>200</td><td>166</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	107.71	-----	-----	100.37	34.39	9.19	36.24	0.00	200	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5921.80	74.86	88.20	-13.34	67.95	34.31	8.98	36.38	0.00	200	166	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6265.00	107.71	-----	-----	100.37	34.39	9.19	36.24	0.00	200	166	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.24</td><td>65.29</td><td>68.20</td><td>-2.91</td><td>58.38</td><td>34.31</td><td>8.98</td><td>36.38</td><td>0.00</td><td>200</td><td>166</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.24	65.29	68.20	-2.91	58.38	34.31	8.98	36.38	0.00	200	166	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>97.19</td><td>-----</td><td>-----</td><td>89.86</td><td>34.35</td><td>9.20</td><td>36.22</td><td>0.00</td><td>200</td><td>166</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6265.00	97.19	-----	-----	89.86	34.35	9.20	36.22	0.00	200	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.24	65.29	68.20	-2.91	58.38	34.31	8.98	36.38	0.00	200	166	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6265.00	97.19	-----	-----	89.86	34.35	9.20	36.22	0.00	200	166	AVERAGE																																																																																							



Mode	31																																																																																	
	Band Edge																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT320_CH63_Full RU_6265MHz																																																																																	
ANT	4+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5924.88</td><td>76.98</td><td>88.20</td><td>-11.22</td><td>70.07</td><td>34.30</td><td>8.99</td><td>36.38</td><td>0.00 300 285 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5924.88	76.98	88.20	-11.22	70.07	34.30	8.99	36.38	0.00 300 285 PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>106.65</td><td>-----</td><td>-----</td><td>98.96</td><td>34.61</td><td>9.25</td><td>36.17</td><td>0.00 300 285 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6265.00	106.65	-----	-----	98.96	34.61	9.25	36.17	0.00 300 285 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5924.88	76.98	88.20	-11.22	70.07	34.30	8.99	36.38	0.00 300 285 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	6265.00	106.65	-----	-----	98.96	34.61	9.25	36.17	0.00 300 285 PEAK																																																																									
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>5922.68</td><td>66.22</td><td>68.20</td><td>-1.98</td><td>59.31</td><td>34.31</td><td>8.98</td><td>36.38</td><td>0.00 300 285 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5922.68	66.22	68.20	-1.98	59.31	34.31	8.98	36.38	0.00 300 285 AVERAGE	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1</td><td>6265.00</td><td>96.05</td><td>-----</td><td>-----</td><td>88.33</td><td>34.63</td><td>9.26</td><td>36.17</td><td>0.00 300 285 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6265.00	96.05	-----	-----	88.33	34.63	9.26	36.17	0.00 300 285 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5922.68	66.22	68.20	-1.98	59.31	34.31	8.98	36.38	0.00 300 285 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	6265.00	96.05	-----	-----	88.33	34.63	9.26	36.17	0.00 300 285 AVERAGE																																																																									





Mode	31																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-7_6.525-6.875_802.11be EHT320_CH63_Full RU_6265MHz																																																																																																																																									
ANT	4+2																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																								
Peak Avg	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170_1224_240624 HORIZONTAL <table><tr><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12530.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>51.08</td><td>39.33</td><td>13.12</td><td>57.76</td><td>0.71</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 18795.00</td><td>36.11</td><td>74.00</td><td>-37.89</td><td>57.25</td><td>37.82</td><td>6.04</td><td>55.46</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>3 20625.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>64.89</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>4 30940.00</td><td>53.08</td><td>88.20</td><td>-35.12</td><td>70.32</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12530.00	46.48	74.00	-27.52	51.08	39.33	13.12	57.76	0.71	--	-- PEAK	2 18795.00	36.11	74.00	-37.89	57.25	37.82	6.04	55.46	-9.54	--	-- Peak	3 20625.00	44.44	74.00	-29.56	64.89	37.80	6.24	54.95	-9.54	--	-- Peak	4 30940.00	53.08	88.20	-35.12	70.32	40.44	7.91	56.05	-9.54	--	-- Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170_1224_240624 VERTICAL <table><tr><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 12530.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>51.22</td><td>39.33</td><td>13.12</td><td>57.76</td><td>0.71</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 18795.00</td><td>36.27</td><td>74.00</td><td>-37.73</td><td>57.41</td><td>37.82</td><td>6.04</td><td>55.46</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>3 20635.50</td><td>40.61</td><td>74.00</td><td>-33.39</td><td>61.06</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr><tr><td>4 30940.00</td><td>50.02</td><td>88.20</td><td>-38.18</td><td>67.26</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 12530.00	46.62	74.00	-27.38	51.22	39.33	13.12	57.76	0.71	--	-- PEAK	2 18795.00	36.27	74.00	-37.73	57.41	37.82	6.04	55.46	-9.54	--	-- Peak	3 20635.50	40.61	74.00	-33.39	61.06	37.80	6.24	54.95	-9.54	--	-- Peak	4 30940.00	50.02	88.20	-38.18	67.26	40.44	7.91	56.05	-9.54	--	-- Peak
	Freq		Limit										Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Level		Line Margin																																																																																																																																								
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1 12530.00	46.48	74.00	-27.52	51.08	39.33	13.12	57.76	0.71	--	-- PEAK																																																																																																																																
2 18795.00	36.11	74.00	-37.89	57.25	37.82	6.04	55.46	-9.54	--	-- Peak																																																																																																																																
3 20625.00	44.44	74.00	-29.56	64.89	37.80	6.24	54.95	-9.54	--	-- Peak																																																																																																																																
4 30940.00	53.08	88.20	-35.12	70.32	40.44	7.91	56.05	-9.54	--	-- Peak																																																																																																																																
Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	Level	Line Margin																																																																																																																																								
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1 12530.00	46.62	74.00	-27.38	51.22	39.33	13.12	57.76	0.71	--	-- PEAK																																																																																																																																
2 18795.00	36.27	74.00	-37.73	57.41	37.82	6.04	55.46	-9.54	--	-- Peak																																																																																																																																
3 20635.50	40.61	74.00	-33.39	61.06	37.80	6.24	54.95	-9.54	--	-- Peak																																																																																																																																
4 30940.00	50.02	88.20	-38.18	67.26	40.44	7.91	56.05	-9.54	--	-- Peak																																																																																																																																







Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH63_Full RU_6265MHz	
ANT	4+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL The plot shows a blue line representing the signal level, which is relatively flat and low, around 35 dBuV/m, across the frequency range from 14470 to 14500 MHz. A red horizontal line at approximately 52.5 dBuV/m represents the noise floor (AVG(UNII)_6E).	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL The plot shows a blue line representing the signal level, which is relatively flat and low, around 35 dBuV/m, across the frequency range from 14470 to 14500 MHz. A red horizontal line at approximately 52.5 dBuV/m represents the noise floor (AVG(UNII)_6E).
17.7G ~18G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL The plot shows a blue line representing the signal level, which is relatively flat and low, around 35 dBuV/m, across the frequency range from 17700 to 18000 MHz. A red horizontal line at approximately 52.5 dBuV/m represents the noise floor (AVG(UNII)_6E).	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL The plot shows a blue line representing the signal level, which is relatively flat and low, around 35 dBuV/m, across the frequency range from 17700 to 18000 MHz. A red horizontal line at approximately 52.5 dBuV/m represents the noise floor (AVG(UNII)_6E).







Mode	32																																																																																													
	Harmonic																																																																																													
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz																																																																																													
ANT	4+2																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBH49170_1224_240624 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(U-NII)_6E 1m BBH49170_1224_240624 VERTICAL																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13170.00</td><td>47.55</td><td>88.20</td><td>-40.65</td><td>51.36</td><td>39.70</td><td>13.46</td><td>57.86</td><td>0.89</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19755.00</td><td>37.34</td><td>74.00</td><td>-36.66</td><td>58.39</td><td>37.42</td><td>6.12</td><td>55.05</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>20625.00</td><td>44.45</td><td>74.00</td><td>-29.55</td><td>64.90</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>30940.00</td><td>53.72</td><td>88.20</td><td>-34.48</td><td>70.96</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13170.00	47.55	88.20	-40.65	51.36	39.70	13.46	57.86	0.89	--	--	PEAK	2	19755.00	37.34	74.00	-36.66	58.39	37.42	6.12	55.05	-9.54	--	--	PEAK	3	20625.00	44.45	74.00	-29.55	64.90	37.80	6.24	54.95	-9.54	--	--	Peak	4	30940.00	53.72	88.20	-34.48	70.96	40.44	7.91	56.05	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13170.00	47.55	88.20	-40.65	51.36	39.70	13.46	57.86	0.89	--	--	PEAK																																																																																		
2	19755.00	37.34	74.00	-36.66	58.39	37.42	6.12	55.05	-9.54	--	--	PEAK																																																																																		
3	20625.00	44.45	74.00	-29.55	64.90	37.80	6.24	54.95	-9.54	--	--	Peak																																																																																		
4	30940.00	53.72	88.20	-34.48	70.96	40.44	7.91	56.05	-9.54	--	--	Peak																																																																																		







Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH127_Full RU_6585MHz	
ANT	4+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL





		33																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-7_6.525-6.875_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																		
ANT	4+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7193.32</td><td>81.94</td><td>88.20</td><td>-6.26</td><td>71.43</td><td>36.87</td><td>9.89</td><td>36.25</td><td>0.00</td><td>200</td><td>126</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7193.32	81.94	88.20	-6.26	71.43	36.87	9.89	36.25	0.00	200	126	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>105.15</td><td>-----</td><td>-----</td><td>95.83</td><td>35.84</td><td>9.68</td><td>36.20</td><td>0.00</td><td>200</td><td>126</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	105.15	-----	-----	95.83	35.84	9.68	36.20	0.00	200	126	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7193.32	81.94	88.20	-6.26	71.43	36.87	9.89	36.25	0.00	200	126	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6905.00	105.15	-----	-----	95.83	35.84	9.68	36.20	0.00	200	126	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7188.90</td><td>66.79</td><td>68.20</td><td>-1.41</td><td>56.29</td><td>36.86</td><td>9.89</td><td>36.25</td><td>0.00</td><td>200</td><td>126</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7188.90	66.79	68.20	-1.41	56.29	36.86	9.89	36.25	0.00	200	126	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>95.55</td><td>-----</td><td>-----</td><td>86.25</td><td>35.90</td><td>9.55</td><td>36.15</td><td>0.00</td><td>200</td><td>126</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	95.55	-----	-----	86.25	35.90	9.55	36.15	0.00	200	126	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7188.90	66.79	68.20	-1.41	56.29	36.86	9.89	36.25	0.00	200	126	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6905.00	95.55	-----	-----	86.25	35.90	9.55	36.15	0.00	200	126	AVERAGE																																																																																							







Mode	33																																																																																																	
	Band Edge																																																																																																	
	U-NII-7_6.525-6.875_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																	
ANT	4+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
Avg																																																																																																		
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7221.88</td><td>81.00</td><td>88.20</td><td>-7.20</td><td>70.44</td><td>36.90</td><td>9.92</td><td>36.26</td><td>0.00</td><td>300</td><td>310 PEAK</td></tr></table>													Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7221.88	81.00	88.20	-7.20	70.44	36.90	9.92	36.26	0.00	300	310 PEAK	<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>107.07</td><td>-----</td><td>-----</td><td>97.82</td><td>35.80</td><td>9.63</td><td>36.18</td><td>0.00</td><td>300</td><td>310 PEAK</td></tr></table>						Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	107.07	-----	-----	97.82	35.80	9.63	36.18	0.00	300	310 PEAK
	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
		Level	Line Margin									Level Factor	Loss Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7221.88	81.00	88.20	-7.20	70.44	36.90	9.92	36.26	0.00	300	310 PEAK																																																																																							
	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
		Level	Line Margin									Level Factor	Loss Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	6905.00	107.07	-----	-----	97.82	35.80	9.63	36.18	0.00	300	310 PEAK																																																																																							
<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.34</td><td>66.28</td><td>68.20</td><td>-1.92</td><td>56.13</td><td>36.56</td><td>9.83</td><td>36.24</td><td>0.00</td><td>300</td><td>310 AVERAGE</td></tr></table>													Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7126.34	66.28	68.20	-1.92	56.13	36.56	9.83	36.24	0.00	300	310 AVERAGE	<table><tr><th rowspan="2"></th><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">Aux</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>97.41</td><td>-----</td><td>-----</td><td>88.16</td><td>35.80</td><td>9.63</td><td>36.18</td><td>0.00</td><td>300</td><td>310 AVERAGE</td></tr></table>						Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Level	Line Margin	Level Factor	Loss Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6905.00	97.41	-----	-----	88.16	35.80	9.63	36.18	0.00	300	310 AVERAGE
	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
		Level	Line Margin									Level Factor	Loss Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	7126.34	66.28	68.20	-1.92	56.13	36.56	9.83	36.24	0.00	300	310 AVERAGE																																																																																							
	Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
		Level	Line Margin									Level Factor	Loss Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	6905.00	97.41	-----	-----	88.16	35.80	9.63	36.18	0.00	300	310 AVERAGE																																																																																							



Mode	33																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-7_6.525-6.875_802.11be EHT320_CH191_Full RU_6905MHz																																																																																																																		
ANT	4+2																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1224_240624 VERTICAL																																																																																																												
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13810.00</td><td>47.00</td><td>88.20</td><td>-41.20</td><td>50.02</td><td>39.92</td><td>14.01</td><td>58.01</td><td>1.06</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 20625.00</td><td>42.97</td><td>74.00</td><td>-31.03</td><td>63.42</td><td>37.80</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3 20715.00</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>64.31</td><td>37.96</td><td>6.21</td><td>54.91</td><td>-9.54</td><td>150</td><td>176</td><td>PEAK</td><td></td></tr><tr><td>4 20715.00</td><td>40.96</td><td>54.00</td><td>-13.04</td><td>61.24</td><td>37.96</td><td>6.21</td><td>54.91</td><td>-9.54</td><td>150</td><td>176</td><td>Average</td><td></td></tr><tr><td>5 30940.00</td><td>52.38</td><td>88.20</td><td>-35.82</td><td>69.62</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>															Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 13810.00	47.00	88.20	-41.20	50.02	39.92	14.01	58.01	1.06	--	--	--	PEAK	2 20625.00	42.97	74.00	-31.03	63.42	37.80	6.24	54.95	-9.54	--	--	--	Peak	3 20715.00	44.03	74.00	-29.97	64.31	37.96	6.21	54.91	-9.54	150	176	PEAK		4 20715.00	40.96	54.00	-13.04	61.24	37.96	6.21	54.91	-9.54	150	176	Average		5 30940.00	52.38	88.20	-35.82	69.62	40.44	7.91	56.05	-9.54	--	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1 13810.00	47.00	88.20	-41.20	50.02	39.92	14.01	58.01	1.06	--	--	--	PEAK																																																																																																							
2 20625.00	42.97	74.00	-31.03	63.42	37.80	6.24	54.95	-9.54	--	--	--	Peak																																																																																																							
3 20715.00	44.03	74.00	-29.97	64.31	37.96	6.21	54.91	-9.54	150	176	PEAK																																																																																																								
4 20715.00	40.96	54.00	-13.04	61.24	37.96	6.21	54.91	-9.54	150	176	Average																																																																																																								
5 30940.00	52.38	88.20	-35.82	69.62	40.44	7.91	56.05	-9.54	--	--	--	Peak																																																																																																							



Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11be EHT320_CH191_Full RU_6905MHz	
ANT	4+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02294 VERTICAL