















Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	5	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG_54 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG_54 3m BBHA 9120 D_91200-02294 VERTICAL
	 Site : 03CH15-HY Condition: AVG_54 3m BBHA 9120 D_91200-02294 HORIZONTAL	 Site : 03CH15-HY Condition: AVG_54 3m BBHA 9120 D_91200-02294 VERTICAL





Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																		
ANT	5																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE_74 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK_74 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>50.24</td><td>27.80</td><td>5.77</td><td>36.46</td><td>9.92</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	57.27	74.00	-16.73	50.24	27.80	5.77	36.46	9.92	100	280	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>106.79</td><td>-----</td><td>-----</td><td>99.79</td><td>27.78</td><td>5.76</td><td>36.46</td><td>9.92</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.79	-----	-----	99.79	27.78	5.76	36.46	9.92	100	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.52	57.27	74.00	-16.73	50.24	27.80	5.77	36.46	9.92	100	280	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	106.79	-----	-----	99.79	27.78	5.76	36.46	9.92	100	280	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE_54 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: AVG_54 3m BBHA 9120 D_91200-02294 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>46.58</td><td>54.00</td><td>-7.42</td><td>39.55</td><td>27.80</td><td>5.77</td><td>36.46</td><td>9.92</td><td>100</td><td>280</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	46.58	54.00	-7.42	39.55	27.80	5.77	36.46	9.92	100	280	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>102.41</td><td>-----</td><td>-----</td><td>95.41</td><td>27.78</td><td>5.76</td><td>36.46</td><td>9.92</td><td>100</td><td>280</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.41	-----	-----	95.41	27.78	5.76	36.46	9.92	100	280
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.56	46.58	54.00	-7.42	39.55	27.80	5.77	36.46	9.92	100	280	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	102.41	-----	-----	95.41	27.78	5.76	36.46	9.92	100	280	AVERAGE																																																																																							





Mode	6																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																		
ANT	5																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE_74 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: PEAK_74 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>62.31</td><td>74.00</td><td>-11.69</td><td>55.28</td><td>27.80</td><td>5.77</td><td>36.46</td><td>9.92</td><td>200</td><td>184</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	62.31	74.00	-11.69	55.28	27.80	5.77	36.46	9.92	200	184	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>112.91</td><td>-----</td><td>-----</td><td>105.91</td><td>27.78</td><td>5.76</td><td>36.46</td><td>9.92</td><td>200</td><td>184</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	112.91	-----	-----	105.91	27.78	5.76	36.46	9.92	200	184
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.52	62.31	74.00	-11.69	55.28	27.80	5.77	36.46	9.92	200	184	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	112.91	-----	-----	105.91	27.78	5.76	36.46	9.92	200	184	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE_54 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH15-HY Condition: AVG_54 3m BBHA 9120 D_91200-02294 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.52</td><td>51.93</td><td>54.00</td><td>-2.07</td><td>44.90</td><td>27.80</td><td>5.77</td><td>36.46</td><td>9.92</td><td>200</td><td>184</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	51.93	54.00	-2.07	44.90	27.80	5.77	36.46	9.92	200	184	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>108.35</td><td>-----</td><td>-----</td><td>101.35</td><td>27.78</td><td>5.76</td><td>36.46</td><td>9.92</td><td>200</td><td>184</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.35	-----	-----	101.35	27.78	5.76	36.46	9.92	200	184
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.52	51.93	54.00	-2.07	44.90	27.80	5.77	36.46	9.92	200	184	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	108.35	-----	-----	101.35	27.78	5.76	36.46	9.92	200	184	AVERAGE																																																																																							



Mode	7																																																																																																																																																																																																																								
	LF																																																																																																																																																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																																																								
ANT	5																																																																																																																																																																																																																								
Pol.	Horizontal							Vertical																																																																																																																																																																																																																	
QP/ Peak																																																																																																																																																																																																																									
	Site : 03CH15-HY Condition: QP 3m CBL 6111D & 00800MID01N-06_41912&05 HORIZONTAL							Site : 03CH15-HY Condition: QP 3m CBL 6111D & 00800MID01N-06_41912&05 VERTICAL																																																																																																																																																																																																																	
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>85.29</td><td>29.37</td><td>40.00</td><td>-10.63</td><td>46.34</td><td>14.12</td><td>1.13</td><td>32.41</td><td>0.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>206.54</td><td>31.69</td><td>43.50</td><td>-11.81</td><td>47.11</td><td>15.04</td><td>1.70</td><td>32.38</td><td>0.22</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>216.24</td><td>24.33</td><td>46.00</td><td>-21.67</td><td>39.83</td><td>14.92</td><td>1.74</td><td>32.39</td><td>0.23</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>495.60</td><td>23.65</td><td>46.00</td><td>-22.35</td><td>29.69</td><td>23.46</td><td>2.63</td><td>32.38</td><td>0.25</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>717.73</td><td>38.07</td><td>46.00</td><td>-7.93</td><td>40.83</td><td>26.23</td><td>3.12</td><td>32.28</td><td>0.17</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>958.53</td><td>31.90</td><td>46.00</td><td>-14.10</td><td>29.29</td><td>29.77</td><td>3.55</td><td>31.01</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	85.29	29.37	40.00	-10.63	46.34	14.12	1.13	32.41	0.19	--	--	Peak	2	206.54	31.69	43.50	-11.81	47.11	15.04	1.70	32.38	0.22	--	--	Peak	3	216.24	24.33	46.00	-21.67	39.83	14.92	1.74	32.39	0.23	--	--	Peak	4	495.60	23.65	46.00	-22.35	29.69	23.46	2.63	32.38	0.25	--	--	Peak	5	717.73	38.07	46.00	-7.93	40.83	26.23	3.12	32.28	0.17	--	--	Peak	6	958.53	31.90	46.00	-14.10	29.29	29.77	3.55	31.01	0.30	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>49.40</td><td>37.69</td><td>40.00</td><td>-2.31</td><td>54.44</td><td>14.80</td><td>0.86</td><td>32.46</td><td>0.05</td><td>114</td><td>71</td><td>QP</td></tr><tr><td>2</td><td>189.08</td><td>36.38</td><td>43.50</td><td>-7.12</td><td>52.29</td><td>14.68</td><td>1.64</td><td>32.39</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>217.21</td><td>26.52</td><td>46.00</td><td>-19.48</td><td>41.95</td><td>14.98</td><td>1.75</td><td>32.39</td><td>0.23</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>498.51</td><td>24.87</td><td>46.00</td><td>-21.13</td><td>30.83</td><td>23.52</td><td>2.64</td><td>32.38</td><td>0.26</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>721.61</td><td>37.94</td><td>46.00</td><td>-8.06</td><td>40.57</td><td>26.37</td><td>3.12</td><td>32.28</td><td>0.16</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>947.62</td><td>35.02</td><td>46.00</td><td>-10.98</td><td>32.73</td><td>29.47</td><td>3.55</td><td>31.03</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	49.40	37.69	40.00	-2.31	54.44	14.80	0.86	32.46	0.05	114	71	QP	2	189.08	36.38	43.50	-7.12	52.29	14.68	1.64	32.39	0.16	--	--	Peak	3	217.21	26.52	46.00	-19.48	41.95	14.98	1.75	32.39	0.23	--	--	Peak	4	498.51	24.87	46.00	-21.13	30.83	23.52	2.64	32.38	0.26	--	--	Peak	5	721.61	37.94	46.00	-8.06	40.57	26.37	3.12	32.28	0.16	--	--	Peak	6	947.62	35.02	46.00	-10.98	32.73	29.47	3.55	31.03	0.30	--	--
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																														
1	85.29	29.37	40.00	-10.63	46.34	14.12	1.13	32.41	0.19	--	--	Peak																																																																																																																																																																																																													
2	206.54	31.69	43.50	-11.81	47.11	15.04	1.70	32.38	0.22	--	--	Peak																																																																																																																																																																																																													
3	216.24	24.33	46.00	-21.67	39.83	14.92	1.74	32.39	0.23	--	--	Peak																																																																																																																																																																																																													
4	495.60	23.65	46.00	-22.35	29.69	23.46	2.63	32.38	0.25	--	--	Peak																																																																																																																																																																																																													
5	717.73	38.07	46.00	-7.93	40.83	26.23	3.12	32.28	0.17	--	--	Peak																																																																																																																																																																																																													
6	958.53	31.90	46.00	-14.10	29.29	29.77	3.55	31.01	0.30	--	--	Peak																																																																																																																																																																																																													
	Freq	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																														
1	49.40	37.69	40.00	-2.31	54.44	14.80	0.86	32.46	0.05	114	71	QP																																																																																																																																																																																																													
2	189.08	36.38	43.50	-7.12	52.29	14.68	1.64	32.39	0.16	--	--	Peak																																																																																																																																																																																																													
3	217.21	26.52	46.00	-19.48	41.95	14.98	1.75	32.39	0.23	--	--	Peak																																																																																																																																																																																																													
4	498.51	24.87	46.00	-21.13	30.83	23.52	2.64	32.38	0.26	--	--	Peak																																																																																																																																																																																																													
5	721.61	37.94	46.00	-8.06	40.57	26.37	3.12	32.28	0.16	--	--	Peak																																																																																																																																																																																																													
6	947.62	35.02	46.00	-10.98	32.73	29.47	3.55	31.03	0.30	--	--	Peak																																																																																																																																																																																																													




Mode	8																																																																			
	SHF																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																			
ANT	5																																																																			
Pol.	Horizontal						Vertical																																																													
Peak																																																																				
	Site : 03CH15-HY																																																																			
	Condition: PEAK_74 1m BBHA9170_1224_240624 HORIZONTAL																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30940.00</td><td>53.77</td><td>74.00</td><td>-20.23</td><td>71.01</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>39112.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>58.77</td><td>44.91</td><td>9.06</td><td>56.43</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30940.00	53.77	74.00	-20.23	71.01	40.44	7.91	56.05	-9.54	--	--	Peak	2	39112.00	46.77	74.00	-27.23	58.77	44.91	9.06	56.43	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	30940.00	53.77	74.00	-20.23	71.01	40.44	7.91	56.05	-9.54	--	--	Peak																																																								
2	39112.00	46.77	74.00	-27.23	58.77	44.91	9.06	56.43	-9.54	--	--	Peak																																																								
Site : 03CH15-HY																																																																				
Condition: PEAK_74 1m BBHA9170_1224_240624 VERTICAL																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30940.00</td><td>50.06</td><td>74.00</td><td>-23.94</td><td>67.30</td><td>40.44</td><td>7.91</td><td>56.05</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>39388.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>57.69</td><td>45.17</td><td>9.18</td><td>56.27</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30940.00	50.06	74.00	-23.94	67.30	40.44	7.91	56.05	-9.54	--	--	Peak	2	39388.00	46.23	74.00	-27.77	57.69	45.17	9.18	56.27	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	30940.00	50.06	74.00	-23.94	67.30	40.44	7.91	56.05	-9.54	--	--	Peak																																																								
2	39388.00	46.23	74.00	-27.77	57.69	45.17	9.18	56.27	-9.54	--	--	Peak																																																								



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	Duty Factor
Bluetooth - LE for 1Mbps	100.00	0.00
Bluetooth - LE for 2Mbps	100.00	0.00



—THE END—