

Modular Approval Declaration Letter

Reason for Amendment (current / obsolete)	Revision History		Approved Date
	From	To	
Initial Release (Obsolete)	1.0	1.0	Dec-04-2006
Added IC Modular Letter (Obsolete)	1.0	2.0	Feb 16 2009
Add LMA and MA option (Obsolete)	2.0	3.0	April 14 2010
Revised per RSS Gen issue 3.0 (Obsolete)	3.0	4.0	Jan 12 2011
Removed Foot(2) (obsolete)	4.0	5.0	July 19 2011
Adding New note per KDB996369 D01 V01R03 (obsolete)	5.0	6.0	August 29 2011
Updated company template & Added text box (obsolete)	6.0	7.0	Jan-31-2012
Updated modular requirement (obsolete)	7.0	8.0	Sept 05 2014
Updated template to meet RSP 100 issue 10 (obsolete)	8.0	9.0	Nov 20 2014
Updated template to meet RSP 100 issue 11 (current)	9.0	10.0	March 19 2015

WellIntel, Inc.

June 03, 2015

(Product name) FCC ID : 2AEOD-1400004B00101

is seeking FCC Authorization as a ☐ Single Modular transmitter / ☒ Single Limited Modular Approval (Please check one).

The EUT meets the requirements for ☐ Single Modular approval / ☒ Single Limited Modular Approval (please check one)

as detailed in FCC public Notice DA00-1407. Compliance to each of the requirements is described below:

Questions are: * Please provide a detailed explanation if the answer is "No."

Item	Modular requirement	Yes	No
1	The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly;	X	
2	The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal;	X	
3	The module must contain power supply regulation on the module;		X
4	The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b);	X	
5	The module must demonstrate compliance in a stand-alone configuration;		X
6	The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 784748 about labelling requirements);	X	
7	The module must comply with all specific rules applicable to the transmitter including all the conditions provided in the integration instructions by the grantee;	X	
8	The module must comply with RF exposure requirements	X	

Note: The FCCID will be contained on a label on outside of WellIntel Inc. end product enclosure. The Module requires a regulated power supply of 3.3VDC.

- (1) LMA may be granted when one or more of the requirements in the table above cannot be demonstrated. LMA will also be issued in those instances where applicants can demonstrate that they will retain control over the final installation of the device, such that compliance of the end product is assured. In such cases, an operating condition on the LMA for the module must state that the module is only approved for use when installed in devices produced by a specific manufacturer. When LMA is sought, the application for equipment certification must specifically state how control of the end product into which the module will be installed, and will be maintained, such that full compliance of the end product is always ensured.
- (2) Please provide Clear and specific instructions describing the conditions, limitations and procedures for third-parties to use and/or integrate the module into a host device.
- (3) For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description of how such control is implemented to ensure prevention of third party modification must be provided (see KDB 594280).

Note 1: Compliance of a module in its final configuration is the responsibility of the applicant. A host device will not be considered certified if the instructions regarding antenna configuration provided in the original description, of one or more separately certified modules it contains, were not followed.

Example: A separately certified low-power transceiver module using Bluetooth technology which is housed in a desktop computer, laptop or peripheral does not require the overall system to be recertified, if the desktop computer, laptop or peripheral, as a stand-alone unit, complies with all applicable technical standards.



Client's signature

Client's name / title Marian Singer/CoFounder

Contact information / address : WellIntel, Inc. /4230 N. Oakland Avenue #202, Shorewood, Wisconsin, United States


WellIntel, Inc.

June 03, 2015

(Product name) IC : 20139-1400004B001

is seeking IC Authorization as a ☐ *modular transmitter* / ☒ *Limited Modular Transmitter* (Please check one).The EUT meets the requirements for ☐ *modular approval* / ☒ *Limited Modular Approval* (Please check one)

as detailed in RSS GEN. Compliance to each of the requirements is described below:

Product Information			
PMN:	WellIntel Radio	FVIN:	STM32 ST-LINK Utility
HMN:	Modular Approval	IC Company Number:	20139
HVIN:	RM0608	UPN Number:	1400004B001
Modular Checklist/Information			
<p>For <u>Modular Approval</u>, the module shall meet all the requirements listed below. Please check (<input checked="" type="checkbox"/>) if the module complies with the stated requirement.</p> <ul style="list-style-type: none"> <input checked="" type="checkbox"/> The radio elements shall have the radio frequency circuitry shielded. Physical / discrete and tuning capacitors may be located external to the shield, but must be on the module assembly; <input checked="" type="checkbox"/> The module shall have buffered modulation/data input(s) (if such inputs are provided) to ensure that the module will comply with the requirements set out in the applicable RSS standard under conditions of excessive data rates or over-modulation. <input type="checkbox"/> The module shall have its own power supply regulation on the module. This is to ensure that the module will comply with the requirements set out in the applicable standard regardless of the design of the power supplying circuitry in the host product which houses the module. <input checked="" type="checkbox"/> The module shall comply with the provisions for external power amplifiers and antennas detailed in the applicable RSS standard. The equipment certification submission shall contain a detailed description of the configuration of highest antenna gain for each type of antenna. <input checked="" type="checkbox"/> The module shall be tested for compliance with the applicable standard in a stand-alone configuration, i.e. the module must not be inside another product during testing. <input checked="" type="checkbox"/> The module complies or will comply with applicable RSS-102 exposure requirements, in its intended configuration/integration in a host. <p>If a module(s) does NOT meet one or more of the above listed requirements, the applicant may request Limited Modular Approval (LMA). For LMA, please state details about why the above requirement(s) could not be met; and state how control of the end product, into which the module will be installed, will be maintained by the applicant / manufacturer, such that full compliance of the end product is always ensured:</p>			
Applicant/Agent Name:	Marian Singer	Applicant/Agent Title:	CoFounder
Applicant/Agent Signature:		Signature Date:	2015/06/03

Note:

- (1) LMA may be granted when one or more of the requirements in the table above cannot be demonstrated. LMA will also be issued in those instances where applicants can demonstrate that they will retain control over the final installation of the device, such that compliance of the end product is assured. In such cases, an operating condition on the LMA for the module must state that the module is only approved for use when installed in devices produced by a specific manufacturer. When LMA is sought, the application for equipment certification must specifically state how control of the end product into which the module will be installed, and will be maintained, such that full compliance of the end product is always ensured.

Note 1: Compliance of a module in its final configuration is the responsibility of the applicant. A host device will not be considered certified if the instructions regarding antenna configuration provided in the original description, of one or more separately certified modules it contains, were not followed.

Example: A separately certified low-power transceiver module using Bluetooth technology which is housed in a desktop computer, laptop or peripheral does not require the overall system to be recertified, if the desktop computer, laptop or peripheral, as a stand-alone unit, complies with all applicable technical standards.

WellIntel, Inc.

(this is Optional)

LMA Declaration Letter

We, (applicant name), declare that we will retain control over the final installation of the device,
(FCC ID/IC:) so that compliance of the end product is assured. In such cases, an operating condition on the LMA
for the module must be only approved for use when installed in devices produced by a specific manufacturer.



Client's signature

Client's name / title Marian Singer/CoFounder

Contact information / address : WellIntel, Inc. /4230 N. Oakland Avenue #202, Shorewood,
Wisconsin, United States