


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band41

1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.43	-25	Pass	2986
30	1000	0.1	RMS	913	-55.53	-25	Pass	9701
1000	2486	1	RMS	2419	-40.94	-25	Pass	1487
2486	2700	1	RMS	2535.22	18.71	60	Pass	401
2700	3000	1	RMS	2769.75	-39.6	-25	Pass	401
3000	12000	1	RMS	11906	-44.59	-25	Pass	9001
12000	27000	1	RMS	26453	-25.38	-25	Pass	15001



1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.8	-25	Pass	2986
30	1000	0.1	RMS	997.9	-55.52	-25	Pass	9701
1000	2486	1	RMS	2418	-40.98	-25	Pass	1487
2486	2700	1	RMS	2539.5	18.73	60	Pass	401
2700	3000	1	RMS	2769.75	-39.63	-25	Pass	401
3000	12000	1	RMS	11902	-44.59	-25	Pass	9001
12000	27000	1	RMS	26457	-25.41	-25	Pass	15001



1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.77	-25	Pass	2986
30	1000	0.1	RMS	906.2	-55.55	-25	Pass	9701
1000	2486	1	RMS	2418	-40.94	-25	Pass	1487
2486	2700	1	RMS	2535.22	17.89	60	Pass	401
2700	3000	1	RMS	2769.75	-39.62	-25	Pass	401
3000	12000	1	RMS	11912	-44.6	-25	Pass	9001
12000	27000	1	RMS	26455	-25.39	-25	Pass	15001



1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.06	-25	Pass	2986
30	1000	0.1	RMS	911.8	-55.58	-25	Pass	9701
1000	2486	1	RMS	2425	-40.95	-25	Pass	1487
2486	2700	1	RMS	2539.5	17.72	60	Pass	401
2700	3000	1	RMS	2769.75	-39.61	-25	Pass	401
3000	12000	1	RMS	11905	-44.57	-25	Pass	9001
12000	27000	1	RMS	26451	-25.37	-25	Pass	15001



1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.84	-25	Pass	2986
30	1000	0.1	RMS	908.5	-55.42	-25	Pass	9701
1000	2486	1	RMS	2422	-40.94	-25	Pass	1487
2486	2700	1	RMS	2593	19.06	60	Pass	401
2700	3000	1	RMS	2769.75	-39.6	-25	Pass	401
3000	12000	1	RMS	11901	-44.56	-25	Pass	9001
12000	27000	1	RMS	26454	-25.39	-25	Pass	15001



1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.25	-25	Pass	2986
30	1000	0.1	RMS	970.4	-55.5	-25	Pass	9701
1000	2486	1	RMS	2419	-40.92	-25	Pass	1487
2486	2700	1	RMS	2597.28	19.32	60	Pass	401
2700	3000	1	RMS	2769.75	-39.58	-25	Pass	401
3000	12000	1	RMS	11908	-44.59	-25	Pass	9001
12000	27000	1	RMS	26457	-25.43	-25	Pass	15001



1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.84	-25	Pass	2986
30	1000	0.1	RMS	988.2	-55.53	-25	Pass	9701
1000	2486	1	RMS	2419	-40.89	-25	Pass	1487
2486	2700	1	RMS	2593	18.25	60	Pass	401
2700	3000	1	RMS	2769.75	-39.63	-25	Pass	401
3000	12000	1	RMS	11901	-44.61	-25	Pass	9001
12000	27000	1	RMS	26449	-25.43	-25	Pass	15001



1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.78	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.33	-25	Pass	2986
30	1000	0.1	RMS	932.1	-55.27	-25	Pass	9701
1000	2486	1	RMS	2421	-40.93	-25	Pass	1487
2486	2700	1	RMS	2597.28	18.42	60	Pass	401
2700	3000	1	RMS	2770.5	-39.64	-25	Pass	401
3000	12000	1	RMS	11909	-44.56	-25	Pass	9001
12000	27000	1	RMS	26456	-25.38	-25	Pass	15001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.61	-25	Pass	2986
30	1000	0.1	RMS	902.6	-55.46	-25	Pass	9701
1000	2486	1	RMS	2416	-40.91	-25	Pass	1487
2486	2700	1	RMS	2650.245	19.09	60	Pass	401
2700	3000	1	RMS	2769	-39.66	-25	Pass	401
3000	12000	1	RMS	11900	-44.61	-25	Pass	9001
12000	27000	1	RMS	26454	-25.34	-25	Pass	15001



1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.72	-25	Pass	2986
30	1000	0.1	RMS	878.1	-55.41	-25	Pass	9701
1000	2486	1	RMS	2423	-40.95	-25	Pass	1487
2486	2700	1	RMS	2654.525	19.06	60	Pass	401
2700	3000	1	RMS	2769	-39.63	-25	Pass	401
3000	12000	1	RMS	11903	-44.59	-25	Pass	9001
12000	27000	1	RMS	26450	-25.33	-25	Pass	15001



1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.92	-25	Pass	2986
30	1000	0.1	RMS	983.7	-55.6	-25	Pass	9701
1000	2486	1	RMS	2420	-40.96	-25	Pass	1487
2486	2700	1	RMS	2650.245	18.26	60	Pass	401
2700	3000	1	RMS	2769.75	-39.64	-25	Pass	401
3000	12000	1	RMS	11900	-44.5	-25	Pass	9001
12000	27000	1	RMS	26455	-25.37	-25	Pass	15001



1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.78	-25	Pass	2986
30	1000	0.1	RMS	900.3	-55.49	-25	Pass	9701
1000	2486	1	RMS	2422	-40.89	-25	Pass	1487
2486	2700	1	RMS	2654.525	18.28	60	Pass	401
2700	3000	1	RMS	2769	-39.62	-25	Pass	401
3000	12000	1	RMS	11899	-44.58	-25	Pass	9001
12000	27000	1	RMS	26449	-25.32	-25	Pass	15001



1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.79	-25	Pass	2986
30	1000	0.1	RMS	894.4	-55.46	-25	Pass	9701
1000	2486	1	RMS	2416	-40.9	-25	Pass	1487
2486	2700	1	RMS	2535.755	18.78	60	Pass	401
2700	3000	1	RMS	2770.5	-39.61	-25	Pass	401
3000	12000	1	RMS	11913	-44.59	-25	Pass	9001
12000	27000	1	RMS	26454	-25.39	-25	Pass	15001



1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.76	-25	Pass	2986
30	1000	0.1	RMS	899.7	-55.46	-25	Pass	9701
1000	2486	1	RMS	2415	-40.9	-25	Pass	1487
2486	2700	1	RMS	2544.315	18.87	60	Pass	401
2700	3000	1	RMS	2769.75	-39.6	-25	Pass	401
3000	12000	1	RMS	11904	-44.56	-25	Pass	9001
12000	27000	1	RMS	26452	-25.35	-25	Pass	15001



1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.02	-25	Pass	2986
30	1000	0.1	RMS	909.6	-55.45	-25	Pass	9701
1000	2486	1	RMS	2433	-40.56	-25	Pass	1487
2486	2700	1	RMS	2535.755	17.93	60	Pass	401
2700	3000	1	RMS	2769.75	-39.6	-25	Pass	401
3000	12000	1	RMS	11903	-44.58	-25	Pass	9001
12000	27000	1	RMS	26462	-25.34	-25	Pass	15001



1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.93	-25	Pass	2986
30	1000	0.1	RMS	905.9	-55.53	-25	Pass	9701
1000	2486	1	RMS	2415	-40.9	-25	Pass	1487
2486	2700	1	RMS	2544.315	17.99	60	Pass	401
2700	3000	1	RMS	2769.75	-39.6	-25	Pass	401
3000	12000	1	RMS	11901	-44.6	-25	Pass	9001
12000	27000	1	RMS	26453	-25.41	-25	Pass	15001



1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.26	-25	Pass	2986
30	1000	0.1	RMS	898.1	-55.44	-25	Pass	9701
1000	2486	1	RMS	2418	-40.95	-25	Pass	1487
2486	2700	1	RMS	2590.86	18.65	60	Pass	401
2700	3000	1	RMS	2769.75	-39.61	-25	Pass	401
3000	12000	1	RMS	11906	-44.61	-25	Pass	9001
12000	27000	1	RMS	26450	-25.4	-25	Pass	15001



1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.63	-25	Pass	2986
30	1000	0.1	RMS	902.6	-55.55	-25	Pass	9701
1000	2486	1	RMS	2420	-40.96	-25	Pass	1487
2486	2700	1	RMS	2599.42	19.43	60	Pass	401
2700	3000	1	RMS	2769	-39.62	-25	Pass	401
3000	12000	1	RMS	11903	-44.57	-25	Pass	9001
12000	27000	1	RMS	26455	-25.35	-25	Pass	15001



1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.75	-25	Pass	2986
30	1000	0.1	RMS	902.5	-55.39	-25	Pass	9701
1000	2486	1	RMS	2422	-40.92	-25	Pass	1487
2486	2700	1	RMS	2590.86	17.7	60	Pass	401
2700	3000	1	RMS	2770.5	-39.65	-25	Pass	401
3000	12000	1	RMS	11910	-44.63	-25	Pass	9001
12000	27000	1	RMS	26462	-25.38	-25	Pass	15001



1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.73	-25	Pass	2986
30	1000	0.1	RMS	901.5	-55.44	-25	Pass	9701
1000	2486	1	RMS	2424	-40.94	-25	Pass	1487
2486	2700	1	RMS	2599.42	18.3	60	Pass	401
2700	3000	1	RMS	2769.75	-39.6	-25	Pass	401
3000	12000	1	RMS	11898	-44.56	-25	Pass	9001
12000	27000	1	RMS	26458	-25.38	-25	Pass	15001



1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.43	-25	Pass	2986
30	1000	0.1	RMS	897.2	-55.47	-25	Pass	9701
1000	2486	1	RMS	2420	-40.94	-25	Pass	1487
2486	2700	1	RMS	2645.43	19.22	60	Pass	401
2700	3000	1	RMS	2769.75	-39.62	-25	Pass	401
3000	12000	1	RMS	11902	-44.58	-25	Pass	9001
12000	27000	1	RMS	26453	-25.41	-25	Pass	15001



1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.92	-25	Pass	2986
30	1000	0.1	RMS	996.3	-55.56	-25	Pass	9701
1000	2486	1	RMS	2422	-40.92	-25	Pass	1487
2486	2700	1	RMS	2654.525	19.3	60	Pass	401
2700	3000	1	RMS	2769.75	-39.63	-25	Pass	401
3000	12000	1	RMS	11899	-44.55	-25	Pass	9001
12000	27000	1	RMS	26450	-25.39	-25	Pass	15001



1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.39	-25	Pass	2986
30	1000	0.1	RMS	900.5	-55.43	-25	Pass	9701
1000	2486	1	RMS	2420	-40.94	-25	Pass	1487
2486	2700	1	RMS	2645.43	18.22	60	Pass	401
2700	3000	1	RMS	2769.75	-39.65	-25	Pass	401
3000	12000	1	RMS	11900	-44.59	-25	Pass	9001
12000	27000	1	RMS	26452	-25.38	-25	Pass	15001



1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.48	-25	Pass	2986
30	1000	0.1	RMS	947.9	-55.39	-25	Pass	9701
1000	2486	1	RMS	2423	-40.95	-25	Pass	1487
2486	2700	1	RMS	2654.525	18.33	60	Pass	401
2700	3000	1	RMS	2769.75	-39.6	-25	Pass	401
3000	12000	1	RMS	11911	-44.59	-25	Pass	9001
12000	27000	1	RMS	26452	-25.39	-25	Pass	15001



1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.38	-25	Pass	2986
30	1000	0.1	RMS	978.2	-55.51	-25	Pass	9701
1000	2486	1	RMS	2422	-40.95	-25	Pass	1487
2486	2700	1	RMS	2535.755	18.9	60	Pass	401
2700	3000	1	RMS	2769.75	-39.64	-25	Pass	401
3000	12000	1	RMS	11908	-44.6	-25	Pass	9001
12000	27000	1	RMS	26453	-25.43	-25	Pass	15001



1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46	-25	Pass	2986
30	1000	0.1	RMS	929.7	-55.58	-25	Pass	9701
1000	2486	1	RMS	2429	-40.98	-25	Pass	1487
2486	2700	1	RMS	2549.13	18.87	60	Pass	401
2700	3000	1	RMS	2769.75	-39.56	-25	Pass	401
3000	12000	1	RMS	11907	-44.58	-25	Pass	9001
12000	27000	1	RMS	26454	-25.36	-25	Pass	15001



1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.18	-25	Pass	2986
30	1000	0.1	RMS	901.9	-55.38	-25	Pass	9701
1000	2486	1	RMS	2417	-40.96	-25	Pass	1487
2486	2700	1	RMS	2535.755	17.98	60	Pass	401
2700	3000	1	RMS	2769.75	-39.62	-25	Pass	401
3000	12000	1	RMS	11896	-44.59	-25	Pass	9001
12000	27000	1	RMS	26453	-25.38	-25	Pass	15001



1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.92	-25	Pass	2986
30	1000	0.1	RMS	998.7	-55.4	-25	Pass	9701
1000	2486	1	RMS	2422	-40.95	-25	Pass	1487
2486	2700	1	RMS	2549.13	17.91	60	Pass	401
2700	3000	1	RMS	2770.5	-39.62	-25	Pass	401
3000	12000	1	RMS	11914	-44.6	-25	Pass	9001
12000	27000	1	RMS	26451	-25.42	-25	Pass	15001



1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.54	-25	Pass	2986
30	1000	0.1	RMS	963.9	-55.56	-25	Pass	9701
1000	2486	1	RMS	2422	-40.95	-25	Pass	1487
2486	2700	1	RMS	2588.185	18.77	60	Pass	401
2700	3000	1	RMS	2769.75	-39.6	-25	Pass	401
3000	12000	1	RMS	11900	-44.6	-25	Pass	9001
12000	27000	1	RMS	26454	-25.38	-25	Pass	15001



1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.17	-25	Pass	2986
30	1000	0.1	RMS	974.9	-55.61	-25	Pass	9701
1000	2486	1	RMS	2421	-40.93	-25	Pass	1487
2486	2700	1	RMS	2601.56	19.1	60	Pass	401
2700	3000	1	RMS	2769.75	-39.6	-25	Pass	401
3000	12000	1	RMS	11901	-44.62	-25	Pass	9001
12000	27000	1	RMS	26455	-25.38	-25	Pass	15001



1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.04	-25	Pass	2986
30	1000	0.1	RMS	998.9	-55.58	-25	Pass	9701
1000	2486	1	RMS	2421	-40.85	-25	Pass	1487
2486	2700	1	RMS	2588.185	17.74	60	Pass	401
2700	3000	1	RMS	2769.75	-39.59	-25	Pass	401
3000	12000	1	RMS	11906	-44.6	-25	Pass	9001
12000	27000	1	RMS	26452	-25.42	-25	Pass	15001



1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-25	Pass	2986
30	1000	0.1	RMS	897.4	-55.54	-25	Pass	9701
1000	2486	1	RMS	2419	-40.94	-25	Pass	1487
2486	2700	1	RMS	2601.56	18.09	60	Pass	401
2700	3000	1	RMS	2769.75	-39.66	-25	Pass	401
3000	12000	1	RMS	11900	-44.58	-25	Pass	9001
12000	27000	1	RMS	26451	-25.31	-25	Pass	15001



1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.06	-25	Pass	2986
30	1000	0.1	RMS	996.6	-55.49	-25	Pass	9701
1000	2486	1	RMS	2422	-40.9	-25	Pass	1487
2486	2700	1	RMS	2640.615	18.72	60	Pass	401
2700	3000	1	RMS	2769.75	-39.61	-25	Pass	401
3000	12000	1	RMS	11903	-44.55	-25	Pass	9001
12000	27000	1	RMS	26451	-25.38	-25	Pass	15001



1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.32	-25	Pass	2986
30	1000	0.1	RMS	993.3	-55.55	-25	Pass	9701
1000	2486	1	RMS	2417	-40.92	-25	Pass	1487
2486	2700	1	RMS	2653.99	18.98	60	Pass	401
2700	3000	1	RMS	2770.5	-39.64	-25	Pass	401
3000	12000	1	RMS	11903	-44.6	-25	Pass	9001
12000	27000	1	RMS	26460	-25.35	-25	Pass	15001



1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.49	-25	Pass	2986
30	1000	0.1	RMS	899	-55.4	-25	Pass	9701
1000	2486	1	RMS	2421	-40.94	-25	Pass	1487
2486	2700	1	RMS	2640.615	17.86	60	Pass	401
2700	3000	1	RMS	2770.5	-39.63	-25	Pass	401
3000	12000	1	RMS	11900	-44.58	-25	Pass	9001
12000	27000	1	RMS	26450	-25.39	-25	Pass	15001



1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.37	-25	Pass	2986
30	1000	0.1	RMS	899.2	-55.5	-25	Pass	9701
1000	2486	1	RMS	2418	-40.95	-25	Pass	1487
2486	2700	1	RMS	2653.99	18.21	60	Pass	401
2700	3000	1	RMS	2769.75	-39.58	-25	Pass	401
3000	12000	1	RMS	11915	-44.56	-25	Pass	9001
12000	27000	1	RMS	26452	-25.36	-25	Pass	15001



1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.21	-25	Pass	2986
30	1000	0.1	RMS	899.9	-55.47	-25	Pass	9701
1000	2486	1	RMS	2422	-40.93	-25	Pass	1487
2486	2700	1	RMS	2536.29	18.37	60	Pass	401
2700	3000	1	RMS	2769.75	-39.58	-25	Pass	401
3000	12000	1	RMS	11899	-44.57	-25	Pass	9001
12000	27000	1	RMS	26454	-25.37	-25	Pass	15001



1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.99	-25	Pass	2986
30	1000	0.1	RMS	931.2	-55.61	-25	Pass	9701
1000	2486	1	RMS	2423	-40.93	-25	Pass	1487
2486	2700	1	RMS	2553.945	18.79	60	Pass	401
2700	3000	1	RMS	2769.75	-39.62	-25	Pass	401
3000	12000	1	RMS	11903	-44.61	-25	Pass	9001
12000	27000	1	RMS	26456	-25.38	-25	Pass	15001



1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.59	-25	Pass	2986
30	1000	0.1	RMS	984.7	-55.58	-25	Pass	9701
1000	2486	1	RMS	2424	-40.93	-25	Pass	1487
2486	2700	1	RMS	2536.29	17.71	60	Pass	401
2700	3000	1	RMS	2769.75	-39.61	-25	Pass	401
3000	12000	1	RMS	11900	-44.61	-25	Pass	9001
12000	27000	1	RMS	26452	-25.32	-25	Pass	15001



1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.57	-25	Pass	2986
30	1000	0.1	RMS	886.2	-55.38	-25	Pass	9701
1000	2486	1	RMS	2420	-40.92	-25	Pass	1487
2486	2700	1	RMS	2553.945	17.94	60	Pass	401
2700	3000	1	RMS	2769	-39.62	-25	Pass	401
3000	12000	1	RMS	11904	-44.54	-25	Pass	9001
12000	27000	1	RMS	26453	-25.34	-25	Pass	15001



1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.67	-25	Pass	2986
30	1000	0.1	RMS	902.4	-55.54	-25	Pass	9701
1000	2486	1	RMS	2422	-40.94	-25	Pass	1487
2486	2700	1	RMS	2586.045	18.78	60	Pass	401
2700	3000	1	RMS	2770.5	-39.6	-25	Pass	401
3000	12000	1	RMS	11912	-44.58	-25	Pass	9001
12000	27000	1	RMS	26450	-25.38	-25	Pass	15001



1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.73	-25	Pass	2986
30	1000	0.1	RMS	899.7	-55.44	-25	Pass	9701
1000	2486	1	RMS	2417	-40.96	-25	Pass	1487
2486	2700	1	RMS	2603.7	18.55	60	Pass	401
2700	3000	1	RMS	2769.75	-39.61	-25	Pass	401
3000	12000	1	RMS	11900	-44.55	-25	Pass	9001
12000	27000	1	RMS	26450	-25.38	-25	Pass	15001



1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.22	-25	Pass	2986
30	1000	0.1	RMS	899.5	-55.49	-25	Pass	9701
1000	2486	1	RMS	2423	-40.9	-25	Pass	1487
2486	2700	1	RMS	2586.045	17.8	60	Pass	401
2700	3000	1	RMS	2769.75	-39.63	-25	Pass	401
3000	12000	1	RMS	11906	-44.57	-25	Pass	9001
12000	27000	1	RMS	26454	-25.37	-25	Pass	15001



1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.24	-25	Pass	2986
30	1000	0.1	RMS	993.7	-55.52	-25	Pass	9701
1000	2486	1	RMS	2423	-40.93	-25	Pass	1487
2486	2700	1	RMS	2603.7	17.62	60	Pass	401
2700	3000	1	RMS	2769.75	-39.64	-25	Pass	401
3000	12000	1	RMS	11911	-44.65	-25	Pass	9001
12000	27000	1	RMS	26458	-25.39	-25	Pass	15001



1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.51	-25	Pass	2986
30	1000	0.1	RMS	901.9	-55.46	-25	Pass	9701
1000	2486	1	RMS	2420	-40.94	-25	Pass	1487
2486	2700	1	RMS	2636.335	18.22	60	Pass	401
2700	3000	1	RMS	2769.75	-39.58	-25	Pass	401
3000	12000	1	RMS	11902	-44.6	-25	Pass	9001
12000	27000	1	RMS	26458	-25.37	-25	Pass	15001



1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.78	-25	Pass	2986
30	1000	0.1	RMS	995.7	-55.45	-25	Pass	9701
1000	2486	1	RMS	2416	-40.95	-25	Pass	1487
2486	2700	1	RMS	2653.99	19.19	60	Pass	401
2700	3000	1	RMS	2769.75	-39.63	-25	Pass	401
3000	12000	1	RMS	11913	-44.58	-25	Pass	9001
12000	27000	1	RMS	26453	-25.39	-25	Pass	15001



1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-25	Pass	2986
30	1000	0.1	RMS	948.9	-55.48	-25	Pass	9701
1000	2486	1	RMS	2420	-40.89	-25	Pass	1487
2486	2700	1	RMS	2636.335	17.13	60	Pass	401
2700	3000	1	RMS	2769.75	-39.63	-25	Pass	401
3000	12000	1	RMS	11909	-44.61	-25	Pass	9001
12000	27000	1	RMS	26451	-25.36	-25	Pass	15001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.12	-25	Pass	2986
30	1000	0.1	RMS	905.7	-55.58	-25	Pass	9701
1000	2486	1	RMS	2421	-40.94	-25	Pass	1487
2486	2700	1	RMS	2653.99	18.05	60	Pass	401
2700	3000	1	RMS	2770.5	-39.63	-25	Pass	401
3000	12000	1	RMS	11906	-44.63	-25	Pass	9001
12000	27000	1	RMS	26453	-25.39	-25	Pass	15001



END