


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band66

1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.32	-13	Pass	2986
30	1000	0.1	RMS	935.9	-54.95	-13	Pass	9701
1000	1700	1	RMS	1698	-42.89	-13	Pass	701
1700	1790	1	RMS	1710.35	23.36	60	Pass	401
1790	3000	1	RMS	2670	-38.56	-13	Pass	1211
3000	12000	1	RMS	11910	-44.49	-13	Pass	9001
12000	18000	1	RMS	16400	-29.95	-13	Pass	6001



1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.03	-13	Pass	2986
30	1000	0.1	RMS	890.7	-55.18	-13	Pass	9701
1000	1700	1	RMS	1699	-44.67	-13	Pass	701
1700	1790	1	RMS	1711.25	23.36	60	Pass	401
1790	3000	1	RMS	2670	-38.53	-13	Pass	1211
3000	12000	1	RMS	11914	-44.46	-13	Pass	9001
12000	18000	1	RMS	16400	-30.15	-13	Pass	6001



1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.86	-13	Pass	2986
30	1000	0.1	RMS	975.2	-55.19	-13	Pass	9701
1000	1700	1	RMS	1700	-44.63	-13	Pass	701
1700	1790	1	RMS	1710.35	22.42	60	Pass	401
1790	3000	1	RMS	2669	-38.6	-13	Pass	1211
3000	12000	1	RMS	11901	-44.49	-13	Pass	9001
12000	18000	1	RMS	16401	-30.14	-13	Pass	6001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.79	-13	Pass	2986
30	1000	0.1	RMS	998.1	-55.16	-13	Pass	9701
1000	1700	1	RMS	1700	-44.7	-13	Pass	701
1700	1790	1	RMS	1711.25	22.4	60	Pass	401
1790	3000	1	RMS	2671	-38.58	-13	Pass	1211
3000	12000	1	RMS	11905	-44.51	-13	Pass	9001
12000	18000	1	RMS	16399	-30.06	-13	Pass	6001



1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.53	-13	Pass	2986
30	1000	0.1	RMS	867.7	-55.26	-13	Pass	9701
1000	1700	1	RMS	1699	-44.72	-13	Pass	701
1700	1790	1	RMS	1744.55	23.35	60	Pass	401
1790	3000	1	RMS	2670	-38.53	-13	Pass	1211
3000	12000	1	RMS	11910	-44.48	-13	Pass	9001
12000	18000	1	RMS	16402	-30.13	-13	Pass	6001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.68	-13	Pass	2986
30	1000	0.1	RMS	990.6	-55.24	-13	Pass	9701
1000	1700	1	RMS	1694	-44.7	-13	Pass	701
1700	1790	1	RMS	1745.45	23.35	60	Pass	401
1790	3000	1	RMS	2671	-38.57	-13	Pass	1211
3000	12000	1	RMS	11905	-44.47	-13	Pass	9001
12000	18000	1	RMS	16400	-30.14	-13	Pass	6001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.32	-13	Pass	2986
30	1000	0.1	RMS	931.2	-54.99	-13	Pass	9701
1000	1700	1	RMS	1690	-44.73	-13	Pass	701
1700	1790	1	RMS	1744.55	22.35	60	Pass	401
1790	3000	1	RMS	2669	-38.57	-13	Pass	1211
3000	12000	1	RMS	11913	-44.47	-13	Pass	9001
12000	18000	1	RMS	16401	-30.21	-13	Pass	6001



1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.26	-13	Pass	2986
30	1000	0.1	RMS	911.9	-55.05	-13	Pass	9701
1000	1700	1	RMS	1696	-44.73	-13	Pass	701
1700	1790	1	RMS	1745.45	22.34	60	Pass	401
1790	3000	1	RMS	2669	-38.54	-13	Pass	1211
3000	12000	1	RMS	11903	-44.46	-13	Pass	9001
12000	18000	1	RMS	16400	-30.07	-13	Pass	6001



1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.96	-13	Pass	2986
30	1000	0.1	RMS	985.8	-55.16	-13	Pass	9701
1000	1700	1	RMS	1700	-44.74	-13	Pass	701
1700	1790	1	RMS	1778.75	23.24	60	Pass	401
1790	3000	1	RMS	2670	-38.53	-13	Pass	1211
3000	12000	1	RMS	11904	-44.53	-13	Pass	9001
12000	18000	1	RMS	16400	-30.19	-13	Pass	6001



1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.51	-13	Pass	2986
30	1000	0.1	RMS	995.2	-55.25	-13	Pass	9701
1000	1700	1	RMS	1698	-44.71	-13	Pass	701
1700	1790	1	RMS	1779.65	23.25	60	Pass	401
1790	3000	1	RMS	2670	-38.61	-13	Pass	1211
3000	12000	1	RMS	11899	-44.47	-13	Pass	9001
12000	18000	1	RMS	16404	-30.21	-13	Pass	6001



1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.2	-13	Pass	2986
30	1000	0.1	RMS	957	-55.29	-13	Pass	9701
1000	1700	1	RMS	1700	-44.74	-13	Pass	701
1700	1790	1	RMS	1778.75	22.29	60	Pass	401
1790	3000	1	RMS	2668	-38.58	-13	Pass	1211
3000	12000	1	RMS	11908	-44.48	-13	Pass	9001
12000	18000	1	RMS	16400	-30.18	-13	Pass	6001



1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.98	-13	Pass	2986
30	1000	0.1	RMS	986.4	-55.08	-13	Pass	9701
1000	1700	1	RMS	1697	-44.75	-13	Pass	701
1700	1790	1	RMS	1779.65	22.29	60	Pass	401
1790	3000	1	RMS	2671	-38.57	-13	Pass	1211
3000	12000	1	RMS	11908	-44.46	-13	Pass	9001
12000	18000	1	RMS	16400	-30.11	-13	Pass	6001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.87	-13	Pass	2986
30	1000	0.1	RMS	913.7	-55.03	-13	Pass	9701
1000	1700	1	RMS	1700	-44.64	-13	Pass	701
1700	1790	1	RMS	1710.35	23.43	60	Pass	401
1790	3000	1	RMS	2670	-38.62	-13	Pass	1211
3000	12000	1	RMS	11910	-44.54	-13	Pass	9001
12000	18000	1	RMS	16400	-30.1	-13	Pass	6001



1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.76	-13	Pass	2986
30	1000	0.1	RMS	914.2	-55.19	-13	Pass	9701
1000	1700	1	RMS	1700	-44.69	-13	Pass	701
1700	1790	1	RMS	1712.825	23.48	60	Pass	401
1790	3000	1	RMS	2670	-38.61	-13	Pass	1211
3000	12000	1	RMS	11900	-44.47	-13	Pass	9001
12000	18000	1	RMS	16399	-30.15	-13	Pass	6001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.46	-13	Pass	2986
30	1000	0.1	RMS	936.1	-55.13	-13	Pass	9701
1000	1700	1	RMS	1700	-44.6	-13	Pass	701
1700	1790	1	RMS	1710.35	22.61	60	Pass	401
1790	3000	1	RMS	2670	-38.59	-13	Pass	1211
3000	12000	1	RMS	11901	-44.39	-13	Pass	9001
12000	18000	1	RMS	16400	-30.19	-13	Pass	6001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.55	-13	Pass	2986
30	1000	0.1	RMS	979.9	-55.03	-13	Pass	9701
1000	1700	1	RMS	1697	-44.69	-13	Pass	701
1700	1790	1	RMS	1712.825	22.64	60	Pass	401
1790	3000	1	RMS	2670	-38.6	-13	Pass	1211
3000	12000	1	RMS	11915	-44.45	-13	Pass	9001
12000	18000	1	RMS	16401	-30.26	-13	Pass	6001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.95	-13	Pass	2986
30	1000	0.1	RMS	949.3	-55.22	-13	Pass	9701
1000	1700	1	RMS	1698	-44.71	-13	Pass	701
1700	1790	1	RMS	1743.65	23.28	60	Pass	401
1790	3000	1	RMS	2670	-38.62	-13	Pass	1211
3000	12000	1	RMS	11906	-44.49	-13	Pass	9001
12000	18000	1	RMS	16400	-30.29	-13	Pass	6001



1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.02	-13	Pass	2986
30	1000	0.1	RMS	968	-55.06	-13	Pass	9701
1000	1700	1	RMS	1695	-44.7	-13	Pass	701
1700	1790	1	RMS	1746.35	23.33	60	Pass	401
1790	3000	1	RMS	2670	-38.61	-13	Pass	1211
3000	12000	1	RMS	11917	-44.43	-13	Pass	9001
12000	18000	1	RMS	16400	-30.26	-13	Pass	6001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.62	-13	Pass	2986
30	1000	0.1	RMS	946	-55.2	-13	Pass	9701
1000	1700	1	RMS	1700	-44.74	-13	Pass	701
1700	1790	1	RMS	1743.65	22.32	60	Pass	401
1790	3000	1	RMS	2667	-38.64	-13	Pass	1211
3000	12000	1	RMS	11899	-44.42	-13	Pass	9001
12000	18000	1	RMS	16399	-30.24	-13	Pass	6001



1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.39	-13	Pass	2986
30	1000	0.1	RMS	989.9	-55.28	-13	Pass	9701
1000	1700	1	RMS	1697	-44.73	-13	Pass	701
1700	1790	1	RMS	1746.35	22.32	60	Pass	401
1790	3000	1	RMS	2668	-38.61	-13	Pass	1211
3000	12000	1	RMS	11899	-44.44	-13	Pass	9001
12000	18000	1	RMS	15900	-30.18	-13	Pass	6001



1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.37	-13	Pass	2986
30	1000	0.1	RMS	908.1	-54.87	-13	Pass	9701
1000	1700	1	RMS	1699	-44.73	-13	Pass	701
1700	1790	1	RMS	1777.175	23.4	60	Pass	401
1790	3000	1	RMS	2669	-38.64	-13	Pass	1211
3000	12000	1	RMS	11915	-44.47	-13	Pass	9001
12000	18000	1	RMS	16402	-30.2	-13	Pass	6001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46	-13	Pass	2986
30	1000	0.1	RMS	980.4	-55.25	-13	Pass	9701
1000	1700	1	RMS	1699	-44.7	-13	Pass	701
1700	1790	1	RMS	1779.875	23.28	60	Pass	401
1790	3000	1	RMS	2669	-38.58	-13	Pass	1211
3000	12000	1	RMS	11908	-44.45	-13	Pass	9001
12000	18000	1	RMS	16400	-30.23	-13	Pass	6001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.11	-13	Pass	2986
30	1000	0.1	RMS	897.8	-55.08	-13	Pass	9701
1000	1700	1	RMS	1700	-44.73	-13	Pass	701
1700	1790	1	RMS	1777.175	22.42	60	Pass	401
1790	3000	1	RMS	2668	-38.61	-13	Pass	1211
3000	12000	1	RMS	11904	-44.41	-13	Pass	9001
12000	18000	1	RMS	16400	-30.18	-13	Pass	6001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.19	-13	Pass	2986
30	1000	0.1	RMS	999.1	-55.22	-13	Pass	9701
1000	1700	1	RMS	1696	-44.76	-13	Pass	701
1700	1790	1	RMS	1779.65	22.32	60	Pass	401
1790	3000	1	RMS	2669	-38.61	-13	Pass	1211
3000	12000	1	RMS	11901	-44.5	-13	Pass	9001
12000	18000	1	RMS	16400	-30.26	-13	Pass	6001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.21	-13	Pass	2986
30	1000	0.1	RMS	940.4	-55.07	-13	Pass	9701
1000	1700	1	RMS	1700	-44.63	-13	Pass	701
1700	1790	1	RMS	1710.35	23.43	60	Pass	401
1790	3000	1	RMS	2670	-38.62	-13	Pass	1211
3000	12000	1	RMS	11911	-44.51	-13	Pass	9001
12000	18000	1	RMS	16401	-30.2	-13	Pass	6001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.02	-13	Pass	2986
30	1000	0.1	RMS	999.2	-55.12	-13	Pass	9701
1000	1700	1	RMS	1700	-44.66	-13	Pass	701
1700	1790	1	RMS	1714.625	23.34	60	Pass	401
1790	3000	1	RMS	2670	-38.63	-13	Pass	1211
3000	12000	1	RMS	11912	-44.52	-13	Pass	9001
12000	18000	1	RMS	15900	-30.23	-13	Pass	6001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.16	-13	Pass	2986
30	1000	0.1	RMS	915.5	-55.15	-13	Pass	9701
1000	1700	1	RMS	1700	-44.66	-13	Pass	701
1700	1790	1	RMS	1710.35	22.55	60	Pass	401
1790	3000	1	RMS	2668	-38.6	-13	Pass	1211
3000	12000	1	RMS	11902	-44.46	-13	Pass	9001
12000	18000	1	RMS	16400	-30.07	-13	Pass	6001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.48	-13	Pass	2986
30	1000	0.1	RMS	981.8	-55.11	-13	Pass	9701
1000	1700	1	RMS	1699	-44.71	-13	Pass	701
1700	1790	1	RMS	1714.625	22.45	60	Pass	401
1790	3000	1	RMS	2670	-38.57	-13	Pass	1211
3000	12000	1	RMS	11904	-44.51	-13	Pass	9001
12000	18000	1	RMS	16401	-30.16	-13	Pass	6001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.94	-13	Pass	2986
30	1000	0.1	RMS	981	-55.1	-13	Pass	9701
1000	1700	1	RMS	1696	-44.73	-13	Pass	701
1700	1790	1	RMS	1742.75	23.22	60	Pass	401
1790	3000	1	RMS	2670	-38.6	-13	Pass	1211
3000	12000	1	RMS	11897	-44.43	-13	Pass	9001
12000	18000	1	RMS	16400	-30.23	-13	Pass	6001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.79	-13	Pass	2986
30	1000	0.1	RMS	963.6	-55.11	-13	Pass	9701
1000	1700	1	RMS	1696	-44.74	-13	Pass	701
1700	1790	1	RMS	1747.25	23.22	60	Pass	401
1790	3000	1	RMS	2672	-38.61	-13	Pass	1211
3000	12000	1	RMS	11911	-44.51	-13	Pass	9001
12000	18000	1	RMS	16401	-30.17	-13	Pass	6001



1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.58	-13	Pass	2986
30	1000	0.1	RMS	897.8	-55.31	-13	Pass	9701
1000	1700	1	RMS	1700	-44.71	-13	Pass	701
1700	1790	1	RMS	1742.75	22.35	60	Pass	401
1790	3000	1	RMS	2669	-38.63	-13	Pass	1211
3000	12000	1	RMS	11911	-44.33	-13	Pass	9001
12000	18000	1	RMS	16402	-30.26	-13	Pass	6001



1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.33	-13	Pass	2986
30	1000	0.1	RMS	922.9	-55.22	-13	Pass	9701
1000	1700	1	RMS	1699	-44.75	-13	Pass	701
1700	1790	1	RMS	1747.25	22.39	60	Pass	401
1790	3000	1	RMS	2671	-38.62	-13	Pass	1211
3000	12000	1	RMS	11906	-44.39	-13	Pass	9001
12000	18000	1	RMS	16401	-30.1	-13	Pass	6001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.08	-13	Pass	2986
30	1000	0.1	RMS	990.3	-54.98	-13	Pass	9701
1000	1700	1	RMS	1689	-44.73	-13	Pass	701
1700	1790	1	RMS	1775.375	23.32	60	Pass	401
1790	3000	1	RMS	2669	-38.59	-13	Pass	1211
3000	12000	1	RMS	11902	-44.53	-13	Pass	9001
12000	18000	1	RMS	16402	-30.26	-13	Pass	6001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.67	-13	Pass	2986
30	1000	0.1	RMS	925.8	-55.12	-13	Pass	9701
1000	1700	1	RMS	1684	-44.74	-13	Pass	701
1700	1790	1	RMS	1779.65	23.27	60	Pass	401
1790	3000	1	RMS	2668	-38.58	-13	Pass	1211
3000	12000	1	RMS	11910	-44.41	-13	Pass	9001
12000	18000	1	RMS	16400	-30.22	-13	Pass	6001



1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.49	-13	Pass	2986
30	1000	0.1	RMS	993	-55.27	-13	Pass	9701
1000	1700	1	RMS	1700	-44.7	-13	Pass	701
1700	1790	1	RMS	1775.375	22.49	60	Pass	401
1790	3000	1	RMS	2670	-38.58	-13	Pass	1211
3000	12000	1	RMS	11902	-44.56	-13	Pass	9001
12000	18000	1	RMS	16400	-30.12	-13	Pass	6001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.61	-13	Pass	2986
30	1000	0.1	RMS	988.2	-55.21	-13	Pass	9701
1000	1700	1	RMS	1697	-44.75	-13	Pass	701
1700	1790	1	RMS	1779.65	22.47	60	Pass	401
1790	3000	1	RMS	2670	-38.61	-13	Pass	1211
3000	12000	1	RMS	11901	-44.35	-13	Pass	9001
12000	18000	1	RMS	16401	-30.17	-13	Pass	6001



1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.26	-13	Pass	2986
30	1000	0.1	RMS	897	-55.09	-13	Pass	9701
1000	1700	1	RMS	1693	-42.22	-13	Pass	701
1700	1790	1	RMS	1710.575	23.53	60	Pass	401
1790	3000	1	RMS	2670	-38.58	-13	Pass	1211
3000	12000	1	RMS	11918	-44.44	-13	Pass	9001
12000	18000	1	RMS	16400	-30.05	-13	Pass	6001



1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.73	-13	Pass	2986
30	1000	0.1	RMS	902.4	-54.89	-13	Pass	9701
1000	1700	1	RMS	1700	-44.19	-13	Pass	701
1700	1790	1	RMS	1719.35	23.43	60	Pass	401
1790	3000	1	RMS	2669	-38.56	-13	Pass	1211
3000	12000	1	RMS	11904	-44.49	-13	Pass	9001
12000	18000	1	RMS	16400	-30.18	-13	Pass	6001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.18	-13	Pass	2986
30	1000	0.1	RMS	940.9	-55.03	-13	Pass	9701
1000	1700	1	RMS	1693	-42.69	-13	Pass	701
1700	1790	1	RMS	1710.575	22.74	60	Pass	401
1790	3000	1	RMS	2669	-38.64	-13	Pass	1211
3000	12000	1	RMS	11903	-44.45	-13	Pass	9001
12000	18000	1	RMS	16403	-30.26	-13	Pass	6001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.02	-13	Pass	2986
30	1000	0.1	RMS	860.2	-55.35	-13	Pass	9701
1000	1700	1	RMS	1700	-44.28	-13	Pass	701
1700	1790	1	RMS	1719.35	22.59	60	Pass	401
1790	3000	1	RMS	2670	-38.58	-13	Pass	1211
3000	12000	1	RMS	11915	-44.45	-13	Pass	9001
12000	18000	1	RMS	16400	-30.09	-13	Pass	6001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.37	-13	Pass	2986
30	1000	0.1	RMS	897.8	-55.18	-13	Pass	9701
1000	1700	1	RMS	1699	-44.74	-13	Pass	701
1700	1790	1	RMS	1740.5	23.33	60	Pass	401
1790	3000	1	RMS	2671	-38.62	-13	Pass	1211
3000	12000	1	RMS	11995	-44.54	-13	Pass	9001
12000	18000	1	RMS	16403	-30.23	-13	Pass	6001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.09	-13	Pass	2986
30	1000	0.1	RMS	897.6	-55.18	-13	Pass	9701
1000	1700	1	RMS	1694	-44.7	-13	Pass	701
1700	1790	1	RMS	1749.5	23.34	60	Pass	401
1790	3000	1	RMS	2666	-38.64	-13	Pass	1211
3000	12000	1	RMS	11917	-44.5	-13	Pass	9001
12000	18000	1	RMS	16400	-30.29	-13	Pass	6001



1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.89	-13	Pass	2986
30	1000	0.1	RMS	900.2	-54.93	-13	Pass	9701
1000	1700	1	RMS	1676	-44.73	-13	Pass	701
1700	1790	1	RMS	1740.5	22.32	60	Pass	401
1790	3000	1	RMS	2668	-38.58	-13	Pass	1211
3000	12000	1	RMS	11902	-44.48	-13	Pass	9001
12000	18000	1	RMS	16400	-30.06	-13	Pass	6001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.35	-13	Pass	2986
30	1000	0.1	RMS	908.1	-55.26	-13	Pass	9701
1000	1700	1	RMS	1695	-44.71	-13	Pass	701
1700	1790	1	RMS	1749.5	22.37	60	Pass	401
1790	3000	1	RMS	2670	-38.6	-13	Pass	1211
3000	12000	1	RMS	11910	-44.45	-13	Pass	9001
12000	18000	1	RMS	16400	-30.12	-13	Pass	6001



1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.09	-13	Pass	2986
30	1000	0.1	RMS	901.8	-55.32	-13	Pass	9701
1000	1700	1	RMS	1695	-44.73	-13	Pass	701
1700	1790	1	RMS	1770.65	23.35	60	Pass	401
1790	3000	1	RMS	2670	-38.56	-13	Pass	1211
3000	12000	1	RMS	11901	-44.35	-13	Pass	9001
12000	18000	1	RMS	16399	-30.27	-13	Pass	6001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.77	-13	Pass	2986
30	1000	0.1	RMS	916	-55.24	-13	Pass	9701
1000	1700	1	RMS	1699	-44.73	-13	Pass	701
1700	1790	1	RMS	1779.425	23.42	60	Pass	401
1790	3000	1	RMS	2670	-38.61	-13	Pass	1211
3000	12000	1	RMS	11904	-44.51	-13	Pass	9001
12000	18000	1	RMS	15900	-30.23	-13	Pass	6001



1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.42	-13	Pass	2986
30	1000	0.1	RMS	910.5	-54.98	-13	Pass	9701
1000	1700	1	RMS	1698	-44.71	-13	Pass	701
1700	1790	1	RMS	1770.65	22.39	60	Pass	401
1790	3000	1	RMS	2669	-38.6	-13	Pass	1211
3000	12000	1	RMS	11903	-44.43	-13	Pass	9001
12000	18000	1	RMS	15900	-30.16	-13	Pass	6001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.39	-13	Pass	2986
30	1000	0.1	RMS	979.1	-54.93	-13	Pass	9701
1000	1700	1	RMS	1700	-44.7	-13	Pass	701
1700	1790	1	RMS	1779.425	22.42	60	Pass	401
1790	3000	1	RMS	2672	-38.65	-13	Pass	1211
3000	12000	1	RMS	11903	-44.48	-13	Pass	9001
12000	18000	1	RMS	16400	-30.18	-13	Pass	6001



1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.1	-13	Pass	2986
30	1000	0.1	RMS	990.6	-55.22	-13	Pass	9701
1000	1700	1	RMS	1698	-40.96	-13	Pass	701
1700	1790	1	RMS	1710.8	23.48	60	Pass	401
1790	3000	1	RMS	2670	-38.61	-13	Pass	1211
3000	12000	1	RMS	11910	-44.33	-13	Pass	9001
12000	18000	1	RMS	16400	-30.01	-13	Pass	6001



1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.88	-13	Pass	2986
30	1000	0.1	RMS	899.4	-55.3	-13	Pass	9701
1000	1700	1	RMS	1698	-29.85	-13	Pass	701
1700	1790	1	RMS	1724.075	23.24	60	Pass	401
1790	3000	1	RMS	2667	-38.58	-13	Pass	1211
3000	12000	1	RMS	11900	-44.46	-13	Pass	9001
12000	18000	1	RMS	16400	-30.15	-13	Pass	6001



1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.9	-13	Pass	2986
30	1000	0.1	RMS	940.6	-54.9	-13	Pass	9701
1000	1700	1	RMS	1698	-41.52	-13	Pass	701
1700	1790	1	RMS	1710.8	22.64	60	Pass	401
1790	3000	1	RMS	2669	-38.64	-13	Pass	1211
3000	12000	1	RMS	11909	-44.46	-13	Pass	9001
12000	18000	1	RMS	16402	-30.21	-13	Pass	6001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.54	-13	Pass	2986
30	1000	0.1	RMS	935.2	-55.14	-13	Pass	9701
1000	1700	1	RMS	1698	-31.32	-13	Pass	701
1700	1790	1	RMS	1724.075	22.34	60	Pass	401
1790	3000	1	RMS	2667	-38.63	-13	Pass	1211
3000	12000	1	RMS	11906	-44.4	-13	Pass	9001
12000	18000	1	RMS	16401	-30.2	-13	Pass	6001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.14	-13	Pass	2986
30	1000	0.1	RMS	897.8	-55.07	-13	Pass	9701
1000	1700	1	RMS	1692	-44.74	-13	Pass	701
1700	1790	1	RMS	1738.25	23.27	60	Pass	401
1790	3000	1	RMS	2670	-38.61	-13	Pass	1211
3000	12000	1	RMS	11910	-44.45	-13	Pass	9001
12000	18000	1	RMS	16398	-30.2	-13	Pass	6001



1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.58	-13	Pass	2986
30	1000	0.1	RMS	987.8	-55.13	-13	Pass	9701
1000	1700	1	RMS	1699	-44.7	-13	Pass	701
1700	1790	1	RMS	1751.75	23.27	60	Pass	401
1790	3000	1	RMS	2668	-38.63	-13	Pass	1211
3000	12000	1	RMS	11904	-44.42	-13	Pass	9001
12000	18000	1	RMS	16400	-30.25	-13	Pass	6001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.52	-13	Pass	2986
30	1000	0.1	RMS	974.5	-55.14	-13	Pass	9701
1000	1700	1	RMS	1694	-44.73	-13	Pass	701
1700	1790	1	RMS	1738.25	22.24	60	Pass	401
1790	3000	1	RMS	2670	-38.6	-13	Pass	1211
3000	12000	1	RMS	11902	-44.38	-13	Pass	9001
12000	18000	1	RMS	16400	-30.15	-13	Pass	6001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.62	-13	Pass	2986
30	1000	0.1	RMS	985.1	-55.18	-13	Pass	9701
1000	1700	1	RMS	1700	-44.73	-13	Pass	701
1700	1790	1	RMS	1751.75	22.31	60	Pass	401
1790	3000	1	RMS	2671	-38.63	-13	Pass	1211
3000	12000	1	RMS	11916	-44.5	-13	Pass	9001
12000	18000	1	RMS	16401	-30.24	-13	Pass	6001



1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.84	-13	Pass	2986
30	1000	0.1	RMS	921.9	-55.15	-13	Pass	9701
1000	1700	1	RMS	1698	-44.75	-13	Pass	701
1700	1790	1	RMS	1765.925	23.28	60	Pass	401
1790	3000	1	RMS	1792	-28.87	-13	Pass	1211
3000	12000	1	RMS	11898	-44.3	-13	Pass	9001
12000	18000	1	RMS	16399	-30.17	-13	Pass	6001



1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.8	-13	Pass	2986
30	1000	0.1	RMS	991.7	-55.15	-13	Pass	9701
1000	1700	1	RMS	1697	-44.7	-13	Pass	701
1700	1790	1	RMS	1779.2	23.33	60	Pass	401
1790	3000	1	RMS	2670	-38.57	-13	Pass	1211
3000	12000	1	RMS	11917	-44.58	-13	Pass	9001
12000	18000	1	RMS	16399	-30.14	-13	Pass	6001



1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.29	-13	Pass	2986
30	1000	0.1	RMS	902.9	-55.21	-13	Pass	9701
1000	1700	1	RMS	1694	-44.74	-13	Pass	701
1700	1790	1	RMS	1765.925	22.39	60	Pass	401
1790	3000	1	RMS	1792	-30.14	-13	Pass	1211
3000	12000	1	RMS	11911	-44.42	-13	Pass	9001
12000	18000	1	RMS	16402	-30.25	-13	Pass	6001



1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.32	-13	Pass	2986
30	1000	0.1	RMS	898.1	-55.11	-13	Pass	9701
1000	1700	1	RMS	1689	-44.75	-13	Pass	701
1700	1790	1	RMS	1779.2	22.44	60	Pass	401
1790	3000	1	RMS	2668	-38.63	-13	Pass	1211
3000	12000	1	RMS	11905	-44.38	-13	Pass	9001
12000	18000	1	RMS	16401	-30.22	-13	Pass	6001



1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.91	-13	Pass	2986
30	1000	0.1	RMS	972.5	-55.05	-13	Pass	9701
1000	1700	1	RMS	1693	-42.93	-13	Pass	701
1700	1790	1	RMS	1711.025	23.26	60	Pass	401
1790	3000	1	RMS	2670	-38.61	-13	Pass	1211
3000	12000	1	RMS	11913	-44.51	-13	Pass	9001
12000	18000	1	RMS	16400	-30.17	-13	Pass	6001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.04	-13	Pass	2986
30	1000	0.1	RMS	972.1	-54.83	-13	Pass	9701
1000	1700	1	RMS	1693	-34.33	-13	Pass	701
1700	1790	1	RMS	1729.025	23.06	60	Pass	401
1790	3000	1	RMS	2670	-38.59	-13	Pass	1211
3000	12000	1	RMS	11906	-44.55	-13	Pass	9001
12000	18000	1	RMS	16400	-30.13	-13	Pass	6001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.19	-13	Pass	2986
30	1000	0.1	RMS	968	-55.22	-13	Pass	9701
1000	1700	1	RMS	1693	-43.47	-13	Pass	701
1700	1790	1	RMS	1711.025	22.44	60	Pass	401
1790	3000	1	RMS	2668	-38.6	-13	Pass	1211
3000	12000	1	RMS	11909	-44.48	-13	Pass	9001
12000	18000	1	RMS	16401	-30.21	-13	Pass	6001



1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.77	-13	Pass	2986
30	1000	0.1	RMS	987.7	-55.06	-13	Pass	9701
1000	1700	1	RMS	1693	-36.2	-13	Pass	701
1700	1790	1	RMS	1729.025	22.15	60	Pass	401
1790	3000	1	RMS	2670	-38.57	-13	Pass	1211
3000	12000	1	RMS	11901	-44.42	-13	Pass	9001
12000	18000	1	RMS	16401	-30.23	-13	Pass	6001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.04	-13	Pass	2986
30	1000	0.1	RMS	878.2	-55.24	-13	Pass	9701
1000	1700	1	RMS	1700	-41.02	-13	Pass	701
1700	1790	1	RMS	1736	23.09	60	Pass	401
1790	3000	1	RMS	2671	-38.58	-13	Pass	1211
3000	12000	1	RMS	11914	-44.45	-13	Pass	9001
12000	18000	1	RMS	16400	-30.19	-13	Pass	6001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.98	-13	Pass	2986
30	1000	0.1	RMS	984	-55.14	-13	Pass	9701
1000	1700	1	RMS	1678	-44.72	-13	Pass	701
1700	1790	1	RMS	1754	23.1	60	Pass	401
1790	3000	1	RMS	2668	-38.61	-13	Pass	1211
3000	12000	1	RMS	11904	-44.45	-13	Pass	9001
12000	18000	1	RMS	16399	-30.28	-13	Pass	6001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.77	-13	Pass	2986
30	1000	0.1	RMS	951.3	-55.3	-13	Pass	9701
1000	1700	1	RMS	1700	-42.61	-13	Pass	701
1700	1790	1	RMS	1736	22.09	60	Pass	401
1790	3000	1	RMS	2672	-38.64	-13	Pass	1211
3000	12000	1	RMS	11900	-44.54	-13	Pass	9001
12000	18000	1	RMS	16400	-30.14	-13	Pass	6001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.96	-13	Pass	2986
30	1000	0.1	RMS	885	-55.27	-13	Pass	9701
1000	1700	1	RMS	1700	-44.75	-13	Pass	701
1700	1790	1	RMS	1754	22.15	60	Pass	401
1790	3000	1	RMS	2672	-38.57	-13	Pass	1211
3000	12000	1	RMS	11913	-44.55	-13	Pass	9001
12000	18000	1	RMS	16400	-30.11	-13	Pass	6001



1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.15	-13	Pass	2986
30	1000	0.1	RMS	998.9	-55.05	-13	Pass	9701
1000	1700	1	RMS	1698	-44.74	-13	Pass	701
1700	1790	1	RMS	1761.2	23.06	60	Pass	401
1790	3000	1	RMS	1797	-33.27	-13	Pass	1211
3000	12000	1	RMS	11902	-44.46	-13	Pass	9001
12000	18000	1	RMS	16399	-30.18	-13	Pass	6001



1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-13	Pass	2986
30	1000	0.1	RMS	993.3	-55.02	-13	Pass	9701
1000	1700	1	RMS	1691	-44.75	-13	Pass	701
1700	1790	1	RMS	1778.975	23.11	60	Pass	401
1790	3000	1	RMS	2669	-38.62	-13	Pass	1211
3000	12000	1	RMS	11908	-44.54	-13	Pass	9001
12000	18000	1	RMS	16400	-30.17	-13	Pass	6001



1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.1	-13	Pass	2986
30	1000	0.1	RMS	897.1	-55.11	-13	Pass	9701
1000	1700	1	RMS	1700	-44.73	-13	Pass	701
1700	1790	1	RMS	1761.2	22.11	60	Pass	401
1790	3000	1	RMS	1797	-34.62	-13	Pass	1211
3000	12000	1	RMS	11912	-44.54	-13	Pass	9001
12000	18000	1	RMS	16400	-30.26	-13	Pass	6001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.81	-13	Pass	2986
30	1000	0.1	RMS	917.3	-55.2	-13	Pass	9701
1000	1700	1	RMS	1699	-44.77	-13	Pass	701
1700	1790	1	RMS	1778.975	22.08	60	Pass	401
1790	3000	1	RMS	2669	-38.59	-13	Pass	1211
3000	12000	1	RMS	11914	-44.44	-13	Pass	9001
12000	18000	1	RMS	16399	-30.23	-13	Pass	6001



END