


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band12


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.66	-13	Pass	2986
30	690	0.1	RMS	689.5	-57.84	-13	Pass	6601
690	725	0.1	RMS	699.275	20.44	60	Pass	401
725	1000	0.1	RMS	827.8	-55.63	-13	Pass	2751
1000	3000	1	RMS	2672	-38.57	-13	Pass	2001
3000	10000	1	RMS	5768	-50.46	-13	Pass	7001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.26	-13	Pass	2986
30	690	0.1	RMS	681.7	-57.92	-13	Pass	6601
690	725	0.1	RMS	700.15	20.67	60	Pass	401
725	1000	0.1	RMS	980.6	-57.32	-13	Pass	2751
1000	3000	1	RMS	2670	-38.52	-13	Pass	2001
3000	10000	1	RMS	5771	-50.5	-13	Pass	7001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-13	Pass	2986
30	690	0.1	RMS	675.3	-57.84	-13	Pass	6601
690	725	0.1	RMS	699.275	20.26	60	Pass	401
725	1000	0.1	RMS	899.8	-57.1	-13	Pass	2751
1000	3000	1	RMS	2670	-38.53	-13	Pass	2001
3000	10000	1	RMS	5770	-50.46	-13	Pass	7001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.07	-13	Pass	2986
30	690	0.1	RMS	679.2	-57.87	-13	Pass	6601
690	725	0.1	RMS	700.15	20.5	60	Pass	401
725	1000	0.1	RMS	915.7	-57.36	-13	Pass	2751
1000	3000	1	RMS	2669	-38.54	-13	Pass	2001
3000	10000	1	RMS	5770	-50.42	-13	Pass	7001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.41	-13	Pass	2986
30	690	0.1	RMS	677.2	-57.64	-13	Pass	6601
690	725	0.1	RMS	707.063	20.63	60	Pass	401
725	1000	0.1	RMS	903.2	-57.28	-13	Pass	2751
1000	3000	1	RMS	2670	-38.56	-13	Pass	2001
3000	10000	1	RMS	5768	-50.47	-13	Pass	7001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.97	-13	Pass	2986
30	690	0.1	RMS	684.9	-57.86	-13	Pass	6601
690	725	0.1	RMS	707.938	20.71	60	Pass	401
725	1000	0.1	RMS	904.9	-57.2	-13	Pass	2751
1000	3000	1	RMS	2670	-38.55	-13	Pass	2001
3000	10000	1	RMS	5769	-50.45	-13	Pass	7001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.01	-13	Pass	2986
30	690	0.1	RMS	683.4	-57.82	-13	Pass	6601
690	725	0.1	RMS	707.063	20.83	60	Pass	401
725	1000	0.1	RMS	899.7	-57.24	-13	Pass	2751
1000	3000	1	RMS	2670	-38.59	-13	Pass	2001
3000	10000	1	RMS	5768	-50.47	-13	Pass	7001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.54	-13	Pass	2986
30	690	0.1	RMS	683.4	-57.77	-13	Pass	6601
690	725	0.1	RMS	707.938	20.3	60	Pass	401
725	1000	0.1	RMS	893.9	-57.16	-13	Pass	2751
1000	3000	1	RMS	2672	-38.59	-13	Pass	2001
3000	10000	1	RMS	5769	-50.45	-13	Pass	7001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.62	-13	Pass	2986
30	690	0.1	RMS	682.8	-57.83	-13	Pass	6601
690	725	0.1	RMS	714.85	20.75	60	Pass	401
725	1000	0.1	RMS	902.2	-57.2	-13	Pass	2751
1000	3000	1	RMS	2669	-38.56	-13	Pass	2001
3000	10000	1	RMS	5726	-47.34	-13	Pass	7001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-13	Pass	2986
30	690	0.1	RMS	685.2	-57.79	-13	Pass	6601
690	725	0.1	RMS	715.725	20.75	60	Pass	401
725	1000	0.1	RMS	895.3	-57.25	-13	Pass	2751
1000	3000	1	RMS	2669	-38.58	-13	Pass	2001
3000	10000	1	RMS	5770	-50.43	-13	Pass	7001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.63	-13	Pass	2986
30	690	0.1	RMS	682.8	-57.93	-13	Pass	6601
690	725	0.1	RMS	714.85	20.05	60	Pass	401
725	1000	0.1	RMS	898.8	-57.18	-13	Pass	2751
1000	3000	1	RMS	2671	-38.6	-13	Pass	2001
3000	10000	1	RMS	5770	-50.37	-13	Pass	7001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.41	-13	Pass	2986
30	690	0.1	RMS	674.7	-57.71	-13	Pass	6601
690	725	0.1	RMS	715.725	19.89	60	Pass	401
725	1000	0.1	RMS	901.1	-57.3	-13	Pass	2751
1000	3000	1	RMS	2670	-38.55	-13	Pass	2001
3000	10000	1	RMS	5770	-50.51	-13	Pass	7001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.42	-13	Pass	2986
30	690	0.1	RMS	682.7	-57.74	-13	Pass	6601
690	725	0.1	RMS	699.275	20.32	60	Pass	401
725	1000	0.1	RMS	964.8	-57.31	-13	Pass	2751
1000	3000	1	RMS	2672	-38.57	-13	Pass	2001
3000	10000	1	RMS	5770	-50.41	-13	Pass	7001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-13	Pass	2986
30	690	0.1	RMS	677	-57.89	-13	Pass	6601
690	725	0.1	RMS	701.725	20.37	60	Pass	401
725	1000	0.1	RMS	924.6	-57.32	-13	Pass	2751
1000	3000	1	RMS	2669	-38.51	-13	Pass	2001
3000	10000	1	RMS	5770	-50.49	-13	Pass	7001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.9	-13	Pass	2986
30	690	0.1	RMS	685.7	-57.84	-13	Pass	6601
690	725	0.1	RMS	699.275	19.53	60	Pass	401
725	1000	0.1	RMS	898.9	-57.2	-13	Pass	2751
1000	3000	1	RMS	2670	-38.54	-13	Pass	2001
3000	10000	1	RMS	5769	-50.48	-13	Pass	7001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.89	-13	Pass	2986
30	690	0.1	RMS	685.3	-57.94	-13	Pass	6601
690	725	0.1	RMS	701.725	19.66	60	Pass	401
725	1000	0.1	RMS	897.6	-57.19	-13	Pass	2751
1000	3000	1	RMS	2670	-38.54	-13	Pass	2001
3000	10000	1	RMS	5770	-50.47	-13	Pass	7001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.23	-13	Pass	2986
30	690	0.1	RMS	663.5	-57.92	-13	Pass	6601
690	725	0.1	RMS	706.275	20.33	60	Pass	401
725	1000	0.1	RMS	896.7	-57.38	-13	Pass	2751
1000	3000	1	RMS	2671	-38.59	-13	Pass	2001
3000	10000	1	RMS	5768	-50.48	-13	Pass	7001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.1	-13	Pass	2986
30	690	0.1	RMS	677.3	-57.87	-13	Pass	6601
690	725	0.1	RMS	708.725	20.34	60	Pass	401
725	1000	0.1	RMS	909.7	-57.31	-13	Pass	2751
1000	3000	1	RMS	2670	-38.54	-13	Pass	2001
3000	10000	1	RMS	5770	-50.46	-13	Pass	7001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.88	-13	Pass	2986
30	690	0.1	RMS	684.2	-57.86	-13	Pass	6601
690	725	0.1	RMS	706.275	20.64	60	Pass	401
725	1000	0.1	RMS	901.7	-57.27	-13	Pass	2751
1000	3000	1	RMS	2669	-38.54	-13	Pass	2001
3000	10000	1	RMS	5767	-50.5	-13	Pass	7001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.29	-13	Pass	2986
30	690	0.1	RMS	683.3	-57.75	-13	Pass	6601
690	725	0.1	RMS	708.725	20.48	60	Pass	401
725	1000	0.1	RMS	895.3	-57.28	-13	Pass	2751
1000	3000	1	RMS	2668	-38.56	-13	Pass	2001
3000	10000	1	RMS	5769	-50.47	-13	Pass	7001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.4	-13	Pass	2986
30	690	0.1	RMS	679.3	-57.83	-13	Pass	6601
690	725	0.1	RMS	713.275	20.4	60	Pass	401
725	1000	0.1	RMS	904.1	-57.24	-13	Pass	2751
1000	3000	1	RMS	2669	-38.56	-13	Pass	2001
3000	10000	1	RMS	5769	-50.48	-13	Pass	7001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.43	-13	Pass	2986
30	690	0.1	RMS	679.9	-57.87	-13	Pass	6601
690	725	0.1	RMS	715.725	20.64	60	Pass	401
725	1000	0.1	RMS	997.2	-57.28	-13	Pass	2751
1000	3000	1	RMS	2671	-38.54	-13	Pass	2001
3000	10000	1	RMS	5769	-50.47	-13	Pass	7001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.7	-13	Pass	2986
30	690	0.1	RMS	685.7	-57.88	-13	Pass	6601
690	725	0.1	RMS	713.275	19.72	60	Pass	401
725	1000	0.1	RMS	900.2	-57.18	-13	Pass	2751
1000	3000	1	RMS	2669	-38.54	-13	Pass	2001
3000	10000	1	RMS	5770	-50.42	-13	Pass	7001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.08	-13	Pass	2986
30	690	0.1	RMS	678.7	-57.8	-13	Pass	6601
690	725	0.1	RMS	715.725	19.87	60	Pass	401
725	1000	0.1	RMS	892	-57.29	-13	Pass	2751
1000	3000	1	RMS	2670	-38.58	-13	Pass	2001
3000	10000	1	RMS	5770	-50.35	-13	Pass	7001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.29	-13	Pass	2986
30	690	0.1	RMS	689.1	-57.81	-13	Pass	6601
690	725	0.1	RMS	699.363	20.34	60	Pass	401
725	1000	0.1	RMS	909.1	-57.19	-13	Pass	2751
1000	3000	1	RMS	2670	-38.54	-13	Pass	2001
3000	10000	1	RMS	5770	-50.44	-13	Pass	7001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.46	-13	Pass	2986
30	690	0.1	RMS	684.1	-57.83	-13	Pass	6601
690	725	0.1	RMS	703.65	20.58	60	Pass	401
725	1000	0.1	RMS	894.6	-57.25	-13	Pass	2751
1000	3000	1	RMS	2670	-38.5	-13	Pass	2001
3000	10000	1	RMS	5769	-50.46	-13	Pass	7001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.38	-13	Pass	2986
30	690	0.1	RMS	678.6	-57.82	-13	Pass	6601
690	725	0.1	RMS	699.363	19.61	60	Pass	401
725	1000	0.1	RMS	898.3	-57.33	-13	Pass	2751
1000	3000	1	RMS	2670	-38.54	-13	Pass	2001
3000	10000	1	RMS	5769	-50.44	-13	Pass	7001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.04	-13	Pass	2986
30	690	0.1	RMS	684.3	-57.83	-13	Pass	6601
690	725	0.1	RMS	703.65	19.68	60	Pass	401
725	1000	0.1	RMS	900.7	-57.32	-13	Pass	2751
1000	3000	1	RMS	2669	-38.55	-13	Pass	2001
3000	10000	1	RMS	5769	-50.52	-13	Pass	7001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.12	-13	Pass	2986
30	690	0.1	RMS	675.1	-57.9	-13	Pass	6601
690	725	0.1	RMS	705.313	20.47	60	Pass	401
725	1000	0.1	RMS	970.3	-57.39	-13	Pass	2751
1000	3000	1	RMS	2669	-38.58	-13	Pass	2001
3000	10000	1	RMS	5770	-50.39	-13	Pass	7001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.57	-13	Pass	2986
30	690	0.1	RMS	675.5	-57.74	-13	Pass	6601
690	725	0.1	RMS	709.688	20.53	60	Pass	401
725	1000	0.1	RMS	995.9	-57.19	-13	Pass	2751
1000	3000	1	RMS	2670	-38.56	-13	Pass	2001
3000	10000	1	RMS	5769	-50.43	-13	Pass	7001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.94	-13	Pass	2986
30	690	0.1	RMS	680.6	-57.89	-13	Pass	6601
690	725	0.1	RMS	705.313	19.7	60	Pass	401
725	1000	0.1	RMS	896.5	-57.33	-13	Pass	2751
1000	3000	1	RMS	2670	-38.57	-13	Pass	2001
3000	10000	1	RMS	5768	-50.52	-13	Pass	7001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-45.88	-13	Pass	2986
30	690	0.1	RMS	674	-57.83	-13	Pass	6601
690	725	0.1	RMS	709.688	19.85	60	Pass	401
725	1000	0.1	RMS	881.4	-57.29	-13	Pass	2751
1000	3000	1	RMS	2669	-38.59	-13	Pass	2001
3000	10000	1	RMS	5770	-50.45	-13	Pass	7001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.9	-13	Pass	2986
30	690	0.1	RMS	676.7	-57.92	-13	Pass	6601
690	725	0.1	RMS	711.35	20.52	60	Pass	401
725	1000	0.1	RMS	902.1	-57.25	-13	Pass	2751
1000	3000	1	RMS	2670	-38.49	-13	Pass	2001
3000	10000	1	RMS	5770	-50.42	-13	Pass	7001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.55	-13	Pass	2986
30	690	0.1	RMS	668.8	-57.9	-13	Pass	6601
690	725	0.1	RMS	715.638	20.59	60	Pass	401
725	1000	0.1	RMS	903.5	-57.27	-13	Pass	2751
1000	3000	1	RMS	2670	-38.54	-13	Pass	2001
3000	10000	1	RMS	5770	-50.44	-13	Pass	7001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.34	-13	Pass	2986
30	690	0.1	RMS	668.2	-57.94	-13	Pass	6601
690	725	0.1	RMS	711.35	20.39	60	Pass	401
725	1000	0.1	RMS	904.7	-57.26	-13	Pass	2751
1000	3000	1	RMS	2670	-38.58	-13	Pass	2001
3000	10000	1	RMS	5769	-50.48	-13	Pass	7001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.16	-13	Pass	2986
30	690	0.1	RMS	682.6	-57.7	-13	Pass	6601
690	725	0.1	RMS	715.638	20.17	60	Pass	401
725	1000	0.1	RMS	992.5	-57.32	-13	Pass	2751
1000	3000	1	RMS	2670	-38.55	-13	Pass	2001
3000	10000	1	RMS	5770	-50.47	-13	Pass	7001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.24	-13	Pass	2986
30	690	0.1	RMS	674.2	-57.89	-13	Pass	6601
690	725	0.1	RMS	699.625	20.28	60	Pass	401
725	1000	0.1	RMS	895.6	-57.25	-13	Pass	2751
1000	3000	1	RMS	2668	-38.57	-13	Pass	2001
3000	10000	1	RMS	5769	-50.46	-13	Pass	7001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.87	-13	Pass	2986
30	690	0.1	RMS	671.5	-57.96	-13	Pass	6601
690	725	0.1	RMS	708.375	20.35	60	Pass	401
725	1000	0.1	RMS	917.6	-57.23	-13	Pass	2751
1000	3000	1	RMS	2669	-38.56	-13	Pass	2001
3000	10000	1	RMS	5770	-50.49	-13	Pass	7001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.79	-13	Pass	2986
30	690	0.1	RMS	689.6	-57.79	-13	Pass	6601
690	725	0.1	RMS	699.625	19.6	60	Pass	401
725	1000	0.1	RMS	927.7	-57.24	-13	Pass	2751
1000	3000	1	RMS	2671	-38.58	-13	Pass	2001
3000	10000	1	RMS	5770	-50.42	-13	Pass	7001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.28	-13	Pass	2986
30	690	0.1	RMS	679.9	-57.65	-13	Pass	6601
690	725	0.1	RMS	708.375	19.77	60	Pass	401
725	1000	0.1	RMS	832.6	-57.06	-13	Pass	2751
1000	3000	1	RMS	2670	-38.58	-13	Pass	2001
3000	10000	1	RMS	5770	-50.35	-13	Pass	7001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.09	-13	Pass	2986
30	690	0.1	RMS	664.6	-57.83	-13	Pass	6601
690	725	0.1	RMS	703.125	20.49	60	Pass	401
725	1000	0.1	RMS	900.5	-57.35	-13	Pass	2751
1000	3000	1	RMS	2668	-38.53	-13	Pass	2001
3000	10000	1	RMS	5770	-50.47	-13	Pass	7001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.62	-13	Pass	2986
30	690	0.1	RMS	680.8	-57.94	-13	Pass	6601
690	725	0.1	RMS	711.875	20.4	60	Pass	401
725	1000	0.1	RMS	899.4	-57.3	-13	Pass	2751
1000	3000	1	RMS	2669	-38.59	-13	Pass	2001
3000	10000	1	RMS	5770	-50.47	-13	Pass	7001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.81	-13	Pass	2986
30	690	0.1	RMS	654	-57.91	-13	Pass	6601
690	725	0.1	RMS	703.125	19.81	60	Pass	401
725	1000	0.1	RMS	997.7	-57.33	-13	Pass	2751
1000	3000	1	RMS	2668	-38.61	-13	Pass	2001
3000	10000	1	RMS	5770	-50.49	-13	Pass	7001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.44	-13	Pass	2986
30	690	0.1	RMS	685.4	-57.97	-13	Pass	6601
690	725	0.1	RMS	711.875	20.6	60	Pass	401
725	1000	0.1	RMS	832.1	-56.34	-13	Pass	2751
1000	3000	1	RMS	2671	-38.56	-13	Pass	2001
3000	10000	1	RMS	5768	-50.45	-13	Pass	7001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.48	-13	Pass	2986
30	690	0.1	RMS	682.3	-57.86	-13	Pass	6601
690	725	0.1	RMS	706.625	20.35	60	Pass	401
725	1000	0.1	RMS	892.8	-57.28	-13	Pass	2751
1000	3000	1	RMS	2669	-38.59	-13	Pass	2001
3000	10000	1	RMS	5769	-50.49	-13	Pass	7001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.99	-13	Pass	2986
30	690	0.1	RMS	678.1	-57.92	-13	Pass	6601
690	725	0.1	RMS	715.375	20.41	60	Pass	401
725	1000	0.1	RMS	903.2	-57.17	-13	Pass	2751
1000	3000	1	RMS	2670	-38.57	-13	Pass	2001
3000	10000	1	RMS	5771	-50.42	-13	Pass	7001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.32	-13	Pass	2986
30	690	0.1	RMS	677.1	-57.86	-13	Pass	6601
690	725	0.1	RMS	706.625	19.43	60	Pass	401
725	1000	0.1	RMS	832.1	-54.55	-13	Pass	2751
1000	3000	1	RMS	2670	-38.57	-13	Pass	2001
3000	10000	1	RMS	5770	-50.44	-13	Pass	7001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-44.74	-13	Pass	2986
30	690	0.1	RMS	680.5	-57.87	-13	Pass	6601
690	725	0.1	RMS	715.375	19.8	60	Pass	401
725	1000	0.1	RMS	884.1	-57.27	-13	Pass	2751
1000	3000	1	RMS	2670	-38.6	-13	Pass	2001
3000	10000	1	RMS	5766	-50.49	-13	Pass	7001



END