


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band41 120M

1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.62	-25	Pass	2986
30	1000	0.1	RMS	976.5	-56.03	-25	Pass	9701
1000	2486	1	RMS	2424	-41.53	-25	Pass	1487
2486	2700	1	RMS	2535.22	17.86	60	Pass	401
2700	3000	1	RMS	2769.75	-40.16	-25	Pass	401
3000	12000	1	RMS	11909	-45.1	-25	Pass	9001
12000	27000	1	RMS	26455	-25.94	-25	Pass	15001



1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.66	-25	Pass	2986
30	1000	0.1	RMS	991.3	-55.94	-25	Pass	9701
1000	2486	1	RMS	2420	-41.44	-25	Pass	1487
2486	2700	1	RMS	2539.5	17.58	60	Pass	401
2700	3000	1	RMS	2769.75	-40.19	-25	Pass	401
3000	12000	1	RMS	11912	-45.09	-25	Pass	9001
12000	27000	1	RMS	26451	-25.91	-25	Pass	15001



1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.73	-25	Pass	2986
30	1000	0.1	RMS	899	-55.97	-25	Pass	9701
1000	2486	1	RMS	2424	-41.52	-25	Pass	1487
2486	2700	1	RMS	2535.22	17.07	60	Pass	401
2700	3000	1	RMS	2769.75	-40.14	-25	Pass	401
3000	12000	1	RMS	11900	-45.06	-25	Pass	9001
12000	27000	1	RMS	26453	-25.93	-25	Pass	15001



1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.12	-25	Pass	2986
30	1000	0.1	RMS	900.5	-56.05	-25	Pass	9701
1000	2486	1	RMS	2420	-41.51	-25	Pass	1487
2486	2700	1	RMS	2539.5	17.09	60	Pass	401
2700	3000	1	RMS	2770.5	-40.16	-25	Pass	401
3000	12000	1	RMS	11903	-45.1	-25	Pass	9001
12000	27000	1	RMS	26452	-25.88	-25	Pass	15001



1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.38	-25	Pass	2986
30	1000	0.1	RMS	941.4	-56.04	-25	Pass	9701
1000	2486	1	RMS	2436	-41.51	-25	Pass	1487
2486	2700	1	RMS	2593	18.41	60	Pass	401
2700	3000	1	RMS	2770.5	-40.19	-25	Pass	401
3000	12000	1	RMS	11901	-45.07	-25	Pass	9001
12000	27000	1	RMS	26451	-25.95	-25	Pass	15001



1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.96	-25	Pass	2986
30	1000	0.1	RMS	895.1	-55.92	-25	Pass	9701
1000	2486	1	RMS	2419	-41.47	-25	Pass	1487
2486	2700	1	RMS	2597.28	18.6	60	Pass	401
2700	3000	1	RMS	2769.75	-40.17	-25	Pass	401
3000	12000	1	RMS	11906	-45.08	-25	Pass	9001
12000	27000	1	RMS	26457	-25.96	-25	Pass	15001



1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.51	-25	Pass	2986
30	1000	0.1	RMS	983.5	-55.96	-25	Pass	9701
1000	2486	1	RMS	2423	-41.48	-25	Pass	1487
2486	2700	1	RMS	2593	18.23	60	Pass	401
2700	3000	1	RMS	2769.75	-40.16	-25	Pass	401
3000	12000	1	RMS	11905	-45.09	-25	Pass	9001
12000	27000	1	RMS	26457	-25.93	-25	Pass	15001



1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.8	-25	Pass	2986
30	1000	0.1	RMS	887.7	-56.03	-25	Pass	9701
1000	2486	1	RMS	2420	-41.51	-25	Pass	1487
2486	2700	1	RMS	2597.28	18.59	60	Pass	401
2700	3000	1	RMS	2769.75	-40.17	-25	Pass	401
3000	12000	1	RMS	11899	-45.04	-25	Pass	9001
12000	27000	1	RMS	26452	-25.92	-25	Pass	15001



1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.63	-25	Pass	2986
30	1000	0.1	RMS	898.7	-55.81	-25	Pass	9701
1000	2486	1	RMS	2414	-41.5	-25	Pass	1487
2486	2700	1	RMS	2650.245	18.48	60	Pass	401
2700	3000	1	RMS	2769.75	-40.16	-25	Pass	401
3000	12000	1	RMS	11902	-45.08	-25	Pass	9001
12000	27000	1	RMS	26454	-25.9	-25	Pass	15001



1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-25	Pass	2986
30	1000	0.1	RMS	899.1	-55.96	-25	Pass	9701
1000	2486	1	RMS	2417	-41.49	-25	Pass	1487
2486	2700	1	RMS	2654.525	18.38	60	Pass	401
2700	3000	1	RMS	2769.75	-40.15	-25	Pass	401
3000	12000	1	RMS	11910	-45.08	-25	Pass	9001
12000	27000	1	RMS	26458	-25.93	-25	Pass	15001



1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.9	-25	Pass	2986
30	1000	0.1	RMS	898.8	-55.92	-25	Pass	9701
1000	2486	1	RMS	2426	-41.49	-25	Pass	1487
2486	2700	1	RMS	2650.245	18.14	60	Pass	401
2700	3000	1	RMS	2769.75	-40.17	-25	Pass	401
3000	12000	1	RMS	11913	-45.1	-25	Pass	9001
12000	27000	1	RMS	26459	-25.95	-25	Pass	15001



1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.37	-25	Pass	2986
30	1000	0.1	RMS	901.9	-55.91	-25	Pass	9701
1000	2486	1	RMS	2424	-41.49	-25	Pass	1487
2486	2700	1	RMS	2654.525	18.06	60	Pass	401
2700	3000	1	RMS	2769.75	-40.16	-25	Pass	401
3000	12000	1	RMS	11903	-45.08	-25	Pass	9001
12000	27000	1	RMS	26453	-25.93	-25	Pass	15001



1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.6	-25	Pass	2986
30	1000	0.1	RMS	973.3	-56	-25	Pass	9701
1000	2486	1	RMS	2420	-41.49	-25	Pass	1487
2486	2700	1	RMS	2535.755	17.95	60	Pass	401
2700	3000	1	RMS	2769.75	-40.14	-25	Pass	401
3000	12000	1	RMS	11901	-45.06	-25	Pass	9001
12000	27000	1	RMS	26456	-25.89	-25	Pass	15001



1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.07	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.74	-25	Pass	2986
30	1000	0.1	RMS	902	-56.06	-25	Pass	9701
1000	2486	1	RMS	2417	-41.5	-25	Pass	1487
2486	2700	1	RMS	2544.315	18.16	60	Pass	401
2700	3000	1	RMS	2769.75	-40.15	-25	Pass	401
3000	12000	1	RMS	11903	-45.1	-25	Pass	9001
12000	27000	1	RMS	26453	-25.93	-25	Pass	15001



1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.44	-25	Pass	2986
30	1000	0.1	RMS	993.7	-55.91	-25	Pass	9701
1000	2486	1	RMS	2425	-41.5	-25	Pass	1487
2486	2700	1	RMS	2535.755	17.54	60	Pass	401
2700	3000	1	RMS	2769.75	-40.13	-25	Pass	401
3000	12000	1	RMS	11901	-45.08	-25	Pass	9001
12000	27000	1	RMS	26449	-25.96	-25	Pass	15001



1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.47	-25	Pass	2986
30	1000	0.1	RMS	895.5	-55.89	-25	Pass	9701
1000	2486	1	RMS	2425	-41.49	-25	Pass	1487
2486	2700	1	RMS	2544.315	17.44	60	Pass	401
2700	3000	1	RMS	2769.75	-40.16	-25	Pass	401
3000	12000	1	RMS	11900	-45.12	-25	Pass	9001
12000	27000	1	RMS	26455	-25.96	-25	Pass	15001



1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.02	-25	Pass	2986
30	1000	0.1	RMS	935.9	-55.93	-25	Pass	9701
1000	2486	1	RMS	2456	-41.35	-25	Pass	1487
2486	2700	1	RMS	2590.86	17.91	60	Pass	401
2700	3000	1	RMS	2769.75	-40.15	-25	Pass	401
3000	12000	1	RMS	11899	-45.06	-25	Pass	9001
12000	27000	1	RMS	26452	-25.95	-25	Pass	15001



1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.52	-25	Pass	2986
30	1000	0.1	RMS	995.3	-55.96	-25	Pass	9701
1000	2486	1	RMS	2422	-41.5	-25	Pass	1487
2486	2700	1	RMS	2599.42	18.49	60	Pass	401
2700	3000	1	RMS	2770.5	-40.15	-25	Pass	401
3000	12000	1	RMS	11900	-45.07	-25	Pass	9001
12000	27000	1	RMS	26455	-25.99	-25	Pass	15001



1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.25	-25	Pass	2986
30	1000	0.1	RMS	990.4	-56.05	-25	Pass	9701
1000	2486	1	RMS	2424	-41.49	-25	Pass	1487
2486	2700	1	RMS	2590.325	17.55	60	Pass	401
2700	3000	1	RMS	2769.75	-40.18	-25	Pass	401
3000	12000	1	RMS	11910	-45.1	-25	Pass	9001
12000	27000	1	RMS	26451	-25.95	-25	Pass	15001



1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.11	-25	Pass	2986
30	1000	0.1	RMS	908.8	-56.08	-25	Pass	9701
1000	2486	1	RMS	2419	-41.53	-25	Pass	1487
2486	2700	1	RMS	2599.42	18.2	60	Pass	401
2700	3000	1	RMS	2769.75	-40.19	-25	Pass	401
3000	12000	1	RMS	11900	-45.1	-25	Pass	9001
12000	27000	1	RMS	26451	-25.97	-25	Pass	15001



1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.62	-25	Pass	2986
30	1000	0.1	RMS	900	-55.95	-25	Pass	9701
1000	2486	1	RMS	2428	-41.51	-25	Pass	1487
2486	2700	1	RMS	2645.43	18.39	60	Pass	401
2700	3000	1	RMS	2769.75	-40.14	-25	Pass	401
3000	12000	1	RMS	11906	-45.09	-25	Pass	9001
12000	27000	1	RMS	26453	-25.89	-25	Pass	15001



1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.32	-25	Pass	2986
30	1000	0.1	RMS	905.6	-56.02	-25	Pass	9701
1000	2486	1	RMS	2418	-41.49	-25	Pass	1487
2486	2700	1	RMS	2654.525	18.5	60	Pass	401
2700	3000	1	RMS	2769.75	-40.14	-25	Pass	401
3000	12000	1	RMS	11897	-45.09	-25	Pass	9001
12000	27000	1	RMS	26451	-25.93	-25	Pass	15001



1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.93	-25	Pass	2986
30	1000	0.1	RMS	901.6	-55.92	-25	Pass	9701
1000	2486	1	RMS	2420	-41.52	-25	Pass	1487
2486	2700	1	RMS	2645.43	17.81	60	Pass	401
2700	3000	1	RMS	2769.75	-40.14	-25	Pass	401
3000	12000	1	RMS	11911	-45.08	-25	Pass	9001
12000	27000	1	RMS	26455	-25.92	-25	Pass	15001



1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.4	-25	Pass	2986
30	1000	0.1	RMS	899.7	-56.07	-25	Pass	9701
1000	2486	1	RMS	2417	-41.5	-25	Pass	1487
2486	2700	1	RMS	2654.525	18.29	60	Pass	401
2700	3000	1	RMS	2769.75	-40.2	-25	Pass	401
3000	12000	1	RMS	11901	-45.1	-25	Pass	9001
12000	27000	1	RMS	26452	-25.9	-25	Pass	15001



1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.87	-25	Pass	2986
30	1000	0.1	RMS	894.2	-56.11	-25	Pass	9701
1000	2486	1	RMS	2417	-41.54	-25	Pass	1487
2486	2700	1	RMS	2535.755	18.22	60	Pass	401
2700	3000	1	RMS	2769.75	-40.18	-25	Pass	401
3000	12000	1	RMS	11907	-45.03	-25	Pass	9001
12000	27000	1	RMS	26460	-25.94	-25	Pass	15001



1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.16	-25	Pass	2986
30	1000	0.1	RMS	987.7	-56.02	-25	Pass	9701
1000	2486	1	RMS	2422	-41.5	-25	Pass	1487
2486	2700	1	RMS	2549.13	18	60	Pass	401
2700	3000	1	RMS	2769.75	-40.19	-25	Pass	401
3000	12000	1	RMS	11912	-45.08	-25	Pass	9001
12000	27000	1	RMS	26455	-25.95	-25	Pass	15001



1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.6	-25	Pass	2986
30	1000	0.1	RMS	905.1	-56.06	-25	Pass	9701
1000	2486	1	RMS	2424	-41.51	-25	Pass	1487
2486	2700	1	RMS	2535.755	17.44	60	Pass	401
2700	3000	1	RMS	2769.75	-40.17	-25	Pass	401
3000	12000	1	RMS	11899	-45.06	-25	Pass	9001
12000	27000	1	RMS	26454	-25.94	-25	Pass	15001



1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-25	Pass	2986
30	1000	0.1	RMS	993.9	-55.98	-25	Pass	9701
1000	2486	1	RMS	2419	-41.52	-25	Pass	1487
2486	2700	1	RMS	2549.13	17.54	60	Pass	401
2700	3000	1	RMS	2770.5	-40.16	-25	Pass	401
3000	12000	1	RMS	11915	-45.1	-25	Pass	9001
12000	27000	1	RMS	26454	-25.91	-25	Pass	15001



1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.32	-25	Pass	2986
30	1000	0.1	RMS	921.1	-55.98	-25	Pass	9701
1000	2486	1	RMS	2469	-41.51	-25	Pass	1487
2486	2700	1	RMS	2588.185	17.98	60	Pass	401
2700	3000	1	RMS	2769	-40.18	-25	Pass	401
3000	12000	1	RMS	11903	-45.09	-25	Pass	9001
12000	27000	1	RMS	26455	-25.95	-25	Pass	15001



1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.76	-25	Pass	2986
30	1000	0.1	RMS	899.7	-55.96	-25	Pass	9701
1000	2486	1	RMS	2422	-41.52	-25	Pass	1487
2486	2700	1	RMS	2601.56	18.3	60	Pass	401
2700	3000	1	RMS	2769.75	-40.17	-25	Pass	401
3000	12000	1	RMS	11901	-45.1	-25	Pass	9001
12000	27000	1	RMS	26458	-25.9	-25	Pass	15001



1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.91	-25	Pass	2986
30	1000	0.1	RMS	905.4	-56.09	-25	Pass	9701
1000	2486	1	RMS	2418	-41.46	-25	Pass	1487
2486	2700	1	RMS	2588.185	17.74	60	Pass	401
2700	3000	1	RMS	2769.75	-40.16	-25	Pass	401
3000	12000	1	RMS	11904	-45.11	-25	Pass	9001
12000	27000	1	RMS	26452	-25.95	-25	Pass	15001



1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.32	-25	Pass	2986
30	1000	0.1	RMS	903.8	-56.03	-25	Pass	9701
1000	2486	1	RMS	2424	-41.54	-25	Pass	1487
2486	2700	1	RMS	2601.56	18.03	60	Pass	401
2700	3000	1	RMS	2769.75	-40.16	-25	Pass	401
3000	12000	1	RMS	11903	-45.13	-25	Pass	9001
12000	27000	1	RMS	26451	-26	-25	Pass	15001



1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.83	-25	Pass	2986
30	1000	0.1	RMS	984.6	-56.05	-25	Pass	9701
1000	2486	1	RMS	2421	-41.5	-25	Pass	1487
2486	2700	1	RMS	2640.615	18	60	Pass	401
2700	3000	1	RMS	2769.75	-40.14	-25	Pass	401
3000	12000	1	RMS	11902	-45.06	-25	Pass	9001
12000	27000	1	RMS	26458	-25.86	-25	Pass	15001



1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.17	-25	Pass	2986
30	1000	0.1	RMS	890.3	-55.99	-25	Pass	9701
1000	2486	1	RMS	2420	-41.48	-25	Pass	1487
2486	2700	1	RMS	2653.99	18.31	60	Pass	401
2700	3000	1	RMS	2769.75	-40.17	-25	Pass	401
3000	12000	1	RMS	11906	-45.11	-25	Pass	9001
12000	27000	1	RMS	26453	-25.92	-25	Pass	15001



1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.53	-25	Pass	2986
30	1000	0.1	RMS	900.9	-55.98	-25	Pass	9701
1000	2486	1	RMS	2420	-41.53	-25	Pass	1487
2486	2700	1	RMS	2640.615	17.84	60	Pass	401
2700	3000	1	RMS	2769.75	-40.18	-25	Pass	401
3000	12000	1	RMS	11911	-45.03	-25	Pass	9001
12000	27000	1	RMS	26453	-25.96	-25	Pass	15001



1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.93	-25	Pass	2986
30	1000	0.1	RMS	939.8	-56.06	-25	Pass	9701
1000	2486	1	RMS	2420	-41.53	-25	Pass	1487
2486	2700	1	RMS	2653.99	17.93	60	Pass	401
2700	3000	1	RMS	2769.75	-40.21	-25	Pass	401
3000	12000	1	RMS	11908	-45.1	-25	Pass	9001
12000	27000	1	RMS	26455	-25.97	-25	Pass	15001



1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.69	-25	Pass	2986
30	1000	0.1	RMS	974.7	-55.92	-25	Pass	9701
1000	2486	1	RMS	2415	-41.52	-25	Pass	1487
2486	2700	1	RMS	2536.29	17.71	60	Pass	401
2700	3000	1	RMS	2770.5	-40.17	-25	Pass	401
3000	12000	1	RMS	11903	-45.08	-25	Pass	9001
12000	27000	1	RMS	26459	-25.94	-25	Pass	15001



1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.06	-25	Pass	2986
30	1000	0.1	RMS	972	-55.86	-25	Pass	9701
1000	2486	1	RMS	2424	-41.47	-25	Pass	1487
2486	2700	1	RMS	2553.945	17.96	60	Pass	401
2700	3000	1	RMS	2769.75	-40.18	-25	Pass	401
3000	12000	1	RMS	11911	-45.12	-25	Pass	9001
12000	27000	1	RMS	26453	-25.97	-25	Pass	15001



1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.65	-25	Pass	2986
30	1000	0.1	RMS	983.5	-55.97	-25	Pass	9701
1000	2486	1	RMS	2411	-41.51	-25	Pass	1487
2486	2700	1	RMS	2536.29	17.97	60	Pass	401
2700	3000	1	RMS	2769.75	-40.2	-25	Pass	401
3000	12000	1	RMS	11912	-45.1	-25	Pass	9001
12000	27000	1	RMS	26452	-25.98	-25	Pass	15001



1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.5	-25	Pass	2986
30	1000	0.1	RMS	903.5	-55.99	-25	Pass	9701
1000	2486	1	RMS	2423	-41.51	-25	Pass	1487
2486	2700	1	RMS	2553.945	18.42	60	Pass	401
2700	3000	1	RMS	2769.75	-40.18	-25	Pass	401
3000	12000	1	RMS	11914	-45.11	-25	Pass	9001
12000	27000	1	RMS	26450	-25.88	-25	Pass	15001



1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.37	-25	Pass	2986
30	1000	0.1	RMS	901.8	-56.08	-25	Pass	9701
1000	2486	1	RMS	2419	-41.5	-25	Pass	1487
2486	2700	1	RMS	2586.045	18.04	60	Pass	401
2700	3000	1	RMS	2769.75	-40.19	-25	Pass	401
3000	12000	1	RMS	11906	-45.08	-25	Pass	9001
12000	27000	1	RMS	26453	-25.94	-25	Pass	15001



1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.36	-25	Pass	2986
30	1000	0.1	RMS	886.2	-56.02	-25	Pass	9701
1000	2486	1	RMS	2425	-41.49	-25	Pass	1487
2486	2700	1	RMS	2603.7	18.19	60	Pass	401
2700	3000	1	RMS	2770.5	-40.21	-25	Pass	401
3000	12000	1	RMS	11903	-45.06	-25	Pass	9001
12000	27000	1	RMS	26455	-25.93	-25	Pass	15001



1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.88	-25	Pass	2986
30	1000	0.1	RMS	898.9	-56.1	-25	Pass	9701
1000	2486	1	RMS	2422	-41.56	-25	Pass	1487
2486	2700	1	RMS	2586.045	17.32	60	Pass	401
2700	3000	1	RMS	2769.75	-40.2	-25	Pass	401
3000	12000	1	RMS	11901	-45.11	-25	Pass	9001
12000	27000	1	RMS	26453	-25.99	-25	Pass	15001



1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.1	-25	Pass	2986
30	1000	0.1	RMS	906.2	-56.04	-25	Pass	9701
1000	2486	1	RMS	2422	-41.54	-25	Pass	1487
2486	2700	1	RMS	2603.7	17.49	60	Pass	401
2700	3000	1	RMS	2769.75	-40.16	-25	Pass	401
3000	12000	1	RMS	11898	-45.1	-25	Pass	9001
12000	27000	1	RMS	26453	-25.99	-25	Pass	15001



1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.57	-25	Pass	2986
30	1000	0.1	RMS	994.9	-56.06	-25	Pass	9701
1000	2486	1	RMS	2470	-41.52	-25	Pass	1487
2486	2700	1	RMS	2636.335	17.83	60	Pass	401
2700	3000	1	RMS	2769.75	-40.16	-25	Pass	401
3000	12000	1	RMS	11902	-45.09	-25	Pass	9001
12000	27000	1	RMS	26455	-25.96	-25	Pass	15001



1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.63	-25	Pass	2986
30	1000	0.1	RMS	996.9	-56.04	-25	Pass	9701
1000	2486	1	RMS	2413	-41.54	-25	Pass	1487
2486	2700	1	RMS	2653.99	18.68	60	Pass	401
2700	3000	1	RMS	2769.75	-40.18	-25	Pass	401
3000	12000	1	RMS	11906	-45.11	-25	Pass	9001
12000	27000	1	RMS	26454	-25.95	-25	Pass	15001



1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.38	-25	Pass	2986
30	1000	0.1	RMS	896.2	-55.86	-25	Pass	9701
1000	2486	1	RMS	2421	-41.51	-25	Pass	1487
2486	2700	1	RMS	2636.335	17.82	60	Pass	401
2700	3000	1	RMS	2769.75	-40.2	-25	Pass	401
3000	12000	1	RMS	11909	-45.06	-25	Pass	9001
12000	27000	1	RMS	26453	-25.97	-25	Pass	15001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.96	-25	Pass	2986
30	1000	0.1	RMS	999.1	-55.91	-25	Pass	9701
1000	2486	1	RMS	2414	-41.55	-25	Pass	1487
2486	2700	1	RMS	2653.99	18.84	60	Pass	401
2700	3000	1	RMS	2769.75	-40.2	-25	Pass	401
3000	12000	1	RMS	11904	-45.09	-25	Pass	9001
12000	27000	1	RMS	26450	-26	-25	Pass	15001



END