Label size (mm) Label lettering	Notes
H = 8 w = 29.2 H = 15.2 w = 29	To reduce risk of fire. Use only the supplied Li-hon hatteries (charge at least 14 hours before use) Do not use Alkaline or Non Rechargeable batteries SWISSVOICE LT HS ned USICA Model: 20407982 FCC ID: 2AEQHL/TAM IC: 20181-L/TAM IC: 20181-L/TAM sn: YNXXXXXXX Made in China Note: This label should be used in 4 radian angles.	<u>Handset</u>
H = 30.6 w = 39.6	S. S. YNXXXXXX INC. CE INC. AND	Base Serial number barcode Code 128B
H = 14.8 w = 24.8	SWISSVOICE L7 CB red US/CA Model: 20407982 Sn: YNxxxxxx Adapter 6.0VDC/400mA Adapter 6.0VDC/400mA Made In China	Charging Bay
H = 30.6 w = 39.6	SWISSVOICE L7 TAM code red US/CA Cordless Telephone with answering machine HAC LTE. SON TELE Made in China IC: 20181-L7TAM IC: 20181-L7TAM IC: 20181-L7TAM IC: 20181-L7TAM IC: 20181-L7TAM IC REN 0.0 Part 15 of the FCC Rules / HAC This device is intended for the analog telephone line Note: The printable barcode will be provided from factory.	Foldingbox Serial number barcode in Code 128B and EAN 13
H = 39 w = 29	L7 TAM code red US/CA Model: 20407051	Version label with Serial number barcode in Code 128B and EAN 13
	Note: The printable barcode will be provided from factory.	

Note:

1) Date of fabrication :

Year: 2012 = A; 2013 = B; 2014 = C

Month: 1-9; Oct. = O / Nov. = N / Dec. = D

Example: **Mai 2012 = A5**

Number must be identical on Handset, Basestation

and Foldingbox labels

2) xxxxxx => In accordance to CEM-System

Example: 123456

Number must be identical on Handset, Basestation and Foldingbox labels

3-6) Can match with the L7 version definition xx.xls file, Product Name = L7 TAM code red FR for example

1) 2)	4) 5)			Labels		
3)	(a)			L7 TAM code red US/CA		
swissvoice	Author	05.Jan 2015	Ken Ho	L/ TAM Code red US/CA		
2M122AOICE	Released	13.May 2015	Ken Ho	Doc.Type Number 20407051 Version A0		
"Copyright reserved"	А3	page 1 of	1	20407031 20		

Label size (mm)	Label lettering	Notes
H = 8 w = 29.2 H = 15.2 w = 29	To reduce risk of fire. Use only the supplied Li-ion	<u>Handset</u>
H = 30.6 w = 39.6	SWISSVOICE White US/CA Sn: YNXXXXX Model: 20407978 US: 22CM400BLTAM FC D: 2AEOHLTAM IC: 201814_TAM IC REN 0.0 This device complete with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cuse harmful inferience, and (2) this device may not cuse harmful inferience, and inferience that may cause harmful inferience, and inferience that the same undesired operation. Privacy of communications may not be ensured when using his phone. Use only/User solo DC adapter 6.0VDC / 400 mA \$0038100800040 Note: The printable barcode will be provided from factory.	Base Serial number barcode Code 128B
H = 14.8 w = 24.8	SWISSVOICE L7 CB white USICA Model: 20407976 sn: YNxxxxxx Adapter 6.0VDC/400mA Made In China	Charging Bay
H = 30.6 w = 39.6	Cordless Telephone with answering machine HAC LT. I.T.E. Sn Y7xxxxxx US: 22CW400BL7TAM FCC ID: 2AECHL7TAM IC: 20181-17TAM IC REN 0.0 Part 15 of the FCC Rules / IAC This device is intended for the analog telephone line Note: The printable barcode will be provided from factory.	Foldingbox Serial number barcode in Code 128B and EAN 13
H = 39 w = 29	L7 TAM code white US/CA Model: 20407052 **Body State	Version label with Serial number barcode in Code 128B and EAN 13

Note:

1) Date of fabrication :

Year: 2012 = A; 2013 = B; 2014 = C

Month: 1-9; Oct. = O / Nov. = N / Dec. = D

Example: **Mai 2012 = A5**

Number must be identical on Handset, Basestation

and Foldingbox labels

2) xxxxxx => In accordance to CEM-System

Example: 123456

Number must be identical on Handset, Basestation and Foldingbox labels

3-6) Can match with the L7 version definition xx.xls file,

Product Name = L7 TAM code red FR for example

1) 2)	4) 5)			Labels
(6)				L7 TAM code white US/CA
swissvoice	Author	05.Jan 2015	Ken Ho	L7 TAIN Code write 05/CA
2M122AOICE	Released	13.May 2015	Ken Ho	Doc.Type Number 20407052 Version Ao
"Copyright reserved"	А3	page 1 of	1	20401032 A

H = 8 w = 29.2 H = 15.2 w = 29	To reduce risk of fire. Use only the supplied Li-ion betteres (charge at least 14 hours before use) Do not use Alkaline or Non Rechargeable batteries SWISSVOICE LTHS black USICA Model: 20407979 FCC ID: 2AEQHL7TAM IC: 20181-L7TAM Sn: YNXXXXXXX Made In China Note: This label should be used in 4 radian angles.	<u>Handset</u>
H = 30.6 w = 39.6	S.Y. YNXXXXXX U.S. 22C,W00BL/TAM FCC ID: 24E OHL/TAM IV. 2018-11-TAM IC CEN 10 This device complex with Part 15 of the FCC Rules. Operation is subject to the following host conditions: (1) this device may not cause harmful interference, and (2) this device may not cause harmful interference, and (3) this device may not cause harmful interference, and (1) the device may not cause harmful interference, and (2) this device may not cause harmful interference, and (3) the device may not cause harmful interference, and (2) the device may not cause harmful interference, and (3) the device may not cause harmful in	Base Serial number barcode Code 128B
H = 14.8 w = 24.8	SWISSVOICE LT CB Sheek USICA. Model: 20407979 Sn: YNXXXXXX Adapter 6.0VDC/400mA	Charging Bay
H = 30.6 w = 39.6	Cordless Telephone with answering machine HAC LITE. SON YXXXXXX US: 22CW400BL7TAM FCC ID: 2AEQHL7TAM IC: 20181-L7TAM IC: REN 0.0 Part 15 of the FCC Rules / HAC This device is intended for the analog telephone line Note: The printable barcode will be provided from factory.	Foldingbox Serial number barcode in Code 128B and EAN 13
H = 39 w = 29	L7 TAM code black US/CA Model: 20407053 **Bass 00032** Note: The printable barcode will be provided from factory.	Version label with Serial number barcode in Code 128B and EAN 13

Note:

1) Date of fabrication :

Year: 2012 = A; 2013 = B; 2014 = C

Month: 1-9; Oct. = O / Nov. = N / Dec. = D

Example: **Mai 2012 = A5**

Number must be identical on Handset, Basestation

and Foldingbox labels

2) xxxxxx => In accordance to CEM-System

Example: 123456

Number must be identical on Handset, Basestation and Foldingbox labels

3-6) Can match with the L7 version definition xx.xls file, Product Name = L7 TAM code red FR for example

1) 2)	4) 5)			Labels
(a) (b)			L7 TAM code black US/CA	
swissvoice	Author	05.Jan 2015	Ken Ho	L/ TAIWI COUE DIACK 05/CA
2M122AOICE	Released	13.May 2015	Ken Ho	Doc.Type Number 20407053 Version Ao
"Copyright reserved"	А3	page 1 of	1	20 1 07033 A

Label size (mi	m) Label lettering	Notes
H = 8 w = 29.2 H = 15.2 w = 29	To reduce risk of fire. Use only the supplied Li-lon blatteries (charge at least 14 hours before use) Do not use Alkaline or Non Rechargeable batteries SWISSYOICE LTHS blue USICA Model: 20408034 FCC ID: 2AECHLTTAM IC: 20181-LTTAM Sn: YNXXXXXXX Made In China Note: This label should be used in 4 radian angles.	<u>Handset</u>
H = 30.6 w = 39.6	SWISSVOICE L7 TAM BS blue US/CA sn: YNXXXXXX Model: 20408032 US 22CW4008L7TAM FCC ID 2AEQH-L7TAM CC 2016-L7TAM IS CREAT OF 15 of the FCC Rules Dycardion is subject to the following war conditions: (1) this device may not cause harmful inferference, and (2) this device may not cause harmful inferference near-well inferference that may cause undersired operation. Phracy of communications may not be ensured when using this phone. Use only/User solo DC adapter 6 (V/DC / 400 mA \$0031U5000040 Note: The printable barcode will be provided from factory.	Base Serial number barcode Code 128B
H = 14.8 w = 24.8	SWISSVOICE L7 CB blue USICA Model: 20408034 sn: YNXXXXXXX Adapter 6.0VDC/400mA Made In China	Charging Bay
H = 30.6 w = 39.6	SWISSVOICE Cordless Telephone with answering machine HAC cordless Telephone with answering machine Sn Y7xxxxxx Sn Y7xxxxxx Sn Y7xxxxxx Sn Y7xxxxxx Made in China IC. 20181-L'TTAM IC. 201	Foldingbox Serial number barcode in Code 128B and EAN 13
H = 39 w = 29	L7 TAM code blue US/CA Model: 20408028	Version label with Serial number barcode in Code 128B and EAN 13
	Note: The printable barcode will be provided from factory.	

Note:

1) Date of fabrication :

Year: 2012 = A; 2013 = B; 2014 = C

Month: 1-9; Oct. = O / Nov. = N / Dec. = D

Example: **Mai 2012 = A5**

Number must be identical on Handset, Basestation

and Foldingbox labels

2) xxxxxx => In accordance to CEM-System

Example: 123456

Number must be identical on Handset, Basestation and Foldingbox labels

3-6) Can match with the L7 version definition xx.xls file,

Product Name = L7 TAM code red FR for example

1) 2)	4) 5)			Labels
3)	6)			L7 TAM code blue US/CA
	Author	05.Jan 2015	Ken Ho	L7 TAIN Code blue 05/CA
swissvoice	Released	18.May 2015	Ken Ho	Doc. Type Number 20408028 Version Ao
"Copyright reserved"	А3	page 1 of	1	

Label size (m	m) Label lettering	Notes
H = 8 w = 29.2 H = 15.2 w = 29	To reduce risk of fire. Use only the supplied Li-ion latitudes (charge at least 14 hours before use) Do not use Alkaline or Non Rechargeable batteries SWISSVOICE LTHS yellow USICA Model: 20408035 FCC ID: 2AEQHLTTAM IC: 20181-LTTAM IC:	<u>Handset</u>
H = 30.6 w = 39.6	SWISSVOICE LTAM BS yellow US/CA Sn: YNXXXXXX Model: 20408083 US 22C/V40/DBLTTAM FCC ID 2AECH-LTAM AC US 23C/V40/DBLTTAM FCC ID 2AECH-LTAM AC US 21C/V40/DBLTTAM FCC ID 2AECH-LTAM AC US 21C/V40/DBL	Base Serial number barcode Code 128B
H = 14.8 w = 24.8	SWISSVOICE LTCB yellow Usuca Model: 20408035 sn: YNxxxxxx Adapter 6.0VDC/400mA Made in China	Charging Bay
H = 30.6 w = 39.6	Cordless Telephone with answering machine HAC LITE SOMTON US (CA) US: 22CW400BL7TAM FCC ID: 2AEQHL7TAM IC: 20181-L7TAM IC REN 0.0 Part 15 of the FCC Rules / HAC This device is intended for the analog telephone line Note: The printable barcode will be provided from factory.	Foldingbox Serial number barcode in Code 128B and EAN 13
H = 39 w = 29	L7 TAM code yellow US/CA Model: 20408029 **Body Structure** **B	Version label with Serial number barcode in Code 128B and EAN 13

Note:

1) Date of fabrication :

Year: 2012 = A; 2013 = B; 2014 = C

Month: 1-9; Oct. = O / Nov. = N / Dec. = D

Example: **Mai 2012 = A5**

Number must be identical on Handset, Basestation

and Foldingbox labels

2) xxxxxx => In accordance to CEM-System

Example: 123456

Number must be identical on Handset, Basestation and Foldingbox labels

3-6) Can match with the L7 version definition xx.xls file, Product Name = L7 TAM code red FR for example

1) 2)	4) 5)			Labels
3)	6)			L7 TAM code yellow US/CA
swissvoice	Author	05.Jan 2015	Ken Ho	L7 TAW Code yellow 05/CA
2M122AOICE	Released	15.May 2015	Ken Ho	Doc.Type Number 20408029 Version
"Copyright reserved"	А3	page 1 of	1	20400023

1. Handset-label and protective



Protective tape 1: 750+0899+4+000(1pcs) Protective tape 2:750+0897+2+000(1pcs) Protective tape 3:750+0898+3+000(1pcs)



(WHITE) 660+5426+5+030(1pcs) or

(RED) 660+5426+5+029(1pcs) or

(Black) 660+5426+5+031(1pcs)

Battery warning label:660+5439+9+001 (1pcs)

To reduce risk of fire. Use only the supplied Li-ion batteries (charge at least 14 hours before use)


Do not use Alkaline or Non Rechargeable batteries







2. Base



(Black):660+5427+6+031 (1PCS)



(Red):660+5427+6+029 (1PCS)



(WH):660+5427+6+030 (1PCS)



Stick the BS label and paste protective tape according to the above picture The BS label would be permanently affixed to the equipment.