

Printing content of cardboard box label

Part number: 3140 165 50631.2

size: 90*110(mm)

⑩ Hardware&software version (content should be consistent with the product label, if not, it does not need to be reflected)



Mercedes-Benz

Hardware
software version



A 223 900 17 41

RD8595/76

Remote Controller

PW1001859576

CGCCYYMMDD
XXXXXXXXXX

G.W: XXXkg

50 x

N.W: XXXkg

XXXXXX

Huizhou Desay SV Automotive Co., Ltd.

ADD.:103, Hechang 5th Road West, Zhongkai National Hi-tech
Industrial Development Zone, Huizhou, Guangdong, P.R. China

FAX: (0752)2655999 TEL: (0752)2655888 POST: 516006

MADE IN CHINA

① QR code
Matrix Code size ≥12*12mm

② Customer part number
Font: Arial Bold
size: 30pt

③ Part name Font: Arial size: 13pt

④ production information Font: Arial size: 13pt

⑤ Work Order Number Font: Arial size: 13pt

⑧ Packing quantity Font: Arial Bold
size: 34pt

⑨ Box number Font: Arial size: 13pt

⑫ Company Information

SV model

Font: Arial Bold
size: 15pt

SV Part number

Font: Arial Bold
size: 15pt

Gross weight

Net weight

Font: Arial
size: 18pt

CGCCYYMMDD

Day
Month
Year
Change Code
Indonesia



Matrix Code
Size ≥12*12mm

QR CODE Scanning Content:

50PXXXXXXXXXXXXX@VP350024035P4@HVersion Number@SSW Version Number@GWork Order Number

Hold Fixing (2 Digit Number)
Product Part Number (12 Digit Number)
Carton serial number (6 Digit Number)
(Accumulate from the first carton until project EOL)
@V+Customer Part Number (The number of digits is not fixed)
@H+HW Version Number (The number of digits is not fixed)
@S+SW Version Number (The number of digits is not fixed)
@G+Work Order Number (The number of digits is not fixed)

NOTES: ①@V, @H, @S, @G Hold Fixing
②If the work order number cannot be obtained from the system, it can be omitted, Requires retention@G;
③If the product does not have software, the software version number can be omitted, Requires retention@S;
The content of the software and hardware version number in the QR code is truncated after "-". For example, if the hardware version number is HW: XXX, then @HXXX is reflected in the QR code; if the format is HWXXX, the QR code will reflect @HWWXXX

机密 Confidential

✓		UN-D 28	TOLERANCES UNLESS OTHERWISE STATED		UN-D SOS					
Ra in um		DIMENSION		ANGLE		ITEM		ASSEMBLY NO		QUANT
GENERAL ROUGHNESS	UNIT mm	MATERIAL		PATTERN NO						
SCALE	PROJ. EUROP.	TREATMENT		ORDER NO		QUANT				
CLASS NO		Packing Instructions		PRODUCT MGR						
NAME		SUPERS.		SH 5		10		SH 166 - 1		
CHECK		DAT		Property of HuiZhou Desay Sv Automotive Co., Ltd.						

Remote Controller
Model: CL595
RD8595/76
INPUT: 5V=3A
MADE IN CHINA
S/N: 5760000759A000001
CMIIT ID: XXXXXXXXXX
FCC ID: 2AEQT-XXXXXXX
ANATEL: HHHHH-AA-FFFFF
IC: 28055-XXXXXXX
CAN ICES-3(*)NMB-3(*)

DESAY SV Manufactured by Huizhou Desay SV Automotive Co., Ltd
103, Hechang 5th Road West, Huizhou, China

CE KC 20 E24 10R-06 XXXX
RoHS

A XXX XXX XX XX / 001

Remote Controller
Model: CL595
RD8595/76
INPUT: 5V=3A
MADE IN CHINA
S/N: 5760000759A000001
CMIIT ID: XXXXXXXXXX
FCC ID: 2AEQT-XXXXXXX
ANATEL: HHHHH-AA-FFFFF
IC: 28055-XXXXXXX
CAN ICES-3(*)NMB-3(*)

DESAY SV Manufactured by Huizhou Desay SV Automotive Co., Ltd
103, Hechang 5th Road West, Huizhou, China

CE KC 20 E24 10R-06 XXXX
RoHS

A XXX XXX XX XX / 001







XXXXXXXXXXXXXXXX
 E24 10R-06 XXXX

Additional data for marking as per MBN 50435				
Designation	Data content	Format specification/note	Font	Font size
Additional data	Production line code, four characters, alphanumeric	B: XXXX	ISO XXXX	4

  			UN-D 28		TOLERANCES UNLESS OTHERWISE STATED		UN-D 80S										
			DIMENSION		ANGLE		 		 								
GENERAL ROUGHNESS		UNIT mm		MATERIAL								ITEM		ASSEMBLY NO		QUANT	
												PATTERN NO					
SCALE		PROJ. EUROP.		TREATMENT								ORDER NO		QUANT			
CLASS NO			Packing Instructions														
			PRODUCT MGR														
NAME			SUPERS.				SH 5		10		SH 166 - 1						
		CHECK		DAT		Property of HuiZhou Desay Sv Automotive Co., Ltd.											

1. Place the manual and other accessories in the following location

Instruction manual material :
150g double copper paper




2. Put in the instruction manual and cover it with a cardboard partition

Inner carton material: 300g white paper
+WF pit paper
Material of lining : 450g white cardboard
paper cover : 450g white cardboard



3. Put the product into the packaging bag

Bag Material : 0.1mm LDPE



4. Then place the product onto the partition cardboard



7. Seal the white box and paste the required labels

Anti disassembly label
Size: 30x60mm
Material: 80g copperplate paper



Product Information Label
Size: 65x30mm
Material: 80g copperplate paper




PET Wi-Fi-MAC-ADDRESS Label
Size: 65x25mm



Mercedes-Benz Product Information Label
Size: 65x30mm
Material: 80g copperplate paper



Product Information Label
Anti disassembly label



PET Wi-Fi-MAC-ADDRESS 标签

6. Put the product and accessories into the outer white box

Outer white box material :
450g white cardboard



5. Cover the product with another layer of cardboard

paper cover :
450g white cardboard



8. Put the labeled white boxes into the transport cardboard boxes one by one


Transportation carton material:
five layers of corrugated paper, thickness 6mm



9. Transport cardboard box sealing



10. Stack cardboard boxes onto pallets



Remarks:

1. White box size: 175 * 93 * 35mm

2. Outer dimensions of transport cardboard box: 480 * 370 * 200mm

3. Card size 1120X970X130mm,

Packing quantity: 1pcs/white box; 50pcs white box/box; 30 boxes/pallet; 1500pcs/card board.

✓			✓			✓																				