


# Car Audio Quick Instruction

Model: M3GL06L




# **CONTENT**

Part 1 Function Block Diagram

Part 2 Statement & Notice


Part 3 User's Interface Overview

## Part 1: Function Block Diagram




NO.	Name	Position	Function
1	10P+6P Power/Speaker Connector	DA	Connect the DC power supply to the load
2	28P STSW/VTR Connector		Connect the SWRCS
3	2P GPS Antenna		Connect GPS antenna
4	1P DAB+ Antenna		Connect DAB+ antenna
5	5P Radio Antenna		Connect the radio antenna
6	24P Rear Camera Connector		Connect the reverse camera controller
7	19P HDMI Connector		HDMI transmission port
8	4P USB Adapter		USB adapter interface

1. 10P+6P Power/Speaker Connector




NO.1 10P+6P Power/Speaker Connector									
+B1	ACC1			FL+	FR+	RL+			RR+
ILL+		TMUT	GND1	FL-	FR-	RL-			RR-

2. 28P STSW/VTR Connector




NO.2 28P STSW/VTR Connector													
V+	CA+	ADPG	GND2		+B		SNS2	MIN+	MACC		REV		
V-	CGND	GSLD			SWG	SW2	SW1	MIN-	SGND	SPD		PKB	

3. 2P GPS Antenna




NO.3 2P GPS Antenna	
1	GPS
2	GND

4. 1P DAB+ Antenna




NO.4 2P DAB Connector	
1	DAB


## 5、5P Radio Antenna




## 6、24P Rear Camera Connector




## 7、19P HDMI Connector



NO.7 19P HDMI Connector



## 8、4P USB Adapter




NO.8 4P USB Adapter	
1 USV1	4 UGD1
2 USI1-	3 USI1+
5 USG1	

## Part 2 Statement

Category	Temperature	Voltage
Guaranteed storage	- 40°C ~ 85°C	NA
Guaranteed operation	- 30°C ~ 40°C	① (8.5~10.5) ±0.5V ON-OFF ② (9.0~10.5) ±0.5V OFF-ON
Guaranteed performance	- 20°C ~ 65°C	(10.5V~16V) ±0.5V
Nominal	NA	12V±0.5V
Non-destructive voltage range	NA	(6V~24V) ±0.5V
Memory hold voltage	NA	+B <4.5V: ≥ 50ms +B >4.5V: ≥ 5s

## Part 3 User's Interface Overview



## **FCC statement:**

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment must be installed and operated in accordance with provided instructions and the antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter. End-users and installers must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.

### **FCC Supplier's Declaration of Conformity**

Product Name: CAR MULTIMEDIA

Model number: M3GL06L; M3GL06R

Suppliers Name: DESAY SV AUTOMOTIVE USA

Suppliers Address (USA) : 840 W LONG LAKE RD STE 150, TROY MI 48098-6356

Suppliers internet contact :Da.Xu@desaysv.com

### **FCC Compliance Statement:**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
  - (2) this device must accept any interference received, including interference that may cause undesired operation.
-