


| <b>CUSTOMER SPECIFIC EMC TEST REPORT</b><br><b>FCC CFR Title 47 / Chapter I / Subchapter A / Part 15 / Subpart B</b><br><b>ISED ICES-003 Issue 7</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Report Reference No</b>                                                                                                                           | G0M-2210-1706-EF0115B-V01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Testing Laboratory</b>                                                                                                                            | Eurofins Product Service GmbH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Address</b>                                                                                                                                       | Storkower Str. 38c<br>15526 Reichenwalde<br>Germany                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Accreditation</b>                                                                                                                                 |     <p> A2LA - Registration number: 1983.01 (ISED)<br/> ISED wireless device testing laboratory: CN 3470A<br/> DAKKS - Registration number : D-PL-12092-01-04 (FCC)<br/> FCC Filed Test Laboratory, Reg.-No.: 96970 </p> |
| <b>Applicant</b>                                                                                                                                     | Haltian Oy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Address</b>                                                                                                                                       | Yrtypellontie 1 D<br>90230 Oulu<br>Finland                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Test Specification Standard(s)</b>                                                                                                                | FCC CFR Title 47 / Chapter I / Subchapter A / Part 15 / Subpart B<br>ISED ICES-Gen Issue 1 ; Amendment 1 (February 2021)<br>ISED ICES-003 Issue 7<br>ANSI C63.4:2014+A1:2017                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Non-Standard Test Method</b>                                                                                                                      | None                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Equipment under Test (EUT):</b>                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Product Description</b>                                                                                                                           | Asset tracking tag                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Model(s)</b>                                                                                                                                      | TTG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Additional Model(s)</b>                                                                                                                           | None                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Brand Name(s)</b>                                                                                                                                 | Thingsee Nano Tag                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Hardware Version(s)</b>                                                                                                                           | TTG_04S                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Software Version(s)</b>                                                                                                                           | thingsee_tag_silabs_01b_wp51_2022.02.01.1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>FCC-ID</b>                                                                                                                                        | 2AEU3TSNANO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>IC</b>                                                                                                                                            | 20236-TSNANO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Test Result</b>                                                                                                                                   | <b>PASSED</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                 |                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------------------------------------------------------------------------|
| <b>Possible test case verdicts:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                            |                 |                                                                                      |
| required by standard but not tested                                                                                                                                                                                                                                                                                                                                                                                                                                            | N/T             |                                                                                      |
| not required by standard                                                                                                                                                                                                                                                                                                                                                                                                                                                       | N/R             |                                                                                      |
| required by standard but not appl. to test object                                                                                                                                                                                                                                                                                                                                                                                                                              | N/A             |                                                                                      |
| test object does meet the requirement                                                                                                                                                                                                                                                                                                                                                                                                                                          | P(PASS)         |                                                                                      |
| test object does not meet the requirement                                                                                                                                                                                                                                                                                                                                                                                                                                      | F(FAIL)         |                                                                                      |
| <b>Testing:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                 |                                                                                      |
| Date of receipt of test item                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 2022-10-07      |                                                                                      |
| <b>Report:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                 |                                                                                      |
| Compiled by                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Jens Degenhardt |                                                                                      |
| Tested by (+ signature)                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Jens Degenhardt |    |
| Responsible for Test (+ signature)                                                                                                                                                                                                                                                                                                                                                                                                                                             | Manuel Engel    |   |
| Approved by (+ signature)<br>(Test Lab Engineer)                                                                                                                                                                                                                                                                                                                                                                                                                               | Andreas Pflug   |  |
| Date of Issue                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 2022-11-30      |                                                                                      |
| Total number of pages                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 23              |                                                                                      |
| <b>General Remarks:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                 |                                                                                      |
| <p>The test results presented in this report relate only to the object tested.</p> <p>The results contained in this report reflect the results for this particular model and serial number. It is the responsibility of the manufacturer to ensure that all production models meet the intent of the requirements detailed within this report.</p> <p>This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.</p> |                 |                                                                                      |
| <b>Additional Comments:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                 |                                                                                      |
| <p>Re-testing (see report G0M-2201-1258-EF0115B-V02) is necessary because of hardware changes.</p> <p>According to customer request radiated emission test was performed from 1 – 13 GHz.</p> <p>The performed test range (1 – 13 GHz) does not have to be the worst case.</p> <p>EUT configuration according to customer request with an external battery holder attached via short cable (see photographs below).</p>                                                        |                 |                                                                                      |

## ABBREVIATIONS AND ACRONYMS

| Acronyms         |                                                     |
|------------------|-----------------------------------------------------|
| Acronym          | Description                                         |
| EUT              | Equipment Under Test                                |
| FCC              | Federal Communications Commission                   |
| ISED             | Innovation, Science and Economic Development Canada |
| T <sub>NOM</sub> | Nominal operating temperature                       |
| V <sub>NOM</sub> | Nominal supply voltage                              |

## VERSION HISTORY

| Version History |            |                 |            |
|-----------------|------------|-----------------|------------|
| Version         | Issue Date | Remarks         | Revised By |
| 01              | 2022-11-30 | Initial Release | -          |

## REPORT INDEX

|          |                                                                          |           |
|----------|--------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>Equipment (Test Item) Under Test.....</b>                             | <b>6</b>  |
| 1.1      | Equipment Ports.....                                                     | 7         |
| 1.2      | Equipment Photos – Internal .....                                        | 8         |
| 1.3      | Equipment Photos - External.....                                         | 9         |
| 1.4      | Support Equipment.....                                                   | 14        |
| 1.5      | Operational Modes.....                                                   | 14        |
| 1.6      | EUT Configuration.....                                                   | 14        |
| 1.7      | Sample emission level calculation.....                                   | 15        |
| <b>2</b> | <b>Result Summary.....</b>                                               | <b>16</b> |
| 2.1      | Test Conditions and Results - Radiated emissions acc. to ANSI C63.4..... | 17        |
| <b>3</b> | <b>Measurement Uncertainty .....</b>                                     | <b>23</b> |



## 1 Equipment (Test Item) Under Test

|                                  |                                                                                                                                                                         |                                                          |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Description                      | Asset tracking tag                                                                                                                                                      |                                                          |
| Intended use                     | EUT is a part of a system for modular, reliable, and flexible solution for smart buildings. The Thingsee solution includes connectivity from device to device over BLE. |                                                          |
| Model                            | TTG                                                                                                                                                                     |                                                          |
| Additional Model(s)              | None                                                                                                                                                                    |                                                          |
| Brand Name(s)                    | Thingsee Nano Tag                                                                                                                                                       |                                                          |
| Hardware Version(s)              | TTG_04S                                                                                                                                                                 |                                                          |
| Software Version(s)              | thingsee_tag_silabs_01b_wp51_2022.02.01.1                                                                                                                               |                                                          |
| Number of tested samples         | 1                                                                                                                                                                       |                                                          |
| Sample Identification            | Sample-ID                                                                                                                                                               | Serial Number                                            |
|                                  | 41732                                                                                                                                                                   | MAC: 040D84BEAE7F                                        |
| EUT Dimensions [cm]              | 2.54 x 1.27 x 0.72                                                                                                                                                      |                                                          |
| FCC-ID                           | 2AEU3TSNANO                                                                                                                                                             |                                                          |
| IC                               | 20236-TSNANO                                                                                                                                                            |                                                          |
| Class                            | Class B                                                                                                                                                                 |                                                          |
| Equipment type                   | Table top                                                                                                                                                               |                                                          |
| Highest internal frequency [MHz] | 2483.5                                                                                                                                                                  |                                                          |
| Protective Earth                 | N/A                                                                                                                                                                     |                                                          |
| Radio Module                     | Type                                                                                                                                                                    | BLE                                                      |
|                                  | Model                                                                                                                                                                   | EFR32BG22C224F512GM32-C SoC                              |
|                                  | Manufacturer                                                                                                                                                            | Silicon Labs                                             |
|                                  | FCC-ID                                                                                                                                                                  | N/A                                                      |
|                                  | IC                                                                                                                                                                      | N/A                                                      |
| Supply Voltage                   | V <sub>NOM</sub>                                                                                                                                                        | 3 V DC by internal lithium battery (LiMnO <sub>2</sub> ) |
| AC/DC-Adaptor                    | N/A                                                                                                                                                                     |                                                          |
| Manufacturer                     | Haltian Oy<br>Yrttipellontie 1 D<br>90230 Oulu<br>Finland                                                                                                               |                                                          |

## 1.1 Equipment Ports


| Name         | Type                                              | Attributes | Comment |
|--------------|---------------------------------------------------|------------|---------|
| None         |                                                   |            |         |
| Description: |                                                   |            |         |
| AC           | AC mains power input/output port                  |            |         |
| DC           | DC power input/output port                        |            |         |
| BAT          | DC power input port connected to external battery |            |         |
| IO           | Input/Output port                                 |            |         |
| TP           | Telecommunication port                            |            |         |
| NE           | Non-electrical port                               |            |         |

## 1.2 Equipment Photos – Internal






### 1.3 Equipment Photos - External




**EUT #41732 external bottom**



**EUT #41732 external front**




EUT #41732 external rear



EUT #41732 external left



EUT #41732 external right




EUT #41732 Label






**SUPPORT EQUIPMENT: Nordic rf51DK - top side**



**SUPPORT EQUIPMENT: Nordic rf51DK - bottom side**



#### 1.4 Support Equipment

| Product Type | Device                                   | Manufacturer  | Model       | Comment                    |
|--------------|------------------------------------------|---------------|-------------|----------------------------|
| AE           | Lithium batteries                        | RENTATA       | CR1025      | --                         |
| AE           | Laptop                                   | Lenovo        | X250        | PC05N7T7                   |
| AE           | Remote station for Wirepas communication | Nordic        | rf51DK      | Customer Support Equipment |
| SW           | Terminal Program                         | Tobias Hammer | HTerm 0.8.8 | --                         |
| Description: |                                          |               |             |                            |
| AE           | Auxiliary Equipment                      |               |             |                            |
| SIM          | Simulator                                |               |             |                            |
| MON          | Monitoring Equipment                     |               |             |                            |
| CBL          | Connecting Cable                         |               |             |                            |
| SW           | Software                                 |               |             |                            |
| Comment: --  |                                          |               |             |                            |

#### 1.5 Operational Modes

| Mode #      | Description                                                                                                                                                                                                    |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1           | EUT operates in 2.4GHz ISM band with BLE (2.4 GHz; transmitting power: 1 dBm) in TX mode (second-by-second) with Remote station for Wirepas communication setup as receiver (receives data about every second) |
| Comment: -- |                                                                                                                                                                                                                |

#### 1.6 EUT Configuration

| Configuration # | Description                                                                                                                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1               | EUT powered via 2 pieces of AAA cells inserted to attached battery holder. The Remote station for Wirepas communication (rf51DK board) is connected to Laptop. Monitoring of radio connection via Terminal Program. |
| Comment: --     |                                                                                                                                                                                                                     |

## 1.7 Sample emission level calculation

The following is a description of terms and a sample calculation, as appears in the radiated emissions data table. The numbers used in the calculation are for example only. There is no direct correlation to the specific data taken for the product described in this document:

Reading:

This is the reading obtained on the spectrum analyser in dBµV. Any external preamplifiers used are taken into account through internal analyser settings.

A.F.:

This is the antenna factor for the receiving antenna. It is a conversion factor, which converts electric fields strengths to voltages, which can be measured directly on the spectrum analyser. It is treated as a loss in dB. Cable losses have been included with the A.F. to simplify the calculations. The antenna factor is used in calculations as follows:

$$\text{Reading on Analyser (dB}\mu\text{V)} + \text{A.F. (dB/m)} = \text{Net field strength (dB}\mu\text{V/m)}$$

Net:

This is the net field strength measurement (as shown above).

Limit:

This is the FCC Class B radiated emission limit (in units of dBµV/m). The FCC limits are given in units of µV/m. The following formula is used to convert the units of µV/m to dBµV/m:

$$\text{Limit (dB}\mu\text{V/m)} = 20 \cdot \log(\mu\text{V/m})$$

Margin:

This is the margin of compliance below the FCC limit. The units are given in dB. A negative margin indicates the emission was below the limit. A positive margin indicates that the emission exceeds the limit.

Example only:

|                      |               |   |                           |           |
|----------------------|---------------|---|---------------------------|-----------|
| Reading + AF         | = Net Reading | : | Net reading - FCC limit   | = Margin  |
| +21.5 dBµV + 26 dB/m | = 47.5 dBµV/m | : | 47.5 dBµV/m - 57.0 dBµV/m | = -9.5 dB |

## 2 Result Summary

| Title 47 CFR Part 15B, ISED ICES-003 Issue 7 |                                   |                             |        |                  |
|----------------------------------------------|-----------------------------------|-----------------------------|--------|------------------|
| Reference                                    | Requirement                       | Reference Method            | Result | Remarks          |
| Emission                                     |                                   |                             |        |                  |
| FCC 15.109<br>ICES-003, 3.2.2                | Radiated emissions                | ANSI C63.4:2014<br>+A1:2017 | PASS   | --               |
| FCC 15.107<br>ICES-003, 3.2.1                | AC power line conducted emissions | ANSI C63.4:2014<br>+A1:2017 | N/R    | No relevant port |
| Comment: --                                  |                                   |                             |        |                  |

| Possible Test Case Verdicts |                                              |
|-----------------------------|----------------------------------------------|
| PASS                        | Test object does meet the requirements       |
| FAIL                        | Test object does not meet the requirements   |
| N/T                         | Required by standard but not tested          |
| N/R                         | Not required by standard for the test object |







## 2.1 Test Conditions and Results - Radiated emissions acc. to ANSI C63.4

### 2.1.1 Information

| Test Information                 |                                   |
|----------------------------------|-----------------------------------|
| Reference                        | FCC 15.109, ICES-003, 3.2.2       |
| Reference method                 | ANSI C63.4:2014+A1:2017 Section 8 |
| Equipment class                  | Class B                           |
| Equipment type                   | Table top                         |
| Highest internal frequency [MHz] | 2483.5                            |
| Measurement range                | 30 MHz to 13000 MHz               |
| Temperature [°C]                 | 21                                |
| Humidity [%]                     | 47                                |
| Operator                         | Jens Degenhardt                   |
| Date                             | 2022-11-04                        |

### 2.1.2 Setup





### 2.1.3 Equipment

| Test Software |                  |            |          |
|---------------|------------------|------------|----------|
| Description   | Manufacturer     | Name       | Version  |
| EMC Software  | DARE Instruments | Radimation | 2020.1.8 |

| Test Equipment           |                             |                  |            |           |          |
|--------------------------|-----------------------------|------------------|------------|-----------|----------|
| Description              | Manufacturer                | Model            | Identifier | Cal. Date | Cal. Due |
| Anechoic chamber (NSA)   | Frankonia                   | AC6              | EF00910    | 2021-07   | 2024-07  |
| Anechoic chamber (SVSWR) | Frankonia                   | AC6              | EF00899    | 2021-07   | 2024-07  |
| EMI Test Receiver        | R&S                         | ESU26            | EF00887    | 2022-09   | 2023-09  |
| Horn Antenna             | Horn antenna                | BBHA             | EF01561    | 2021-11   | 2022-11  |
| Climatic Sensor          | Embedded Data Systems, LLC. | 9A0010000025477E | EF01124    | 2022-07   | 2023-07  |

## 2.1.4 Procedure

| Exploratory measurement |                                                                                                                                                                                |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.                      | The EUT was placed on a non-conductive table at a height of 0.8m.                                                                                                              |
| 2.                      | The EUT and support equipment, if needed, were set up to simulate typical usage.                                                                                               |
| 3.                      | Cables, of type and length specified by the manufacturer, were connected to at least one port of each type and were terminated by a device or simulating load of actual usage. |
| 4.                      | The antenna was placed at a distance of 3 or 10 m.                                                                                                                             |
| 5.                      | The received signal was monitored at the measurement receiver.                                                                                                                 |
| 6.                      | This procedure has to be performed in both antenna polarizations, horizontal and vertical.                                                                                     |
| 7.                      | The arrangement of the equipment with the maximum emission level is shown on the setup picture at item 2.1.2                                                                   |

| Final measurement |                                                                                                                                                                                                                                                                                         |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.                | The EUT was placed on a 0.8 m non-conductive table at a 3 m distance from the receive antenna. The antenna output was connected to the measurement receiver.                                                                                                                            |
| 2.                | A biconical antenna was used for the frequency range 30 – 200 MHz, a logarithmic periodical antenna was used for the frequency range from 200 – 1000 MHz. Above one 1 GHz a Double Ridged Broadband Horn antenna was used. The antenna was placed on an adjustable height antenna mast. |
| 3.                | The EUT and cable arrangement were based on the exploratory measurement results.                                                                                                                                                                                                        |
| 4.                | Emissions were maximized at each frequency by rotating the EUT and adjusting the receive antenna height and polarization. The maximum values were recorded.                                                                                                                             |
| 5.                | The test data of the worst-case conditions were recorded and shown on the next pages.                                                                                                                                                                                                   |



## 2.1.5 Limits

| Class B @ 3 m   |            |                      |
|-----------------|------------|----------------------|
| Frequency [MHz] | Detector   | Limit [dB $\mu$ V/m] |
| 30 - 88         | Quasi-peak | 40                   |
| 88 - 216        | Quasi-peak | 43.5                 |
| 216 - 960       | Quasi-peak | 46                   |
| 960 - 1000      | Quasi-peak | 54                   |
| > 1000          | Peak       | 74                   |
|                 | Average    | 54                   |

## 2.1.6 Results

| Test Results     |                   |         |        |
|------------------|-------------------|---------|--------|
| Operational mode | EUT Configuration | Verdict | Remark |
| 1                | 1                 | PASS    | --     |

### 2.1.7 Setup Photos




## 2.1.8 Records

### Radiated emissions according to FCC 15B

Project Number: G0M-2210-1706  
 Applicant: Haltian Oy  
 Model Description: Asset tracking tag  
 Model: TTG  
 Test Sample ID: 41732  
 Test Site: Eurofins Product Service GmbH  
 Operator: Mr. Degenhardt  
 Test Date: 2022-11-04  
 Operating Conditions: ambient temperature: 21 °Celsius  
 power input: 3.0 V DC  
 Antenna: Schwarzbeck BBHA 9120D, Horizontal  
 Measurement Distance: 3m  
 Operational Mode: Mode 1  
 EUT Configuration: Configuration 1

Index 95

**RadiMation**




| Peak Number | Frequency | Note        |
|-------------|-----------|-------------|
| 1           | 2.423 GHz | BLE-Carrier |

## Radiated emissions according to FCC 15B

Project Number: G0M-2210-1706  
 Applicant: Haltian Oy  
 Model Description: Asset tracking tag  
 Model: TTG  
 Test Sample ID: 41732  
 Test Site: Eurofins Product Service GmbH  
 Operator: Mr. Degenhardt  
 Test Date: 2022-11-04  
 Operating Conditions: ambient temperature: 21 °Celsius  
 power input: 3.0 V DC  
 Antenna: Schwarzbeck BBHA 9120D, Vertical  
 Measurement Distance: 3m  
 Operational Mode: Mode 1  
 EUT Configuration: Configuration 1

Index 96

RadiMation



| Peak Number | Frequency | Note        |           |          |      |           |     |  |
|-------------|-----------|-------------|-----------|----------|------|-----------|-----|--|
| 1           | 2.43 GHz  | BLE-Carrier |           |          |      |           |     |  |
| 2           | 2.456 GHz | BLE-Carrier |           |          |      |           |     |  |
| 3           | 1.198 GHz | 22 dBμV/m   | 54 dBμV/m | -31.9 dB | Pass | 0 degrees | 1 m |  |

### 3 Measurement Uncertainty

All test measurements carried out are traceable to national standards. The uncertainty of the measurement at a confidence level of approximately 95%, with a coverage factor of 2.

| Test Name               | Measurement Uncertainty                                                                                 |
|-------------------------|---------------------------------------------------------------------------------------------------------|
| Radiated Emission (AC6) | 30 MHz to 1 GHz @ 10 m, 6.25 dB<br>1 GHz to 6 GHz @ 3 m, 4.86 dB<br>6 GHz to 18 GHz @ 3 m, max. 5.39 dB |