

Appendix Test Data

Report No:	1819C40011012501	Test Sample NO:	1-2-2
Start Test Date:	2024.8.13	Finish Test Date:	2024.8.13
Test Engineer:	Joker Wang	Auditor:	Justin Feng
Temperature:	26.3℃	Relative Humidity:	45%
Pressure:	101 kPa		


Appendix A: 20dB Emission Bandwidth

Test Result

TestMode	Antenna	Frequency[MHz]	20db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.79	2401.70	2402.49	---	---
DH5	Ant1	2441	0.67	2440.74	2441.42	---	---
DH5	Ant1	2480	0.77	2479.69	2480.46	---	---
2DH5	Ant1	2402	1.33	2401.43	2402.77	---	---
2DH5	Ant1	2441	1.33	2440.44	2441.77	---	---
2DH5	Ant1	2480	1.29	2479.47	2480.77	---	---
3DH5	Ant1	2402	1.29	2401.46	2402.75	---	---
3DH5	Ant1	2441	1.32	2440.43	2441.75	---	---
3DH5	Ant1	2480	1.35	2479.42	2480.77	---	---



Test Graphs



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 0755-26066440 Email: service@anbotek.com





Hotline
400-003-0500


www.anbotek.com












Appendix B: Occupied Channel Bandwidth


Test Result


TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.761	2401.7273	2402.4885	---	---
DH5	Ant1	2441	0.779	2440.6973	2441.4765	---	---
DH5	Ant1	2480	0.776	2479.7063	2480.4825	---	---
2DH5	Ant1	2402	1.19	2401.5055	2402.6953	---	---
2DH5	Ant1	2441	1.169	2440.5175	2441.6863	---	---
2DH5	Ant1	2480	1.184	2479.5115	2480.6953	---	---
3DH5	Ant1	2402	1.178	2401.5085	2402.6863	---	---
3DH5	Ant1	2441	1.172	2440.5175	2441.6893	---	---
3DH5	Ant1	2480	1.178	2479.5175	2480.6953	---	---





Test Graphs











Appendix C: Maximum conducted output power

Test Result Peak

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
DH5	Ant1	2402	3.02	≤30	PASS
DH5	Ant1	2441	0.89	≤30	PASS
DH5	Ant1	2480	-0.64	≤30	PASS
2DH5	Ant1	2402	3.97	≤30	PASS
2DH5	Ant1	2441	2.19	≤30	PASS
2DH5	Ant1	2480	0.56	≤30	PASS
3DH5	Ant1	2402	2.90	≤30	PASS
3DH5	Ant1	2441	0.84	≤30	PASS
3DH5	Ant1	2480	-0.92	≤30	PASS



Test Graphs



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com











Appendix D: Carrier frequency separation

Test Result

TestMode	Antenna	Frequency[MHz]	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	1.003	≥0.790	PASS
2DH5	Ant1	Hop	1.293	≥0.887	PASS
3DH5	Ant1	Hop	0.971	≥0.900	PASS

