

Choose certainty.
Add value.

Report On

Specific Absorption Rate Testing of the DAQRI Compute Pack

FCC ID: 2AEWMDQR002001

IC: TBC

COMMERCIAL-IN-CONFIDENCE

Document 75936979 Report 12 Issue 1

June 2017



TÜV SÜD Product Service, Octagon House, Concorde Way, Segensworth North, Fareham, Hampshire, United Kingdom, PO15 5RL Tel: +44 (0) 1489 558100. Website: www.tuv-sud.co.uk

COMMERCIAL-IN-CONFIDENCE

REPORT ON Specific Absorption Rate Testing of the

DAQRI Compute Pack

Document 75936979 Report 12 Issue 1

June 2017

PREPARED FOR DAQRI LLC

1201 W. 5th St. Suite T-800

Los Angeles California 90017

United States

PREPARED BY

Stephen Dodd SAR Engineer

APPROVED BY

Nigel Grigsby

Authorised Signatory

DATED 02 June 2017



CONTENTS

Section		Page No
1	REPORT SUMMARY	3
1.1	Introduction	
1.2	Brief Summary of Results	
1.3 1.4	Test Results Summary FCC Power Measurements	
2	TEST DETAILS	11
2.1	DASY5 Measurement System	18
2.2	WLAN 2450 MHz Body SAR Test Results	
2.3	WLAN U-NII-2A Body SAR Test Results	
2.4 2.5	WLAN U-NII-2c Body SAR Test ResultsWLAN U-NII-3 Body SAR Test Results	
	·	
3	TEST EQUIPMENT USED	36
3.1	Test Equipment Used	37
3.2	Test Software	38
3.3	Dielectric Properties of Simulant Liquids	
3.4	Test Conditions	
3.5	Measurement Uncertainty	41
4	ACCREDITATION, DISCLAIMERS AND COPYRIGHT	43
4.1	Accreditation, Disclaimers and Copyright	44
ANNEX	A Probe Calibration Reports	A.2
ANNEX	B Dipole Calibration Reports	B.2



SECTION 1

REPORT SUMMARY

Specific Absorption Rate Testing of the DAQRI Compute Pack



1.1 INTRODUCTION

The information contained in this report is intended to show verification of the Specific Absorption Rate Testing of the DAQRI Compute Pack to the requirements of KDB 447498 D01 v06 General RF Exposure Guidance.

Objective To perform Specific Absorption Rate Testing to determine

the Equipment Under Test's (EUT's) compliance with the requirements specified of KDB 447498 D01 v06 General RF Exposure Guidance, for the series of tests carried out.

Applicant DAQRI LLC

Manufacturer DAQRI International Ltd

DAQRI Compute Pack is a mobile computer that powers a

lightweight wearable human-machine interface that

Manufacturing Description connects workers in a variety of industries and

environments to real time information and augmented work

instruction

Model Number DAQRI Compute Pack
Sample 1 Not Serialised

Serial/IMEI Number(s)

Sample 1 Not Serialised

Sample 2 OA565-7DF-5A51EMTGNF

Number of Samples Tested 2

Hardware Version DCP DE
Software Version V16
Battery Cell Manufacturer Getach
Battery Model Number A10-00013

Test Specification/Issue/Date KDB 447498 D01 v06 General RF Exposure Guidance

Start of Test 09 May 2017 Finish of Test 23 May 2017

Related Document(s) FCC 47CFR 2.1093: 2016

KDB 865664 – D01 v01r04 KDB 865664 – D02 v01r02 KDB 648474 – D04 v01r03 KDB 447498 – D01 v06 KDB 941225 D07 v01r02

IEEE 1528-2013

KDB 248227 – D01 v02r02 RSS-102 Issue 5 March 2015

Name of Engineer(s) Stephen Dodd



1.2 BRIEF SUMMARY OF RESULTS

The measurements shown in this report were made in accordance with the procedures specified KDB 447498 D01 v06 General RF Exposure Guidance.

The maximum 1g volume averaged stand-alone SAR found during this Assessment:

Max 1g SAR (W/kg) Body	1.11 (Measured)	1.16 (Scaled)					
The maximum 1g volume averaged SAR level measured for all the tests performed did not exceed the limits for							
General Population/Uncontrolled Expos	sure (W/kg) Partial Body of 1.6 W/kg.						

<u>The maximum 1g volume averaged stand-alone Reported SAR found during this Assessment for each supported mode:</u>

Band	Test Configuration	Max Reported SAR (W/kg)
2450 MHz	Body	0.31
U-NII-2A	Body	1.16
U-NII-2C	Body	0.89
U-NII-3	Body	0.54
The maximum 1g volume averaged SAR level measured for General Population/Uncontrolled Exposure (W/kg) Partial I		t exceed the limits for



1.3 TEST RESULTS SUMMARY

1.3.1 System Performance / Validation Check Results

Prior to formal testing being performed a System Check was performed in accordance with KDB 865664 and the results were compared against published data in Standard IEEE 1528-2013. The following results were obtained: -

System performance / Validation results

Date	Frequency (MHz)	Max 1g SAR (W/kg)*	Percentage Drift on Reference
09/05/2017	5200	73.25	-2.02
09/05/2017	5500	75.64	-4.37
10/05/2017	2450	52.95	3.42
10/05/2017	5800	67.28	-9.20
24/05/2017	5800	72.06	-2.75

^{*}Normalised to a forward power of 1W



1.3.2 Results Summary Tables

WLAN 2450 MHz 802.11b 20MHz 1Mbps Antenna A Body Specific Absorbtion Rate (Maximum SAR) 1g Results

Test Position	Channel Number	Frequency (MHz)	Measured Average Power (dBm)	Tune Up (dBm)	Measured 1g SAR (W/kg)	Scaled 1g SAR (W/kg)	Scan Figure Number
13mm Rear Face*	6	2437	19.50	20.50	0.25	0.31	Figure 4
5mm Right Edge	6	2437	19.50	20.50	0.02	0.03	Figure 5
5mm Bottom Edge	6	2437	19.50	20.50	0.04	0.05	Figure 6

Limit for General Population (Uncontrolled Exposure) 1.6 W/kg (1g)

KDB 447498 D01 - Testing of other required channels within the operation mode of a frequency band is not required when the reported 1g SAR for mid-band or highest output power channel is:

- \leq 0.8W/kg when the transmission band is \leq 100MHz
- ≤ 0.6W/kg when the transmission band is between 100MHz and 200MHz
- ≤ 0.4W/kg when the transmission band is ≥ 200MHz

KDB248227 D01 v02 - Testing was not required for OFDM as per Section 5.2.2

WLAN 2450 MHz 802.11b 20MHz 1Mbps Antenna B Body Specific Absorbtion Rate (Maximum SAR) 1g Results

Test Position	Channel Number	Frequency (MHz)	Measured Average Power (dBm)	Tune Up (dBm)	Measured 1g SAR (W/kg)	Scaled 1g SAR (W/kg)	Scan Figure Number
13mm Rear Face*	6	2437	19.00	20.50	0.09	0.13	Figure 7
5mm Right Edge	6	2437	19.00	20.50	0.06	0.08	Figure 8
5mm Top Edge	6	2437	19.00	20.50	0.02	0.03	Figure 9

Limit for General Population (Uncontrolled Exposure) 1.6 W/kg (1g)

KDB 447498 D01 - Testing of other required channels within the operation mode of a frequency band is not required when the reported 1g SAR for mid-band or highest output power channel is:

- ≤ 0.8W/kg when the transmission band is ≤ 100MHz
- ≤ 0.6W/kg when the transmission band is between 100MHz and 200MHz
- ≤ 0.4W/kg when the transmission band is ≥ 200MHz

KDB248227 D01 v02 - Testing was not required for OFDM as per Section 5.2.2

*Separation distance between the EUT and the Elliptical Flat Phantom with the clip at 0mm from the Elliptical Flat Phantom

^{*}Separation distance between the EUT and the Elliptical Flat Phantom with the clip at 0mm from the Elliptical Flat Phantom



Product Service

WLAN U-NII-2A 802.11ac 40 MHz VHT0 Antenna A Body Specific Absorbtion Rate (Maximum SAR) 1g Results

Test Position	Channel Number	Frequency (MHz)	Measured Average Power (dBm)	Tune Up (dBm)	Measured 1g SAR (W/kg)	Scaled 1g SAR (W/kg)	Scan Figure Number
13mm Rear Face*	54	5270	20.30	20.50	1.11	1.16	Figure 10
5mm Right Edge	54	5270	20.30	20.50	0.13	0.14	Figure 11
5mm Bottom Edge	54	5270	20.30	20.50	0.45	0.47	Figure 12
13mm Rear Face*	62	5310	13.90	14.50	0.27	0.31	Figure 13

Limit for General Population (Uncontrolled Exposure) 1.6 W/kg (1g)

KDB 447498 D01 - Testing of other required channels within the operation mode of a frequency band is not required when the reported 1g SAR for mid-band or highest output power channel is:

- \leq 0.8W/kg when the transmission band is \leq 100MHz
- ≤ 0.6W/kg when the transmission band is between 100MHz and 200MHz
- ≤ 0.4W/kg when the transmission band is ≥ 200MHz

WLAN U-NII-2A 802.11ac 40 MHz VHT0 Antenna B Body Specific Absorbtion Rate (Maximum SAR) 1g Results

Test Position	Channel Number	Frequency (MHz)	Measured Average Power (dBm)	Tune Up (dBm)	Measured 1g SAR (W/kg)	Scaled 1g SAR (W/kg)	Scan Figure Number
13mm Rear Face	54	5270	20.40	20.50	0.68	0.70	Figure 14
5mm Right Edge	54	5270	20.40	20.50	0.07	0.07	Figure 15
5mm Top Edge	54	5270	20.40	20.50	0.24	0.25	Figure 16

Limit for General Population (Uncontrolled Exposure) 1.6 W/kg (1g)

KDB 447498 D01 - Testing of other required channels within the operation mode of a frequency band is not required when the reported 1g SAR for mid-band or highest output power channel is:

- $\leq 0.8 W/kg$ when the transmission band is $\leq 100 MHz$
- ≤ 0.6W/kg when the transmission band is between 100MHz and 200MHz
- ≤ 0.4W/kg when the transmission band is ≥ 200MHz

UNII-2C 802.11ac 80MHz VHT0 Antenna A Body Specific Absorbtion Rate (Maximum SAR) 1g Results

Test Position	Channel Number	Frequency (MHz)	Measured Average Power (dBm)	Tune Up (dBm)	Measured 1g SAR (W/kg)	Scaled 1g SAR (W/kg)	Scan Figure Number
13mm Rear Face*	122	5610	19.40	20.50	0.69	0.89	Figure 17
5mm Right Edge	122	5610	19.40	20.50	0.24	0.31	Figure 18
5mm Bottom Edge	122	5610	19.40	20.50	0.41	0.53	Figure 19
13mm Rear Face*	138	5690	18.10	18.5	0.34	0.37	Figure 20

Limit for General Population (Uncontrolled Exposure) 1.6 W/kg (1g)

An additional scan was required as per KDB 447498 D01 - Testing of other required channels within the operation mode of a frequency band is not required when the reported 1g SAR for mid-band or highest output power channel is: $\leq 0.8W/kg$ when the transmission band is $\leq 100MHz$

- ≤ 0.6W/kg when the transmission band is between 100MHz and 200MHz
- ≤ 0.4W/kg when the transmission band is ≥ 200MHz
- *Separation distance between the EUT and the Elliptical Flat Phantom with the clip at 0mm from the Elliptical Flat Phantom

^{*}Separation distance between the EUT and the Elliptical Flat Phantom with the clip at 0mm from the Elliptical Flat Phantom



Product Service

WLAN UNII-2C 802.11ac 80MHz VHT0 Antenna B Body Specific Absorbtion Rate (Maximum SAR) 1g Results

Test Position	Channel Number	Frequency (MHz)	Measured Average Power (dBm)	Tune Up (dBm)	Measured 1g SAR (W/kg)	Scaled 1g SAR (W/kg)	Scan Figure Number
13mm Rear Face*	122	5610	20.10	20.50	0.67	0.73	Figure 21
5mm Right Edge	122	5610	20.10	20.50	0.06	0.07	Figure 22
5mm Top Edge	122	5610	20.10	20.50	0.33	0.36	Figure 23

Limit for General Population (Uncontrolled Exposure) 1.6 W/kg (1g)

KDB 447498 D01 - Testing of other required channels within the operation mode of a frequency band is not required when the reported 1g SAR for mid-band or highest output power channel is:

- ≤ 0.8W/kg when the transmission band is ≤ 100MHz
- ≤ 0.6W/kg when the transmission band is between 100MHz and 200MHz
- ≤ 0.4W/kg when the transmission band is ≥ 200MHz
- *Separation distance between the EUT and the Elliptical Flat Phantom with the clip at 0mm from the Elliptical Flat Phantom

WLAN UNII-3 802.11n 40MHz VHT0 Antenna A Body Specific Absorbtion Rate (Maximum SAR) 1g Results

Test Position	Channel Number	Frequency (MHz)	Measured Average Power (dBm)	Tune Up (dBm)	Measured 1g SAR (W/kg)	Scaled 1g SAR (W/kg)	Scan Figure Number
13mm Rear Face*	159	5795	20.30	20.50	0.40	0.42	Figure 24
5mm Right Edge	159	5795	20.30	20.50	0.27	0.28	Figure 25
5mm Bottom Edge	159	5795	20.30	20.50	0.26	0.27	Figure 26

Limit for General Population (Uncontrolled Exposure) 1.6 W/kg (1g)

KDB 447498 D01 - Testing of other required channels within the operation mode of a frequency band is not required when the reported 1g SAR for mid-band or highest output power channel is:

- ≤ 0.8W/kg when the transmission band is ≤ 100MHz
- ≤ 0.6W/kg when the transmission band is between 100MHz and 200MHz
- ≤ 0.4W/kg when the transmission band is ≥ 200MHz
- *Separation distance between the EUT and the Elliptical Flat Phantom with the clip at 0mm from the Elliptical Flat Phantom

WLAN UNII-3 802.11n 40MHz VHT0 Antenna B Body Specific Absorbtion Rate (Maximum SAR) 1g Results

Test Position	Channel Number	Frequency (MHz)	Measured Average Power (dBm)	Tune Up (dBm)	Measured 1g SAR (W/kg)	Scaled 1g SAR (W/kg)	Scan Figure Number
13mm Rear Face*	159	5795	20.40	20.50	0.53	0.54	Figure 27
5mm Right Edge	159	5795	20.40	20.50	0.07	0.07	Figure 28
5mm Top Edge	159	5795	20.40	20.50	0.53	0.54	Figure 29

Limit for General Population (Uncontrolled Exposure) 1.6 W/kg (1g)

KDB 447498 D01 - Testing of other required channels within the operation mode of a frequency band is not required when the reported 1g SAR for mid-band or highest output power channel is:

- ≤ 0.8W/kg when the transmission band is ≤ 100MHz
- ≤ 0.6W/kg when the transmission band is between 100MHz and 200MHz
- ≤ 0.4W/kg when the transmission band is ≥ 200MHz
- *Separation distance between the EUT and the Elliptical Flat Phantom with the clip at 0mm from the Elliptical Flat Phantom



1.3.3 **Simultaneous Transmission**

Position	Configuration	Channel	SISO A (Scaled 1g SAR values)	SISO B (Scaled 1g SAR values)	∑ 1g SAR (W/kg)
Rear Face	802.11b 20MHz 1Mbps	6	0.31	0.13	0.44*
Right Edge	802.11b 20MHz 1Mbps	6	0.03	0.08	0.11*
Bottom Edge	802.11b 20MHz 1Mbps	6	0.05	0.13***	0.18*
Top Edge	802.11b 20MHz 1Mbps	6	0.31***	0.03	0.34*
Rear Face	802.11ac 40MHz VHT0	54	1.16	0.7	1.86**
Right Edge	802.11ac 40MHz VHT0	54	0.14	0.07	0.21*
Bottom Edge	802.11ac 40MHz VHT0	54	0.47	0.70***	0.88*
Top Edge	802.11ac 40MHz VHT0	54	1.16***	0.25	1.31*
Rear Face	802.11ac 80MHz VHT0	122	0.89	0.73	1.62**
Right Edge	802.11ac 80MHz VHT0	122	0.31	0.07	0.37*
Bottom Edge	802.11ac 80MHz VHT0	122	0.53	0.73***	1.26*
Top Edge	802.11ac 80MHz VHT0	122	0.89***	0.36	1.25**
Rear Face	802.11ac 80MHz VHT0	159	0.4	0.53	0.93*
Right Edge	802.11ac 80MHz VHT0	159	0.28	0.07	0.35*
Bottom Edge	802.11ac 80MHz VHT0	159	0.27	0.53***	0.8*
Top Edge	802.11ac 80MHz VHT0	159	0.40**	0.54	0.94*

The antennas were spatially separated to the extent that the SAR distributions did not overlap, therefore were treated independently as per KDB 248227 D01 Section 6.5. The highest reported SAR for the 802.11 transmission modes in the frequency band was used for simultaneous transmission SAR test exclusion.

^{*} KDB 447498 D01 Section 4.3.2 Simultaneous SAR measurements were not required as the sum of the 1g SAR

measurements did not exceed 1.6 W/kg

** KDB 447498 D01 Section 4.3.2 PSLR (Peak SAR Location Ratio) Assessment is required as the sum of the 1g SAR measurements exceeds 1.6 W/kg.

^{***} This position was not tested as the Antenna Position was > 25mm from the device edge - The worst case result for that antenna was used.






Figure 1. 802.11ac 40MHz VHT0 PSLR-distance measurement

AS Per KDB 447498 D01 Section 4.3.2

The ratio is determined by

$$\frac{(\text{SAR1} + \text{SAR2})^{1.5}}{\text{Ri}} \le 0.04$$

Where Ri Is the distance between the Peak SAR locations in Millimeters.

$$\frac{(1.16 + 0.70)^{1.5}}{67.62} = 0.04$$

Therefore no further assessment is required.






Figure 2. 802.11ac 80MHz VHT0 PSLR

AS Per KDB 447498 D01 Section 4.3.2

The ratio is determined by

$$\frac{(SAR1 + SAR2)^{1.5}}{Ri} \le 0.04$$

Where Ri Is the distance between the Peak SAR locations in Millimeters.

$$\frac{(0.89 + 0.73)^{1.5}}{67.62} = 0.03$$

Therefore no further assessment is required using a volume scan.



Product Service

1.3.4 Standalone SAR Test Exclusion Considerations (KDB 447498 D01)

The 1g SAR Test exclusion thresholds for 100 MHz to 6 GHz test separation distances ≤ 50 mm are determined by:

[(max power of channel, including tune-up tolerance, mW) / (min. test separation distance, mm)] [\sqrt{f} ($_{GHz}$)] ≤ 3.0 , where

- f (GHz) is the RF channel transmit frequency in GHz.
- Power and distance are rounded to the nearest mW and mm before calculation.
- The result is rounded to one decimal place for comparison.
- When the maximum test separation distance is < 5 mm, a distance of 5 mm is applied.

Band	Frequency (MHz)	Power (dBm)	Power (mW)	Test Position	Distance (mm)	Threshold	Test Exclusion
2450 MHz	2437	20.5	112.2	Body	<5	35.0	No
U-NII-2a	5270	20.5	112.2	Body	<5	51.5	No
U-NII-2C	5610	20.5	112.2	Body	<5	53.2	No
U-NII-3	5795	20.5	112.2	Body	<5	54.0	No

1.3.5 Technical Description

The equipment under test (EUT) was a DAQRI Compute Pack. A full technical description can be found in the manufacturer's documentation.

1.3.6 Test Configuration and Modes of Operation

The testing was performed with an integral battery supplied and manufactured by DAQRI.

WLAN testing was achieved using the devices internal software, customer supplied software and settings supplied by the customer. For each scan the device was configured into a continuous transmission test mode.

Worst case data rates used were 2.4 GHz -802.11.b 20 MHz 1Mbps, U-NII-2A 802.11a 40 MHz VHT0, U-NII-2C 802.11ac 80 MHz VHT0, U-NII-3 802.11n 40 MHz VHT0.

Some SAR levels were found to be > 0.80 W/kg (KDB 447498 D01) therefore additional testing was required at the relevant frequencies / channels of the bands.

The part of the EUT that contains the transmitter and antennas is designed to be worn on the users belt. Due to the overall diagonal dimension of the device being less than 20 cm but greater than 16 cm the EUT was tested in conjunction with KDB 941225 D07 for UMPC Mini Tablets. Body SAR testing was performed on all faces and edges of the device that were within 25mm of each antenna. For antenna A the rear face, right edge and bottom edge were tested. For antenna B the rear face, right face and bottom edge were tested. The rear face of the device had a belt clip which was tested with a 0mm separation distance from the elliptical flat phantom, the separation distance from the rear face of the EUT to the elliptical flat phantom was 13 mm. All other faces were tested using a 5mm separation distance.

The Elliptical Phantom dimensions are 600 mm major axis and 400mm minor axis with a shell thickness of 2.00mm. The phantom was filled to a minimum depth of 150mm with the appropriate simulant liquid. The dielectric properties were in accordance with the requirements specified in KDB 865665.



Product Service

Included in this report are descriptions of the test method; the equipment used and an analysis of the test uncertainties applicable and diagrams indicating the locations of maximum SAR for each test position along with photographs indicating the positioning of the handset against the body as appropriate.



1.4 FCC POWER MEASUREMENTS

1.4.1 **Method**

Conducted power measurements were made using a power meter.

1.4.2 Conducted Power Measurements

WLAN 2450 MHz

Mode	Frequency (MHz)	Duty Cycle (%)	Average Power (dBm) SISO A	Average Power (dBm) SISO B
802.11b - 20 MHz - 1 Mbps DSSS	2412	100	19.10	19.20
802.11b - 20 MHz - 1 Mbps DSSS	2437	100	19.50	19.00
802.11b - 20 MHz - 1 Mbps DSSS	2462	100	19.40	17.40
802.11b - 20 MHz - 6 Mbps OFDM	2412	100	17.80	17.60
802.11b - 20 MHz - 6 Mbps OFDM	2437	100	19.60	19.20
802.11b - 20 MHz - 6 Mbps OFDM	2462	100	16.50	15.60

WLAN 5000 MHz

Mode	Frequency (MHz)	Duty Cycle (%)	Average Power (dBm) SISO A	Average Power (dBm) SISO B
802.11a - 20 MHz - 6 Mbps	5180	100	17.90	18.30
802.11a - 20 MHz - 6 Mbps	5200	100	19.40	19.40
802.11a - 20 MHz - 6 Mbps	5220	100	19.40	20.40
802.11a - 20 MHz - 6 Mbps	5240	100	19.40	19.80
802.11a - 20 MHz - 6 Mbps	5260	100	19.90	19.80
802.11a - 20 MHz - 6 Mbps	5280	100	19.80	19.80
802.11a - 20 MHz - 6 Mbps	5300	100	19.60	19.80
802.11a - 20 MHz - 6 Mbps	5320	100	17.10	18.30
802.11a - 20 MHz - 6 Mbps	5500	100	17.40	17.10
802.11a - 20 MHz - 6 Mbps	5560	100	19.40	19.00
802.11a - 20 MHz - 6 Mbps	5580	100	19.50	19.00
802.11a - 20 MHz - 6 Mbps	5640	100	19.70	19.30
802.11a - 20 MHz - 6 Mbps	5660	100	19.70	19.80
802.11a - 20 MHz - 6 Mbps	5745	100	19.90	19.10
802.11a - 20 MHz - 6 Mbps	5825	100	19.50	19.30
802.11n- 40MHz-HT0	5190	100	16.20	17.20
802.11n- 40MHz-HT0	5230	100	19.90	20.30
802.11n- 40MHz-HT0	5270	100	20.30	20.40
802.11n- 40MHz-HT0	5310	100	14.00	15.40
802.11n- 40MHz-HT0	5510	100	14.30	15.20
802.11n- 40MHz-HT0	5550	100	17.40	17.50
802.11n- 40MHz-HT0	5590	100	19.80	19.30
802.11n- 40MHz-HT0	5630	100	19.70	20.10
802.11n- 40MHz-HT0	5670	100	17.00	17.00
802.11n- 40MHz-HT0	5710	100	20.00	19.80
802.11n- 40MHz-HT0	5755	100	20.20	20.00
802.11n- 40MHz-HT0	5795	100	20.30	20.30
802.11n-20MHz-HT0	5180	100	18.00	18.20
802.11n-20MHz-HT0	5200	100	19.50	19.30
802.11n-20MHz-HT0	5220	100	19.40	19.60
802.11n-20MHz-HT0	5240	100	19.40	19.60
802.11n-20MHz-HT0	5260	100	19.90	19.60



802.11n-20MHz-HT0	5280	100	19.80	19.70
802.11n-20MHz-HT0	5300	100	19.60	19.60
802.11n-20MHz-HT0	5320	100	17.20	18.10
802.11n-20MHz-HT0	5500	100	17.30	17.00
802.11n-20MHz-HT0	5560	100	19.40	18.90
802.11n-20MHz-HT0	5580	100	19.40	18.90
802.11n-20MHz-HT0	5640	100	19.50	19.30
802.11a-40MHz-VHT0	5190	100	16.10	17.10
802.11a-40MHz-VHT0	5230	100	19.80	20.20
802.11a-40MHz-VHT0	5270	100	20.30	20.40
802.11a-40MHz-VHT0	5310	100	13.90	14.50
802.11a-40MHz-VHT0	5510	100	14.50	15.30
802.11a-40MHz-VHT0	5550	100	17.40	17.50
802.11a-40MHz-VHT0	5590	100	19.80	19.90
802.11a-40MHz-VHT0	5630	100	19.70	20.20
802.11a-40MHz-VHT0	5670	100	17.00	17.10
802.11a-40MHz-VHT0	5710	100	20.00	19.90
802.11a-40MHz-VHT0	5755	100	20.20	20.10
802.11a-40MHz-VHT0	5795	100	20.30	20.30
802.11ac-80MHz-VHT0	5210	100	13.80	14.40
802.11ac-80MHz-VHT0	5290	100	11.80	13.40
802.11ac-80MHz-VHT0	5530	100	13.00	13.00
802.11ac-80MHz-VHT0	5610	100	19.40	20.10
802.11ac-80MHz-VHT0	5690	100	18.10	17.90
802.11ac-80MHz-VHT0	5775	100	19.70	20.30



SECTION 2

TEST DETAILS

Specific Absorption Rate Testing of the DAQRI Compute Pack



2.1 DASY5 MEASUREMENT SYSTEM

2.1.1 System Description

The DASY5 system for performing compliance tests consists of the following items:




Figure 3 System Description Diagram

A standard high precision 6-axis robot (Stäubli TX=RX family) with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).

An isotropic field probe optimized and calibrated for the targeted measurement.

A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.

The Electro-optical converter (EOC) performs the conversion from optical to electrical signals for the digital communication to the DAE. To use optical surface detection, a special version of the EOC is required. The EOC signal is transmitted to the measurement server.

The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.

The Light Beam used is for probe alignment. This improves the (absolute) accuracy of the probe positioning.

A computer running Win7 professional operating system and the DASY5 software.

Remote control and teach pendant as well as additional circuitry for robot safety such as warning lamps, etc.

The phantom, the device holder and other accessories according to the targeted measurement.



2.1.2 Probe Specification

The probes used by the DASY system are isotropic E-field probes, constructed with a symmetric design and a triangular core. The probes have built-in shielding against static charges and are contained within a PEEK enclosure material. These probes are specially designed and calibrated for use in liquids with high permitivities. The frequency range of the probes are from 6 MHz to 6 GHz.

2.1.3 Data Acquisition Electronics

The data acquisition electronics (DAE4 or DAE3) consist of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gain-switching multiplexer, a fast 16 bit AD-converter and a command decoder with a control logic unit. Transmission to the measurement server is accomplished through an optical downlink for data and status information, as well as an optical uplink for commands and the clock.

The mechanical probe mounting device includes two different sensor systems for frontal and sideways probe contacts. They are used for mechanical surface detection and probe collision detection. The input impedance of both the DAE4 as well as of the DAE3 box is 200MOhm; the inputs are symmetrical and floating. Common mode rejection is above 80 dB.

2.1.4 SAR Evaluation Description

The DASY5 software includes all numerical procedures necessary to evaluate the spatial peak SAR values.

Based on the IEEE 1528 standard, a new algorithm has been implemented. The spatial-peak SAR can be computed over any required mass.

The base for the evaluation is a "cube" measurement in a volume of 30mm3 (7x7x7 points). The measured volume must include the 1 g and 10 g cubes with the highest averaged SAR values. For that purpose, the centre of the measured volume is aligned to the interpolated peak SAR value of a previously performed area scan. If the 10g cube or both cubes are not entirely inside the measured volumes, the system issues a warning regarding the evaluated spatial peak values within the Post processing engine (SEMCAD X). This means that if the measured volume is shifted, higher values might be possible. To get the correct values you can use a finer measurement grid for the area scan. In complicated field distributions, a large grid spacing for the area scan might miss some details and give an incorrectly interpolated peak location.

The entire evaluation of the spatial peak values is performed within the Post-processing engine (SEMCAD X). The system always gives the maximum values for the 1 g and 10 g cubes. The algorithm to find the cube with highest averaged SAR is divided into the following stages:

- 1. extraction of the measured data (grid and values) from the Zoom Scan
- 2. calculation of the SAR value at every measurement point based on all stored data (A/D values and measurement parameters)
- 3. generation of a high-resolution mesh within the measured volume
- 4. interpolation of all measured values from the measurement grid to the high-resolution grid
- 5. extrapolation of the entire 3-D field distribution to the phantom surface over the distance from sensor to surface
- 6. calculation of the averaged SAR within masses of 1 g and 10 g



2.1.5 Interpolation, Extrapolation and Detection of Maxima

The probe is calibrated at the centre of the dipole sensors which is located 1 to 2.7mm away from the probe tip. During measurements, the probe stops shortly above the phantom surface, depending on the probe and the surface detecting system. Both distances are included as parameters in the probe configuration file. The software always knows exactly how far away the measured point is from the surface. As the probe cannot directly measure at the surface, the values between the deepest measured point and the surface must be extrapolated.

In DASY5, the choice of the coordinate system defining the location of the measurement points has no influence on the uncertainty of the interpolation, Maxima Search and extrapolation routines. The interpolation, extrapolation and maximum search routines are all based on the modified Quadratic Shepard's method [1]. Thereby, the interpolation scheme combines a least-square fitted function method and a weighted average method which are the two basic types of computational interpolation and approximation. The DASY5 routines construct a once-continuously differentiable function that interpolates the measurement values as follows:

For each measurement point a trivariate (3-D) / bivariate (2-D) quadratic is computed. It interpolates the measurement values at the data point and forms a least-square fit to neighbouring measurement values. The spatial location of the quadratic with respect to the measurement values is attenuated by an inverse distance weighting. This is performed since the calculated quadratic will fit measurement values at nearby points more accurate than at points located further away.

After the quadratics are calculated for at all measurement points, the interpolating function is calculated as a weighted average of the quadratics.

There are two control parameters that govern the behaviour of the interpolation method. One specifies the number of measurement points to be used in computing the least-square fits for the local quadratics. These measurement points are the ones nearest the input point for which the quadratic is being computed. The second parameter specifies the number of measurement points that will be used in calculating the weights for the quadratics to produce the final function. The input data points used there are the ones nearest the point at which the interpolation is desired. Appropriate defaults are chosen for each of the control parameters

The trivariate quadratics that have been previously computed for the 3-D interpolation and whose input data are at the closest distance from the phantom surface, are used in order to extrapolate the fields to the surface of the phantom.

In order to determine all the field maxima in 2-D (Area Scan) and 3-D (Zoom Scan), the measurement grid is refined by a default factor of 10 and the interpolation function is used to evaluate all field values between corresponding measurement points. Subsequently, a linear search is applied to find all the candidate maxima. In a last step, non physical maxima are removed and only those maxima which are within 2 dB of the global maximum value are retained.

In the Area Scan, the gradient of the interpolation function is evaluated to find all the extrema of the SAR distribution. The uncertainty on the locations of the extrema is less than 1/20 of the grid size. Only local maxima within 2 dB of the global maximum are searched and passed for the Zoom Scan measurement.

In the Zoom Scan, the interpolation function is used to extrapolate the Peak SAR from the lowest measurement points to the inner phantom surface (the extrapolation distance). The uncertainty increases with the extrapolation distance. To keep the uncertainty within 1% for the 1 g and 10 g cubes, the extrapolation distance should not be larger than 5mm.



2.1.6 Averaging and Determination of Spacial Peak SAR

The interpolated data is used to average the SAR over the 1g and 10g cubes by spatially discretising the entire measured volume. The resolution of this spatial grid used to calculate the averaged SAR is 1mm or about 42875 interpolated points. The resulting volumes are defined as cubical volumes containing the appropriate tissue parameters that are cantered at the location. The location is defined as the centre of the incremental volume (voxel).

The spatial-peak SAR must be evaluated in cubical volumes containing a mass that is within 5% of the required mass. The cubical volume centred at each location, as defined above, should be expanded in all directions until the desired value for the mass is reached, with no surface boundaries of the averaging volume extending beyond the outermost surface of the considered region. In addition, the cubical volume should not consist of more than 10% of air. If these conditions are not satisfied then the centre of the averaging volume is moved to the next location. Otherwise, the exact size of the final sampling cube is found using an inverse polynomial approximation algorithm, leading to results with improved accuracy. If one boundary of the averaging volume reaches the boundary of the measured volume during its expansion, it will not be evaluated at all. Reference is kept of all locations used and those not used for averaging the SAR. All average SAR values are finally assigned to the centred location in each valid averaging volume.

All locations included in an averaging volume are marked to indicate that they have been used at least once. If a location has been marked as used, but has never been assigned to the centre of a cube, the highest averaged SAR value of all other cubical volumes which have used this location for averaging is assigned to this location. Only those locations that are not part of any valid averaging volume should be marked as unused. For the case of an unused location, a new averaging volume must be constructed which will have the unused location centred at one surface of the cube. The remaining five surfaces are expanded evenly in all directions until the required mass is enclosed, regardless of the amount of included air. Of the six possible cubes with one surface centred on the unused location, the smallest cube is used, which still contains the required mass.

If the final cube containing the highest averaged SAR touches the surface of the measured volume, an appropriate warning is issued within the Post-processing engine.



2.2 WLAN 2450 MHz BODY SAR TEST RESULTS




Figure 4: SAR Body Testing Results for the DAQRI Compute Pack at 2437 MHz.




Figure 5: SAR Body Testing Results for the DAQRI Compute Pack at 2437 MHz.



Product Service




Figure 6: SAR Body Testing Results for the DAQRI Compute Pack at 2437 MHz.




Figure 7: SAR Body Testing Results for the DAQRI Compute Pack at 2437 MHz.



Product Service




Figure 8: SAR Body Testing Results for the DAQRI Compute Pack at 2437 MHz.




Figure 9: SAR Body Testing Results for the DAQRI Compute Pack at 2437 MHz.



2.3 WLAN U-NII-2A BODY SAR TEST RESULTS




Figure 10: SAR Body Testing Results for the DAQRI Compute Pack at 5270 MHz.




Figure 11: SAR Body Testing Results for the DAQRI Compute Pack at 5270 MHz.






Figure 12: SAR Body Testing Results for the DAQRI Compute Pack at 5270 MHz.




Figure 13: SAR Body Testing Results for the DAQRI Compute Pack at 5310 MHz.






Figure 14: SAR Body Testing Results for the DAQRI Compute Pack at 5270 MHz.




Figure 15: SAR Body Testing Results for the DAQRI Compute Pack at 5270 MHz.



SOFTWARE VERSION:	52.8.8(1258)	AMBIENT TEMPERATURE:	23.5 °C
DATE:	09/05/2017	RELATIVE HUMIDITY:	27.3 %
PHANTOM:	QD OVA 004 Ax	CONDUCTIVITY:	5.492 S/m
DUT CONFIGURATION:	Antenna B	RELATIVE PERMITTIVITY:	47.305 ε _r
DUT POSITION:	5mm - Top Edge	LIQUID TEMPERATURE:	21.0 °C
RAT:	5 GHz 802.11a 40 MHz	SCAN TYPE:	Full
FREQUENCY:	5270 MHz	DRIFT:	0.15 dB
MODULATION:	MCS0	PEAK SAR:	0.82 W/kg
DUTY CYCLE:	100 %	SAR (1g):	0.25 W/kg
	0.519 0.415 0.311 0.208 0.104		

Figure 16: SAR Body Testing Results for the DAQRI Compute Pack at 5270 MHz.



2.4 WLAN U-NII-2C BODY SAR TEST RESULTS




Figure 17: SAR Body Testing Results for the DAQRI Compute Pack at 5610 MHz.




Figure 18: SAR Body Testing Results for the DAQRI Compute Pack at 5610 MHz.






Figure 19: SAR Body Testing Results for the DAQRI Compute Pack at 5610 MHz.




Figure 20: SAR Body Testing Results for the DAQRI Compute Pack at 5690 MHz



SOFTWARE VERSION:	52.8.8(1258)	AMBIENT TEMPERATURE:	23.5 °C
DATE:	09/05/2017	RELATIVE HUMIDITY:	27.3 %
PHANTOM:	QD OVA 004 Ax	CONDUCTIVITY:	5.984 S/m
DUT CONFIGURATION:	Antenna B	RELATIVE PERMITTIVITY:	46.601 ε _r
DUT POSITION:	13mm Rear Face	LIQUID TEMPERATURE:	21.0 °C
RAT:	5 GHz 802.11ac 80 MHz	SCAN TYPE:	Full
FREQUENCY:	5610 MHz	DRIFT:	0.62 dB
MODULATION:	MCS0	PEAK SAR:	2.32 W/kg
DUTY CYCLE:	100 %	SAR (1g):	0.73 W/kg
	0.000		

Figure 21: SAR Body Testing Results for the DAQRI Compute Pack at 5610 MHz.




Figure 22: SAR Body Testing Results for the DAQRI Compute Pack at 5610 MHz.



SOFTWARE VERSION:	52.8.8(1258)	AMBIENT TEMPERATURE:	23.5 °C
DATE:	09/05/2017	RELATIVE HUMIDITY:	27.3 %
PHANTOM:	QD OVA 004 Ax	CONDUCTIVITY:	5.984 S/m
DUT CONFIGURATION:	Antenna B	RELATIVE PERMITTIVITY:	46.601 ε _r
DUT POSITION:	5mm - Top Edge	LIQUID TEMPERATURE:	21.0 °C
RAT:	5 GHz 802.11ac 80 MHz	SCAN TYPE:	Full
FREQUENCY:	5610 MHz	DRIFT:	1.17 dB
MODULATION:	MCS0	PEAK SAR:	1.13 W/kg
DUTY CYCLE:	100 %	SAR (1g):	0.36 W/kg
	0.505 0.439 0.292 0.148		

Figure 23: SAR Body Testing Results for the DAQRI Compute Pack at 5610 MHz.



2.5 WLAN U-NII-3 BODY SAR TEST RESULTS




Figure 24: SAR Body Testing Results for the DAQRI Compute Pack at 5795 MHz.




Figure 25: SAR Body Testing Results for the DAQRI Compute Pack at 5795 MHz.



Product Service




Figure 26: SAR Body Testing Results for the DAQRI Compute Pack at 5795 MHz.




Figure 27: SAR Body Testing Results for the DAQRI Compute Pack at 5795 MHz.



Product Service




Figure 28: SAR Body Testing Results for the DAQRI Compute Pack at 5795 MHz.




Figure 29: SAR Body Testing Results for the DAQRI Compute Pack at 5795 MHz.



SECTION 3

TEST EQUIPMENT USED



3.1 TEST EQUIPMENT USED

The following test equipment was used at TÜV SÜD Product Service:

Instrument Description	Manufacturer	Model Type	TE Number	Cal Period (months)	Calibration Due Date
10MHz - 2.5GHz, 3W, Amplifier	Vectawave Technology	VTL5400	51	-	TU
Power Sensor	Rohde & Schwarz	NRV-Z1	60	12	16-Jun-2017
Signal Generator	Hewlett Packard	ESG4000A	61	12	12-Jul-2017
Attenuator (20dB, 10W)	Weinschel	37-20-34	482	12	26-Oct-2017
Bi-directional Coupler	IndexSar Ltd	7401 (VDC0830- 20)	2414	-	TU
Thermometer	Digitron	T208	64	12	13-May-2017
Hygrometer	Rotronic	I-1000	2784	12	26-Apr-2017
Power Sensor	Rohde & Schwarz	NRV- Z5	2878	12	16-Jun-2017
Dual Channel Power Meter	Rohde & Schwarz	NRVD	3259	12	16-Jun-2017
Data Acquisition Electronics	Speag	DAE 4 - SD 000 D04 BM	4689	12	12-Dec-2017
Measurement Server	Speag	DASY 5 Measurement Server	4692	-	TU
Elliptical Phantom	Speag	ELI Phantom	4699	-	TU
Dosimetric SAR Probe	Speag	EX3DV4	4700	12	16-Dec-2017
Mounting Platform for TX90XL Robot and Phantoms	Speag	MP6C-TX90XL Mounting Platform Extended	4702	-	TU
Robot	Speag	TX90 XLspeag Robot	4704	-	TU
2450MHz Dipole	Speag	D2450V2	3875	12	14-Dec-2017
5000 MHz Dipole	Speag	D5000V2	4796	12	14-Dec-2017
MBBL Fluid	Speag	Batch 2	N/A	Weekly	29-May-2017

TU = Traceability Unscheduled



3.2 TEST SOFTWARE

The following software was used to control the TÜV SÜD Product Service DASY System.

Instrument	Version Number
DASY system	52.8.8(1258)



3.3 DIELECTRIC PROPERTIES OF SIMULANT LIQUIDS

The fluid properties of the simulant fluids used during routine SAR evaluation meet the dielectric properties required KDB 865665.

The dielectric properties of the tissue simulant liquids used for the SAR testing at TÜV SÜD Product Service are as follows:-

Fluid Type and Frequency	Relative Permittivity Target	Relative Permittivity Measured	Conductivity Target	Conductivity Measured
2450 MHz MBBL	52.70	52.62	1.95	2.05
5300 MHz MBBL	48.89	47.24	5.42	4.60
5600 MHz MBBL	48.47	46.62	5.76	6.04
5800 MHz MBBL	48.20	46.21	6.00	6.34
5800 MHz MBBL	48.20	46.72	6.00	6.52



3.4 TEST CONDITIONS

3.4.1 Test Laboratory Conditions

Ambient temperature: Within +15°C to +35°C.

The actual temperature during the testing ranged from 20.9°C to 23.5°C. The actual humidity during the testing ranged from 27.3% to 31.4% RH.

3.4.2 Test Fluid Temperature Range

Frequency	Fluid	Min Temperature °C	Max Temperature °C
2450 MHz	MBBL	20.6	20.6
5300 MHz	MBBL	21.0	21.0
5600 MHz	MBBL	21.0	21.0
5800 MHz	MBBL	20.6	21.0

3.4.3 SAR Drift

The maximum SAR Drift was recorded as 1.20 dB



3.5 MEASUREMENT UNCERTAINTY

Body, Full SAR Measurements, 300 MHz to 3 GHz Using Probe EX3DV4 - SN3759 $\,$

Source of Uncertainty	Uncertainty ± %	Probability distribution	Div	с _і (1g)	Standard Uncertainty ± % (1g)	V _{i (} V _{eff)}
Measurement System				•	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Probe calibration	6.0	N	1.00	1.00	6.0	Infinity
Axial Isotropy	4.7	R	1.73	0.70	1.9	Infinity
Hemispherical Isotropy	9.6	R	1.73	0.70	3.9	Infinity
Boundary effect	1.0	R	1.73	1.00	0.6	Infinity
Linearity	4.7	R	1.73	1.00	2.7	Infinity
System Detection limits	1.0	R	1.73	1.00	0.6	Infinity
Modulation response	2.4	R	1.73	1.00	1.4	Infinity
Readout electronics	0.3	N	1.00	1.00	0.3	Infinity
Response time	0.8	R	1.73	1.00	0.5	Infinity
Integration time	2.6	R	1.73	1.00	1.5	Infinity
RF ambient noise	3.0	R	1.73	1.00	1.7	Infinity
RF ambient reflections	3.0	R	1.73	1.00	1.7	Infinity
Probe positioner	0.4	R	1.73	1.00	0.2	Infinity
Probe positioning	2.9	R	1.73	1.00	1.7	Infinity
Max SAR Evaluation	2.0	R	1.73	1.00	1.2	Infinity
Test sample related						
Device Positioning	2.9	N	1.00	1.00	2.9	145
Device Holder	3.6	N	1.00	1.00	3.6	5
Input Power and SAR Drift	5.0	R	1.73	1.00	0.7	Infinity
Phantom and Setup						
Phantom uncertainty	6.1	R	1.73	1.00	3.5	Infinity
SAR Correction	1.9	R	1.73	1.00	1.1	Infinity
Liquid conductivity Meas.	2.5	R	1.73	0.78	1.1	Infinity
Liquid Permittivity Meas.	2.5	R	1.73	0.23	0.3	Infinity
Temp. Unc. Conductivity	3.4	R	1.73	0.78	1.5	Infinity
Temp. Unc. Permittivity	0.4	R	1.73	0.23	0.1	Infinity
Combined Standard Uncertain	ty	RSS			10.8	361
Expanded Standard Uncertain	ty	K=2			21.6	



Product Service

Body, Full SAR Measurements, 3 GHz to 6 GHz Using Probe EX3DV4 - SN3759

Source of Uncertainty	Uncertainty ± %	Probability distribution	Div	с _і (1g)	Standard Uncertainty ± % (1g)	V _{i (} V _{eff)}
Measurement System						
Probe calibration	6.6	N	1.00	1.00	6.6	Infinity
Axial Isotropy	4.7	R	1.73	0.70	1.9	Infinity
Hemispherical Isotropy	9.6	R	1.73	0.70	3.9	Infinity
Boundary effect	2.0	R	1.73	1.00	1.2	Infinity
Linearity	4.7	R	1.73	1.00	2.7	Infinity
System Detection limits	1.0	R	1.73	1.00	0.6	Infinity
Modulation response	2.4	R	1.73	1.00	1.4	Infinity
Readout electronics	0.3	N	1.00	1.00	0.3	Infinity
Response time	0.8	R	1.73	1.00	0.5	Infinity
Integration time	2.6	R	1.73	1.00	1.5	Infinity
RF ambient noise	3.0	R	1.73	1.00	1.7	Infinity
RF ambient reflections	3.0	R	1.73	1.00	1.7	Infinity
Probe positioner	0.8	R	1.73	1.00	0.5	Infinity
Probe positioning	6.7	R	1.73	1.00	3.9	Infinity
Max SAR Evaluation	4.0	R	1.73	1.00	2.3	Infinity
Test sample related						
Device Positioning	2.9	N	1.00	1.00	2.9	145
Device Holder	3.6	N	1.00	1.00	3.6	5
Input Power and SAR Drift	5.0	R	1.73	1.00	0.7	Infinity
Phantom and Setup						
Phantom uncertainty	6.6	R	1.73	1.00	3.8	Infinity
SAR Correction	1.9	R	1.73	1.00	1.1	Infinity
Liquid conductivity Meas.	2.5	R	1.73	0.78	1.1	Infinity
Liquid Permittivity Meas.	2.5	R	1.73	0.23	0.3	Infinity
Temp. Unc. Conductivity	3.4	R	1.73	0.78	1.5	Infinity
Temp. Unc. Permittivity	0.4	R	1.73	0.23	0.1	Infinity
Combined Standard Uncertain	ty	RSS			12.0	748
Expanded Standard Uncertain	ty	K=2	•		23.9	



SECTION 4

ACCREDITATION, DISCLAIMERS AND COPYRIGHT



4.1 ACCREDITATION, DISCLAIMERS AND COPYRIGHT



This report relates only to the actual item/items tested.

Our UKAS Accreditation does not cover opinions and interpretations and any expressed are outside the scope of our UKAS Accreditation.

Results of tests not covered by our UKAS Accreditation Schedule are marked NUA (Not UKAS Accredited).

This report must not be reproduced, except in its entirety, without the written permission of TÜV SÜD Product Service

© 2017 TÜV SÜD Product Service



ANNEX A

PROBE CALIBRATION REPORT



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service sulsse d'étalonnage
S Servizio svizzero di tarature
Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Client

TÜV SÜD UK

Certificate No: EX3-3759_Dec16

CALIBRATION CERTIFICATE

Object

EX3DV4 - SN:3759

Calibration procedure(s)

QA CAL-01.v9, QA CAL-12.v9, QA CAL-14.v4, QA CAL-23.v5,

QA CAL-25.v6

Calibration procedure for dosimetric E-field probes

Calibration date:

December 16, 2016

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID.	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	06-Apr-16 (No. 217-02288/02289)	Apr-17
Power sensor NRP-291	SN: 103244	06-Apr-16 (No. 217-02288)	Apr-17
Power sensor NRP-291	5N: 103245	06-Apr-16 (No. 217-02289)	Apr-17
Reference 20 dB Attenuator	SN: 55277 (20x)	05-Apr-16 (No. 217-02293)	Apr-17
Reference Probe ES3DV2	SN: 3013	31-Dec-15 (No. ES3-3013_Dec15)	Dec-18
DAE4	SN: 660	7-Dec-16 (No. DAE4-660_Dec16)	Dec-17
Secondary Standards	10	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB41293874	06-Apr-16 (in house check Jun-15)	In house check: Jun-18
Power sensor E4412A	SN: MY41498087	06-Apr-16 (in house check Jun-16)	In house check: Jun-18
Power sensor E4412A	SN: 000110210	06-Apr-16 (in house check Jun-16)	In house check: Jun-18
RF generator HP 8648C	SN: US3642U01700	04-Aug-99 (in house check Jun-16)	In house check: Jun-18
Network Analyzer HP 8753E	SN: US37390585	18-Oct-01 (in house check Oct-16)	In house check: Oct-17

Calibrated by:

Name
Function
Laboratory Technician

Approved by:

Katja Pokovic
Technical Manager
Issued: December 19, 2016

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Certificate No: EX3-3759_Dec16

Page 1 of 38



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kallbrierdienst
C Service suisse d'étalonnage
S Servizio svizzero di taratura
Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL tissue simulating liquid
NORMx,y,z sensitivity in free space
ConvF sensitivity in TSL / NORMx,y,z
DCP diode compression point

CF crest factor (1/duty_cycle) of the RF signal A, B, C, D modulation dependent linearization parameters

Polarization 9 9 rotation around an axis that is in the plane normal to probe axis (at measurement center),

i.e., 9 = 0 is normal to probe axis

Connector Angle information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- EC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization 9 = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide).
 NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). This linearization is
 implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included
 in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax.y.z; Bx.y.z; Cx.y.z; Dx.y.z; VRx.y.z; A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: EX3-3759_Dec16

Page 2 of 38



EX3DV4 ~ SN:3759

December 16, 2016

Probe EX3DV4

SN:3759

Calibrated:

Manufactured: March 16, 2010 December 16, 2016

Calibrated for DASY/EASY Systems (Note: non-compatible with DASY2 system!)

Certificate No: EX3-3759_Dec16

Page 3 of 38



EX3DV4-SN:3759 December 16, 2016

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3759

Basic Calibration Parameters

M	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm (µV/(V/m) ²) ^A	0.47	0.42	0.45	± 10.1 %
DCP (mV) ⁸	101.1	99.1	101.2	

Modulation Calibration Parameters

UID 0	Communication System Name		A dB	B dB√μV	С	D dB	VR mV	Unc ^E (k=2)
0	CW	×	0.0	0.0	1.0	0.00	149.0	±3.5 %
		Y	0.0	0.0	1.0		147.4	
		Z	0.0	0.0	1.0		138.4	

Note: For details on UID parameters see Appendix.

Sensor Model Parameters

	C1 fF	C2 fF	α V-1	T1 ms.V ⁻²	T2 ms.V⁻¹	T3 ms	T4 V-2	T5 V-1	T6
X	45,34	339.8	35.83	13.18	1.015	4.992	0.942	0.363	1.005
Y	51.23	384.3	35.89	14,75	0.946	5.017	1.083	0.33	1.006
Z	48.36	361.1	35.6	14.31	1.297	4.99	0.629	0.453	1.004

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: EX3-3759_Dec16

The uncertainties of Norm X,Y,Z do not affect the E²-field uncertainty inside TSL (see Pages 5 and 6).

The uncertainties of Norm X,Y,Z do not affect the E*-held uncertainty inside LSL (see Pages 5 and 6).

Numerical linearization parameter: uncertainty not required.

Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the field value.



EX3DV4- SN:3759 December 16, 2016

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3759

Calibration Parameter Determined in Head Tissue Simulating Media

f (MHz) ^c	Relative Permittivity	Conductivity (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ⁶	Depth ⁶ (mm)	Unc (k=2)
450	43.5	0.87	10.95	10.95	10.95	0.15	1,30	± 13.3 9
750	41.9	0.89	10.45	10.45	10.45	0.28	1.01	± 12.0 9
835	41.5	0.90	10.04	10.04	10.04	0.16	1.40	± 12.0 9
900	41.5	0.97	9.94	9.94	9.94	0.24	0.97	± 12.0 9
1640	40.3	1.29	8.63	8.63	8.63	0.19	0.80	± 12.0 9
1750	40.1	1.37	8.58	8.58	8.58	0.18	0.96	± 12.0 9
1900	40.0	1.40	8.32	8.32	8.32	0.14	0.86	± 12.0 9
2100	39.8	1.49	8.45	8.45	8.45	0.23	0.84	± 12.0 9
2300	39.5	1.67	7.80	7.80	7.80	0.15	1.07	± 12.0 %
2450	39.2	1.80	7.42	7.42	7.42	0.23	0.86	± 12.0 9
2600	39.0	1.96	7.16	7.16	7.16	0.20	1.08	± 12.0 9
5200	36.0	4.66	5.68	5.68	5.68	0.30	1.80	± 13.1 9
5300	35.9	4.76	5.46	5.46	5,46	0.30	1.80	± 13.1 9
5500	35.6	4.96	5.05	5.05	5.05	0.35	1.80	± 13.1 9
5600	35.5	5.07	4.72	4.72	4.72	0.40	1.80	± 13.1 %
5800	35.3	5.27	5.02	5.02	5.02	0.40	1.80	± 13.1 %

Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS of the Corn/F uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for Corn/F assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

At frequencies below 3 GHz, the validity of tissue parameters (c and a) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (c and a) is restricted to ± 5%. The uncertainty is the RSS of the Corn/F uncertainty for indicated target tissue parameters.

Apha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always loss than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe tip diameter from the boundary.

Certificate No: EX3-3759_Dec16

Page 5 of 38



EX3DV4-SN:3759 December 16, 2016

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3759

Calibration Parameter Determined in Body Tissue Simulating Media

f (MHz) ^C	Relative Permittivity ^F	Conductivity (S/m) F	ConvF X	ConvF Y	ConvF Z	Alpha ⁶	Depth ^a (mm)	Unc (k=2)
450	56.7	0.94	11.67	11.67	11.67	0.05	1.20	± 13.3 %
750	55.5	0.96	10.25	10.25	10.25	0.31	0.85	± 12.0 %
835	55,2	0.97	9.85	9.85	9.85	0.16	1.31	± 12.0 %
900	55.0	1.05	9.83	9.83	9.83	0.29	0.86	± 12.0 %
1640	53,8	1.40	8.63	8,63	8.63	0.26	0.80	± 12.0 %
1750	53.4	1.49	8.16	8.16	8.16	0.27	0.86	± 12.0 %
1900	53.3	1.52	7.87	7.87	7.87	0.21	0.96	± 12.0 %
2100	53.2	1.62	8.26	8.26	8.26	0,16	1.04	± 12.0 %
2300	52.9	1.81	7.56	7.56	7.56	0.29	0.80	± 12.0 %
2450	52.7	1.95	7.49	7.49	7.49	0.11	0.99	± 12.0 %
2600	52.5	2.16	7.31	7.31	7.31	0.14	1.10	± 12.0 %
5200	49.0	5.30	5.00	5.00	5.00	0.35	1.90	± 13.1 %
5300	48.9	5,42	4.78	4.78	4.78	0.35	1.90	± 13.1 %
5500	48.6	5.65	4.27	4.27	4.27	0.40	1.90	± 13.1 %
5600	48.5	5.77	3.98	3.98	3.98	0.50	1.90	± 13.1 %
5800	48.2	6.00	4.20	4.20	4.20	0.50	1.90	± 13.1 %

^C Frequency validity above 300 MHz of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), size it is restricted to ± 50 MHz. The uncertainty is the RSS of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity below 300 MHz is ± 10, 25, 40, 50 and 70 MHz for ConvF assessments at 30, 64, 128, 150 and 220 MHz respectively. Above 5 GHz frequency validity can be extended to ± 110 MHz.

At frequencies below 3 GHz, the validity of fissue parameters (x and a) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (x and a) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

Alpha/Depth are determined during calibration. SPEAG warrants that the remaining deviation due to the boundary effect after compensation is always less than ± 1% for frequencies below 3 GHz and below ± 2% for frequencies between 3-6 GHz at any distance larger than half the probe lip diameter from the boundary.

Certificate No: EX3-3759_Dec16


Page 6 of 38



EX3DV4-SN:3759

December 16, 2016

Frequency Response of E-Field (TEM-Cell:ifi110 EXX, Waveguide: R22)



Uncertainty of Frequency Response of E-field: ± 6.3% (k=2)

Certificate No: EX3-3759_Dec16


Page 7 of 38



EX3DV4-SN:3759

December 16, 2016

Receiving Pattern (\$\phi\$), 9 = 0°



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k≈2)

Certificate No: EX3-3759_Dec16


Page 8 of 38




EX3DV4- SN:3759

December 16, 2016

Dynamic Range f(SAR_{head}) (TEM cell , f_{eval}= 1900 MHz)





Uncertainty of Linearity Assessment: ± 0.6% (k=2)

Certificate No: EX3-3759_Dec16


Page 9 of 38




EX3DV4-- SN:3759

December 16, 2016

Conversion Factor Assessment



Deviation from Isotropy in Liquid



Certificate No: EX3-3759_Dec16

Page 10 of 38



EX3DV4-- SN:3759

December 16, 2016

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3759

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (*)	-3
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Certificate No: EX3-3759_Dec16

Page 11 of 38



EX3DV4- SN:3759 December 16, 2016

Appendix: Modulation Calibration Parameters

UID	Communication System Name		A dB	dBõV	С	D dB	VR mV	Max Unc ^E (k=2)
0	CW	X	0.00	0.00	1.00	0.00	149.0	± 3.5 %
		Y	0.00	0.00	1.00	9.99	147.4	20.0 /6
		Z	0.00	0.00	1.00		138.4	
10010- CAA	SAR Validation (Square, 100ms, 10ms)	X	3.04	67.74	11,79	10.00	20.0	±9.6 %
THE REAL PROPERTY.		Y	3.27	68.79	12.30		20.0	
		Z	3.42	68.76	12.60		20.0	
10011- CAB	UMTS-FDD (WCDMA)	х	0.99	66,30	14.68	0.00	150.0	± 9.6 %
		Y	1.02	66.67	14.90		150.0	
Contract of	Language and the second property of the control of	Z	0.99	66.23	14.64		150.0	
10012- CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	×	1.17	63.37	14.79	0.41	150.0	±9.6%
		Y	1,18	63.58	14.98		150.0	
		Z	1.18	63.40	14.78		150.0	
10013- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 6 Mbps)	X	4.83	66.46	16.84	1.46	150.0	± 9.6 %
		Y	4.90	66.50	16.94		150.0	
		Z	4.87	66.45	16.82		150.0	
10021- DAC	GSM-FDD (TDMA, GMSK)	X	27.32	96.15	23.00	9.39	50.0	± 9.6 %
SOME		Y	100:00	113.48	27.55	7 10	50.0	
		2	18.13	91.34	22.13		50.0	
10023- DAC	GPRS-FDD (TDMA, GMSK, TN 0)	×	17.75	90.44	21.39	9.57	50,0	± 9.6 %
		Y	64.93	107:78	26.22		50.0	
		Z	13.93	87.63	21.03		50.0	
10024- DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	×	100.00	110.23	24.91	6.56	60.0	± 9.6 %
		Y	100.00	111.43	25.52		60.0	
January I	Pagings Constituting and the same in constitution	Z	66.71	106.54	24.55		60.0	
10025- DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	X	4.69	70.97	25.39	12.57	50,0	±9.6 %
		Y	9.43	92.86	36.24		50.0	
		Z	4.57	69.11	24.07		50.0	
10026- DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	Х	8.47	87.67	30.15	9.56	60.0	± 9.6 %
		Y	11.37	95.44	33.46		60.0	
		Z	8.88	87.57	29.82		60.0	
10027- DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	Х	100.00	109.77	23.94	4.80	80.0	±9.6 %
OHIEC:		Y	100,00	111.14	24.62		80.0	
		Z	100.00	110.40	24.46		80.0	
10028- DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	×	100,00	110.50	23.60	3.55	100.0	± 9.6 %
0.0831922		Y	100.00	111.94	24.31		100.0	
		Z	100.00	110.79	23.94		100,0	
10029- DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	×	5.65	79.24	25.77	7.80	80.0	± 9.6 %
		Y	6.78	83.68	27.89		80.0	
		Z	6.05	79.84	25.79	Total Secretaria	80.0	
10030- CAA	IEEE 802.15.1 Bluetoath (GFSK, DH1)	×	100.00	108.40	23.61	5.30	70.0	±9.6 %
		Y	100.00	109.85	24.34		70.0	
5200-080		Z	39.21	99.31	21.96	N-25-04	70.0	-
10031-	IEEE 802.15.1 Bluetooth (GFSK, DH3)	X	100.00	109.64	22.00	1.88	100.0	± 9.6 %
CAA								
CAA		Y	100.00	111.22	22.73		100.0	

Certificate No: EX3-3759_Dec16 Page 12 of 38



EX3DV4- SN:3759 December 16, 2016

CAA DH1) 10034- IEEE CAA DH3) 10035- IEEE CAA DH5) 10036- CAA IEEE CAA 10037- CAA IEEE CAA 10038- CAA IEEE CAA 10048- CAA IS-91 CAA IO049- CAA Slot. 3 10049- CAA Slot. 3 10049- CAA Slot. 3 10049- CAA Slot. 3 10056- CAA INTS	802.15.1 Bluetooth (Pl/4-DQPSK,) 802.15.1 Bluetooth (Pl/4-DQPSK,) 802.15.1 Bluetooth (8-DPSK, DH1) 802.15.1 Bluetooth (8-DPSK, DH3)	Y Z X Y Z X Y Z X	100.00 100.00 5.50 8.76 5.52 2.26 2.75 2.35 1.71 1.95 1.77 6.42	116.40 114.90 80.43 88.43 79.91 72.05 75.11 72.23 69.83 71.69 69.99	23.97 23.50 20.01 23.32 19.94 15.71 17.48 15.94 14.64	5.30 1.88	70.0 70.0 70.0 70.0 100.0 100.0 100.0 100.0	±9.6% ±9.6%
CAA DH1) 10034- IEEE CAA DH3) 10035- IEEE CAA DH5) 10036- IEEE CAA 10037- IEEE CAA 10038- CAA 10039- CDM/CAB 10042- IS-54 CAB 10044- CAA DQPS 10044- CAA SIGL 3 10048- DECT CAA SIGL 3 10056- CAA DGS 10056- CAA DGS 10058- EDGE	802.15.1 Bluetooth (Pl/4-DQPSK,) 802.15.1 Bluetooth (Pl/4-DQPSK,) 802.15.1 Bluetooth (8-DPSK, DH1) 802.15.1 Bluetooth (8-DPSK, DH3)	X Y Z X Y Z X	5.50 8.78 5.52 2.26 2.75 2.35 1.71 1.95 1.77	80.43 88.43 79.91 72.05 75.11 72.23 69.83 71.69	20.01 23.32 19.94 15.71 17.48 15.94 14.64	1.88	70.0 70.0 70.0 100.0 100.0	
10034- IEEE CAA DH3) 10035- IEEE CAA DH5) 10036- CAA IEEE CAA 10037- CAA IEEE CAA 10038- CDM/CAB IEEE CAA 10049- CAA IEEE CAA IEEE 10044- CAA IEEE 10044- CAA IS-91 10048- DECT CAA IOU49- CAA IOU59-	802.15.1 Bluetooth (Pl/4-DQPSK,) 802.15.1 Bluetooth (Pl/4-DQPSK,) 802.15.1 Bluetooth (8-DPSK, DH1) 802.15.1 Bluetooth (8-DPSK, DH3)	X Y Z X Y Z X	5.52 2.26 2.75 2.35 1.71 1.95 1.77	79.91 72.05 75.11 72.23 69.83 71.69	19.94 15.71 17.48 15.94 14.64		70.0 100.0 100.0 100.0	±9.6 %
CAA DH3) 10035- IEEE CAA IEEE	802.15.1 Bluetooth (PI/4-DQPSK,) 802.15.1 Bluetooth (8-DPSK, DH1) 802.15.1 Bluetooth (8-DPSK, DH3)	X Y Z X Y Z X	5.52 2.26 2.75 2.35 1.71 1.95 1.77	79.91 72.05 75.11 72.23 69.83 71.69	19.94 15.71 17.48 15.94 14.64		70.0 100.0 100.0 100.0	±9.8 %
CAA DH3) 10035- IEEE CAA IEEE	802.15.1 Bluetooth (PI/4-DQPSK,) 802.15.1 Bluetooth (8-DPSK, DH1) 802.15.1 Bluetooth (8-DPSK, DH3)	X Y Z X Y Z	2.26 2.75 2.35 1.71 1.95 1.77	72.05 75.11 72.23 69.83 71.69	15.71 17.48 15.94 14.64		100.0 100.0 100.0	±9.8 %
CAA DH5) 10036- CAA IEEE CAA IEEE 10037- CAA IEEE CAA IEEE 10038- CAA IEEE CAA IEEE 10049- CAA IS-91 CAA IS-91 CAA IO049- CAA IO049- CAA IO056- CAA IO056- CAA IO056- CAA IO058- CAA	802.15.1 Bluetooth (8-DPSK, DH1) 802.15.1 Bluetooth (8-DPSK, DH3)	X Y Z X	2.35 1.71 1.95 1.77	72.23 69.83 71.69	15.94 14.64	1.17	100.0	
CAA DH5) 10036- CAA IEEE 10037- CAA IEEE 10038- CAA IEEE 10039- CAB IS-54 CAA IS-91 CAAA IS-91 CAA IS-91 CAA IS-91 CAA IS-91 CAA IS-91 CAA IS-91 CAA IS-	802.15.1 Bluetooth (8-DPSK, DH1) 802.15.1 Bluetooth (8-DPSK, DH3)	X Y Z X	1.71 1.95 1.77	69.83 71.69	14.64	1.17		
CAA DH5) 10036- CAA IEEE CAA IEEE 10037- CAA IEEE CAA IEEE 10038- CAA IEEE CAA IEEE 10049- CAA IS-91 CAA IS-91 CAA IO049- CAA IO049- CAA IO056- CAA IO056- CAA IO056- CAA IO058- CAA	802.15.1 Bluetooth (8-DPSK, DH1) 802.15.1 Bluetooth (8-DPSK, DH3)	Y Z X	1.95	71.69		1.17	100.0	
CAA 10037- CAA 10038- CAA 10039- CAB 10042- CAB 10044- CAA 10048- CAA 10048- CAA 10049- CAA 10056- CAA 10058- CAA 10058- CAA	802.15.1 Bluetooth (8-DPSK, DH3)	X	1.77					±9.6 %
CAA 10037- CAA 10038- CAA 10039- CAB 10042- CAB 10044- CAA 10044- CAA 10048- CAA 10048- CAA 10056- CAA 10058- EDGE	802.15.1 Bluetooth (8-DPSK, DH3)	X		69.99	15.93		100.0	
CAA 10037- CAA 10038- CAA 10039- CAB 10042- CAB 10044- CAA 10048- CAA 10048- CAA 10049- CAA 10056- CAA 10058- CAA 10058- CAA	802.15.1 Bluetooth (8-DPSK, DH3)	Y	6.42		14.88		100.0	
CAA 10038- CAA 10039- CAB 10042- CAB 10044- CAA 10048- CAA 10049- CAA 10049- CAA 10056- CAA 10058- EDG8				82.93	20.96	5.30	70.0	±9.6 %
CAA 10038- CAA 10039- CAB 10042- CAB 10044- CAA 10048- CAA 10048- CAA 10049- CAA 10056- CAA 10058- EDGE			11.14	92.31	24.62		70.0	
CAA 10038- CAA 10039- CAB 10042- CAB 10044- CAA 10048- CAA 10048- CAA 10049- CAA 10056- CAA 10058- EDGE		Z	6.34	82.16	20.81	4.00	70.0	100 - 100
CAA 10039- CDM/ CAB 10042- IS-54 CAB DQPS 10044- IS-91 CAA 10048- DECT CAA Slot. 3 10049- DECT CAA Slot. 3	200 45 4 Bhioteath to DDOG DUE	X	2.14	71.45	15.43	1,88	100.0	± 9.6 %
CAA 10039- CDM/ CAB 10042- IS-54 CAB DQPS 10044- IS-91 CAA 10048- DECT CAA Slot. 3 10049- DECT CAA Slot. 3	802 45 4 Bhiotoph /8 DDG// DUF	Z	2.61	74.51 71.69	17.21		100.0	
CAA 10039- CDM/ CAB 10042- IS-54 CAB DQPS 10044- IS-91 CAA 10048- DECT CAA Slot. 3 10049- DECT CAA Slot. 3			2.24		15.69	2.22	100.0	-
CAB 10042- IS-54 CAB DQPS 10044- IS-91 CAA Slot. 3 10048- DECT CAA Slot. 3 10056- UMTS CAA 10058- EDGE	802.15.1 Bluetooth (8-DPSK, DH5)	X	1.72	70.07	14.85	1,17	100,0	± 9.6 %
CAB 10042- IS-54 CAB DQPS 10044- IS-91 CAA Slot. 3 10048- DECT CAA Slot. 3 10056- UMTS CAA 10058- EDGE		Z	1.78	72.01	16.17		100.0	-
10042- IS-54 CAB DQPS 10044- IS-91 CAA Slot, 2 10049- DEC1 CAA Slot, 2 10056- UMTS CAA	(A2000 (1xRTT, RC1)	X	1.67	70.24 70.78	15.09 15.04	0.00	100.0 150.0	± 9.6 %
CAB DQPS 10044- IS-91 CAA IS-91 10048- DECT CAA Slot. 2 10049- DECT CAA Slot. 2 10056- UMTS CAA IS-91 10058- EDGE		Y	1.78	71.15	15.56		150.0	
CAB DQPS 10044- IS-91 CAA IS-91 10048- DECT CAA Slot. 2 10049- DECT CAA Slot. 2 10056- UMTS CAA IS-91 10058- EDGE		Ż	1.72	70.94	15.32		150.0	
10048- DECT CAA Slot. 2 10049- DECT CAA Slot. 1 10056- UMTS CAA 1	4 / IS-136 FDD (TDMA/FDM, Pl/4- ISK, Halfrate)	×	22.45	92.22	20.50	7.78	50.0	± 9.6 %
10048- DECT CAA Slot. 2 10049- DECT CAA Slot. 1 10056- UMTS CAA 1		Y	100.00	109.74	25.02		50.0	
10048- DECT CAA Slot. 2 10049- DECT CAA Slot. 1 10056- UMTS CAA 1	granden server en el exemple de la company	Z	17.06	89.50	20.18		50.0	
CAA Slot. 2 10049- DEC1 CAA Slot. 10056- UMTS CAA 10058- EDGE	1/EIA/TIA-553 FDD (FDMA, FM)	Х	0.00	92.98	2.04	0.00	150.0	± 9.6 %
CAA Slot, 2 10049- DEC1 CAA Slot, 10056- UMTS CAA 10058- EDGE		Y	0.00	94.50	2.19		150.0	
CAA Slot. 2 10049- DEC1 CAA Slot. 10056- UMTS CAA 10058- EDGE		Z	0.00	94.03	3.01		150.0	
CAA Slot, 10056- UMTS CAA 10058- EDGE	T (TDD, TDMA/FDM, GFSK, Full 24)	X	8.86	78.37	18.88	13.80	25.0	± 9.6 %
CAA Slot, 10056- UMTS CAA 10058- EDGE		Y	12.87	84.32	21.06		25.0	
CAA Slot, 10056- UMTS CAA 10058- EDGE		Z	8.56	78.04	19.28		25.0	
10058- EDGE	T (TDD, TDMA/FDM, GFSK, Double 12)	X	9.63	81.59	18.85	10.79	40.0	±9.6 %
10058- EDGE		Y	15.92	88.65	21.37		40.0	
10058- EDGE	o Top (To cook)	Z	9.22	81.13	19.17	-	40.0	-
	S-TDD (TD-SCDMA, 1.28 Mcps)	X	9.68	84,10	21,63	9.03	50.0	± 9.6 %
		Y	14.40	91.26	24.48		50.0	
	E EDD (TOMA BOOK THIS LOSS)	Z	8.89	82.35	21.22		50.0	
DITTO .	E-FOD (TDMA, BPSK, TN 0-1-2-3)	X	5.07	74.95	23.28	6.55	100.0	± 9.6 %
		Z	4.74	77.93	24.80		100.0	
10059- IEEE CAB Mbps	802.11b WiFi 2.4 GHz (DSSS, 2	X	1.20	75.63 64.26	23,39 15.22	0.61	100.0	± 9.6 %
unups	M)	Y	1.22	64.64	15.52		110.0	
		Z	1.22	64.34	15.22		110.0	
10060- IEEE		X	3.05	83.81	21.08	1.30	110.0	±9.6%
CAB Mbps	802.11b WiFi 2.4 GHz (DSSS 5.5	Y	6.45	94.80	24.64	1,00	110.0	2.0.0 %
	802.11b WiFi 2.4 GHz (DSSS, 5.5 s)	Z	3.16	83.51	20.82		110.0	

Certificate No: EX3-3759_Dec16

Page 13 of 38



EX3DV4- SN:3759 December 16, 2016

10061- CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	×	2.28	74.64	19.29	2.04	110.0	±9.6%
		Y	2.80	78.34	20.99	n	110.0	
		Z	2.40	74.91	19.27		110.0	
10062- CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	X	4.64	66.51	16.35	0.49	100.0	± 9.6 %
7777		Y	4.71	66.52	16.41		100.0	
		Z	4.68	66.50	16.34		100.0	
10063- CAB	IEEE 802.11a/h WiFl 5 GHz (OFDM, 9 Mbps)	X	4.65	66.58	16.42	0.72	100.0	± 9.6 %
	1.00.5564.0	Y	4.72	68.60	16.50		100.0	
		Z	4.69	66.57	16.41		100.0	
10064- CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	X	4.93	66.82	16.63	0.86	100.0	± 9.6 %
		Y	5.02	66.89	16.73		100.0	
vanilus -	Carrier and the second second second second second	Z	4.98	66.83	16.63	Harasan I	100.0	200000000
10065- CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	X	4.80	66.69	16.70	1.21	100.0	± 9.6 %
		Y	4.89	66.77	16.81		100.0	
Secretary	A System Company of the Company of t	Z	4.84	66.71	16.69	100	100.0	
10066- CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	X	4.81	66.69	16.83	1.46	100.0	± 9.6 %
		Y	4.90	66.80	16.97		100.0	
		Z	4.86	66.71	16.83		100.0	
10067- CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	X	5.10	66.85	17.25	2.04	100.0	± 9.6.%
	37.3055 V	Y	5.19	66.91	17.37		100.0	
		Z	5.15	66.85	17.23		100.0	
10068- CAB	IEEE 802.11a/h WIFI 5 GHz (OFDM, 48 Mbps)	X	5.14	66.87	17.43	2.55	100.0	± 9.6 %
Contraction (17/08/97/0	Y	5.25	67.04	17.62		100.0	
		Z	5.21	66.92	17.43		100.0	
10069- CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	х	5.22	66.88	17.62	2.67	100.0	±9.6 %
A-1772		Y	5.33	67.01	17.80		100.0	
		Z	5.29	66.91	17.62		100.0	
10071- CAB	(DSSS/OFDM, 9 Mbps)	X	4.92	66.52	17.10	1.99	100.0	±9.6 %
	- the same of the	Y	4.99	66.58	17.23		100.0	
o constant	Accountances	Z	4.96	66.52	17.09		100.0	
10072- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	X	4.90	66.80	17.28	2.30	100.0	±9,6 %
		Y	4.98	66.91	17.43		100.0	
	- ongress and any open const	Z	4.95	66.83	17.27	Sec. 100	100.0	
10073- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 18 Mbps)	X	4.98	86.95	17.58	2.83	100.0	± 9.6 %
	1 W- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Y	5.04	67.07	17.74	-	100.0	
		Z	5.01	66.98	17.56		100.0	-
10074- CAB	IEEE 802.11g WIFI 2.4 GHz (DSSS/OFDM, 24 Mbps)	X	4.95	66.85	17.70	3.30	100.0	± 9.6 %
75.5		Y	5.02	66.97	17.89	4	100.0	
		Z	5.01	66.89	17,70		100.0	
10075- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	Х	4.99	66.96	17.98	3.82	90.0	±9.6 %
(F) (1) (C)		Y	5.08	67.14	18.22		90.0	
		Z	5.06	67.04	18.00		90.0	
10076- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	Х	5.01	66,78	18.11	4.15	90.0	± 9.6 %
	The state of the s	Y	5.08	66.91	18.32		90.0	
		Z	5.08	66.85	18.11		90.0	
10077- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	×	5,04	66.85	18.20	4.30	90.0	± 9.6 %
		Y	5.10	66.97	18.41		90.0	
		Z	5.10	66.92	18.20		90.0	

Certificate No: EX3-3759_Dec16



EX3DV4- SN:3759 December 16, 2016

10081- CAB	CDMA2000 (1xRTT, RC3)	×	0.80	65.24	12.08	0.00	150.0	± 9.6 %
		Y	0.85	65.56	12.59		150.0	
		Z	0.82	65.35	12.34		150.0	
10082- CAB	IS-54 / IS-136 FDD (TDMA/FDM, Pl/4- DQPSK, Fullrate)	X	0.68	58.27	3.79	4.77	80.0	± 9.6 %
		Y	0.86	60.00	4.99		80.0	
		Z	0.80	58.87	4.46		80.0	100-00
10090- DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	X	100.00	110.24	24.94	6.56	60.0	±9.6%
		Y	100.00	111.45	25.55		60.0	
		Z	61.75	105.66	24.37		60.0	-
10097- CAB	UMTS-FDD (HSDPA)	X	1.80	67.24	15.39	0.00	150.0	±9.6%
20.00		Y	1.81	67.18	15.46		150.0	
		Z	1.80	67.11	15.37		150.0	
10098- CAB	UMTS-FDD (HSUPA, Subtest 2)	X	1.76	67.18	15.35	0.00	150.0	±9.6 %
2000		Υ	1.78	67.13	15.43		150.0	
		Z	1.76	67.04	15.33		150.0	
10099- DAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	X	8.51	87.74	30.17	9.56	60.0	± 9.6 %
		Y	11.43	95.53	33.48		60.0	
		Z	8.91	87.61	29.83		60.0	
10100- CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	×	3.05	69.78	16.46	0.00	150.0	± 9.6 %
		Y	3.13	70.04	16.53		150.0	
vous o	A CONTRACTOR OF THE PROPERTY O	Z	3.07	69.82	16.43		150.0	
10101- CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	3.21	67.25	15.78	0.00	150.0	± 9.6 %
		Y	3.26	67.38	15.84		150.0	
over the second	Contraction of the Contraction o	Z	3.23	67.28	15,77	mage v	150.0	CI Wardedon
10102- CAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	×	3.31	67,26	15,89	0.00	150.0	± 9.6 %
		Y	3.37	67.35	15.94		150.0	
		Z	3.34	67.28	15.89		150.0	
10103- CAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	5.95	73.98	19.42	3.98	65.0	±9.6%
		Y	5.46	75.28	20.05		65.0	
		Z	5.88	73.30	19.04		65.0	
10104- CAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	Х	6.15	72.74	19.68	3.98	65.0	±9.6 %
UI STEEL	There are married	Y	6.50	73.70	20.23		65.0	
		Z	6.36	72.92	19.68		65.0	1
10105- CAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	5.78	71.44	19.39	3.98	65.0	± 9.6 %
2000	CONT	Y	6.20	72.69	20.09		65.0	
		Z	6.26	72.53	19.82		65.0	
1010B- CAD	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	×	2.66	69.02	16.27	0.00	150.0	±9.6 %
		Y	2.74	69.24	16.34		150.0	
Terror Section	The later and the second secon	Z	2.69	69.04	16.24		150.0	
10109- CAD	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	2.85	67.09	15.67	0.00	150.0	± 9.6 %
		Y	2.92	67.19	15.74		150.0	
and the same	The second secon	Z	2.89	67.10	15.67		150.0	ac no
10110- CAD	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	2.15	68.08	15.82	0.00	150.0	±9.6 %
		Y	2.23	68.29	15,94		150.0	
0.000	The second of the strongs are second or the strongs	Z	2.18	68.07	15.80	02000	150.0	
10111- CAD	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	2.58	67.97	15.95	0.00	150.0	± 9.6 %
		Y	2.63	67.86	15.99		150.0	

Certificate No: EX3-3759_Dec16

Page 15 of 38



EX3DV4-SN:3759

December 16, 2016

10112- CAD	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	Х	2.99	67.13	15.75	0.00	150.0	±9.6 %
CART COLOR		Y	3.05	67.18	15.80		150.0	
		Z	3.01	67.13	15.74		150.0	
10113- CAD	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	Х	2.73	68.15	16.11	0.00	150.0	± 9.6 %
OHO SHE	Paridament	Y	2.78	68.00	16,13		150.0	
		Z	2.76	68.09	16.12		150.0	
10114- CAB	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	X	5.12	67.14	16.40	0.00	150.0	±9.6 %
		Υ	5.16	67.11	16:3B		150.0	
		Z	5.14	67.13	16.37	au-control	150.0	41000000
10115- CAB	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	X	5.39	67.23	16.45	0.00	150.0	±9.6 %
		Y	5.47	67.32	16.49		150.0	
	The second secon	Z	5.43	67,27	16.45		150.0	
10116- CAB	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	х	5,20	67.31	16.41	0.00	150.0	±9.6 %
		Y	5.26	67.33	16.42		150.0	
		Z	5.23	67.32	16.39		150.0	
10117- CAB	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	Х	5.08	66.99	16.34	0.00	150.0	± 9.6 %
		Y	5.13	67.01	16.35		150.0	
		Z	5.10	67.00	16.32		150.0	
10118- CAB	IEEE 802.11n (HT Mixed, 81 Mbps, 16- QAM)	X	5.47	67.43	16.56	0.00	150.0	± 9.6 %
3.00		Y	5.55	67.51	16.60		150.0	
		Z	5.51	67.48	16.56		150.0	
10119- CAB	IEEE 802.11n (HT Mixed, 135 Mbps, 64- QAM)	Х	5.19	67.27	16.40	0.00	150.0	±9.6%
		Y	5.23	67.26	16.40		150.0	
		Z	5.21	67.26	16.38		150.0	
10140- CAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	Х	3.35	67.26	15.81	0,00	150.0	± 9.6 %
		Y	3.41	67.36	15.86		150.0	
	The state of the particular control of the state of the s	Z	3.37	67.28	15.80	A. a. a. c.	150.0	a service values
10141- CAC	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	3.47	67.39	16.00	0.00	150.0	± 9.6 %
		Y	3.53	67.45	16.03		150.0	
and a contract	See as seems to transport some security in the express	Z	3.50	67.41	15.99		150.0	No maneri
10142- CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	Х	1.92	68.04	15.43	0.00	150.0	±9.6 %
		Y	2.00	68.21	15.62		150.0	
		Z	1,95	68.01	15.47		150.0	
10143- CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	Х	2.43	68.67	15.60	0.00	150.0	± 9.6 %
	1 220211100	Y	2.48	68.53	15.74		150.0	
		Z	2.46	68.63	15.70	1	150.0	14
10144- CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	2.19	66.27	13.92	0.00	150.0	± 9.6 %
a substituti	all Strange Conf. (1	Y	2.28	66.45	14.25		150.0	
		Z	2.23	66.33	14.07		150.0	
10145- CAD	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	1.16	64.50	11.31	0.00	150.0	± 9.6 %
		Y	1.29	85.42	12.29		150.0	
		Z	1.24	65.05	11.89		150.0	
10146- CAD	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz. 16-QAM)	X	1.75	64.91	10.68	0.00	150.0	± 9.6 %
		Y	2.10	66.86	12.19		150.0	
Co-cassus	The second secon	Z	1.85	65.40	11.22	Samuel	150.0	
10147- CAD	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	×	1.99	66.41	11.55	0.00	150.0	±9.6 %
		Y	2.48	68.95	13.31		150.0	
		Z	2.12	67.01	12.15	1.	150.0	

Certificate No: EX3-3759_Dec16

Page 16 of 38



EX3DV4- SN:3759 December 16, 2016

10149- CAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	2.87	67.16	15.72	0.00	150.0	± 9.8 %
		Y	2.93	67.25	15.78		150.0	
22.23	Manager and the second	Z	2.90	67.17	15.71		150.0	50.00
10150- CAC	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	3.00	67.19	15.79	0.00	150.0	±9.6 %
		Y	3.05	67.23	15.84		150.0	
		Z	3.02	67.19	15.79		150.0	
10151- CAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	6.19	76.09	20.32	3.98	65.0	± 9.6 %
		Y	6.72	77.39	20.98		65.0	
		Z	6.36	75.98	20.19		65.0	
10152- CAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	×	5.64	72.49	19.24	3.98	65.0	±9.6 %
9000		Y	6.02	73.58	19.91		65.0	
		Z	5.85	72.65	19.26		65.0	
10153- CAC	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	×	6.03	73.53	20.06	3.98	65.0	±9.6 %
aparite.	The state of the s	Y	6.38	74.47	20.65		65.0	
		Z	6.24	73.66	20.07		65.0	
10154- CAD	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	×	2.20	68.51	16.09	0.00	150.0	± 9.6 %
		Y	2.28	68.70	16.20		150.0	
		Z	2.23	68.51	16.09		150.0	
10155- CAD	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	×	2.58	67.98	15.97	0.00	150.0	± 9.6 %
		Y	2.63	67.87	16.01		150.0	
50000	TOWNS THE SOURCE WINDOWS WAS A PROPERTY OF THE	Z	2.61	67.92	15.98	200.000	150.0	F-8-2550400
10156- CAD	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	1.76	68.06	15.17	0.00	150.0	± 9.6 %
		Y	1.85	68.29	15.45		150.0	
2000-100 E		2	1.80	68.08	15.26	1	150.0	1000
10157- CAD	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	Х	2.02	66.77	13.91	0.00	150.0	± 9.6 %
		Y	2.12	66.99	14.30		150.0	
		Z	2.07	66.86	14.11		150.0	
10158- CAD	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	×	2.74	68.22	16.16	0.00	150.0	± 9.6 %
111-	1888-97/19	Y	2.79	68.06	16.17		150.0	
		Z	2.77	68.16	16,17		150.0	
10159- CAD	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	Х	2.12	67.25	14.20	0.00	150.0	± 9.6 %
0.000	- Contraction of the Contraction	Y	2.23	67.45	14.59		150.0	
		Z	2.18	67.37	14.42		150.0	
10160- CAC	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	х	2.69	68.25	16.09	0.00	150.0	± 9.6 %
		Y	2.75	68.31	16.13		150.0	
		Z	2.71	68.19	16.05		150.0	
10161- CAC	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	2.89	67.14	15.71	0.00	150.0	± 9.6 %
		Y	2.95	67.16	15.77		150.0	
tina and	The second was realised and the second second	Z	2.92	67.13	15.72	15,000	150.0	
10162- CAC	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	3.00	67.31	15.83	0.00	150.0	± 9.6 %
		Y	3.06	67.29	15.87		150.0	
Sure-service	Type supplemental transfer and the supplemental transfer and	Z	3.03	67.28	15.83		150.0	
10166- CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	3.52	69.26	18.89	3.01	150.0	±9.6 %
		Y	3.63	69.41	18.97		150.0	
		Z	3.54	68.96	18.65		150.0	
10167- CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	Х	4.34	72.30	19.40	3.01	150.0	±9.6 %
GAD								
GAD		Y	4.53	72.61	19.56		150.0	

Certificate No: EX3-3759_Dec16 Page 17 of 38



EX3DV4- SN:3759 December 16, 2016

10168- CAD	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	Х	4.92	75.00	20.95	3.01	150.0	±9.6 %
		Y	5.05	74.92	20.91		150.0	
		2	4.86	74.20	20.52		150.0	
10169- CAC	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	Х	2.94	68,69	18.63	3.01	150.0	± 9.6 %
500000		Y	3.06	69.43	19.00		150,0	
		Z	2.97	68.51	18.42		150.0	
10170- CAC	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	Х	4.15	75.29	21.28	3.01	150.0	± 9.6 %
	1111-1111111111111111111111111111111111	Y	4.43	76.35	21.68		150.0	
	I was a second of the second o	Z	4.11	74.52	20.83		150.0	La constitution
10171- AAC	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	×	3.30	70.50	18.18	3.01	150.0	±9.6 %
		Y	3.54	71.68	18.72		150.0	
and the same	A CONTRACTOR OF THE PROPERTY O	Z	3.31	70.02	17.86	M-556	150.0	1000
10172- CAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	5.72	82.17	24.47	6.02	65.0	± 9.6 %
		Y	9.41	91.72	28.09		65.0	-
	12. 12. 12. 12. 12. 12. 12. 12. 12. 12.	Z	7.05	84.62	25.03		65.0	
10173- CAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	10.09	89.06	25.03	6.02	65.0	±9.6 %
		Y	16.80	97.79	27.98		65.0	
		Z.	9.48	86.64	24.01		65.0	
10174- CAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	7.37	83.04	22.50	6.02	65.0	±9.6 %
2162.9		Y	11.94	90.83	25.28	100	65.0	1
		Z	6.31	79.38	21.04		65.0	
10175- CAD	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	2.90	68.35	18.36	3.01	150.0	± 9.6 %
	1000000	Y	3.02	69.11	18.74		150.0	
		Z	2.93	68.17	18.15		150.0	
10176- CAD	LTE-FDD (SC-FDMA, 1 R8, 10 MHz, 16-QAM)	X	4.15	75,31	21.29	3.01	150.0	± 9.6 %
		Y:	4.43	76.38	21.69		150.0	
V0.147.49.41	I make the contract post of the contract of th	Z	4.12	74.55	20.84	1.000000	150.0	1.000
10177- CAF	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	×	2.92	68.51	18.47	3.01	150.0	±9.6 %
		Y	3.05	69.27	18.84		150.0	
Constitution .	Carry II contract of the	Z	2.95	68.34	18.26	instant.	150.0	and the second
10178- CAD	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16- QAM)	Х	4.11	75.05	21.16	3.01	150.0	± 9.6 %
		Y	4.38	76.11	21.55		150.0	
		Z	4.07	74.28	20.70		150.0	
10179- CAD	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	Х	3,67	72.68	19.56	3.01	150.0	±9.6 %
	U December 1	Y	3.93	73.84	20.04		150.0	
		Z	3.66	72.05	19.16		150.0	1
10180- CAD	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64- QAM)	Х	3.29	70.43	18.13	3.01	150.0	±9.6 %
		Y	3.53	71.60	18.66		150.0	
		Z	3.30	69.94	17.80		150.0	
10181- CAC	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	×	2.92	68.49	18,46	3.01	150.0	± 9.6 %
		Y	3.04	69.25	18.83		150.0	
		Z	2.95	68.32	18.25		150.0	
10182- CAC	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	4.10	75.03	21.14	3.01	150.0	±9.6 %
		Y	4.37	76.08	21.54		150.0	
bearing.		Z	4.06	74.26	20.69		150.0	
10183- AAB	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	3.29	70.40	18.12	3.01	150.0	±9.6 %
		Y	3.52	71.58	18.65		150.0	
		Z	3.30	69.92	17.79		150.0	

Certificate No: EX3-3759_Dec16

Page 18 of 38



EX3DV4- SN:3759 December 16, 2016

10184- CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	Х	2.93	68.54	18,48	3.01	150.0	± 9.8 %
		Y	3.05	69.29	18.86		150.0	
AS AG		Z	2.96	68.36	18.28		150.0	
10185- CAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16- QAM)	X	4.12	75.11	21.19	3.01	150,0	± 9.6 %
		Y	4.39	76.16	21.58		150.0	
901 Section 1	I amount to the second of the	Z	4.08	74.34	20.73		150.0	
10186- AAD	LTE-FDD (SC-FDMA, 1 RB, 3 MHz. 64- QAM)	X	3.30	70.47	18.15	3.01	150.0	±9.6 %
		Y	3.54	71.65	18.69		150.0	
		Z	3.31	69.98	17.83		150.0	
10187- CAD	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	×	2.94	68.60	18.55	3.01	150.0	± 9.6 %
	,h 200	Υ	3.06	69.34	18.92		150.0	
		Z	2.97	68.41	18.34		150.0	
10188- CAD	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	4.28	75.90	21.62	3.01	150.0	± 9.6 %
paster -		Y	4.56	76.93	22.00		150.0	
		Z	4.23	75.10	21.18		150.0	
10189- AAD	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	×	3.38	70.93	18.45	3.01	150.0	± 9.6 %
		Y	3.63	72.12	18.98		150.0	
		Z	3.39	70.42	18.11		150.0	Laurence.
10193- CAB	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	×	4.51	66.56	16.08	0.00	150.0	± 9.6 %
		Y	4.56	66.52	16,10		150.0	
-		2	4.53	66.54	16.07		150.0	
10194- CAB	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.67	66.86	16.21	0.00	150.0	± 9.6 %
		Y	4.74	56.84	16.22		150.0	
torrors -	Control of the Contro	Z	4.71	66.85	16.19		150.0	
10195- CAB	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	4.71	86.89	16.23	0.00	150.0	± 9.6 %
		Y	4.78	66.87	16.24		150.0	
10.00		Z	4.75	66.88	16.21		150.0	
10196- CAB	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	4.51	66.61	18.10	0.00	150.0	± 9.6 %
		Y	4.57	66.59	16.12		150.0	
		Z	4.54	66.60	16.09		150.0	
10197- CAB	IEEE 802.11n (HT Mixed, 39 Mbps, 16- QAM)	Х	4.68	86.88	16.22	0.00	150.0	± 9.6 %
	Constant	Y	4.75	56.87	16.23		150.0	
		Z	4.72	66.87	18.21		150.0	
10198- CAB	IEEE 802.11n (HT Mixed, 65 Mbps, 64- QAM)	Х	4.71	66.91	16.24	0.00	150.0	± 9.6 %
onar-	1000000	Y	4.78	66.89	16.25		150.0	
		Z	4.75	66.90	16.22	-	150.0	
10219- CAB	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.45	66.63	16.06	0.00	150.0	± 9.6 %
71.00		Y	4.52	66.60	16.08		150.0	
		Z	4.49	66.61	18.05		150.0	
10220- CAB	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16- QAM)	×	4.68	66.85	16.21	0.00	150.0	± 9.6 %
		Y	4.75	66.84	16.23		150.0	
-	Company of the control of the contro	2	4.71	66.84	16.20		150.0	
10221-	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64- QAM)	Х	4.72	66.84	16.22	0.00	150.0	± 9.6 %
CAB		Y	4.79	66.82	18.24		150.0	7
CAB								
CAB	in our experience and a second	Z	4.76	66.83	16.21		150.0	
10222- CAB	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)			66.83 67.00	16.21 16.34	0.00	150.0 150.0	± 9.6 %
10222-	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	Z	4.76			0.00		± 9.6 %

Certificate No: EX3-3759_Dec16

Page 19 of 38



EX3DV4- SN:3759 December 16, 2016

10223- CAB	IEEE 802.11n (HT Mixed, 90 Mbps, 16- QAM)	X	5.36	67.23	16.47	0.00	150.0	± 9.6 %
	I would be a second of the sec	Y	5.41	67.21	16.46		150.0	
		Z	5.38	67.21	16.44		150.0	
10224- CAB	IEEE 802.11n (HT Mixed, 150 Mbps, 64- QAM)	X	5.10	67.11	16.32	0.00	150.0	± 9.6 %
		Y	5.15	67.13	16.33		150.0	
- Villaguer	A CAROLAN CATALON CATALON AND AND	2	5.13	67.12	16.30	- ones	150.0	Lucyson
10225- CAB	UMTS-FDD (HSPA+)	×	2.77	65.98	15.15	0.00	150.0	± 9.5 %
		Y	2.83	65.95	15.28		150.0	
33.000	Carried Indian September 1990 Control of the Contro	Z	2.80	65.95	15.20	1.000	150.0	12 CO 01 C
10226- CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	Х	10.78	90.30	25.53	6.02	65.0	±9.6%
		Y	18.21	99.33	28.54		65.0	
		Z	10.03	87.70	24.46		65.0	
10227- CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	10.09	87.96	24.17	6.02	65.0	±9.6 %
		Y	15.63	95.15	26.65		65.0	
		Z	9.34	85.43	23.15		65.0	
10228- CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	×	7.31	87.01	26.28	6.02	65.0	±9.6 %
7.100		Y	10.95	94.84	29.18		65.0	
		Z	7.62	86.37	25.74		65.0	
10229- CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16- QAM)	×	10.17	89.17	25.07	6.02	65.0	± 9.6 %
	300270.00	Y	16.93	97.90	28.02		65.0	
		Z	9.55	86.74	24.06		65.0	
10230- CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64- QAM)	Х	9.50	86,91	23.74	6.02	65.0	± 9.6 %
	100000	:Y:	14.60	93.92	26.19		65.0	
	Land the second second second second	Z	8.89	84.56	22.78		65.0	
10231- CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	7.01	86.13	25.89	6.02	65.0	± 9.6 %
		Y	10.42	93.80	28.76		65.0	
common a		Z	7.31	85.54	25.36	-m. 2003	65.0	
10232- CAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16- QAM)	Х	10.15	89.15	25.07	6.02	65.0	± 9.6 %
		Y	16.90	97.89	28.02		65.0	
		Z	9.53	86.72	24.05		65.0	
10233- CAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64- QAM)	X	9.48	86.89	23.74	6.02	65.0	± 9.6 %
200		Y	14.57	93.90	26.19		65.0	
		Z	8.87	84.54	22.78		65.0	
10234- CAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	6.75	85.32	25.48	6.02	65.0	± 9.6 %
men -		Y	9.96	92.79	28.31		65.0	
		Z	7.05	84.75	24.97		65.0	
10235- CAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	10,16	89.18	25.07	6.02	65.0	±9.6%
	2011co 700M	Y	16.93	97.93	28.03		65.0	
- Lincoln and a second		Z	9.53	86.74	24.06	- Internation	65.0	
10236- CAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	×	9.56	87.00	23.77	6.02	65.0	± 9.6 %
		Y	14.74	94.06	26.23		65.0	
	- Company of the Comp	Z	8.94	84.63	22.80		65.0	-
10237- CAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	×	7.01	86.17	25.90	6.02	65.0	± 9.6 %
		Y	10.44	93.88	28.79		65.0	
income	PARTICIPATE CONTRACTOR TRACKS ARRESTS	Z	7.31	85.57	25,38	- Contract	65.0	1000
10238- CAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	×	10.13	89,13	25.06	6.02	65.D	± 9.6 %
		Y	16.87	97.87	28.01		65.0	

Certificate No: EX3-3759_Dec16 Page 20 of 38



EX3DV4- SN:3759 December 16, 2016

10239- CAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz. 64-QAM)	Х	9.45	86.85	23.73	6.02	65.0	± 9.6 %
		Y	14.53	93.88	26.18		65.0	1
Assessed to	Carrent service and a contract of the contract	Z	8.85	84.51	22.77		65.0	-
10240- CAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	6.99	86.13	25.89	6.02	65.0	± 9.6 %
		Y	10.41	93.83	28.77		65.0	
September 1	University of the Control of the Con	Z	7.29	85.53	25.36		65.0	
10241- CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	7.79	79.73	24.31	6.98	65.0	± 9.6 %
		Y	8.42	B1.17	25.17		65.0	
27-2-1		Z	7.92	79.16	23.95		65.0	
10242- CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 54-QAM)	X	6.94	77.37	23.25	6.98	65.0	± 9.6 %
		Y	7.74	79.42	24.37		65.0	
		Z	7.57	78.24	23.48		65.0	
10243- CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	Х	5.66	74.09	22.69	6.98	65.0	±9.6 %
F-1112	Q=0'=10'-	Y	6.19	75.82	23.73		65.0	
		Z	8.21	75.30	23.08		65.0	
10244- CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	4.96	72.07	16.30	3.98	65.0	± 9.6 %
50010		Y	5.84	74.71	17.98		65.0	
		2	5.20	72.29	16.57		65.0	
10245- CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	×	4.88	71.59	16.05	3.98	65.0	± 9.6 %
		Y	5.75	74.21	17.72		65.0	
		Z	5.14	71.89	16.35		65.0	
10246- CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	Х	4.47	73.89	17,41	3.98	65.0	±9.6 %
		Y	5.47	77.07	19.20		65.0	
	The second secon	Z	4.77	74.32	17.73		65.0	
10247- CAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	Х	4.63	71.67	17,14	3.98	65.0	±9.6 %
		Y	5.15	73.39	18.35		65.0	
10000		Z	4.89	72.04	17.43		65.0	
10248- CAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	4.65	71.25	16.95	3.98	65.0	± 9.6 %
		Y	5.17	72.96	18.15		65.0	
35.55		Z	4.91	71.65	17.25		65.0	
10249- CAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	5.53	77.21	19.69	3.98	65.0	± 9.6 %
		Y	6.51	79.92	21.12		65.0	
		2	5.73	77.18	19.73		65.0	
10250- CAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	Х	5.62	74.50	20.04	3.98	65.0	±9.6 %
277 3		Y	6.03	75.68	20.80		65.0	
7570		Z	5.84	74.62	20.08	To Commercial Control	65.0	
10251- CAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	х	5.39	72.60	18.87	3.98	65.0	±9.6%
		Y	5.81	73.80	19.68		65.0	
		2	5.61	72.77	18.95		65.0	
10252- CAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	6.09	77.92	20.96	3.98	65.0	± 9.6 %
		Y	6.81	79.77	21.91		65.0	
-		Z	6.26	77.73	20.83		65.0	
10253- CAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	5,55	72.06	19.02	3.98	65.0	±9.6 %
		Y	5.89	73.04	19.68		65.0	
	The second of th	Z	5.75	72.20	19.06		65.0	
10254- CAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	5.90	73.00	19.76	3.98	65.0	± 9.6 %
		16		100 00	- Indiana in			
		Y	6.23	73.89	20.36		65.0	

Certificate No: EX3-3759_Dec16

Page 21 of 38



EX3DV4- SN:3759 December 16, 2016

10255- CAC	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	5.95	75.57	20.30	3.98	65.0	±9.6%
		Y	6.42	76.79	20.97		65.0	
		Z	6.12	75.49	20.20		65.0	
10256- CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	3.81	68.27	13.54	3.98	65.0	±9.6 %
		Y	4.62	71.09	15.45		65.0	
		Z	4.13	66.93	14.09	-	65.0	
10257- CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz. 64-QAM)	X	3,75	67.76	13.21	3.98	65.0	± 9.6 %
		Y	4.53	70.48	15.09		65.0	
struit -		Z	4.08	68.47	13.80	A voca	65.0	1-5-3-10
10258- CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	3,43	69.78	14,77	3.98	65.0	± 9.6 %
		Y	4.26	73.06	16.79		65.0	
		Z	3.77	70.67	15.39		65.0	-
10259- CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	5.02	72.74	18.20	3.98	65.0	± 9.6 %
		Y	5.50	74.25	19.24		65.0	
		Z	5.25	72.99	18.38		65.0	
10260- CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	5.06	72.55	18.12	3.98	65.0	±9.6 %
The state of	With the second	Y	5.54	74.03	19.16		65.0	-
		Z	5.30	72.82	18.32		65.0	
10261- CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	5.53	76.85	19,97	3.98	65.0	± 9.6 %
	TOWNS TO THE TOWNS TO THE TOWN TOWN TO THE	Y	6.33	79.10	21.18		65.0	
		Z	5.72	76.78	19.95		65.0	
10262- CAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	5.61	74.44	19,99	3.98	65.0	±9.6%
		Y	6.02	75.63	20.76		65.0	
		Z	5.82	74.57	20.04		65.0	
10263- CAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	5.38	72,58	18.86	3.98	65.0	± 9.6 %
	2.1.30.107	Y	5.80	73.78	19.67		65.0	
San Carrier Commercial		Z	5.60	72.75	18.94		65.0	
10264- CAC	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	6.03	77.74	20.87	3.98	65.0	±9.6 %
		Y	6.76	79.60	21.82		65.0	
		Z	6.20	77.56	20.75		65.0	
10265- CAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	5.64	72.49	19.24	3.98	65.0	± 9.6 %
	300	Y	6.02	73.58	19.91		65.0	
		Z	5.85	72.65	19.26		65.0	
10266- CAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	5.02	73.52	20.05	3.98	65.0	± 9.6 %
10.27		Y	6.38	74.46	20.65		65.0	
		Z	6.24	73.65	20.06		65.0	
10267- CAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	6.18	76.05	20.30	3.98	65.0	±9.6 %
the same of the sa	- Control of the Cont	Y	6.71	77.35	20.96		65.0	
		Z	6.35	75.94	20.17		65.0	
10268- CAC	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	6.32	72.70	19.77	3.98	65.0	±9.6 %
-	TO STANDARD STANDARD	Y	6.64	73.53	20.28		65.0	
		Z	6.53	72.85	19.78		65.0	
10269-	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	6.32	72.36	19.68	3.98	65.0	± 9.6 %
GAG		Y	6.62	73.14	20.18		65.0	
CAC		_		72.52	19.69		65.0	
GAG		7	6.52					
10270-	LTE-TDD (SC-FDMA, 100% RB, 15 MHz OPSK)	X	6.52	74.18	19.71	3.98	65.0	± 9.6 %
2000	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)					3.98		± 9.6 %

Certificate No: EX3-3759_Dec16 Page 22 of 38



EX3DV4-SN:3759 December 16, 2016

10274- CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.56	66,31	15.06	0.00	150.0	±9.6%
		Y	2.60	66.23	15.15		150.0	
Laurence .		Z	2.58	66.22	15.07		150.0	
10275- CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.56	67.20	15.15	0.00	150.0	± 9.6 %
		Y	1.60	67.39	15.30		150.0	
Beter	C. vo. 0009 4 m 610	Z	1.57	67.13	15.13		150.0	
10277- CAA	PHS (QPSK)	X	2.51	62.11	7.79	9.03	50.0	±9.6 %
		Y	2.65	62.75	8.40		50.0	
-100000		Z	2.82	62.87	8.60		50.0	
10278- CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	Х	4.25	69.59	14.12	9.03	50.0	±9.6 %
		Y	5.28	73.26	16.24		50.0	
		Z	4.70	70.64	14.97		50.0	
10279- GAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	4.36	69.82	14.27	9.03	50.0	± 9.6 %
		Y.	5.43	73.55	16.40		50.0	
		Z	4.80	70.86	15.10		50.0	
10290- AAB	CDMA2000, RC1, SO55, Full Rate	×	1.34	67.70	13.35	0.00	150.0	± 9.6 %
0.000		Y	1.45	68.27	13.99		150.0	
		Z	1.39	67.96	13.69		150.0	
10291- AAB	CDMA2000, RC3, SO55, Full Rate	X	0.79	65.05	11.96	0.00	150.0	± 9.6 %
		Y	0.83	65.36	12.46		150.0	
		Z	0.81	65.16	12.22		150.0	
10292- AAB	CDMA2000, RC3, SO32, Full Rate	X	0.99	68.85	14.23	0.00	150.0	±9.6 %
1100		Y	1.02	68.99	14.65		150.0	
	The same of the sa	Z	1.00	68.77	14.41		150.0	
10293- AAB	CDMA2000, RC3, SO3, Full Rate	X	1.54	75.17	17,42	0.00	150.0	±9.6 %
		Y	1.47	74.27	17.42		150.0	
		Z	1.49	74.55	17.40		150.0	
10295- AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	7.71	79.88	21.20	9.03	50.0	± 9.6 %
		Y	8.10	81.66	22.53		50.0	
		Z	7.32	78.59	20.91		50.0	
10297- AAB	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	Х	2.67	69.12	16.34	0.00	150.0	±9,6%
		Y	2.75	69.34	16.40		150.0	
		Z	2.70	69.14	16.31		150.0	
10298- AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	1.48	66.88	13.56	0.00	150.0	±9.6 %
100	Self- AV	Y	1.59	67.41	14.16		150.0	
		Z	1.54	67.14	13.88		150.0	
10299- AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	2.42	68,39	13.40	0.00	150.0	± 9.6 %
	The state of the s	Y	2.73	69.76	14.46		150.0	
74000		Z	2.44	68.28	13.57		150.0	
10300- AAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	1.84	64.34	10.71	0.00	150.0	±9.6 %
		Y	2.07	85.41	11.70		150.0	
		Z	1.91	64.53	11.04		150.0	
10301- AAA	IEEE 802.16e WIMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4,69	65.32	17.32	4.17	50.0	± 9.6 %
		Y	4.87	65.71	17.64		50.0	
		Z	4.69	65.00	17.16		50.0	
	the second secon			65.80	17.95	4.96		-005
10302- AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	5.14	00,00	17.30	+.90	50.0	± 9.6 %
	10MHz, QPSK, PUSC, 3 CTRL symbols)	Y	5.30	66.07	18.21	4.90	50.0	19.6%

Certificate No: EX3-3759_Dec16

Page 23 of 38



EX3DV4- SN:3759 December 16, 2016

MAG		Y	5.42	67.08	16.37		150.0	
AAC	99pc duty cycle)			1				
10401-	IEEE 802_11ac WIFI (40MHz, 64-QAM,	X	5.37	67.10	16.37	0.00	150.0	± 9.6 %
Hap Nills		Z	4.69	66.88	16.17	0.00	150.0	1000
		Y	4.73	66.90	16.22		150.0	
10400- AAC	IEEE 802,11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.65	66.89	16.19	0.00	150.0	± 9.6 %
		Z	4.58	66.51	16.12	-	150.0	100000
-		Y	4.61	66.53	16,19		150.0	
10317- AAB	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.54	66.52	16.14	0.17	150.0	±9.6 %
		Z	4.58	66.51	16.12	0.17	150.0	
		Y	4.61	66.53	16.19		150.0	
10316- AAB	IEEE 802.11g WiFi 2.4 GHz (ERP- OFDM, 6 Mbps, 96pc duty cycle)	Х	4,54	66.52	16.14	0,17	150.0	±9.6 %
		Z	1.09	63.30	14.74		150.0	V455315
		Y	1.09	63.43	14.89		150.0	
10315- AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.08	63,30	14.76	0.17	150.0	±9.6 %
		Z	4.31	75.23	19.53		30.0	
AAA		Y	4.80	78.08	20.77	050000	30.0	17.55
10314-	IDEN 1:6	X	4.25	75.97	19,87	10.00	30.0	±9.6 %
		Y	3.67	72.42	15.81		70.0	
AAA	Comment of the Commen	34	0.07	70.10	45.04	1810	70.0	
10313-	IDEN 1:3	X	3.20	70.67	15.02	6.99	70.0	±9.6 %
		2	3.06	68.51	16.00		150.0	
AAB	MHz, QPSK)	Y	3.11	68.68	16.08		150.0	
10311-	LTE-FDD (SC-FDMA, 100% RB, 15	X	3.03	68.47	16.02	0.00	150.0	± 9.6 %
		Z	4.85	67.00	19.24		35.0	-
	The second control of the symbols	Y	4.82	66.87	19.39		35.0	
10310- AAA	IEEE 802.16e WIMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	A	4.68	66.58	18,98	6.02	35.0	12.6%
10310-	ICCC AND ARA WILLIAM ION AR ANNO	Z	4.94	67.08 66.58	19.38	6.02	35.0 35.0	±9.6 %
		Y	4.93	67.03	19.56		35.0	
AAA	10MHz, 16QAM, AMC 2x3, 18 symbols)							2.0.76
10309-	IEEE 802.16e WiMAX (29:18, 10ms,	X	4.80	66.66	19.42	6.02	35.0	±9.6 %
		Y Z	4.76	67.28	19.56		35.0 35.0	
AAA.	10MHz, 16QAM, PUSC)		122		10.00			
10308-	IEEE 802.15e WIMAX (29:18, 10ms,	X	4.62	66.91	19.13	6.02	35.0	±9.6 %
yerzan 6	and the second s	Z	4.81	67.17	19.27	Ner arriva	35.0	Lagorius
AAA	10MHz, QPSK, PUSC, 18 symbols)	Y	4.78	67.05	19.42		35.0	
10307-	IEEE 802.16e WIMAX (29:18, 10ms,	х	4.64	66.69	18.98	6.02	35.0	± 9.6 %
		Ż	4.88	66.88	19.24		35.0	
AAA	10MHz, 64QAM, PUSC, 18 symbols)	Y	4.86	66.77	19.40		35.0	
10306-	IEEE 802.16e WIMAX (29:18, 10ms,	X	4.73	66.49	18.99	6.02	35.0	±9.6 %
		Z	4.68	68.32	19.85		35.0	
AAA	10MHz, 64QAM, PUSC, 15 symbols)	Y	4.61	68.07	20.00		35.0	
10305-	IEEE 802.16e WIMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	4.47	67.68	19.47	6.02	35.0	±9.6 %
		Z	4.79	65.41	17.35		50.0	
001	Totaliz, d4G/wi, F03C)	Y	4.84	65.53	17.51		50.0	
10304- AAA	IEEE 802.16e WIMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.70	65.32	17.29	4.17	50.0	± 9.6 %
		Z	5.00	65.59	17.87		50.0	
		Y	5.05	65.75	18.08		50.0	
WA.	10MHz, 64QAM, PUSC)				Contract to the last term		-	

Certificate No: EX3-3759_Dec16

Page 24 of 38



EX3DV4—SN:3759 December 16, 2016

10402- AAC	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.62	67.39	16.39	0.00	150.0	± 9.6 %
		Υ	5.66	67.44	15.41		150.0	
		2	5.65	67.42	16.38	- Truck	150.0	- 10 m
10403- AAB	CDMA2000 (1xEV-DO, Rev. 0)	×	1.34	67.70	13.35	0.00	115.0	± 9.5 %
		Y	1.45	68.27	13.99		115.0	
Lance -		Z	1.39	67.96	13.69		115.0	
10404- AAB	CDMA2000 (1xEV-DO, Rev. A)	X	1.34	67.70	13.35	0.00	115.0	± 9.6 %
		Y	1.45	68.27	13.99		115.0	
		Z	1.39	67.96	13.69		115.0	
10406- AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	×	100.00	119.44	29.25	0.00	100.0	±9.6 %
		Y	100.00	119.94	29.56		100.0	
111111111111111111111111111111111111111		Z	22.65	100.63	25.07		100.0	
10410- AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	9.31	88.57	21.07	3.23	80.0	± 9.6 %
		Y	31.52	104.08	25.47		80.0	
		Z	6.87	83.66	19.48		80.0	
10415- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.02	62.66	14.35	0.00	150.0	± 9.6 %
		Y	1.01	62.70	14.40		150.0	
		Z	1.01	62.61	14.31		150.0	
10416- AAA	IEEE 802.11g WiFi 2.4 GHz (ERP- OFDM, 6 Mbps, 99pc duty cycle)	×	4.51	66.59	16.15	0.00	150.0	± 9.6 %
	1 24 24 1 1 1 2 4 1 1 1 1 1 1 1 1 1 1 1	Y	4.56	66.56	16.16		150.0	
		Z	4.54	66.57	16.14		150.0	THE PARTY OF
10417- AAA	IEEE 802.11a/h WIFI 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.51	66.59	16.15	0.00	150.0	± 9.6 %
	133.30 / 4 / 4 / 4 / 4 / 4 / 4 / 4 / 4 / 4 /	Y	4.56	66.56	16.16		150.0	
		Z	4.54	66.57	16.14	d freeze	150.0	de la constant
10418- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 6 Mbps, 99pc duty cycle, Long preambule)	×	4.50	66.76	16.18	0.00	150.0	±9.6 %
		Y	4.55	66.71	16.17		150.0	
0010	Name and the second sec	Z	4.53	66.73	16.15		150.0	
10419- AAA	IEEE 802,11g WiFi 2.4 GHz (DSSS- OFDM, 6 Mbps, 99pc duty cycle, Short preambule)	X	4.52	66.71	16.18	0.00	150.0	± 9.6 %
		Y	4.57	66.66	16.18		150.0	
		Z	4.55	66.68	16.16		150.0	
10422- AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.63	66.70	16.19	0.00	150.0	±9.6 %
	1000000	Y	4.69	56.67	16.20		150.0	
74.70		Z	4.67	66.68	16.17	1151000	150.0	To a link or
10423- AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	×	4.79	67.00	16.30	0.00	150.0	± 9.6 %
		Y	4.87	68.99	16.32		150.0	
1010		Z	4.83	66.99	16.29		150.0	
10424- AAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4,71	66.95	16.27	0.00	150.0	±9.6 %
		Y	4.78	66.94	16.29		150.0	
10105	DESCRIPTION OF THE PROPERTY OF	2	4.75	66.94	16.26		150.0	
10425- AAA	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	Х	5.32	67.24	16.45	0.00	150.0	± 9.6 %
		Y	5.38	67.26	16.47		150.0	
		Z	5.35	67.25	16.44		150.0	
10426- AAA	IEEE 802,11n (HT Greenfield, 90 Mbps, 16-QAM)	X.	5.33	67.30	16.48	0.00	150.0	±9.6 %
		Y	5.38	67.27	16.47		150.0	

Certificate No: EX3-3759_Dec16

Page 25 of 38



EX3DV4~ SN:3759 December 16, 2016

10459- AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.15	64.59	15.15	0.00	150.0	± 9.6 %
		Z	3.20	86.49	14.40	8.24	150.0	1555
	powerful Ele	Y	3.27	66.59	14.61		150.0	
AAA	carriers)	133	3500			0.00		19.0 %
10458-	CDMA2000 (1xEV-DO, Rev. B, 2	Z	3.80	65.22	15.84	0.00	150.0	± 9.6 %
		Y	3.81	65.20	15.87		150.0	-
AAA			250000					
10457-	UMTS-FDD (DC-HSDPA)	X	3.79	65.25	15.85	0.00	150.0	±9.6 %
		Z	6.21	67.82	16.60		150.0	
AAA	99pc duty cycle)	Y	6.24	67.83	16.62		150.0	
10456-	IEEE 802.11ac WiFi (160MHz, 64-QAM,	X	6.20	67.82	16.62	0.00	150.0	±9.6 %
0		Z	3.38	67.19	15.02	3/3555	150.0	L. Siesa
AAA	Clipping 44%)	Y	3.44	67.23	15.15		150.0	
10451-	W-CDMA (BS Test Model 1, 64 DPCH,	X	3,31	67.15	14.88	0.00	150.0	±9.6 %
transver.		Z	4.53	66.74	16.13	515000	150.0	
		Y.	4.55	66.74	16.16		150.0	
10450- AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	^	4.50	66.75	16.15	0.00	150.0	±9.6 %
10450	LITE FOR COEDMA SOLUTE E TAKE A	Z	4.33	66.81	16.10	0.00	150.0	+546
		Y	4.36	66.80	16.13		150.0	
AAA	Cliping 44%)	8	7055	11000000	17,58577,077	1 2 2 2 2	7.776-83X	100000
10449-	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1,	X	4.29	66.83	16.11	0.00	150.0	±9.6%
		Z	4.09	66.85 66.87	15.02		150.0 150.0	-
AAA	Clippin 44%)	Y	4.09	CCOF	46.00	100000	450.0	
10448-	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1,	X	4.01	66.90	15.97	0.00	150.0	± 9.6 %
		Z	3.49	67.04	15.41		150.0	
ron.	Copping 44 /s)	Y	3.54	67.05	15.51		150.0	
10447- AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.44	67.05	15.33	0.00	150.0	±9.6 %
10447-	LTC CDD (OCDAMA CARLO C TAKE)	2	6.61	83.07	19.24	0.00	80.0	1000
		Y	28.63	102.67	25.07		80.0	
AAB	QPSK, UL Subframe=2,3.4,7,8,9)							A.454 N
10435-	LTE-TDD (SC-FDMA, 1 RB, 20 MHz,	X	8.80	87.73	20.77	3.23	80.0	± 9.6 %
		Z	4.35	71.26	18.02		150.0	
AAA		100	4.05	74.00	40.00		450.5	
10434-	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.44	72.28	18.34	0.00	150.0	± 9.6 %
Acres 1	TANDERS - DESCRIPTION OF A SECURITION	Z	4.76	66.98	16.28		150.0	
non.		Y	4.80	66.98	16.31		150.0	
10433- AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.73	66.99	16.29	0.00	150.0	± 9.6 %
1010	A PER PROPERTY AND A PROPERTY AND A PERSON A	2	4.51	66.98	16.20	- Andrews	150.0	-
-4,346)		Υ	4.55	66.97	16.23		150.0	
10432- AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.48	67.00	16,21	0.00	150.0	±9.6 %
40400	LTE EDD (OCDAM AS MALE E TAKE A)	Z	4.21	67.09	16.11	0.00	150.0	
		Y	4.25	67.08	16.16	2	150.0	
AAA	10.000 (10.000 (10.00)					4.00		10.03
10431-	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.35	67.12	16.11	0.00	150.0	±9.6 %
		Y Z	4.26	70.45 71.18	18.05		150.0	
AAA	8 7 7		100	70.70		150		1541/411
10430-	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.31	71.33	18.36	0.00	150.0	± 9.6 %
		Z	5.37	67.26	16.43		150.0	
rout.	64-QAM)	Y	5.40	67.26	16.46		150.0	
AAA	IEEE 802,11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.34	67.25	16.45	0.00	150.0	±9.6 %

Certificate No: EX3-3759_Dec16

Page 26 of 38



EX3DV4- SN:3759 December 16, 2016

10460- AAA	UMTS-FDD (WCDMA, AMR)	×	0.86	66.78	15.35	0.00	150.0	± 9.6 %
nalistica.		Y	0.87	67.12	15.55		150.0	
		Z	0.85	66.64	15.28		150.0	
10461- AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2.3,4,7,8,9)	×	3.92	79.50	19.11	3,29	80.0	± 9.6 %
		Y	11.43	93.55	23.62		80.0	
33222	Company of the second s	Z	3.33	76.15	17.77		80.0	
10462- AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.13	61.41	8.85	3.23	80.0	± 9.6 %
		Y	1.51	63.93	10.23		80.0	
		Z	1.26	61.69	9.13		80.0	
10463- AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2.3,4,7,8.9)	×	0.98	60.00	7.66	3.23	80.0	± 9.6 %
		Y	1.14	61.02	8.38		80.0	
		Z	1.07	60.00	7.84		80.0	
10464- AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	×	3.04	75.75	17.25	3.23	80.0	± 9.6 %
		Y	8.41	88.42	21.50		80.0	
		Z	2.68	73.06	16.13		80.0	
10465- AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16- QAM, UL Subframe=2,3,4,7,8,9)	×	1.07	60.96	8.56	3.23	80.0	± 9.6 %
	purchase continues a sur-mation for	Y	1.39	63.13	9.80		80.0	-
		Z	1.20	61.26	8.86		80.0	
10466- AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64- QAM, UL Subframe=2,3,4,7,8,9)	X	0.99	60.00	7.61	3.23	80.0	± 9.6 %
	TOTAL CONTRACTOR OF THE CONTRA	Y	1.10	60.63	8.14		80.0	
		Z	1.07	60.00	7.79		80.0	Tana and
10467- AAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	×	3.20	76.51	17.55	3.23	80.0	± 9.6 %
		Y	9.35	89.88	21.96		80.0	
		Z	2.78	73.61	16.36	Torres o	80.0	
10468- AAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16- QAM, UL Subframe=2,3,4,7,8,9)	Х	1.08	61.07	8.64	3.23	80.0	± 9.6 %
		Y.	1.41	63.32	9.90		80.0	
	Annual Control of the	Z	1.21	61.36	8.93	- 5-	80.0	
10469- AAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64- QAM, UL Subframe=2,3,4,7.8,9)	X	0.98	60.00	7.61	3.23	80.0	±9.6 %
		Y	1.10	60.64	8.14		80.0	
	A CONTRACTOR OF THE CONTRACTOR	Z	1.07	60.00	7.79		80.0	
10470- AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.20	76.50	17.54	3.23	80.0	± 9.6 %
		Y	9.36	89.91	21.97		80.0	
Source 1		Z	2.77	73.60	16.35		80.0	
10471- AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16- QAM, UL Subframe=2,3,4,7,8,9)	×	1.08	61.04	8.61	3.23	80.0	± 9.6 %
		Y	1.41	63.27	9.86		80.0	
		Z	1.21	61.33	8.90		80.0	
10472- AAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64- QAM, UL Subframe=2.3,4,7,8,9)	×	0.98	60.00	7.60	3.23	80.0	± 9.6 %
	Mark Andrews Company (No. 1975) (1975) (1975)	Y	1.09	60.60	8.11		80.0	
10.10		Z	1.07	60.00	7.78		80.0	
10473- AAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	Х	3.19	76,46	17.52	3.23	80.0	± 9.6 %
		Y	9.33	89.85	21.94		0.08	
		Z	2.77	73.57	16.34	- Aller	80.0	1000
10474- AAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16- QAM, UL Subframe=2,3,4,7,8,9)	×	1.08	61,02	8.60	3.23	80.0	± 9.6 %
		Y.	1.40	63.25	9.85		80.0	
-	THE SAME OF THE SA	Z	1.20	61.32	8.89		80.0	
10475- AAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64- QAM, UL Subframe=2,3,4,7,8,9)	X	0.98	60.00	7.60	3.23	80.0	± 9.6 %
MB								
		Y	1.09	60.59	8.10		0.08	

Certificate No: EX3-3759_Dec16

Page 27 of 38



EX3DV4- SN:3759 December 16, 2016

10477- AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16- QAM, UL Subframe=2,3,4,7,8,9)	X	1.06	60.92	8.53	3.23	B0.0	±9.6 %
		Y	1.38	63.07	9.75		80.0	
2000	The same of the sa	Z	1.19	61.22	8.82		80.0	
10478- AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64- QAM, UL Subframe=2,3,4,7,8,9)	X	0.98	60.00	7.59	3.23	80.0	± 9.6 %
		Y	1.09	60.56	8.08		80.0	
		Z	1.07	60.00	7.77		80.0	
10479- AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	Х	4.14	76.27	18.98	3.23	80.0	±9.6 %
		Y	4.79	78.30	20.13		80.0	
		Z	3.76	74.09	18.13		0.08	
10480- AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.67	71,15	15.30	3.23	80.0	± 9.6 %
20,20,00		Y	4.79	74.51	17.04		80.0	
		Z	3.56	70,15	15.03		80.0	
10481- AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 54-QAM, UL Subframe=2,3,4,7,8,9)	×	3.10	68.67	13.94	3.23	80.0	± 9.6 %
		Y	4.07	71.92	15.71		80.0	
		Z	3.13	68.19	13.89		80.0	
10482- AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	Х	2.13	66.78	14.04	2.23	80.0	± 9.6 %
		Y.	2.63	69.43	15.68		80.0	
and a	A STATE OF THE STA	Z	2.28	67.25	14.40	interess:	80.0	THE PROPERTY.
10483- AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	Х	2.80	67.01	13.58	2.23	80.0	±9.6 %
		Y	3.57	70.12	15,47		80.0	
		Z	2.93	67.15	13.81	1000	80.0	
10484- AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2,73	66,47	13.34	2.23	80.0	± 9.6 %
		Y	3.45	69.45	15.20		80.0	
		Z	2.87	66.70	13.61		80.0	
10485- AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz. QPSK, UL Subframe=2,3,4,7,8,9)	Х	2.55	68.83	15.94	2.23	80.0	± 9.6 %
		Y	2.98	70.92	17.16		80.0	
		Z	2.67	68.99	16.05		80.0	
10486- AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	Х	2.67	66.45	14.37	2.23	80.0	± 9.6 %
		Y.	3.02	67.96	15.47		80.0	
		Z	2.81	66.75	14.64		80.0	
10487- AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.70	66.22	14.25	2.23	0.08	±9.6 %
and the second		Y	3.04	67.69	15.34		80.0	
Section 1		Z	2.84	66.54	14.53		0.08	
104BB- AAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	×	3.02	69.31	16.93	2.23	80.0	± 9.6 %
	The state of the s	Y	3.39	70,86	17.76		80:0	
Summer.	Comment of the Commen	Z	3.14	69.41	16.93	10,000	80.0	
10489- AAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	×	3.17	67.21	16.05	2.23	80.0	±9.6 %
		Y	3.40	68.06	16.65		80.0	
		Z	3.28	67.32	16.10		80.0	
10490- AAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	Х	3.27	67.16	16.05	2.23	80.0	± 9.6 %
		Y	3.50	67.96	16.63		80.0	
		Z	3.38	67.27	16.11		80.0	
10491- AAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	×	3.39	68.71	16.86	2.23	0.08	± 9.6 %
5110.2		Y	3.69	69.88	17.49		80.0	
		Z	3.50	68.83	16,85		80.0	
10492- AAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	×	3.59	66.97	16.31	2.23	80.0	± 9.6 %
- Annah and	THE PARTY OF THE P	Y	3.79	67.64	16.77		80.0	
			3.69	67.09	16.34		80.0	

Certificate No: EX3-3759_Dec16

Page 28 of 38



EX3DV4- SN:3759 December 16, 2016

10493- AAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.66	66.91	16.30	2.23	80.0	± 9.6 %
		Y	3.86	67.55	16.75		80.0	
		Z	3.77	67.03	16.34		80.0	5. 50
10494- AAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2.3,4,7,8,9)	X	3.57	69.75	17.16	2.23	80.0	± 9.6 %
		Y	3.95	71.16	17.86		80.0	
		Z	3.69	69.87	17.14		80.0	
10495- AAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	×	3.60	67.26	16.48	2.23	80.0	± 9.6 %
		Y	3.81	68.00	16.94		80.0	
		Z	3.71	67.39	16.50		80.0	
10495- AAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	×	3.70	67.12	16.46	2.23	80.0	± 9.6 %
		Y	3.90	67.79	16.90		80.0	
	The second secon	Z	3.81	67.25	16.48		80.0	
10497- AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	Х	1.56	63.22	11.36	2.23	80.0	±9.6 %
		Y	1.97	65.90	13.24		80.0	
Service .	The state of the s	Z	1.73	64.01	11.99		80.0	
10498- AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.39	60.03	8.67	2.23	80.0	±9.6 %
		Y	1.73	61.98	10.36		80.0	_
		2	1.57	60.86	9.43		80.0	_
10499-	LTE-TDD (SC-FDMA, 100% RB, 1.4	X	1.41	60.00	8.53	2.23		1000
AAA	MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)		ONE NO	60.00	6.53	2.23	80.0	±9.6 %
		Y.	1.69	61.56	10.00		80.0	
-		Z	1.54	60.51	9.11		80.0	
10500- AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	×	2,73	68.91	16.30	2.23	80.0	± 9.6 %
		Y	3.11	70.67	17.33		80.0	
	A ALEXANDER OF THE PROPERTY OF THE PARTY OF	Z	2.84	69.01	16.36		80.0	
10501- AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	2.90	66.88	15.08	2.23	80.0	± 9.6 %
		Y	3.20	68.06	15.95		80.0	
		Z	3.02	67.06	15.24		0.08	
10502- AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	2.96	66.81	14.99	2.23	80.0	± 9.6 %
	The state of the s	Y	3.26	67.97	15.86		80.0	
2000		Z	3.09	67.00	15.16		80.0	
10503- AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.99	69.14	16.84	2.23	80.0	± 9.6 %
	real-condens to a second to a	Y	3,36	70.70	17.68		80.0	
		Z	3.11	69.25	16.84		80.0	
10504- AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2.3,4,7,6,9)	х	3.16	67.12	15.99	2.23	80.0	± 9.6 %
	manufacture and a second of the second of th	Y	3.39	67.99	16.60		80.0	
		Z	3.26	67.23	16.05		80.0	
10505- AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2.3.4.7.8,9)	х	3.26	67,07	15,99	2.23	80.0	±9.5 %
	The second secon	Y	3.49	67.88	16.58		80.0	
		Z	3.36	67.1B	16.05		80.0	
10506- AAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3.4,7.8,9)	X	3.54	69.63	17.10	2.23	80.0	± 9.6 %
		Y	3.92	71.03	17.79		80.0	
-	A CONTRACTOR OF THE CONTRACTOR	Z	3.67	69.75	17.08		80.0	
0507- AB	LTE-TDD (SC-FDMA, 100% R8, 10	X	3.59	67.20	16.44	2.23	80.0	± 9.6 %
10507- AAB	MHz, 16-QAM, UL. Subframe=2,3,4,7,8,9)				l			34395403
	MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	Y	3.80	67.94	16.91		80.0	

Certificate No: EX3-3759_Dec16

Page 29 of 38



EX3DV4- SN:3759 December 16, 2016

10508- AAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	х	3.69	67.05	16.42	2.23	80.0	± 9.6 %
	A STATE OF THE STA	Y	3.89	67.73	16.86		80.0	
		Z	3.79	67.18	16.44		80.0	
10509- AAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4,00	69,12	16.94	2.23	80.0	±9.6 %
-	[Miles di Grand Gr	Y	4.31	70.17	17.46		80.0	
		Z	4.11	69.24	16.92		80.0	
10510- AAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2.3,4,7,8,9)	×	4.11	67.23	16.60	2.23	80.0	±9.6 %
		Y	4.31	67.87	16.99		0.08	
		Z	4.22	67.38	16.62		80.0	
10511- AAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	х	4.18	67.07	16.58	2.23	80.0	± 9.6 %
	Partier in the Society of the World Co.	Y	4.37	67.66	16.94		0.08	
		Z	4.28	67.21	16.60		80.0	1
10512- AAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	Х	4.04	70,10	17.19	2.23	0.08	±9.6 %
		Y	4.44	71.46	17.84		80.0	
Late Law are		Z	4.16	70.23	17.17		B0.0	
10513- AAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	×	3.98	67.37	16.64	2.23	80.0	± 9.6 %
	The state of the s	Y	4.19	68.10	17.06		80.0	
		Z	4.09	67.53	16.66		80.0	
10514- AAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X.	4.03	67.08	16.58	2.23	80.0	±9.6%
		Y	4.22	67.73	16.97		80.0	
		Z	4.13	67.24	16.60		80.0	
10515- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	×	0.98	62.80	14.38	0.00	150.0	± 9.6 %
		Y	0.97	62.85	14.44		150.0	
-Water Land		Z	0.97	62.75	14.34		150.0	
10516- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	×	0.54	67.42	15.76	0.00	150.0	±9.6 %
		Y	0.55	68.23	16.12		150.0	
-0.00	PRINTE-MASSISSION MADERNANCE ACCUSES SEE	Z	0.53	67.19	15.61	7-10-00	150.0	
10517- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.81	64.28	14.78	0.00	150.0	±9.6 %
		Y	0.82	64.48	14.91		150.0	
		Z	0.81	64.21	14.72		150.0	
10518- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.50	66.67	16.13	0.00	150.0	±9.6 %
200	CONTRACTOR AND CONTRA	Y	4.56	66.63	16.14		150.0	
10519-	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12	X	4.53 4.67	66.65 66.89	16.11 16.24	0.00	150.0 150.0	±9.6 %
AAA	Mbps, 99pc duty cycle)	Y	4.75	56.87	16.26		150.0	
		Z	4.75	66.88	16.20		150.0	
10520-	JEEG ON THE MIE & CHE (CENT)	X	4.71	66.84	16.16	0.00	150.0	±9.8 %
AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	Y	4,52	66.83	16,18	0.00	150.0	1 0.0 %
		Z	4.60	66.83	16.18		150.0	
10521- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.46	66.82	16.14	0.00	150.0	±9.6%
ANA	mupa, sopo outy cytatey	Y	4.53	66.83	16.17		150.0	
	1	Z	4.50	66.82	16.13		150.0	
10522-	IEEE 802.11a/h WIFI 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	×	4.52	66.94	16.24	0.00	150.0	±9.6 %
AAA	1. Therefore works waste scripture.			_				_
nnn		Y	4.59	66.90	16.25	1	150.0	

Certificate No: EX3-3759_Dec16

Page 30 of 38



EX3DV4- SN:3759 December 16, 2016

10523- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	×	4.41	56.82	16.10	0.00	150.0	±9.6 %
		Y	4.47	86.77	16.09		150.0	
Zene i		Z	4.44	66.79	16.07		150.0	
10524- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.46	66.85	16.20	0.00	150.0	± 9.6 %
		Y	4.53	66.82	16:21		150.0	1
Seem	The second second second second	Z	4.50	66.83	16.19		150.0	
10525- AAA	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4,46	65.92	15.81	0.00	150.0	±9.6 %
		Y	4.51	65.87	15.81		150.0	
		Z	4,49	65.89	15.79		150.0	
10526- AAA	IEEE 802.11ac WIFI (20MHz, MCS1, 99pc duty cycle)	X	4.61	66.26	15.94	0.00	150.0	±9.6 %
	No Antonio San Branco	Y	4.69	66.24	15.95		150.0	
	AMERICAN AND ALL TANKS TONIAL VANDAL	Z	4.65	66.25	15.92		150.0	
10527- AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	Х	4.54	66.22	15.88	0.00	150.0	± 9.6 %
3-11/2	STOCKER CONTRACTOR	Y	4,61	66.20	15.89		150.0	
10000	Service App. 14. 140ap 10.11	Z	4.57	66.21	15.87		150.0	-
10528- AAA	IEEE 802,11ac WiFi (20MHz, MCS3, 99pc duty cycle)	×	4.55	66,23	15.91	0.00	150.0	±9.6 %
		Y	4.62	66.22	15.92		150.0	
10500	HERE OND AS HARE COLUMN TO A SEC.	Z	4.59	66.22	15,90	-	150.0	
10529- AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.55	66.23	15.91	0.00	150.0	± 9.6 %
		Y	4.62	66.22	15.92		150.0	
10001	WEEK DOD ALL - MASS (SOME) - MASS	Z	4.59	66.22	15.90		150.0	
10531- AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.54	66.31	15.91	0.00	150,0	±9.6 %
		Y	4.62	86.33	15.94		150.0	
		Z	4.58	66.32	15.90		150.0	
10532- AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	×	4,40	66.17	15.85	0.00	150.0	± 9.6 %
		Y	4.48	66.18	15.87		150.0	
10533-	NEEE BDD 44 MEE (DOME) - MCCO	Z	4.44	66.17	15.84		150.0	
AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	×	4.58	66.29	15.91	0.00	150.0	±9.6 %
		Y	4.63	66.26	15.91		150.0	
10534-		Z	4.60	55.27	15.89		150.0	
10534- AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	5.10	66.34	15.99	0.00	150.0	± 9.6 %
		Y	5.15	66.35	15.99		150.0	
ADERE	1000 000 11 1100 1101 1101 1101 1101 1	Z	5.13	66.34	15.97		150.0	
10535- AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	5.16	66.51	16.07	0.00	150.0	± 9.6 %
		Y	5.22	66.51	16.06		150.0	
10536-	HEEF ORD IN THE MENT MADE IN THE	Z	5.19	66.51	16.04		150.0	The second
AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	×	5.03	66.46	16.02	0.00	150.0	± 9.6 %
	-	Y	5.09	66.47	16.02		150.0	
10537-	VEEE BOO SECURITY (ARMIN) AND TO	Z	5.06	66.46	16.00	-	150.0	
10537- AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	×	5.09	66.43	16.01	0.00	150.0	± 9.6 %
		Y	5.15	65.44	16.01		150.0	
10538- AAA	IEEE 802.11ac WIFI (40MHz, MCS4,	X	5.12 5.17	66.43 66.44	15.99 16.05	0,00	150.0	±9.6%
7001	99pc duty cycle)	W	5.04	PE 13	45.00		1000	
		Z	5.24	66.47	16.07		150.0	
10540-	IEEE 802.11ac WiFi (40MHz, MCS6.	X	5.10	66.45	16.04	0.00	150.0	
AAA	99pc duty cycle)			66.43	16.07	0.00	150.0	± 9.6 %
		Y	5.17	66.48	16.08		150.0	
	Annual Control of the	Z	5.14	66.46	16.06		150.0	

Certificate No: EX3-3759_Dec16

Page 31 of 38



EX3DV4- SN:3759 December 16, 2018

							1 7 7 7 7 7 7 7 7	100
10557- AAA	IEEE 1602.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	Y	5.93	67.10	16.18	0.00	150.0	± 9.0 %
10557-	IFFE 1000 11- USE HEREIN NOON	Z	5.99 5.93	67.16 67.04	16.20	0.00	150.0	±9.6 %
		Y	6.01	67.18	16.22		150.0	
10556- AAA	99pc duty cycle)	12.5	3775 7.1	67.15	16.22	0.00	735000	1 9.6 %
10556-	IEEE 1602.11ac WiFi (160MHz, MCS2,	Z	5.97	67.11	16.18	0.00	150.0	±9.6%
		Y	5.99	67.13	16.20	_	150.0	
AAA	99pc duty cycle)	100	20074	100000	SAME.	0.00	Jan	19.0%
10555-	IEEE 1602.11ac WiFi (160MHz, MCS1,	X	5.85	67.09	16.06	0.00	150.0	± 9.6 %
	The state of the s	Z	5.85 5.85	66.84 66.83	16.08		150.0	
AAA	99pc duty cycle)		Hopers			0.00	100000	1.0.0.76
10554-	IEEE 1602.11ac WIFI (160MHz, MCS0,	Z	5.53	66.58 66.82	16.00	0.00	150.0	± 9.6 %
		Y	5.56	66.59	16.02		150.0	
AAA	99pc duty cycle)			10-000000000000000000000000000000000000		0.00		±9.0 %
10553-	IEEE 802.11ac WIFI (80MHz, MCS9,	Z	5.45	66.54 66.55	15.95	0.00	150.0	±9.6 %
		Y	5.47	66.54	15.97	-	150.0	
AAA	99pc duty cycle)		39,039,0	19.454.6	171,000	- Marie	. 1, 4 9 1 9 .	2 9 0 7
10552-	IEEE 802.11ac WiFi (80MHz, MCS8.	X	5.43	66.53	15.97	0.00	150.0	±9.6%
		Z	5.56	66.74	16.06		150.0	
AAA	99pc duty cycle)		F 50	00.74	10.05		100.0	
10551-	IEEE 802.11ac WiFi (80MHz, MCS7,	X	5.50	66.70	16.05	0.00	150.0	±9.6 %
		Z	5.53	66.68	16.05		150.0	
AVVI.	Sapo duty cycle)	Y	5.55	66.69	16.07		150.0	
10550- AAA	IEEE 802.11ac WiFi (B0MHz, MCS6, 99pc duty cycle)	X	5.50	66.68	16.08	0.00	150.0	±9.6 %
1222-		Z	5.78	67.52	16.42		150.0	171711111111111111111111111111111111111
	2003 Protein de la company	Y	5.84	67.61	16.49		150.0	
AAA	99pc duty cycle)	-	2.10	200	10.40	5.00	150.0	1 3.0 %
10548-	IEEE 802.11ac WiFi (80MHz, MCS4,	X	5.75	67.47	16.43	0.00	150.0	± 9.6 %
		Z	5.60	66.73 66.71	16.07		150.0 150.0	
AAA	99pc duty cycle)	100	E 00	00.70	46.03	3-22-2	450.0	F887054
10547-	IEEE 802.11ac WiFi (80MHz, MCS3,	X	5.54	66.68	16.06	0.00	150.0	± 9.6 %
		Z	5.50	66.67	16.03		150.0	_
NAA .	99pc duty cycle)	Y	5.53	66.69	16.07		150.0	
10546- AAA	IEEE 802.11ac WIFI (80MHz, MCS2,	X	5.47	66.63	16.04	0.00	150.0	± 9.6 %
10546-		Z	5.62	66.88	16.11		150.0	
		Y	5.65	66.87	16.14		150.0	
AAA	IEEE 802.11ac WIFI (80MHz, MCS1, 99pc duty cycle)	×	5.60	66,86	16.14	0.00	150.0	± 9.6 %
10545-	IEEE BOX 11ac WIEL (BOXALLA 1400)	Z	5.44	66.47	15.97	0.00	150.0	1000
		Y	5.46	66.47	15.99		150.0	
AAA	99pc duty cycle)		80,000	27510	112035	0.00	150.0	± 9.6 %
10544-	IEEE 802.11ac WiFi (80MHz, MCS0,	Z	5.34	66.45 66.46	15.99	0.00	150.0	
		Y	5.38	66.46	16.10		150.0	
AAA	99pc duty cycle)	32.7	3777	87/68	10,20,000	U.UU	Negative.	1.0.0 %
10543-	IEEE 802.11ac WIFI (40MHz, MCS9,	X	5.31	66.43	16.09	0.00	150.0	± 9.6 %
		Z	5,30	66.42 66.42	16.06		150.0	
AAA	99pc duty cycle)		2000	2500	10,2000	0,00	050000	£ 2.0 70
10542-	IEEE 802.11ac WIFI (40MHz, MCS8.	Z	5.11	66.34 66.41	15.99	0.00	150.0 150.0	±9.6 %
		Y	5.14	66.35	16.01		150.0	
001	99pc duty cycle)		557-	_33332_		2500	37777	5)888
0541- .AA				66.33	16.00	0.00	150.0	± 9.6 %

Certificate No: EX3-3759_Dec16

Page 32 of 38



EX3DV4- SN:3759 December 16, 2016

10558- AAA	IEEE 1602.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	×	5.98	67.19	16.27	0.00	150.0	± 9.6 %
	oops dady cycley	Y	6.03	67.25	16.30		150.0	
		Z	6.00	67.22	16.26		150.0	
10560- AAA	IEEE 1602,11sc WiFi (160MHz, MCS6, 99pc duty cycle)	Х	5.97	67.05	16.24	0.00	150.0	± 9.6 %
		Y	6.03	67.11	16.26		150.0	
0.1068	Control & Consumer of Support States and Secretary	Z	6.00	67.09	16.23		150.0	L. Breeze
10561- AAA	IEEE 1602.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	×	5.90	67.03	16.26	0.00	150.0	±9.6 %
		Y	5.95	67.07	16.28		150.0	
		Z	5.92	67.05	16.25		150.0	
10562- AAA	IEEE 1602.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	6.00	67.34	16.42	0.00	150.0	±9.6 %
	1 M. 1 C. 2 C	Y	6.07	67.46	16.47		150.0	
		Z	6.03	67.39	16.42		150.0	
10563- AAA	IEEE 1602.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	6.12	67.33	16.37	0.00	150.0	±9.6%
56450	1.11/21/2012/00/2012/12/2012/2012/2012/2	Y	6.33	67.84	16.62		150.0	
		Z	6.22	67.58	16.47		150.0	
10564- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 9 Mbps, 99pc duty cycle)	×	4.82	66.72	16.26	0.46	150.0	±9.6 %
	31-31-31-31-31-31-31-31-31-31-31-31-31-3	Y	4.88	66.71	16.29		150.0	
		Z	4.85	66.70	16.25		150.0	
10565- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 12 Mbps, 99pc duty cycle)	X	5.04	67.16	16.59	0.46	150.0	± 9.6 %
12/2/01/1		Y	5.12	67.16	16.62		150.0	
		Z	5.08	67.16	16.58	10.00100	150.0	
10566- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 18 Mbps, 99pc duty cycle)	X	4.87	66.99	16.39	0.46	150.0	± 9.6 %
7001		Y	4.95	67.00	16.43		150.0	
		Z	4.91	66.99	16.38		150.0	
10567- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 24 Mbps, 99pc duty cycle)	X	4.91	67.40	16.77	0.46	150.0	± 9.6 %
		Y	4.98	67.39	16.78		150.0	
	Same control of the c	Z	4.95	67.42	16.77		150.0	
10568- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 36 Mbps, 99pc duty cycle)	×	4.78	66.73	16.14	0.46	150.0	± 9.6 %
		Y	4.86	66.77	16.20		150.0	
		Z	4.82	66.72	16.12		150.0	
10569- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 48 Mbps, 99pc duty cycle)	X	4.87	67.52	16.84	0.46	150.0	± 9.6 %
		Y	4.92	67.45	16.62		150.0	
		Z	4:90	67.50	16.82		150.0	
10570- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 54 Mbps, 99pc duty cycle)	Х	4.90	67.36	16.78	0.46	150.0	± 9.6 %
Charles .	Philadian interlibration desired and acceptance	Y	4.97	67.31	16.76		150.0	
		Z	4.94	67.35	16.75		150.0	
10571- AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.15	63.68	14.91	0.46	130.0	± 9.6 %
		Y	1.16	63.96	15.15		130.0	
		Z	1,16	63.74	14.90		130.0	
10572- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.16	64,17	15.22	0.46	130.0	±9.6 %
		Y	1.18	64.46	15.46		130.0	
	A STATE OF THE PROPERTY OF THE PARTY OF THE	Z	1.17	64.22	15.21	2000	130.0	27,500,000
10573- AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	×	1,12	74.63	18.77	0.46	130,0	±9.6 %
		Y	1.36	77.97	20.13		130.0	
DIAMES OF	STREET, STREET	Z	1.14	74.59	18.64		130.0	
10574-	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11	X	1.20	68,65	17.56	0.46	130.0	± 9.6 %
AAA	Mbps, 90pc duty cycle)							
AAA	Mops, 90pc duty cycle)	Y	1.24	69.24	17.90		130.0	

Certificate No: EX3-3759_Dec16

Page 33 of 38



EX3DV4—SN:3759 December 16, 2016

10575- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 6 Mbps, 90pc duty cycle)	X	4.59	66.43	16.23	0.46	130.0	±9.6 %
No.		Y	4,66	66.45	16.30		130.0	
		Z	4.63	66.42	16.22		130.0	
10578- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 9 Mbps, 90pc duty cycle)	Х	4.62	66.61	16,31	0.46	130.0	± 9.6 %
D2030		Y	4.68	66.61	16.36		130.0	
		Z	4.65	66.59	16.29		130.0	
10577- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 12 Mbps, 90pc duty cycle)	х	4.81	66.89	16.48	0.46	130.0	±9.6 %
		Y	4.89	66.92	16.54		130.0	
		Z	4.85	66.89	16.47		130.0	
10578- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 18 Mbps, 90pc duty cycle)	Х	4.71	67.05	16.59	0.46	130.0	± 9.6 %
		Y	4.79	67.06	16.63		130.0	
Suppliere.	ENTRE OF THE PROPERTY OF THE P	Z	4.75	67.05	16.58		130.0	
10579+ AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 24 Mbps, 90pc duty cycle)	Х	4.46	66.25	15.84	0.46	130.0	± 9.6 %
		Y	4.55	66.36	15.95		130.0	
Jecopie.	San Attack Control of the Control of	Z	4.50	66.26	15.83		130.0	
10580- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 36 Mbps, 90pc duty cycle)	X	4,51	66.30	15.86	0.46	130.0	± 9.6 %
		Y	4.60	66.39	15.97		130.0	
		Z	4.55	66.30	15.85	-	130.0	
10581- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 48 Mbps, 90pc duty cycle)	X	4.60	67.07	16.52	0.46	130.0	± 9.6 %
		Y	4.68	67.08	16.55		130.0	
		Z	4.64	67.07	16.50		130.0	
10582- AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS- OFDM, 54 Mbps, 90pc duty cycle)	X	4.40	66.00	15.61	0.46	130.0	± 9.6 %
		Y	4.50	66.13	15.74		130.0	
		Z	4.45	66.01	15.61		130.0	
10583- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.59	66.43	16.23	0.46	130.0	± 9.6 %
		Y	4.66	66.45	16.30		130.0	
		Z	4.63	66.42	16.22		130.0	
10584- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.62	66.61	16.31	0.46	130.0	± 9.6 %
		Y	4.68	86.61	16.36		130.0	
	Para Caraz en la campion de mante de caracteria.	Z	4.65	66.59	16.29		130.0	
10585- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	Х	4.81	66.89	16,48	0.46	130.0	±9.6 %
		Y	4.89	66.92	16.54		130.0	
		Z	4.85	66.89	16.47		130.0	
10586- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.71	67,05	16.59	0.46	130.0	± 9.6 %
		Y	4.79	67.06	16.63		130.0	
		Z	4.75	67.05	16.58		130.0	
10587- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	4.46	66.25	15.84	0.46	130.0	± 9.6 %
ATTANA		Y	4.55	66.36	15.95		130.0	
		Z	4.50	66.26	15.83		130.0	
10588- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4,51	66.30	15.86	0.46	130.0	± 9.6 %
0.000	The state of the s	Y.	4.60	66.39	15.97		130.0	
		Z	4.55	86.30	15.85		130.0	
10589- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.60	67.07	16.52	0.46	130.0	± 9.5 %
		Y	4.68	67.08	16.55		130.0	
F 200 (1780)		Z	4.64	67.07	16.50		130.0	
10590- AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.40	66,00	15.61	0.46	130.0	± 9.6 %
1.4.6.		Y	4.50	66.13	15.74		130.0	

Certificate No: EX3-3759_Dec16

Page 34 of 38



EX3DV4- SN:3759 December 16, 2016

10591- AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	×	4,75	66.52	16.35	0.46	130.0	± 9.6 %
		Y	4.B1	66.52 86.51	16.40		130.0	
10592-	IEEE 802.11n (HT Mixed, 20MHz,	X	4.78 4.89	66.84	16.34 16.48	0.46	130.0	± 9.6 %
AAA	MCS1, 90pc duty cycle)	Y	4.97	66.86	16.53		130.0	
		2	4.93	66.84	16.47		130.0	
10593- AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	×	4.81	66.73	16.35	0.46	130.0	±9.6 %
		Y	4.89	66.77	16.41		130.0	
	Service and brought	Z	4.85	66.73	16.34		130.0	
10594- AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	4.86	66.91	16.51	0.46	130.0	±9.6 %
		Y	4.94	66.93	16.56		130.0	
		2	4.90	66.91	16.50		130.0	
10595- AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	×	4.83	66.85	16.40	0.46	130.0	±9.6 %
7073		Y	4.91	66.88	16.46		130.0	
		Z	4.87	66.85	16.39		130.0	
10596- AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	×	4.76	66.83	16.40	0.46	130.0	±9.6%
7.00	- Production and the second	Y	4.85	66.87	16.46		130.0	
		Z	4.80	66.83	16.38		130.0	
10597- AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	×	4.71	66.72	16,27	0.46	130.0	±9.6 %
- Control	1,000,000,000,000,000,000	Y	4.79	66.78	16.35		130.0	
		Z	4.75	66.73	16.26		130.0	
10598- AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	×	4.70	66.97	16.55	0.46	130.0	± 9.6 %
icilotet		Y	4.78	67.01	16.60		130.0	
NAME OF STREET	A Manual Special Control of the Cont	2	4.74	66.98	16.54		130.0	
10599- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	×	5.41	67.02	16.56	0.46	130.0	± 9.6 %
		Y	5.48	67.08	16.61		130.0	
0.0000000	Section of the sectio	Z	5.45	67.06	16.56		130.0	
10600- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	×	5.53	67.40	16.73	0.46	130.0	± 9.6 %
	Ti viii =	Y	5.61	67.47	15.78		130.0	
	Hittory street of the comment of the	2	5.56	67.40	16.70		130.0	
10601- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	×	5.43	67.18	16.64	0.46	130.0	± 9.6 %
		Y	5.50	67.24	16.68		130.0	
		Z	5.46	67.19	16.61		130.0	
10602- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.54	67.27	16.59	0.46	130.0	±9.6 %
Western .	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Y	5.59	67.24	16.60		130.0	
		Z	5.55	67.21	16.54		130.0	
10603- AAA	IEEE 802,11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	×	5.60	67.54	16.87	0.46	130.0	±9.6 %
	province and the contract of t	Y	5.68	67.57	16.90		130.0	
		2	5.63	67.52	16.83		130.0	
10604- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	х	5.46	67.15	16.66	0.46	130.0	± 9.6 %
		Y	5.46	67.04	16.62		130.0	
and and a		2	5.46	67.05	16.58	22522	130.0	2
10605- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	×	5.53	67.33	16.74	0.46	130.0	±9.6 %
		Y	5.59	67.35	16.77		130.0	
	Company of the State of the Sta	Z	5.55	67.31	16.70		130.0	
10606- AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	×	5.26	66.63	16.24	0.46	130.0	±9.6 %
		Y	5.35	66.76	16.34		130.0	

Certificate No: EX3-3759_Dec16

Page 35 of 38



EX3DV4-SN:3759

December 16, 2016

10607- AAA	IEEE 802.11ac WIFI (20MHz, MCS0, 90pc duty cycle)	X	4.58	65.82	15.97	0.46	130.0	±9.6 %
		Y	4.64	65.82	16.01		130.0	
		Z	4.61	65.80	15.95		130.0	
10608- AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	4.75	66.20	16,13	0.46	130,0	±9.6%
10 3 10 110		Y	4.83	66.22	16.18		130.0	
		Z	4.79	66.19	16.11		130.0	
10609- AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	×	4.64	66.03	15.95	0.46	130.0	±9.6 %
		Y	4.72	66.07	16.02		130.0	
		Z	4.68	66.02	15.94		130.0	Aud Webbe
10610- AAA	IEEE 802,11ac WiFi (20MHz, MCS3, 90pc duty cycle)	×	4.69	66.20	16.12	0.46	130.0	±9.6 %
		Y	4.77	66.23	16.17		130.0	
-	A CONTRACTOR OF THE PROPERTY O	Z	4.73	66.19	16.11	Service .	130.0	
10611- AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	×	4.61	65.99	15.96	0.46	130.0	±9.6%
		Y	4.69	66.03	16.02		130.0	Ų.
	AND THE STATE OF T	Z	4.64	65.99	15.95		130.0	
10612- AAA	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	4.61	66.12	16.00	0.46	130.0	±9.6%
		Y	4.70	66.18	16.06		130.0	
		Z	4.65	66.12	15.98		130.0	
10613- AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	X	4.61	65.99	15.87	0.46	130.0	±9.6%
	Larrier Control of the Control of th	Y	4.70	66.08	15.96		130.0	1
		Z	4.65	66.00	15.86		130.0	
10614- AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	4.56	66.21	16.12	0.46	130.0	± 9.6 %
- 0.5/11		Y	4.64	66.25	16.18		130.0	
		2	4.60	66.21	16.11		130.0	
10615- AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	×	4.60	65.81	15.72	0.46	130.0	± 9.6 %
	10	Y	4.69	85.87	15.81		130.0	
ablata III	Audionalism State Indiana Indi	Z	4.64	65.79	15.71	-	130.0	
10616- AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	×	5.23	66.28	16.18	0.46	130,0	±9,6 %
		Y	5.29	66.33	16.22		130.0	
Orași Galilia		Z	5.26	66.29	16.17	in tracts	130.0	D. Jessinan
10617- AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	×	5.29	66.46	16.24	0.46	130.0	±9.6 %
		Y	5.36	66.48	16.27		130.0	
Sacra-		Z	5.32	66.45	16.21	Lu me	130.0	
10618- AAA	IEEE 802,11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	5.18	66.47	16.26	0.46	130.0	± 9.6 %
		Y	5.24	86.50	16.29		130.0	
		Z	5.21	66.46	16.24	1	130.0	
10619- AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	X	5.19	66.25	16.09	0.46	130.0	±9.6%
35.50	state seath diarch.	Y	5.26	66.32	16.14		130.0	
		Z	5.22	66.26	16.07		130.0	
10620- AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	×	5.28	66.29	16.16	0.46	130.0	±9.6 %
		Y	5,36	65,37	16.22		130.0	
		Z	5.31	66.31	16.14		130.0	
10621- AAA	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	X	5.29	66,47	16.37	0,45	130.0	± 9.6 %
		Y	5.35	66.48	16.39		130.0	
		Z	5.32	66.47	16.35		130.0	-
10622- AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	×	5.30	66.62	16.44	D.46	130.0	±9.6 %
		Y	5.36	66.63	16.45		130.0	
		Z	5.33	66.61	16.41		130.0	

Certificate No: EX3-3759_Dec16

Page 36 of 38



EX3DV4—SN:3759 December 16, 2016

10623- AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	X	5.18	66.12	16.05	0.46	130.0	± 9.6 %
1.5.3.2	sept daily ayellay	Y.	5.24	66.18	16.11		130.0	
		Z	5.21	66.13	16.03		130.0	
10624- AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	X	5.37	66.33	16.23	0.46	130.0	± 9.6 %
		Y	5.43	66.38	16.27		130.0	
	The section of the se	Z	5.40	68.34	16.21		130.0	- Samuel
10625- AAA	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	X	5,66	67.10	16.66	0.46	130.0	± 9.6 %
		Y	5.80	67.35	16.80		130.0	
Slove-	Townserve for more action method	Z	5.73	67.22	16.70	900	130.0	
10626- AAA	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	X	5.54	66.36	16,15	0.46	130.0	±9.6%
		Y	5.58	66.40	16.18		130.0	
		Z	5.56	66.37	16.13		130.0	
10627- AAA	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	×	5.76	66.90	16.39	0.46	130.0	±9.6%
		Y	5.82	66.93	16.41		130.0	
		Z	5.78	66.89	16:35		130.0	
10628- AAA	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	X	5.55	66.39	16.06	0.46	130.0	± 9.6 %
		Y	5.62	66.51	16.13		130.0	
		Z	5.58	66.43	16.05		130.0	
10629- AAA	IEEE 802.11ac W/FI (80MHz, MCS3, 90pc duty cycle)	X	5.63	66.46	16.09	0.46	130.0	± 9.6 %
	2/35/(1/24) Memorals	Y	5.71	66.59	16.17		130.0	
		Z	5.65	66.47	16.07		130.0	
10630- AAA	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	X	5.98	67.71	16.72	0.46	130.0	±9,6 %
-		Y	6.12	68.01	16.88		130.0	
		Z	6.03	67.80	16.73		130.0	
10631- AAA	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	×	5.93	67.68	16.90	0.46	130.0	± 9.6 %
		Y	6.03	67.84	16.98		130.0	
and the	The second secon	Z	5.98	67.75	16.91	-	130.0	
10632- AAA	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	Х	5.74	67.01	16.58	0.46	130.0	±9.6%
		Y	5.79	67.00	16.58		130.0	
0.000	Washington College Sept. College.	Z	5.76	66.99	16.55		130.0	
10633- AAA	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	X	5.62	66.59	16.20	0.46	130.0	± 9.6 %
		Y	5.68	66.67	16.24		130.0	
		Z	5.65	66.62	16.18		130.0	
10634- AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	X	5.60	66.63	16.28	0.46	130.0	± 9.6 %
	a otro controlle adv	Y	5.67	66.70	16.32		130.0	
		Z	5.64	66.66	16.27		130.0	
10635- AAA	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	Х	5.47	65.91	15.63	0.46	130.0	± 9.6 %
Self-Illia e	pears 4000 to 2000 to	Y	5.56	66.05	15.73		130.0	
		Z	5.51	65.94	15.62		130.0	
10636- AAA	IEEE 1602.11ac WiFi (160MHz, MCS0, 90pc duty cycle)	×	5.95	66,72	16.24	0.46	130.0	± 9.6 %
		Y	5.99	66.78	16.28		130.0	
-		Z	5.97	66.73	16.22		130.0	C THE PARTY
10637- AAA	IEEE 1602.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	X	6.10	67.09	16.41	0.46	130.0	±9.6 %
		Y	6.14	67.14	16.44		130.0	
	The same of the sa	Z	6.11	67.09	16.38		130.0	
10638- AAA	IEEE 1602.11ac WIFI (160MHz, MCS2, 90pc duty cycle)	X	6.10	67.06	16.37	0.46	130.0	± 9.6 %
NAA		100	20.40	22.45	48.44		2000	
		Y	6.15	67.12	16.41		130.0	

Certificate No: EX3-3759_Dec16

Page 37 of 38



EX3DV4- SN:3759 December 16, 2016

10539- AAA	IEEE 1602.11ac WiFI (160MHz, MCS3, 90pc duty cycle)	X	6.07	67.01	16.39	0.46	130.0	±9.6 %
00-00	- State Control of Con	Y	6.13	67.09	16.44		130.0	
		Z	6.10	67.03	16.38		130.0	
10640- AAA	IEEE 1602.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	X	6.07	66.99	16.32	0.46	130.0	±9.6%
- Delicitati	/	Y	6.14	67.11	16.39		130.0	
		Z	6.09	67.02	16.31		130.0	
10641- AAA	IEEE 1602,11ac WiFi (160MHz, MCS5, 90pc duty cycle)	X	6.13	66.94	16.31	0.46	130.0	± 9.6 %
		Y	6.17	66.99	16.35		130.0	
	The state of the s	Z	6.14	66.93	16.28	- arcusted	130.0	- CONTRACTOR
10642- AAA	IEEE 1602.11ac WIFI (160MHz, MCS6, 90pc duty cycle)	X	6.17	67.20	16.62	0.46	130.0	± 9.6 %
		Y	6.22	67.26	16.65		130.0	
o water to	Segui Transport Avent to anning terraling i	Z	6.19	67.22	16.61	Carrier S	130.0	- Sanywar
10643- AAA	IEEE 1602.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	X	6.00	66.86	16,34	0.46	130.0	± 9.6 %
		Y	6.05	66.94	16.39		130.0	
		Z	6.02	66.87	16.31		130.0	
10644- AAA	IEEE 1602:11ac WiFi (160MHz, MCS8, 90pc duty cycle)	X	6.13	67.25	16.56	0.46	130.0	±9.6 %
		Y	6.22	67.46	16.67		130.0	
		Z	6.17	67.33	16.57		130.0	
10645- AAA	IEEE 1602.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	X	6.30	67.39	16.59	0.46	130.0	±9.6%
(1)(50)	and call the transfer of	Y	6.61	68.18	16.99	1	130.0	
		Z	6.44	67.75	16.73		130.0	
10646- AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,7)	X	11.76	96.35	31.88	9.30	60.0	±9.6 %
, A Produit	3-312-310-310-310-310-310-310-310-310-310-310	Y	19.05	107.46	35.85		60.0	
		Z	11.88	94.80	30.95		60.0	
10647- AAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,7)	×	10.62	94.79	31,49	9.30	60.0	± 9.6 %
		Y	16.98	105.61	35.43		60.0	
	PULL LANDER VOVENSKUR FLANNSKE STATER	Z	10.96	93.72	30.71	S	60.0	
10648- AAA	CDMA2000 (1x Advanced)	X	0.66	63.03	10.35	0.00	150.0	± 9.6 %
		Y	0.70	63.32	10.86		150.0	
		Z	0.69	63.19	10.65		150.0	

⁶ Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX3-3759_Dec16

Page 38 of 38



ANNEX B

DIPOLE CALIBRATION REPORTS



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst Service sulsse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA

Multilateral Agreement for the recognition of calibration certificates

Client

TÜV SÜD UK

Certificate No: D2450V2-715 Dec16

Object	D2450V2 - SN:7	15	
Calibration procedure(s)	QA CAL-05.v9 Calibration proce	dure for dipole validation kits abo	ove 700 MHz
Calibration date:	December 09, 20	016	
		ional standards, which realize the physical un	4 N.S. (C.S.) (18 N. C.) (C.S.) (C.S.) (C.S.) (C.S.) (C.S.)
The measurements and the unce	rtainties with confidence p	robability are given on the following pages an	nd are part of the certificate.
All calibrations have been conduc	sted in the closed laborato	ry facility: environment temperature (22 ± 3)*0	C and humidity < 70%.
Calibration Equipment used (M&T	E critical for calibration)		
	The second second		
rimary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Personal Communication of the	ID # SN: 104778	Cal Date (Certificate No.) 06-Apr-16 (No. 217-02288/02289)	Scheduled Calibration Apr-17
Power meter NRP			
Power meter NRP Power sensor NRP-Z91	SN: 104778	06-Apr-16 (No. 217-02288/02289)	Apr-17
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91	SN: 104778 SN: 103244	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288)	Apr-17 Apr-17
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator	SN: 104778 SN: 103244 SN: 103245	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289)	Apr-17 Apr-17 Apr-17
Power meter NRP Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Type-N mismatch combination	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k)	06-Apr-16 (No. 217-02286/02289) 06-Apr-16 (No. 217-02286) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02282)	Apr-17 Apr-17 Apr-17 Apr-17
Power meter NRP Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-18 (No. EX3-7349_Jun16)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17
Pawer meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601	06-Apr-16 (No. 217-02286/02289) 06-Apr-16 (No. 217-02286) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02282) 05-Apr-16 (No. 217-02295) 15-Jun-18 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-801_Dec15)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16
Power meter NRP Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-18 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-801_Dec15)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX30V4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37282783 SN: MY41092317	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349 Jun16) 30-Dec-15 (No. DAE4-801 Dec15) Check Date (in house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Altenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A RF generator R&S SMT-06	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37282783 SN: MY41092317 SN: 100972	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02282) 05-Apr-16 (No. 217-02285) 15-Jun-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-801_Dec15) Check Date (In house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Altenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A RF generator R&S SMT-06	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37282783 SN: MY41092317	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349 Jun16) 30-Dec-15 (No. DAE4-801 Dec15) Check Date (in house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Altenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A RF generator R&S SMT-06	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37282783 SN: MY41092317 SN: 100972 SN: US37380585 Name	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02282) 05-Apr-16 (No. 217-02285) 15-Jun-16 (No. 217-02295) 15-Jun-16 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-801_Dec15) Check Date (In house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Primary Standards Power meter NRP Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E Calibrated by:	SN: 104778 SN: 103244 SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 7349 SN: 601 ID # SN: GB37480704 SN: US37282783 SN: MY41092317 SN: 100972 SN: US37390585	06-Apr-16 (No. 217-02288/02289) 06-Apr-16 (No. 217-02288) 06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02282) 05-Apr-16 (No. 217-02282) 05-Apr-16 (No. 217-02285) 15-Jun-18 (No. EX3-7349_Jun16) 30-Dec-15 (No. DAE4-801_Dec15) Check Date (in house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16) 18-Oct-01 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18 In house check: Oct-18 In house check: Oct-17

Certificate No: D2450V2-715_Dec16

Page 1 of 8



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kallbrierdienst
C Service sulsse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL ConvF

N/A

tissue simulating liquid

sensitivity in TSL / NORM x,y,z not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- d) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

e) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
 of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
 point exactly below the center marking of the flat phantom section, with the arms oriented
 parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
 positioned under the liquid filled phantom. The impedance stated is transformed from the
 measurement at the SMA connector to the feed point. The Return Loss ensures low
 reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point.
 No uncertainty required.
- · SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: D2450V2-715_Dec16

Page 2 of 8



Measurement Conditions

DASY Version	DASY5	V52.8.8
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	2450 MHz ± 1 MHz	

Head TSL parameters
The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	39.2	1.80 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	37.8 ± 6 %	1.85 mha/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	****	

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	13.2 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	51.7 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	6.14 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	24.2 W/kg ± 16.5 % (k=2)

Body TSL parameters
The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	52.7	1.95 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	50.7 ± 6 %	1.99 mha/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	****	****

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	12.9 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	50.6 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	6.00 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	23.7 W/kg ± 16.5 % (k=2)

Certificate No: D2450V2-715_Dec16

Page 3 of 8



Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	54.3 Ω + 0.5]Ω	
Return Loss	- 27.5 dB	

Antenna Parameters with Body TSL

Impedance, transformed to feed point	49.8 Ω + 1.7 jΩ	
Return Loss	- 35.5 dB	

General Antenna Parameters and Design

Electrical Delay (one direction)	1.157 ns	٦
----------------------------------	----------	---

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	July 05, 2002

Certificate No: D2450V2-715_Dec16 Page 4 of 8



DASY5 Validation Report for Head TSL

Date: 09.12.2016

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: D2450V2 - SN:715

Communication System: UID 0 - CW; Frequency: 2450 MHz

Medium parameters used: f = 2450 MHz; $\sigma = 1.85 \text{ S/m}$; $\varepsilon_f = 37.8$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)


DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(7.72, 7.72, 7.72); Calibrated: 15.06.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 30.12.2015
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 113.9 V/m; Power Drift = -0.02 dB Peak SAR (extrapolated) = 26.6 W/kg SAR(1 g) = 13.2 W/kg; SAR(10 g) = 6.14 W/kg

SAR(1 g) = 13.2 W/kg; SAR(10 g) = 6.14 W/kgMaximum value of SAR (measured) = 21.7 W/kg




Certificate No: D2450V2-715_Dec16

Page 5 of 8



Impedance Measurement Plot for Head TSL



Certificate No: D2450V2-715_Dec16

Page 6 of 8



DASY5 Validation Report for Body TSL

Date: 09.12.2016

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: D2450V2 - SN:715

Communication System: UID 0 - CW; Frequency: 2450 MHz.

Medium parameters used: f = 2450 MHz; $\sigma = 1.99 \text{ S/m}$; $\epsilon_r = 50.7$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)


DASY52 Configuration:

- Probe: EX3DV4 SN7349; ConvF(7.79, 7.79, 7.79); Calibrated: 15.06.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 30.12.2015
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:

Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 107.1 V/m; Power Drift = -0.04 dB Peak SAR (extrapolated) = 25.7 W/kg SAR(1 g) = 12.9 W/kg; SAR(10 g) = 6 W/kg

Maximum value of SAR (measured) = 21.1 W/kg




0 dB = 21.1 W/kg = 13.24 dBW/kg

Certificate No: D2450V2-715_Dec16

Page 7 of 8



Impedance Measurement Plot for Body TSL



Certificate No: D2450V2-715_Dec16

Page 8 of 8



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
Service suisse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA

Multilateral Agreement for the recognition of calibration certificates

Client

TÜV SÜD UK

Certificate No: D5GHzV2-1100 Dec16

Object	D5GHzV2 - SN:1100		
Calibration procedure(s)	QA CAL-22.v2 Calibration procedure for dipole validation kits between 3-6 GHz		
Calibration date:	December 13, 20	016	
		ional standards, which realize the physical un robability are given on the following pages an	
All calibrations have been condu	cled in the closed laborato	ry facility: environment temperature $(22 \pm 3)^{\circ}$	C and humidity < 70%.
Calibration Equipment used (M&	TE critical for calibration)		
Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power mater NRP	SN: 104778	06-Apr-16 (No. 217-02288/02289)	Apr-17
	COLUMN A CONTRACTOR A CO.	AR A AR IN ARRANGE	A 479
Power sensor NRP-Z91	SN: 103244	06-Apr-16 (No. 217-02288)	Apr-17
Power sensor NRP-Z91 Power sensor NRP-Z91	SN: 103244 SN: 103245	06-Apr-16 (No. 217-02289)	Apr-17
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator	SN: 103245 SN: 5058 (20k)	05-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292)	Apr-17 Apr-17
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination	SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327	06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295)	Apr-17 Apr-17 Apr-17
Power sensor NRP-ZB1 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4	SN: 103245 SN: 5058 (20k)	05-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292)	Apr-17 Apr-17
Power sensor NRP-ZB1 Power sensor NRP-Z91 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4	SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 3503	06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 30-Jun-16 (No. EX3-3503_Jun16)	Apr-17 Apr-17 Apr-17 Jun-17
Power sensor NRP-ZB1 Power sensor NRP-ZB1 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards	SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 3503 SN: 601	06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02282) 05-Apr-16 (No. 217-02295) 30-Jun-16 (No. EX3-3503_Jun16) 30-Dec-15 (No. DAE4-601_Dec15)	Apr-17 Apr-17 Apr-17 Jun-17 Dec-16
Power sensor NRP-ZB1 Power sensor NRP-ZB1 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A	SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 3503 SN: 601	06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02282) 05-Apr-16 (No. 217-02295) 30-Jun-16 (No. EX3-3503_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house)	Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check
Power sensor NRP-ZB1 Power sensor NRP-ZB1 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A	SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 3503 SN: 601 ID:# SN: GB37480704 SN: US37292783 SN: MY41092317	06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 30-Jun-16 (No. EX3-3503_Jun-16) 30-Dec-15 (No. DAE4-601_Dec-15) Check Date (in house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Power sensor NFP-ZB1 Power sensor NFP-ZB1 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A RF generator R&S SMT-05	SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 3503 SN: 601 ID # SN: GB37480704 SN: US37292783 SN: MY41082317 SN: 100972	06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 30-Jun-16 (No. EX3-3503_Jun-16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Power sensor NFP-ZB1 Power sensor NFP-ZB1 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A RF generator R&S SMT-05	SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 3503 SN: 601 ID:# SN: GB37480704 SN: US37292783 SN: MY41092317	06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 30-Jun-16 (No. EX3-3503_Jun-16) 30-Dec-15 (No. DAE4-601_Dec-15) Check Date (in house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18 In house check: Oct-18 In house check: Oct-18
Power sensor NRP-ZB1 Power sensor NRP-ZB1 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E	SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 3503 SN: 601 ID # SN: GB37480704 SN: US37292783 SN: MY41082317 SN: 100972 SN: US37390585	06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 30-Jun-16 (No. EX3-3503_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16) 18-Oct-01 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18
Power sensor NRP-ZB1 Power sensor NRP-ZB1 Reference 20 dB Attenuator Type-N mismatch combination Reference Probe EX3DV4 DAE4 Secondary Standards Power meter EPM-442A Power sensor HP 8481A RF generator R&S SMT-06	SN: 103245 SN: 5058 (20k) SN: 5047.2 / 06327 SN: 3503 SN: 601 ID # SN: GB37480704 SN: US37292783 SN: MY41082317 SN: 100972 SN: US37390585	06-Apr-16 (No. 217-02289) 05-Apr-16 (No. 217-02292) 05-Apr-16 (No. 217-02295) 30-Jun-16 (No. EX3-3503_Jun16) 30-Dec-15 (No. DAE4-601_Dec15) Check Date (in house) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 07-Oct-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16) 15-Jun-15 (in house check Oct-16) 18-Oct-01 (in house check Oct-16)	Apr-17 Apr-17 Apr-17 Jun-17 Dec-16 Scheduled Check In house check: Oct-18

Certificate No: D5GHzV2-1100_Dec16

Page 1 of 16



Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.8.8
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom V5.0	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy = 4.0 mm, dz = 1.4 mm	Graded Ratio = 1.4 (Z direction)
Frequency	5200 MHz ± 1 MHz 5300 MHz ± 1 MHz 5500 MHz ± 1 MHz 5600 MHz ± 1 MHz 5800 MHz ± 1 MHz	

Head TSL parameters at 5200 MHz The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	36.0	4.66 mha/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	34.8 ± 6 %	4.53 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	2.000	****

SAR result with Head TSL at 5200 MHz

SAR averaged over 1 cm3 (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	7.64 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	75.8 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.20 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	21.8 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1100_Dec16 Page 3 of 16



Head TSL parameters at 5300 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	35.9	4.76 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	34.6 ± 6 %	4.63 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		1440

SAR result with Head TSL at 5300 MHz

SAR averaged over 1 cm ² (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	8.17 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	81.0 W / kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.36 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	23.3 W/kg ± 19.5 % (k=2)

Head TSL parameters at 5500 MHz The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	35.6	4.96 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	34.4 ± 6 %	4.82 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	****	

SAR result with Head TSL at 5500 MHz

SAR averaged over 1 cm3 (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	8.02 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	79.5 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ² (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.29 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	22.7 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1100_Dec16 Page 4 of 16



Head TSL parameters at 5600 MHz

The following parameters and calculations were applied.

5.7/	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	35.5	5.07 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	34.2 ± 6 %	4.93 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	****	****

SAR result with Head TSL at 5600 MHz

SAR averaged over 1 cm3 (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	8.15 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	80.8 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ² (10 g) of Head TSL	condition	
SAR measured	100 mW input power	2.34 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	23.1 W/kg ± 19.5 % (k=2)

Head TSL parameters at 5800 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	35.3	5.27 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	33.9 ± 6 %	5.13 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		

SAR result with Head TSL at 5800 MHz

SAR averaged over 1 cm3 (1 g) of Head TSL	Condition	
SAR measured	100 mW input power	7.67 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	76.0 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm3 (10 g) of Head TSL	condition	
SAR measured	108 mW input power	2.19 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	21.7 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1100_Dec16 Page 5 of 16



Body TSL parameters at 5200 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	49.0	5.30 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	47.1 ± 6 %	5.46 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		****

SAR result with Body TSL at 5200 MHz

SAR averaged over 1 cm3 (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.23 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	71.8 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ² (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.03 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	20.1 W/kg ± 19.5 % (k=2)

Body TSL parameters at 5300 MHz

The following parameters and calculations were applied

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.9	5.42 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	46.9 ± 6 %	5.59 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 "C	S-2310F	

SAR result with Body TSL at 5300 MHz

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.76 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	77.0 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.18 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	21.6 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1100_Dec16



Body TSL parameters at 5500 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.6	5.65 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	46.5 ± 6 %	5.86 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C	****	****

SAR result with Body TSL at 5500 MHz

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.90 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	78.4 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.19 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	21.7 W/kg ± 19.5 % (k=2)

Body TSL parameters at 5600 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.5	5.77 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	46.4 ± 6 %	6.00 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		

SAR result with Body TSL at 5600 MHz

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.83 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	77.7 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.19 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	21.7 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1100_Dec16



Body TSL parameters at 5800 MHz

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	48.2	6.00 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	46.0 ± 6 %	6.28 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		

SAR result with Body TSL at 5800 MHz

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	100 mW input power	7.46 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	74.0 W/kg ± 19.9 % (k=2)

SAR averaged over 10 cm3 (10 g) of Body TSL	condition	
SAR measured	100 mW input power	2.07 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	20.5 W/kg ± 19.5 % (k=2)

Certificate No: D5GHzV2-1100_Dec16



Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





S Schweizerischer Kalibrierdienst
C Service suisse d'étalonnage
Servizio svizzero di taratura
S Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL ConvF N/A tissue simulating liquid

sensitivity in TSL / NORM x,y,z not applicable or not measured

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- c) KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

d) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
 of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
 point exactly below the center marking of the flat phantom section, with the arms oriented
 parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
 positioned under the liquid filled phantom. The impedance stated is transformed from the
 measurement at the SMA connector to the feed point. The Return Loss ensures low
 reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point.
 No uncertainty required.
- · SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: D5GHzV2-1100_Dec16

Page 2 of 16



Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL at 5200 MHz

Impedance, transformed to feed point	51.0 Ω - 7.1 μΩ
Return Loss	- 23.0 dB

Antenna Parameters with Head TSL at 5300 MHz

Impedance, transformed to feed point	50.7 Ω - 0.2 βΩ
Return Loss	- 43.2 dB

Antenna Parameters with Head TSL at 5500 MHz

Impedance, transformed to feed point	49.4 Ω - 2.7 jΩ	
Return Loss	- 31.1 dB	

Antenna Parameters with Head TSL at 5600 MHz

Impedance, transformed to feed point	55.2 Ω + 0.3 jΩ	
Return Loss	- 26.2 dB	

Antenna Parameters with Head TSL at 5800 MHz

Impedance, transformed to feed point	52,3 Ω + 2.7 jΩ	
Return Loss	- 29.1 dB	

Antenna Parameters with Body TSL at 5200 MHz

Impedance, transformed to feed point	51.7 Ω - 7.3]Ω
Return Loss	- 22.6 dB

Antenna Parameters with Body TSL at 5300 MHz

Impedance, transformed to feed point	50.4 Ω + 1.6 jΩ
Return Loss	- 35.9 dB

Antenna Parameters with Body TSL at 5500 MHz

Impedance, transformed to feed point	49.2 Ω - 1.3 μΩ	
Return Loss	- 36.2 dB	

Certificate No: D5GHzV2-1100_Dec16

Page 9 of 16



Antenna Parameters with Body TSL at 5600 MHz

Impedance, transformed to feed point	$56.3 \Omega + 0.7 J\Omega$	
Return Loss	- 24,5 dB	

Antenna Parameters with Body TSL at 5800 MHz

Impedance, transformed to feed point	52.6 Ω + 2.8 jΩ	
Return Loss	- 28.6 dB	

General Antenna Parameters and Design

Electrical Delay (one direction)	1.206 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	September 24, 2010

Certificate No: D5GHzV2-1100_Dec16 Page 10 of 16

Document 75937080 Report 07 Issue 1



DASY5 Validation Report for Head TSL

Date: 13.12.2016

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole D5GHzV2; Type: D5GHzV2; Serial: D5GHzV2 - SN: 1100

Communication System: UID 0 - CW; Frequency: 5200 MHz, Frequency: 5300 MHz, Frequency: 5500 MHz, Frequency: 5600 MHz, Frequency: 5800 MHz Medium parameters used: f = 5200 MHz; $\sigma = 4.53$ S/m; $\epsilon_r = 34.8$; $\rho = 1000$ kg/m³, Medium parameters used: f = 5300 MHz; $\sigma = 4.63$ S/m; $\epsilon_r = 34.6$; $\rho = 1000$ kg/m³, Medium parameters used: f = 5500 MHz; $\sigma = 4.82$ S/m; $\epsilon_r = 34.4$; $\rho = 1000$ kg/m³, Medium parameters used: f = 5600 MHz; $\sigma = 4.93$ S/m; $\epsilon_r = 34.2$; $\rho = 1000$ kg/m³, Medium parameters used: f = 5800 MHz; $\sigma = 4.93$ S/m; $\epsilon_r = 34.2$; $\rho = 1000$ kg/m³ Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

AND THE AMERICAN AND PROPERTY OF THE PARTY.

DASY52 Configuration:

- Probe: EX3DV4 SN3503; ConvF(5.59, 5.59, 5.59); Calibrated: 30.06.2016, ConvF(5.14, 5.14, 5.14); Calibrated: 30.06.2016, ConvF(5.02, 5.02, 5.02); Calibrated: 30.06.2016, ConvF(4.89, 4.89, 4.89); Calibrated: 30.06.2016, ConvF(4.85, 4.85, 4.85); Calibrated: 30.06.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 30.12.2015
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5200 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 69.19 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 27.1 W/kg

SAR(1 g) = 7.64 W/kg; SAR(10 g) = 2.2 W/kg

Maximum value of SAR (measured) = 17.7 W/kg

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5300 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 71.45 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 30.0 W/kg

SAR(1 g) = 8.17 W/kg; SAR(10 g) = 2.36 W/kg

Maximum value of SAR (measured) = 19.1 W/kg

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5500 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 70.03 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 30.9 W/kg

SAR(1 g) = 8.02 W/kg; SAR(10 g) = 2.29 W/kg

Certificate No: D5GHzV2-1100_Dec16 Page 11 of 16

Document 75937080 Report 07 Issue 1



Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5600 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 70.52 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 31.7 W/kg

SAR(1 g) = 8.15 W/kg; SAR(10 g) = 2.34 W/kg

Maximum value of SAR (measured) = 19.6 W/kg

Dipole Calibration for Head Tissue/Pin=100mW, dist=10mm, f=5800 MHz/Zoom Scan,


dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 67.49 V/m; Power Drift = -0.03 dB

Peak SAR (extrapolated) = 31.1 W/kg


SAR(1 g) = 7.67 W/kg; SAR(10 g) = 2.19 W/kg

Maximum value of SAR (measured) = 18.7 W/kg





Impedance Measurement Plot for Head TSL



Certificate No: D5GHzV2-1100_Dec16

Page 13 of 16



DASY5 Validation Report for Body TSL

Date: 13.12.2016

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole D5GHzV2; Type: D5GHzV2; Serial: D5GHzV2 - SN: 1100

Communication System: UID 0 - CW; Frequency: 5200 MHz, Frequency: 5300 MHz, Frequency: 5500 MHz, Frequency: 5600 MHz, Frequency: 5800 MHz Medium parameters used: f = 5200 MHz; $\sigma = 5.46$ S/m; $\epsilon_r = 47.1$; $\rho = 1000$ kg/m³, Medium parameters used: f = 5300 MHz; $\sigma = 5.59$ S/m; $\epsilon_r = 46.9$; $\rho = 1000$ kg/m³, Medium parameters used: f = 5500 MHz; $\sigma = 5.86$ S/m; $\epsilon_r = 46.5$; $\rho = 1000$ kg/m³, Medium parameters used: f = 5600 MHz; $\sigma = 6$ S/m; $\epsilon_r = 46.4$; $\rho = 1000$ kg/m³, Medium parameters used: f = 5800 MHz; $\sigma = 6.28$ S/m; $\epsilon_r = 46$: $\rho = 1000$ kg/m³ Phantom section: Flat Section

Measurement Standard; DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 SN3503; ConvF(4.99, 4.99, 4.99); Calibrated: 30.06.2016, ConvF(4.75, 4.75, 4.75); Calibrated: 30.06.2016, ConvF(4.4, 4.4, 4.4); Calibrated: 30.06.2016, ConvF(4.35, 4.35, 4.35); Calibrated: 30.06.2016, ConvF(4.27, 4.27, 4.27); Calibrated: 30.06.2016;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 30.12.2015
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.8.8(1258); SEMCAD X 14.6.10(7372)

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5200 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 65.90 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 26.9 W/kg

SAR(1 g) = 7.23 W/kg; SAR(10 g) = 2.03 W/kg Maximum value of SAR (measured) = 16.5 W/kg

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5300 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 67.72 V/m; Power Drift = -0.03 dB

Peak SAR (extrapolated) = 29.7 W/kg

SAR(1 g) = 7.76 W/kg; SAR(10 g) = 2.18 W/kg

Maximum value of SAR (measured) = 18.1 W/kg

Certificate No: D5GHzV2-1100_Dec16

Page 14 of 16



Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5500 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 67.42 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 31.9 W/kg

SAR(1 g) = 7.9 W/kg; SAR(10 g) = 2.19 W/kg

Maximum value of SAR (measured) = 18.7 W/kg

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5600 MHz/Zoom Scan,

dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 66.84 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 32.0 W/kg

SAR(1 g) = 7.83 W/kg; SAR(10 g) = 2.19 W/kg

Dipole Calibration for Body Tissue/Pin=100mW, dist=10mm, f=5800 MHz/Zoom Scan,


dist=1.4mm (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 64.37 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 32.4 W/kg

SAR(1 g) = 7.46 W/kg; SAR(10 g) = 2.07 W/kg


Maximum value of SAR (measured) = 18.2 W/kg



0 dB = 18.2 W/kg = 12.60 dBW/kg



Impedance Measurement Plot for Body TSL



Certificate No: D5GHzV2-1100_Dec16

Page 16 of 16