







NTNV-11N40SISO-Ant1-5510




NTNV-11N40SISO-Ant1-5550




NTNV-11N40SISO-Ant1-5670



NTNV-11AC20SISO-Ant1-5180



NTNV-11AC20SISO-Ant1-5200




NTNV-11AC20SISO-Ant1-5240




NTNV-11AC20SISO-Ant1-5260




NTNV-11AC20SISO-Ant1-5280




NTNV-11AC20SISO-Ant1-5320







NTNV-11AC20SISO-Ant1-5500




NTNV-11AC20SISO-Ant1-5580




NTNV-11AC20SISO-Ant1-5700







NTNV-11AC40SISO-Ant1-5510







NTNV-11AC40SISO-Ant1-5550



NTNV-11AC40SISO-Ant1-5670



NTNV-11AC80SISO-Ant1-5210





4.Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Frequency [MHz]	Rate	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Gain [dBi]	Limit [dBm]	Verdict
11A	Ant1	5180	6Mbps	11.16	97.20	0.12	11.28	2.62	≤23.98	PASS
11A	Ant1	5200	6Mbps	11.26	96.53	0.15	11.41	2.62	≤23.98	PASS
11A	Ant1	5240	6Mbps	12.20	97.20	0.12	12.32	2.62	≤23.98	PASS
11A	Ant1	5260	6Mbps	13.51	96.53	0.15	13.66	1.83	≤23.98	PASS
11A	Ant1	5280	6Mbps	13.93	96.53	0.15	14.08	1.83	≤23.98	PASS
11A	Ant1	5320	6Mbps	14.40	97.22	0.12	14.52	1.83	≤23.98	PASS
11A	Ant1	5500	6Mbps	14.53	96.53	0.15	14.68	1.96	≤23.98	PASS
11A	Ant1	5580	6Mbps	13.31	96.53	0.15	13.46	1.96	≤23.98	PASS
11A	Ant1	5700	6Mbps	14.06	97.22	0.12	14.18	1.96	≤23.98	PASS
11N20SISO	Ant1	5180	MCS0	10.59	97.04	0.13	10.72	2.62	≤23.98	PASS
11N20SISO	Ant1	5200	MCS0	10.92	97.04	0.13	11.05	2.62	≤23.98	PASS
11N20SISO	Ant1	5240	MCS0	12.07	97.04	0.13	12.20	2.62	≤23.98	PASS
11N20SISO	Ant1	5260	MCS0	13.18	97.04	0.13	13.31	1.83	≤23.98	PASS
11N20SISO	Ant1	5280	MCS0	13.67	97.04	0.13	13.80	1.83	≤23.98	PASS
11N20SISO	Ant1	5320	MCS0	14.10	97.04	0.13	14.23	1.83	≤23.98	PASS
11N20SISO	Ant1	5500	MCS0	14.33	97.04	0.13	14.46	1.96	≤23.98	PASS
11N20SISO	Ant1	5580	MCS0	13.09	97.04	0.13	13.22	1.96	≤23.98	PASS
11N20SISO	Ant1	5700	MCS0	13.67	97.04	0.13	13.80	1.96	≤23.98	PASS
11N40SISO	Ant1	5190	MCS0	10.69	94.20	0.26	10.95	2.62	≤23.98	PASS
11N40SISO	Ant1	5230	MCS0	11.32	94.20	0.26	11.58	2.62	≤23.98	PASS
11N40SISO	Ant1	5270	MCS0	13.12	94.20	0.26	13.38	1.83	≤23.98	PASS
11N40SISO	Ant1	5310	MCS0	13.80	94.20	0.26	14.06	1.83	≤23.98	PASS
11N40SISO	Ant1	5510	MCS0	13.94	94.20	0.26	14.20	1.96	≤23.98	PASS

11N40SISO	Ant1	5550	MCS0	12.99	94.20	0.26	13.25	1.96	≤23.98	PASS
11N40SISO	Ant1	5670	MCS0	13.24	94.20	0.26	13.50	1.96	≤23.98	PASS
11AC20SISO	Ant1	5180	MCS0	10.69	97.06	0.13	10.82	2.62	≤23.98	PASS
11AC20SISO	Ant1	5200	MCS0	10.80	97.06	0.13	10.93	2.62	≤23.98	PASS
11AC20SISO	Ant1	5240	MCS0	11.89	97.06	0.13	12.02	2.62	≤23.98	PASS
11AC20SISO	Ant1	5260	MCS0	13.09	97.06	0.13	13.22	1.83	≤23.98	PASS
11AC20SISO	Ant1	5280	MCS0	13.66	96.32	0.16	13.82	1.83	≤23.98	PASS
11AC20SISO	Ant1	5320	MCS0	14.13	97.06	0.13	14.26	1.83	≤23.98	PASS
11AC20SISO	Ant1	5500	MCS0	14.21	97.06	0.13	14.34	1.96	≤23.98	PASS
11AC20SISO	Ant1	5580	MCS0	13.10	97.06	0.13	13.23	1.96	≤23.98	PASS
11AC20SISO	Ant1	5700	MCS0	13.70	97.04	0.13	13.83	2.62	≤23.98	PASS
11AC40SISO	Ant1	5190	MCS0	10.63	94.29	0.26	10.89	2.62	≤23.98	PASS
11AC40SISO	Ant1	5230	MCS0	11.28	94.29	0.26	11.54	2.62	≤23.98	PASS
11AC40SISO	Ant1	5270	MCS0	13.11	94.29	0.26	13.37	1.83	≤23.98	PASS
11AC40SISO	Ant1	5310	MCS0	13.96	94.29	0.26	14.22	1.83	≤23.98	PASS
11AC40SISO	Ant1	5510	MCS0	13.88	94.29	0.26	14.14	1.96	≤23.98	PASS
11AC40SISO	Ant1	5550	MCS0	13.20	94.20	0.26	13.46	1.96	≤23.98	PASS
11AC40SISO	Ant1	5670	MCS0	13.20	94.29	0.26	13.46	1.96	≤23.98	PASS
11AC80SISO	Ant1	5210	MCS0	10.24	89.19	0.50	10.74	2.62	≤23.98	PASS
11AC80SISO	Ant1	5290	MCS0	12.97	89.19	0.50	13.47	1.83	≤23.98	PASS
11AC80SISO	Ant1	5530	MCS0	13.00	89.19	0.50	13.50	1.96	≤23.98	PASS
11AC80SISO	Ant1	5610	MCS0	11.92	88.89	0.51	12.43	1.96	≤23.98	PASS


Note :

The Duty Cycle Factor has been compensated in the Test Result using the formula below:


Result=Power+10log(1/x),Power is measured value in dBm,and x is Duty Cycle in %.

Test Graphs Channel Power


11A-Ant1-5180




11A-Ant1-5200



11A-Ant1-5240




11A-Ant1-5260




11A-Ant1-5280




11A-Ant1-5320







11A-Ant1-5500




11A-Ant1-5580




11A-Ant1-5700




11N20SISO-Ant1-5180




11N20SISO-Ant1-5200







11N20SISO-Ant1-5240











11N20SISO-Ant1-5260




11N20SISO-Ant1-5280












11AC20SISO-Ant1-5200



11AC20SISO-Ant1-5240



11AC20SISO-Ant1-5260



11AC20SISO-Ant1-5280

