


Model: 1088
Assembled in China.
Designed & Developed in Sweden
by CTEK SWEDEN AB.

Input Voltage: 12Vdc
Input Current: Less than 1mA @ 12.5V
Transmitting Frequency: 2402-2480 MHz



DO NOT REMOVE THIS TAG

FCC ID: 2AF2UCTEK1088
IC: 20707-CTEK1088


This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.




DO NOT REMOVE THIS TAG



| Rev. | Qty. | Description | Date | By | Appr. |
|------|------|---------------|----------------------|----------|-------|
| A | | First Release | 07-maj-2015 12:58 | clofsted | NA |



| Dimensional Tolerance Group 130 | Basic sizes in mm | | | | | | | | | | | | | | |
|---------------------------------------|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| | over | | 1 | 3 | 6 | 10 | 15 | 22 | 30 | 40 | 53 | 70 | 90 | 120 | 160 |
| | Up to | 1 | 3 | 6 | 10 | 15 | 22 | 30 | 40 | 53 | 70 | 90 | 120 | 160 | 200 |
| Tolerance width | 0,16 | 0,18 | 0,20 | 0,22 | 0,26 | 0,30 | 0,34 | 0,40 | 0,48 | 0,56 | 0,68 | 0,82 | 1,00 | 1,30 | |



Volume

Where not specified

File Name

Replacing

Weight
g

Scale 1

App

The logo for CTEK, featuring the word "CTEK" in a bold, sans-serif font inside an oval border. A registered trademark symbol (®) is positioned to the upper right of the "K".

Label
Tag Label