















Mode	30																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial RU 242/62_7085MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7171.56</td><td>55.73</td><td>88.20</td><td>-32.47</td><td>38.12</td><td>36.89</td><td>12.42</td><td>35.88</td><td>4.18</td><td>100</td><td>246</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7171.56	55.73	88.20	-32.47	38.12	36.89	12.42	35.88	4.18	100	246	Peak	Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>95.81</td><td>-----</td><td>-----</td><td>78.46</td><td>36.70</td><td>12.36</td><td>35.83</td><td>4.12</td><td>100</td><td>246</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	95.81	-----	-----	78.46	36.70	12.36	35.83	4.12	100	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7171.56	55.73	88.20	-32.47	38.12	36.89	12.42	35.88	4.18	100	246	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	95.81	-----	-----	78.46	36.70	12.36	35.83	4.12	100	246	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7244.04</td><td>45.38</td><td>68.20</td><td>-22.82</td><td>27.46</td><td>37.18</td><td>12.46</td><td>35.93</td><td>4.21</td><td>100</td><td>246</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7244.04	45.38	68.20	-22.82	27.46	37.18	12.46	35.93	4.21	100	246	Average	Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>87.98</td><td>-----</td><td>-----</td><td>70.62</td><td>36.70</td><td>12.37</td><td>35.83</td><td>4.12</td><td>100</td><td>246</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	87.98	-----	-----	70.62	36.70	12.37	35.83	4.12	100	246
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7244.04	45.38	68.20	-22.82	27.46	37.18	12.46	35.93	4.21	100	246	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7085.00	87.98	-----	-----	70.62	36.70	12.37	35.83	4.12	100	246	AVERAGE																																																																																							







Mode	30																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial RU 242/62_7085MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7219.88</td><td>54.93</td><td>88.20</td><td>-33.27</td><td>37.10</td><td>37.08</td><td>12.45</td><td>35.91</td><td>4.21</td><td>100</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7219.88	54.93	88.20	-33.27	37.10	37.08	12.45	35.91	4.21	100	360	Peak	 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>87.33</td><td>-----</td><td>-----</td><td>69.98</td><td>36.70</td><td>12.36</td><td>35.82</td><td>4.11</td><td>100</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	87.33	-----	-----	69.98	36.70	12.36	35.82	4.11	100	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7219.88	54.93	88.20	-33.27	37.10	37.08	12.45	35.91	4.21	100	360	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7085.00	87.33	-----	-----	69.98	36.70	12.36	35.82	4.11	100	360	PEAK																																																																																								
Avg	 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7243.88</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>27.43</td><td>37.18</td><td>12.46</td><td>35.93</td><td>4.21</td><td>100</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7243.88	45.35	68.20	-22.85	27.43	37.18	12.46	35.93	4.21	100	360	Average	 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7085.00</td><td>79.35</td><td>-----</td><td>-----</td><td>62.00</td><td>36.70</td><td>12.36</td><td>35.83</td><td>4.12</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	79.35	-----	-----	62.00	36.70	12.36	35.83	4.12	100	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7243.88	45.35	68.20	-22.85	27.43	37.18	12.46	35.93	4.21	100	360	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7085.00	79.35	-----	-----	62.00	36.70	12.36	35.83	4.12	100	360	AVERAGE																																																																																								



Mode	31																																																																																																	
	Band Edge																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial RU 484/66_7025MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7106.26</td><td>55.22</td><td>88.20</td><td>-32.98</td><td>37.53</td><td>36.95</td><td>12.43</td><td>35.89</td><td>4.20</td><td>306</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7106.26	55.22	88.20	-32.98	37.53	36.95	12.43	35.89	4.20	306	Peak	 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>90.04</td><td>-----</td><td>-----</td><td>72.75</td><td>36.70</td><td>12.31</td><td>35.78</td><td>4.06</td><td>306</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	90.04	-----	-----	72.75	36.70	12.31	35.78	4.06	306	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7106.26	55.22	88.20	-32.98	37.53	36.95	12.43	35.89	4.20	306	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7025.00	90.04	-----	-----	72.75	36.70	12.31	35.78	4.06	306	PEAK																																																																																							
Avg	 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7241.70</td><td>45.36</td><td>68.20</td><td>-22.84</td><td>27.45</td><td>37.17</td><td>12.46</td><td>35.93</td><td>4.21</td><td>306</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7241.70	45.36	68.20	-22.84	27.45	37.17	12.46	35.93	4.21	306	Average	 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>81.75</td><td>-----</td><td>-----</td><td>64.46</td><td>36.70</td><td>12.31</td><td>35.78</td><td>4.06</td><td>306</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	81.75	-----	-----	64.46	36.70	12.31	35.78	4.06	306	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7241.70	45.36	68.20	-22.84	27.45	37.17	12.46	35.93	4.21	306	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	7025.00	81.75	-----	-----	64.46	36.70	12.31	35.78	4.06	306	AVERAGE																																																																																							







Mode	31																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Partial RU 484/66_7025MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.30</td><td>54.78</td><td>88.20</td><td>-33.42</td><td>37.12</td><td>36.93</td><td>12.43</td><td>35.89</td><td>4.19</td><td>100</td><td>73 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.30	54.78	88.20	-33.42	37.12	36.93	12.43	35.89	4.19	100	73 Peak	Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>95.06</td><td>-----</td><td>-----</td><td>77.76</td><td>36.70</td><td>12.32</td><td>35.79</td><td>4.07</td><td>100</td><td>73 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	95.06	-----	-----	77.76	36.70	12.32	35.79	4.07	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.30	54.78	88.20	-33.42	37.12	36.93	12.43	35.89	4.19	100	73 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	95.06	-----	-----	77.76	36.70	12.32	35.79	4.07	100	73 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7235.10</td><td>45.36</td><td>68.20</td><td>-22.84</td><td>27.47</td><td>37.14</td><td>12.46</td><td>35.92</td><td>4.21</td><td>100</td><td>73 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7235.10	45.36	68.20	-22.84	27.47	37.14	12.46	35.92	4.21	100	73 Average	Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>87.70</td><td>-----</td><td>-----</td><td>70.41</td><td>36.70</td><td>12.31</td><td>35.78</td><td>4.06</td><td>100</td><td>73 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	87.70	-----	-----	70.41	36.70	12.31	35.78	4.06	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7235.10	45.36	68.20	-22.84	27.47	37.14	12.46	35.92	4.21	100	73 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7025.00	87.70	-----	-----	70.41	36.70	12.31	35.78	4.06	100	73 AVERAGE																																																																																						





Mode	32											
	Band Edge											
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial RU 996/S67_6985MHz											
ANT	1+2											
Pol.	Horizontal						Fundamental					
Peak	Level (dBuV/m)											



Mode	32																																																																																																
	Band Edge																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Partial RU 996/S67_6985MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7177.72</td><td>55.46</td><td>88.20</td><td>-32.74</td><td>37.82</td><td>36.91</td><td>12.42</td><td>35.88</td><td>4.19</td><td>400</td><td>83 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7177.72	55.46	88.20	-32.74	37.82	36.91	12.42	35.88	4.19	400	83 Peak	Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>91.20</td><td>-----</td><td>-----</td><td>73.91</td><td>36.70</td><td>12.31</td><td>35.78</td><td>4.06</td><td>400</td><td>83 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	91.20	-----	-----	73.91	36.70	12.31	35.78	4.06	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7177.72	55.46	88.20	-32.74	37.82	36.91	12.42	35.88	4.19	400	83 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6985.00	91.20	-----	-----	73.91	36.70	12.31	35.78	4.06	400	83 PEAK																																																																																						
Avg																																																																																																	
	Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7221.88</td><td>45.30</td><td>68.20</td><td>-22.90</td><td>27.47</td><td>37.09</td><td>12.45</td><td>35.92</td><td>4.21</td><td>400</td><td>83 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7221.88	45.30	68.20	-22.90	27.47	37.09	12.45	35.92	4.21	400	83 Average	Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_240620 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>82.36</td><td>-----</td><td>-----</td><td>65.07</td><td>36.70</td><td>12.31</td><td>35.78</td><td>4.06</td><td>400</td><td>83 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	82.36	-----	-----	65.07	36.70	12.31	35.78	4.06	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7221.88	45.30	68.20	-22.90	27.47	37.09	12.45	35.92	4.21	400	83 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	6985.00	82.36	-----	-----	65.07	36.70	12.31	35.78	4.06	400	83 AVERAGE																																																																																						




Mode	37																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH2_5935MHz																																																																																																																																																																																					
ANT	1+2																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QPI Peak	 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_241127 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>20.61</td><td>40.00</td><td>-19.39</td><td>28.85</td><td>23.90</td><td>0.64</td><td>32.81</td><td>0.03 -- -- Peak</td></tr><tr><td>2</td><td>109.54</td><td>22.43</td><td>43.50</td><td>-21.07</td><td>36.94</td><td>16.83</td><td>1.32</td><td>32.69</td><td>0.03 -- -- Peak</td></tr><tr><td>3</td><td>248.25</td><td>26.23</td><td>46.00</td><td>-19.77</td><td>36.06</td><td>20.07</td><td>2.03</td><td>32.81</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>507.24</td><td>25.07</td><td>46.00</td><td>-20.93</td><td>30.88</td><td>24.14</td><td>3.03</td><td>33.02</td><td>0.04 -- -- Peak</td></tr><tr><td>5</td><td>746.83</td><td>30.44</td><td>46.00</td><td>-15.56</td><td>31.31</td><td>28.13</td><td>3.70</td><td>32.81</td><td>0.11 -- -- Peak</td></tr><tr><td>6</td><td>898.15</td><td>37.12</td><td>46.00</td><td>-8.88</td><td>35.79</td><td>29.23</td><td>4.02</td><td>32.02</td><td>0.10 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	20.61	40.00	-19.39	28.85	23.90	0.64	32.81	0.03 -- -- Peak	2	109.54	22.43	43.50	-21.07	36.94	16.83	1.32	32.69	0.03 -- -- Peak	3	248.25	26.23	46.00	-19.77	36.06	20.07	2.03	32.81	0.08 -- -- Peak	4	507.24	25.07	46.00	-20.93	30.88	24.14	3.03	33.02	0.04 -- -- Peak	5	746.83	30.44	46.00	-15.56	31.31	28.13	3.70	32.81	0.11 -- -- Peak	6	898.15	37.12	46.00	-8.88	35.79	29.23	4.02	32.02	0.10 -- -- Peak	 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_241127 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>34.85</td><td>24.71</td><td>40.00</td><td>-15.29</td><td>34.46</td><td>22.33</td><td>0.71</td><td>32.82</td><td>0.03 -- -- Peak</td></tr><tr><td>2</td><td>161.92</td><td>20.22</td><td>43.50</td><td>-23.28</td><td>34.83</td><td>16.41</td><td>1.66</td><td>32.74</td><td>0.06 -- -- Peak</td></tr><tr><td>3</td><td>241.46</td><td>23.83</td><td>46.00</td><td>-22.17</td><td>34.52</td><td>20.04</td><td>2.00</td><td>32.81</td><td>0.08 -- -- Peak</td></tr><tr><td>4</td><td>514.03</td><td>25.31</td><td>46.00</td><td>-20.69</td><td>31.07</td><td>24.17</td><td>3.04</td><td>33.03</td><td>0.06 -- -- Peak</td></tr><tr><td>5</td><td>741.98</td><td>38.27</td><td>46.00</td><td>-7.73</td><td>39.18</td><td>28.09</td><td>3.69</td><td>32.81</td><td>0.12 -- -- Peak</td></tr><tr><td>6</td><td>954.41</td><td>33.50</td><td>46.00</td><td>-12.50</td><td>29.52</td><td>31.00</td><td>4.27</td><td>31.48</td><td>0.19 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	34.85	24.71	40.00	-15.29	34.46	22.33	0.71	32.82	0.03 -- -- Peak	2	161.92	20.22	43.50	-23.28	34.83	16.41	1.66	32.74	0.06 -- -- Peak	3	241.46	23.83	46.00	-22.17	34.52	20.04	2.00	32.81	0.08 -- -- Peak	4	514.03	25.31	46.00	-20.69	31.07	24.17	3.04	33.03	0.06 -- -- Peak	5	741.98	38.27	46.00	-7.73	39.18	28.09	3.69	32.81	0.12 -- -- Peak	6	954.41	33.50	46.00	-12.50	29.52	31.00	4.27	31.48	0.19 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	30.97	20.61	40.00	-19.39	28.85	23.90	0.64	32.81	0.03 -- -- Peak																																																																																																																																																																													
2	109.54	22.43	43.50	-21.07	36.94	16.83	1.32	32.69	0.03 -- -- Peak																																																																																																																																																																													
3	248.25	26.23	46.00	-19.77	36.06	20.07	2.03	32.81	0.08 -- -- Peak																																																																																																																																																																													
4	507.24	25.07	46.00	-20.93	30.88	24.14	3.03	33.02	0.04 -- -- Peak																																																																																																																																																																													
5	746.83	30.44	46.00	-15.56	31.31	28.13	3.70	32.81	0.11 -- -- Peak																																																																																																																																																																													
6	898.15	37.12	46.00	-8.88	35.79	29.23	4.02	32.02	0.10 -- -- Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	34.85	24.71	40.00	-15.29	34.46	22.33	0.71	32.82	0.03 -- -- Peak																																																																																																																																																																													
2	161.92	20.22	43.50	-23.28	34.83	16.41	1.66	32.74	0.06 -- -- Peak																																																																																																																																																																													
3	241.46	23.83	46.00	-22.17	34.52	20.04	2.00	32.81	0.08 -- -- Peak																																																																																																																																																																													
4	514.03	25.31	46.00	-20.69	31.07	24.17	3.04	33.03	0.06 -- -- Peak																																																																																																																																																																													
5	741.98	38.27	46.00	-7.73	39.18	28.09	3.69	32.81	0.12 -- -- Peak																																																																																																																																																																													
6	954.41	33.50	46.00	-12.50	29.52	31.00	4.27	31.48	0.19 -- -- Peak																																																																																																																																																																													



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2	802.11a	99.29	-	-	10Hz
1+2	6GHz 802.11ax HE20 Full RU	100.00	-	-	10Hz
1+2	6GHz 802.11ax HE20 106 RU	100.00	-	-	10Hz
1+2	6GHz 802.11ax HE40 Full RU	100.00	-	-	10Hz
1+2	6GHz 802.11ax HE40 242 RU	99.49	-	-	10Hz
1+2	6GHz 802.11ax HE80 Full RU	100.00	-	-	10Hz
1+2	6GHz 802.11ax HE80 484 RU	98.94	-	-	10Hz
1+2	6GHz 802.11ax HE160 Full RU	100.00	-	-	10Hz
1+2	6GHz 802.11ax HE160 996 RU	98.91	-	-	10Hz

MIMO <Ant. 1+2>






6GHz 802.11ax HE20 106 RU




6GHz 802.11ax HE40 Full RU




6GHz 802.11ax HE40 242 RU



6GHz 802.11ax HE80 Full RU



6GHz 802.11ax HE80 484 RU



6GHz 802.11ax HE160 Full RU



