



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-1.86	2.92	1.06	6.98	Pass
5300	-2.00	2.92	0.92	6.98	Pass
5320	-7.24	2.92	-4.32	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-1.52	2.92	1.40	6.98	Pass
5580	-2.02	2.92	0.90	6.98	Pass
5700	-1.65	2.92	1.27	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-1.13	-4.14	2.92	-1.22	25.98	Pass
5785	-5.22	-8.23	2.92	-5.31	25.98	Pass
5825	4.22	1.21	2.92	4.13	25.98	Pass

NOTE: $\text{PSD}_{\text{dBm/500 kHz}} = \text{PSD}_{\text{dBm/MHz}} - 10 \times \log_{10}(1 \text{ MHz} / 500 \text{ kHz})$




Test Mode	IEEE 802.11a_ANT 2
-----------	--------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	3.72	2.92	6.64	12.98	Pass
5200	-1.65	2.92	1.27	12.98	Pass
5240	3.64	2.92	6.56	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-1.63	2.92	1.29	6.98	Pass
5300	-2.30	2.92	0.62	6.98	Pass
5320	-5.90	2.92	-2.98	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-1.85	2.92	1.07	6.98	Pass
5580	-1.66	2.92	1.26	6.98	Pass
5700	-2.26	2.92	0.66	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-3.59	-6.60	2.92	-3.68	25.98	Pass
5785	-5.10	-8.11	2.92	-5.19	25.98	Pass
5825	2.74	-0.27	2.92	2.65	25.98	Pass

NOTE: $\text{PSD}_{\text{dBm/500 kHz}} = \text{PSD}_{\text{dBm/MHz}} - 10 \times \log_{10}(1 \text{ MHz} / 500 \text{ kHz})$




Test Mode	IEEE 802.11a_ANT 3
-----------	--------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	3.21	2.92	6.13	12.98	Pass
5200	-3.05	2.92	-0.13	12.98	Pass
5240	3.92	2.92	6.84	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-3.40	2.92	-0.48	6.98	Pass
5300	-4.18	2.92	-1.26	6.98	Pass
5320	-7.19	2.92	-4.27	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-2.57	2.92	0.35	6.98	Pass
5580	-2.53	2.92	0.39	6.98	Pass
5700	-3.04	2.92	-0.12	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-5.21	-8.22	2.92	-5.30	25.98	Pass
5785	-5.73	-8.74	2.92	-5.82	25.98	Pass
5825	2.77	-0.24	2.92	2.68	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11a_ANT 4
-----------	--------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	3.94	2.92	6.86	12.98	Pass
5200	-2.47	2.92	0.45	12.98	Pass
5240	3.75	2.92	6.67	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-1.46	2.92	1.46	6.98	Pass
5300	-0.94	2.92	1.98	6.98	Pass
5320	-6.50	2.92	-3.58	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-2.40	2.92	0.52	6.98	Pass
5580	-1.89	2.92	1.03	6.98	Pass
5700	-1.84	2.92	1.08	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	-4.65	-7.66	2.92	-4.74	25.98	Pass
5785	-4.66	-7.67	2.92	-4.75	25.98	Pass
5825	4.89	1.88	2.92	4.80	25.98	Pass

NOTE: $\text{PSD}_{\text{dBm/500 kHz}} = \text{PSD}_{\text{dBm/MHz}} - 10 \times \log_{10}(1 \text{ MHz} / 500 \text{ kHz})$



Test Mode	IEEE 802.11a_Total
-----------	--------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	12.69	12.98	Pass
5200	6.44	12.98	Pass
5240	12.89	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.92	6.98	Pass
5300	6.73	6.98	Pass
5320	2.27	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	6.87	6.98	Pass
5580	6.93	6.98	Pass
5700	6.77	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	2.59	25.98	Pass
5785	0.77	25.98	Pass
5825	9.68	25.98	Pass

Test Mode	IEEE 802.11ac (VHT20)_ANT 1
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.98	1.06	7.04	12.98	Pass
5200	5.73	1.06	6.79	12.98	Pass
5240	6.03	1.06	7.09	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.06	1.06	1.00	6.98	Pass
5300	-0.39	1.06	0.67	6.98	Pass
5320	-0.22	1.06	0.84	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.05	1.06	1.11	6.98	Pass
5580	-0.14	1.06	0.92	6.98	Pass
5700	0.42	1.06	1.48	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	8.46	5.45	1.06	6.51	25.98	Pass
5785	8.63	5.62	1.06	6.68	25.98	Pass
5825	8.73	5.72	1.06	6.78	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT20)_ANT 2
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.78	1.06	6.84	12.98	Pass
5200	5.98	1.06	7.04	12.98	Pass
5240	5.91	1.06	6.97	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.21	1.06	0.85	6.98	Pass
5300	-0.12	1.06	0.94	6.98	Pass
5320	-0.13	1.06	0.93	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.14	1.06	0.92	6.98	Pass
5580	-0.18	1.06	0.88	6.98	Pass
5700	-0.47	1.06	0.59	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	7.80	4.79	1.06	5.85	25.98	Pass
5785	8.01	5.00	1.06	6.06	25.98	Pass
5825	8.60	5.59	1.06	6.65	25.98	Pass

NOTE: $\text{PSD}_{\text{dBm/500 kHz}} = \text{PSD}_{\text{dBm/MHz}} - 10 \times \log_{10}(1 \text{ MHz} / 500 \text{ kHz})$




Test Mode	IEEE 802.11ac (VHT20)_ANT 3
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.32	1.06	6.38	12.98	Pass
5200	5.24	1.06	6.30	12.98	Pass
5240	5.24	1.06	6.30	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.86	1.06	0.20	6.98	Pass
5300	-0.96	1.06	0.10	6.98	Pass
5320	-0.94	1.06	0.12	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.85	1.06	0.21	6.98	Pass
5580	-1.18	1.06	-0.12	6.98	Pass
5700	-1.31	1.06	-0.25	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	7.55	4.54	1.06	5.60	25.98	Pass
5785	7.38	4.37	1.06	5.43	25.98	Pass
5825	7.77	4.76	1.06	5.82	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT20)_ANT 4
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	5.95	1.06	7.01	12.98	Pass
5200	5.94	1.06	7.00	12.98	Pass
5240	6.05	1.06	7.11	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	0.38	1.06	1.44	6.98	Pass
5300	0.34	1.06	1.40	6.98	Pass
5320	0.35	1.06	1.41	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	-0.22	1.06	0.84	6.98	Pass
5580	-0.25	1.06	0.81	6.98	Pass
5700	0.16	1.06	1.22	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	7.38	4.37	1.06	5.43	25.98	Pass
5785	8.67	5.66	1.06	6.72	25.98	Pass
5825	8.72	5.71	1.06	6.77	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT20)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	12.84	12.98	Pass
5200	12.81	12.98	Pass
5240	12.90	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	6.91	6.98	Pass
5300	6.82	6.98	Pass
5320	6.87	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	6.80	6.98	Pass
5580	6.66	6.98	Pass
5700	6.83	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	11.89	25.98	Pass
5785	12.27	25.98	Pass
5825	12.54	25.98	Pass

Test Mode	IEEE 802.11ac (VHT40)_ANT 1
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-3.03	2.26	-0.77	12.98	Pass
5230	4.81	2.26	7.07	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-1.57	2.26	0.69	6.98	Pass
5310	-5.13	2.26	-2.87	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-1.05	2.26	1.21	6.98	Pass
5550	-1.16	2.26	1.10	6.98	Pass
5670	-1.00	2.26	1.26	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	2.46	-0.55	2.26	1.71	25.98	Pass
5795	2.72	-0.29	2.26	1.97	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT40)_ANT 2
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-3.27	2.26	-1.01	12.98	Pass
5230	4.22	2.26	6.48	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-1.78	2.26	0.48	6.98	Pass
5310	-5.50	2.26	-3.24	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-1.19	2.26	1.07	6.98	Pass
5550	-0.97	2.26	1.29	6.98	Pass
5670	-1.82	2.26	0.44	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	1.96	-1.05	2.26	1.21	25.98	Pass
5795	2.18	-0.83	2.26	1.43	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT40)_ANT 3
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-4.82	2.26	-2.56	12.98	Pass
5230	3.62	2.26	5.88	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-2.34	2.26	-0.08	6.98	Pass
5310	-6.21	2.26	-3.95	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-2.29	2.26	-0.03	6.98	Pass
5550	-2.09	2.26	0.17	6.98	Pass
5670	-2.05	2.26	0.21	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	1.26	-1.75	2.26	0.51	25.98	Pass
5795	1.33	-1.68	2.26	0.58	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$




Test Mode	IEEE 802.11ac (VHT40)_ANT 4
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	-3.23	2.26	-0.97	12.98	Pass
5230	4.80	2.26	7.06	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	-1.47	2.26	0.79	6.98	Pass
5310	-5.04	2.26	-2.78	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	-1.53	2.26	0.73	6.98	Pass
5550	-1.39	2.26	0.87	6.98	Pass
5670	-1.33	2.26	0.93	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	2.29	-0.72	2.26	1.54	25.98	Pass
5795	2.37	-0.64	2.26	1.62	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$



Test Mode	IEEE 802.11ac (VHT40)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5190	4.75	12.98	Pass
5230	12.67	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5270	6.51	6.98	Pass
5310	2.84	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5510	6.80	6.98	Pass
5550	6.90	6.98	Pass
5670	6.75	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5755	7.29	25.98	Pass
5795	7.45	25.98	Pass

Test Mode	IEEE 802.11ac (VHT80)_ANT 1
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-6.54	1.90	-4.64	12.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.85	1.90	-6.95	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-7.18	1.90	-5.28	6.98	Pass
5610	-0.53	1.90	1.37	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-5.88	-8.89	1.90	-6.99	25.98	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$						




Test Mode	IEEE 802.11ac (VHT80)_ANT 2
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-6.78	1.90	-4.88	12.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.49	1.90	-6.59	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-7.00	1.90	-5.10	6.98	Pass
5610	-1.34	1.90	0.56	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-6.59	-9.60	1.90	-7.70	25.98	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$						




Test Mode	IEEE 802.11ac (VHT80)_ANT 3
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-7.11	1.90	-5.21	12.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-9.38	1.90	-7.48	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-8.28	1.90	-6.38	6.98	Pass
5610	-1.67	1.90	0.23	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-7.55	-10.56	1.90	-8.66	25.98	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$						




Test Mode	IEEE 802.11ac (VHT80)_ANT 4
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	-6.09	1.90	-4.19	12.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-8.44	1.90	-6.54	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	-7.34	1.90	-5.44	6.98	Pass
5610	-1.03	1.90	0.87	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-6.21	-9.22	1.90	-7.32	25.98	Pass
NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$						



Test Mode	IEEE 802.11ac (VHT80)_Total
-----------	-----------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5210	1.31	12.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5290	-0.85	6.98	Pass

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5530	0.50	6.98	Pass
5610	6.80	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5775	-1.60	25.98	Pass

Test Mode	IEEE 802.11ac (VHT160)_ANT 1
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-9.75	0.97	-8.78	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-7.77	0.97	-6.80	6.98	Pass




Test Mode	IEEE 802.11ac (VHT160)_ANT 2
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-9.60	0.97	-8.63	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-7.84	0.97	-6.87	6.98	Pass




Test Mode	IEEE 802.11ac (VHT160)_ANT 3
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-10.72	0.97	-9.75	6.98	Pass




Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-9.16	0.97	-8.19	6.98	Pass




Test Mode	IEEE 802.11ac (VHT160)_ANT 4
-----------	------------------------------

Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-9.33	0.97	-8.36	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-7.37	0.97	-6.40	6.98	Pass




Test Mode	IEEE 802.11ac (VHT160)_Total
-----------	------------------------------

Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5250	-2.83	6.98	Pass


Test Frequency (MHz)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5570	-1.00	6.98	Pass

Test Mode	IEEE 802.11ax (HEW20)_ANT 1
-----------	-----------------------------


Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5180	6.45	0.53	6.98	12.98	Pass
5200	6.35	0.53	6.88	12.98	Pass
5240	6.37	0.53	6.90	12.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5260	-0.06	0.53	0.47	6.98	Pass
5300	0.05	0.53	0.58	6.98	Pass
5320	0.16	0.53	0.69	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dB)	Calculated Power Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5500	0.49	0.53	1.02	6.98	Pass
5580	0.29	0.53	0.82	6.98	Pass
5700	0.59	0.53	1.12	6.98	Pass



Test Frequency (MHz)	Power Density (dBm/MHz)	Power Density (dBm/500 kHz)	Duty Factor (dB)	Calculated Power Density (dBm/500 kHz)	Maximum Limit (dBm/500 kHz)	Result
5745	6.41	3.40	0.53	3.93	25.98	Pass
5785	6.63	3.62	0.53	4.15	25.98	Pass
5825	6.24	3.23	0.53	3.76	25.98	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/MHz} - 10 \times \log_{10}(1\text{ MHz} / 500\text{ kHz})$

