

User Manual

WiFi Camera



O-KAM Pro

Quick installation for iOS and Android

English: German: French: Italian: Español: 日本語

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Important: Change or modifications not expressly approved by the manufacturer responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, this equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.

Vulnerability Reporting: <http://www.szsinocam.com/Reporting/>

English:

Support plate

WIFI Antennas

Reset

TF card

speaker

Night lights

indicator light

photosensitive

lens

MIC

PIR

TF card/Reset

Charge port

OFF-ON



Device connection

1.Download the APP

Use your phone to scan the QR code below to download the application, while users can use the APP Store/Google Play to search for O-KAM Pro to download.



O-KAM PRO


SIGNUP/LOGIN

(1) Please register an APP account and log in.

Step 1: New User need to sign up an account and select your country.

Step 2: Click "Sign up" then Enter your email, user name and password, Complete the verification and Sign in your account.

(2) If you already have a O-KAM PRO account, Login directly.



Screen 1: Login/Registration screen. It displays a welcome message, a login prompt, and fields for Account and Password. There are links for 'Forgot the password?' and 'Email verification code login'. A large green 'Login' button is at the bottom. A 'Register now' link is at the bottom right. A decorative image of a living room is at the bottom.

Hello, welcome to use O-KAM

Please login

Account

Password

☐ Remember password [Forgot the password?](#)

[Email verification code login](#)

Login

[Register now](#)




Screen 2: Verification code login screen. It prompts the user to enter their email address and provides a green button for 'Email Verification'.

← Verification code login

Please enter your email address

Please enter your email address

Email Verification



Screen 3: Verification code received screen. It prompts the user to enter the verification code and displays a message indicating the code has been sent to the email address. There is a green button for 'Email Verification'.

←

Please enter the verification code


The verification code has been sent to your email address: [test@okam20@gmail.com](#). Please check!

Email Verification

No verification code received?

Homepage Connection Operation Video

On the APP home page, you can learn by watching the WIFI camera connection operation video.




ADD DEVICE

Step 1: Power on the camera until you hear a APP connection prompt
(No reset is heard again)

Step 2: Click "+" on App right corner under Home page.

There will have multiple connection way for you to adding the device.



Scan code binding

Follow below tips to connect the WiFi

1. Use the phone camera to scan the QR code on the camera body
2. Select 2.4GHz Wi-Fi and enter the password.
3. The QR code is scanned successfully, the APP will automatically jump to the next interface.
4. Waiting 1-2 Minutes Connect to the WiFi




Scan code binding

1. The QR code displayed by the APP is aligned with the camera lens, keep it 15-30cm and wait for the camera to scan it.
2. After the camera scans the QR code successfully and finishes configuring the network, it automatically jumps the binding interface.




Add Completed

1. At the Installation Environment Test screen, select "Skip".
2. Add Camera Complete.



German:



Anschluss des Geräts

1. die APP herunterladen

Scannen Sie mit Ihrem Telefon den unten stehenden QR-Code, um die Anwendung herunterzuladen, oder suchen Sie im APPStore/Google Play nach O-KAM Pro suchen und herunterladen.



O-KAM PRO


ANMELDUNG/LOGIN

(1) Bitte registrieren Sie ein APP-Konto und melden Sie sich an.

Schritt 1: Neue Benutzer müssen ein Konto einrichten und ihr Land auswählen.

Schritt 2: Klicken Sie auf "Anmelden" und geben Sie Ihre E-Mail-Adresse, Ihren Benutzernamen und Ihr Passwort ein, Schließen Sie die Verifizierung ab und melden Sie sich in Ihrem Konto an.

(2) Wenn Sie bereits ein O-KAM PRO-Konto haben, melden Sie sich direkt an.



Screen 1: Login/Registration screen. It displays a welcome message "Hello, welcome to use O-KAM" and a "Please login" prompt. Below this are input fields for "Account" and "Password", each with a dropdown arrow. There are radio buttons for "Remember password" and a link "Forgot the password?". A "Email verification code login" option is present. A large green "Login" button is at the bottom, with a "Register now" link below it. The bottom of the screen features a decorative image of a modern living room.




Screen 2: Verification code login screen. It shows a back arrow, the title "Verification code login", and the prompt "Please enter your email address". Below this is a text input field with the placeholder "Please enter your email address". At the bottom is a green button labeled "Login/Registration".



Screen 3: Verification code input screen. It shows a back arrow, the title "Verification code login", and the prompt "Please enter the verification code". Below this is a four-digit verification code input field. A message states: "The verification code has been sent to your email address: test@ok.com Please check!". At the bottom is a green button labeled "Login/Registration".

Homepage Verbindung Betrieb Video


Auf der APP-Startseite können Sie lernen, indem Sie sich das Video zum Anschluss der WIFI-Kamera ansehen.



GERÄT HINZUFÜGEN

Schritt 1: Schalten Sie die Kamera ein, bis Sie eine APP-Verbindungsanforderung hören (Es ist kein Reset mehr zu hören)


Schritt 2: Klicken Sie auf "+" in der rechten Ecke der App unter "Startseite". Es gibt mehrere Anschlussmöglichkeiten für Sie, um das Gerät hinzuzufügen.



Scan-Code-Bindung


Befolgen Sie die folgenden Tipps, um das WiFi zu verbinden

1. Scannen Sie mit der Handykamera den QR-Code auf dem Kameragehäuse
2. Wählen Sie 2.4GHz Wi-Fi und geben Sie das Passwort ein.
3. Der QR-Code wird erfolgreich gescannt, die APP springt automatisch zur nächsten Schnittstelle.
4. Warten 1-2 Minuten Verbinden mit dem WiFi




Scan-Code-Bindung

1. Der von der APP angezeigte QR-Code ist auf das Kameraobjektiv ausgerichtet. Halten Sie ihn in einem Abstand von 15-30 Zentimetern und warten Sie, bis die Kamera ihn gescannt hat.
2. Nachdem die Kamera den QR-Code erfolgreich gescannt und die die Konfiguration des Netzwerks abgeschlossen hat, springt sie automatisch auf die verbindliche Schnittstelle.



Erledigt hinzufügen

1. Wählen Sie auf dem Bildschirm "Test der Installationsumgebung" die Option "Überspringen".
2. Kamera hinzufügen Vollständig.



French:

