

## **ENGLISH VERSION**

## Product Overview



## Specifications

Optical engine: DLP  
Brightness: 50lums  
Lamp: RGB LED, over 20,000 hrs  
Resolution: 854 x 480  
Projection size: 20~100 inches  
Projection distance: 2~3m  
Contrast: 1000: 1  
Screen ratio: 16:9 4:3  
Focus: Manual focus  
OS: Android4.4  
CPU: 1.4GHz  
Built in memory: 8GB  
WiFi: Support 2.4G  
BT: Support 4.0 BLE  
USB and TF card: up to 32GB  
Video formats: MPEG4, AVI, RM, RMVB, FLV, WMV, 3PG, MP4, MKV, etc.  
Picture formats: JPEG, BMP, GIF, etc.  
Documents: WORD EXCEL PPT PDF  
Speaker: Built in 2Wx1  
Language: Multilingual  
Battery: 3300mAh

## Basic operations



- 1.Power on: Press ON/OFF key for 3 seconds, the blue light on,then the opening picture comes out.
- 2.Poweroff:Press ON/OFF key for 3 seconds, the projecting picture will remind you device is shutting down(正在关机).
- 3.Back: Press ON/OFF key for 1 seconds.

## Reboot



Reboot:Please Press reset button, when abnormal condition occurs.

## Charging



Charging:A power bank or home charge can recharge the device.

**Display with more devices  
Simultaneously via wireless -For IOS  
Series product.**

Its possible to achieve wireless connection with more devices in same time by using the built-in wireless display function for iphone,ipad & mini projector.

Note:Please make cell phone&projector connect the same wifi, then go to step 2

1. In setting menu,click & connect portable hotspot.



**Setting: Tethering&portable hotspot-Set up wifi hotspot; change WIFI password and Frequency.**



2. Finding AIRPLAY in your phone,then choose ESHARE.XXX,open mirror button,finish wireless.



## Wireless display in same time For Android Devices

Note:Smart phone & android tablet pc should support  
Miracast function

1、 Turn on wifi in two devices,finding WI-FI display in  
mini projector as following.

2、 Starting up your cell phone or tablet with,  
setting-display-wireless display or screen share &  
multi-screens,connect Android XXXX,click accep in ur  
projector, 10s later it will achieve display in more  
devices in the same time.



## Wireless display with computer

1. Install EScreen.exe software, opening as following
2. making two devices connect with same wifi or make laptop connect with the hotspot of the projector.



3. Click search devices, finding relevant equipment then click start mirroring.

## FAQ(Frequently Asked Question)

- How to focus

Press the focus button on the side of the projector.

- How to adjust the brightness

In setting-display- brightness adjustment.

- Intermittent black screen

Due to outlet obstructions affect the heat dissipation to make the engine overheat result in black screen.

- Unable to boot(Please make sure the following points)

- 1、Low battery or not
- 2、Plug the power cord & power supply is normal
- 3、Shutdown normal or not,please restart the machine.

**FCC STATEMENT :**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

**Warning:** Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**FCC Radiation Exposure Statement:**

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.