













Mode	11																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH10_2457MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.78</td><td>65.30</td><td>74.00</td><td>-8.70</td><td>52.39</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>111 280 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.78	65.30	74.00	-8.70	52.39	32.50	6.82	32.41	6.00	111 280 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>109.59</td><td>-----</td><td>-----</td><td>96.72</td><td>32.50</td><td>6.78</td><td>32.41</td><td>6.00</td><td>111 280 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	109.59	-----	-----	96.72	32.50	6.78	32.41	6.00	111 280 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.78	65.30	74.00	-8.70	52.39	32.50	6.82	32.41	6.00	111 280 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	109.59	-----	-----	96.72	32.50	6.78	32.41	6.00	111 280 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.05</td><td>54.00</td><td>-3.95</td><td>37.14</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>111 280 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.05	54.00	-3.95	37.14	32.50	6.82	32.41	6.00	111 280 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>100.53</td><td>-----</td><td>-----</td><td>87.66</td><td>32.50</td><td>6.78</td><td>32.41</td><td>6.00</td><td>111 280 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	100.53	-----	-----	87.66	32.50	6.78	32.41	6.00	111 280 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	50.05	54.00	-3.95	37.14	32.50	6.82	32.41	6.00	111 280 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	100.53	-----	-----	87.66	32.50	6.78	32.41	6.00	111 280 AVERAGE																																																																																									







Mode	11																																																																													
	Harmonic																																																																													
	2400-2483.5_802.11g_CH10_2457MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>4914.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>61.78</td><td>34.07</td><td>9.72</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>40.46</td><td>74.00</td><td>-33.54</td><td>59.46</td><td>35.70</td><td>11.99</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	4914.00	39.39	74.00	-34.61	61.78	34.07	9.72	66.18	0.00	---	---	PEAK	2	7371.00	40.46	74.00	-33.54	59.46	35.70	11.99	66.69	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																					
1	4914.00	39.39	74.00	-34.61	61.78	34.07	9.72	66.18	0.00	---	---	PEAK																																																																		
2	7371.00	40.46	74.00	-33.54	59.46	35.70	11.99	66.69	0.00	---	---	PEAK																																																																		
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1</td><td>4914.00</td><td>39.44</td><td>74.00</td><td>-34.56</td><td>61.83</td><td>34.07</td><td>9.72</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>41.66</td><td>74.00</td><td>-32.34</td><td>60.66</td><td>35.70</td><td>11.99</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	4914.00	39.44	74.00	-34.56	61.83	34.07	9.72	66.18	0.00	---	---	PEAK	2	7371.00	41.66	74.00	-32.34	60.66	35.70	11.99	66.69	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																					
1	4914.00	39.44	74.00	-34.56	61.83	34.07	9.72	66.18	0.00	---	---	PEAK																																																																		
2	7371.00	41.66	74.00	-32.34	60.66	35.70	11.99	66.69	0.00	---	---	PEAK																																																																		





Mode	12																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11n HT20_CH2_Full RU_2417MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.87</td><td>61.86</td><td>74.00</td><td>-12.14</td><td>49.35</td><td>32.25</td><td>6.68</td><td>32.42</td><td>6.00</td><td>262 253 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.87	61.86	74.00	-12.14	49.35	32.25	6.68	32.42	6.00	262 253 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>110.07</td><td>-----</td><td>-----</td><td>97.39</td><td>32.37</td><td>6.73</td><td>32.42</td><td>6.00</td><td>262 253 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	110.07	-----	-----	97.39	32.37	6.73	32.42	6.00	262 253 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.87	61.86	74.00	-12.14	49.35	32.25	6.68	32.42	6.00	262 253 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2417.00	110.07	-----	-----	97.39	32.37	6.73	32.42	6.00	262 253 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>48.95</td><td>54.00</td><td>-5.05</td><td>36.42</td><td>32.26</td><td>6.69</td><td>32.42</td><td>6.00</td><td>262 253 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.95	54.00	-5.05	36.42	32.26	6.69	32.42	6.00	262 253 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>100.93</td><td>-----</td><td>-----</td><td>88.27</td><td>32.36</td><td>6.72</td><td>32.42</td><td>6.00</td><td>262 253 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	100.93	-----	-----	88.27	32.36	6.72	32.42	6.00	262 253 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	48.95	54.00	-5.05	36.42	32.26	6.69	32.42	6.00	262 253 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2417.00	100.93	-----	-----	88.27	32.36	6.72	32.42	6.00	262 253 AVERAGE																																																																																									



Mode	12																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11n HT20_CH2_Full RU_2417MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>64.45</td><td>74.00</td><td>-9.55</td><td>51.92</td><td>32.26</td><td>6.69</td><td>32.42</td><td>6.00</td><td>100</td><td>269 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	64.45	74.00	-9.55	51.92	32.26	6.69	32.42	6.00	100	269 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>110.10</td><td>-----</td><td>-----</td><td>97.44</td><td>32.36</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>269 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	110.10	-----	-----	97.44	32.36	6.72	32.42	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.17	64.45	74.00	-9.55	51.92	32.26	6.69	32.42	6.00	100	269 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2417.00	110.10	-----	-----	97.44	32.36	6.72	32.42	6.00	100	269 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.64</td><td>54.00</td><td>-3.36</td><td>38.11</td><td>32.26</td><td>6.69</td><td>32.42</td><td>6.00</td><td>100</td><td>269 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.64	54.00	-3.36	38.11	32.26	6.69	32.42	6.00	100	269 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>100.82</td><td>-----</td><td>-----</td><td>88.16</td><td>32.36</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>269 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	100.82	-----	-----	88.16	32.36	6.72	32.42	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.95	50.64	54.00	-3.36	38.11	32.26	6.69	32.42	6.00	100	269 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2417.00	100.82	-----	-----	88.16	32.36	6.72	32.42	6.00	100	269 AVERAGE																																																																																										







Mode	12																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11n HT20_CH2_Full RU_2417MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>39.06</td><td>74.00</td><td>-34.94</td><td>61.48</td><td>34.10</td><td>9.65</td><td>66.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>40.46</td><td>74.00</td><td>-33.54</td><td>59.65</td><td>35.60</td><td>11.90</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	39.06	74.00	-34.94	61.48	34.10	9.65	66.17	0.00	---	---	PEAK	2	7251.00	40.46	74.00	-33.54	59.65	35.60	11.90	66.69	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4834.00</td><td>38.94</td><td>74.00</td><td>-35.06</td><td>61.36</td><td>34.10</td><td>9.65</td><td>66.17</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7251.00</td><td>40.18</td><td>74.00</td><td>-33.82</td><td>59.37</td><td>35.60</td><td>11.90</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4834.00	38.94	74.00	-35.06	61.36	34.10	9.65	66.17	0.00	---	---	PEAK	2	7251.00	40.18	74.00	-33.82	59.37	35.60	11.90	66.69	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4834.00	39.06	74.00	-34.94	61.48	34.10	9.65	66.17	0.00	---	---	PEAK																																																																																																																		
2	7251.00	40.46	74.00	-33.54	59.65	35.60	11.90	66.69	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4834.00	38.94	74.00	-35.06	61.36	34.10	9.65	66.17	0.00	---	---	PEAK																																																																																																																		
2	7251.00	40.18	74.00	-33.82	59.37	35.60	11.90	66.69	0.00	---	---	PEAK																																																																																																																		




Mode	13																																																																																																							
	Band Edge																																																																																																							
	2400-2483.5_802.11n HT20_CH10_Full RU_2457MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.06</td><td>63.18</td><td>74.00</td><td>-10.82</td><td>50.27</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>358</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.06	63.18	74.00	-10.82	50.27	32.50	6.82	32.41	6.00	358	260	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>109.40</td><td>-----</td><td>-----</td><td>96.53</td><td>32.50</td><td>6.78</td><td>32.41</td><td>6.00</td><td>358</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	109.40	-----	-----	96.53	32.50	6.78	32.41	6.00	358	260	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2485.06	63.18	74.00	-10.82	50.27	32.50	6.82	32.41	6.00	358	260	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2457.00	109.40	-----	-----	96.53	32.50	6.78	32.41	6.00	358	260	PEAK																																																																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>49.26</td><td>54.00</td><td>-4.74</td><td>36.35</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>358</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.26	54.00	-4.74	36.35	32.50	6.82	32.41	6.00	358	260	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>100.15</td><td>-----</td><td>-----</td><td>87.28</td><td>32.50</td><td>6.78</td><td>32.41</td><td>6.00</td><td>358</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	100.15	-----	-----	87.28	32.50	6.78	32.41	6.00	358	260	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2483.50	49.26	54.00	-4.74	36.35	32.50	6.82	32.41	6.00	358	260	AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	2457.00	100.15	-----	-----	87.28	32.50	6.78	32.41	6.00	358	260	AVERAGE																																																																																												







Mode	13																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11n HT20_CH10_Full RU_2457MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>65.36</td><td>74.00</td><td>-8.64</td><td>52.45</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>111 281 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	65.36	74.00	-8.64	52.45	32.50	6.82	32.41	6.00	111 281 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>109.54</td><td>-----</td><td>-----</td><td>96.67</td><td>32.50</td><td>6.78</td><td>32.41</td><td>6.00</td><td>111 281 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	109.54	-----	-----	96.67	32.50	6.78	32.41	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.56	65.36	74.00	-8.64	52.45	32.50	6.82	32.41	6.00	111 281 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2457.00	109.54	-----	-----	96.67	32.50	6.78	32.41	6.00	111 281 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>50.84</td><td>54.00</td><td>-3.16</td><td>37.93</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>111 281 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	50.84	54.00	-3.16	37.93	32.50	6.82	32.41	6.00	111 281 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>100.40</td><td>-----</td><td>-----</td><td>87.53</td><td>32.50</td><td>6.78</td><td>32.41</td><td>6.00</td><td>111 281 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	100.40	-----	-----	87.53	32.50	6.78	32.41	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.56	50.84	54.00	-3.16	37.93	32.50	6.82	32.41	6.00	111 281 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2457.00	100.40	-----	-----	87.53	32.50	6.78	32.41	6.00	111 281 AVERAGE																																																																																								







Mode	13																																																																					
	Harmonic																																																																					
	2400-2483.5_802.11n HT20_CH10_Full RU_2457MHz																																																																					
ANT	1																																																																					
Pol.	Horizontal											Vertical																																																										
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>61.85</td><td>34.07</td><td>9.72</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>40.78</td><td>74.00</td><td>-33.22</td><td>59.78</td><td>35.70</td><td>11.99</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	39.46	74.00	-34.54	61.85	34.07	9.72	66.18	0.00	---	---	PEAK	2	7371.00	40.78	74.00	-33.22	59.78	35.70	11.99	66.69	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4914.00	39.46	74.00	-34.54	61.85	34.07	9.72	66.18	0.00	---	---	PEAK																																																										
2	7371.00	40.78	74.00	-33.22	59.78	35.70	11.99	66.69	0.00	---	---	PEAK																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>39.30</td><td>74.00</td><td>-34.70</td><td>61.69</td><td>34.07</td><td>9.72</td><td>66.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7371.00</td><td>41.34</td><td>74.00</td><td>-32.66</td><td>60.34</td><td>35.70</td><td>11.99</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	39.30	74.00	-34.70	61.69	34.07	9.72	66.18	0.00	---	---	PEAK	2	7371.00	41.34	74.00	-32.66	60.34	35.70	11.99	66.69	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4914.00	39.30	74.00	-34.70	61.69	34.07	9.72	66.18	0.00	---	---	PEAK																																																										
2	7371.00	41.34	74.00	-32.66	60.34	35.70	11.99	66.69	0.00	---	---	PEAK																																																										





Mode	14																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11n HT20_CH9_Full RU_2452MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.54</td><td>64.17</td><td>74.00</td><td>-9.83</td><td>51.26</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>356 260 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.54	64.17	74.00	-9.83	51.26	32.50	6.82	32.41	6.00	356 260 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>110.26</td><td>-----</td><td>-----</td><td>97.39</td><td>32.50</td><td>6.78</td><td>32.41</td><td>6.00</td><td>356 260 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	110.26	-----	-----	97.39	32.50	6.78	32.41	6.00	356 260 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2485.54	64.17	74.00	-9.83	51.26	32.50	6.82	32.41	6.00	356 260 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2452.00	110.26	-----	-----	97.39	32.50	6.78	32.41	6.00	356 260 PEAK																																																																																
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.23</td><td>54.00</td><td>-4.77</td><td>36.32</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>356 260 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.23	54.00	-4.77	36.32	32.50	6.82	32.41	6.00	356 260 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>101.33</td><td>-----</td><td>-----</td><td>88.46</td><td>32.50</td><td>6.78</td><td>32.41</td><td>6.00</td><td>356 260 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	101.33	-----	-----	88.46	32.50	6.78	32.41	6.00	356 260 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.50	49.23	54.00	-4.77	36.32	32.50	6.82	32.41	6.00	356 260 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2452.00	101.33	-----	-----	88.46	32.50	6.78	32.41	6.00	356 260 AVERAGE																																																																																





Mode	14																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_802.11n HT20_CH9_Full RU_2452MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>66.25</td><td>74.00</td><td>-7.75</td><td>53.34</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>110</td><td>274 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	66.25	74.00	-7.75	53.34	32.50	6.82	32.41	6.00	110	274 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>111.28</td><td>-----</td><td>-----</td><td>98.43</td><td>32.50</td><td>6.77</td><td>32.42</td><td>6.00</td><td>110</td><td>274 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	111.28	-----	-----	98.43	32.50	6.77	32.42	6.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2484.46	66.25	74.00	-7.75	53.34	32.50	6.82	32.41	6.00	110	274 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2452.00	111.28	-----	-----	98.43	32.50	6.77	32.42	6.00	110	274 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>37.99</td><td>32.50</td><td>6.82</td><td>32.41</td><td>6.00</td><td>110</td><td>274 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.90	54.00	-3.10	37.99	32.50	6.82	32.41	6.00	110	274 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2452.00</td><td>102.24</td><td>-----</td><td>-----</td><td>89.39</td><td>32.50</td><td>6.77</td><td>32.42</td><td>6.00</td><td>110</td><td>274 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2452.00	102.24	-----	-----	89.39	32.50	6.77	32.42	6.00	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.50	50.90	54.00	-3.10	37.99	32.50	6.82	32.41	6.00	110	274 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2452.00	102.24	-----	-----	89.39	32.50	6.77	32.42	6.00	110	274 AVERAGE																																																																																									





Mode	14																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_802.11n HT20_CH9_Full RU_2452MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4984.00</td><td>39.66</td><td>74.00</td><td>-34.34</td><td>62.04</td><td>34.09</td><td>9.71</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>41.26</td><td>74.00</td><td>-32.74</td><td>60.27</td><td>35.70</td><td>11.98</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4984.00	39.66	74.00	-34.34	62.04	34.09	9.71	66.18	0.00	---	PEAK	2	7356.00	41.26	74.00	-32.74	60.27	35.70	11.98	66.69	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4984.00</td><td>39.18</td><td>74.00</td><td>-34.82</td><td>61.56</td><td>34.09</td><td>9.71</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7356.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>60.75</td><td>35.70</td><td>11.98</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4984.00	39.18	74.00	-34.82	61.56	34.09	9.71	66.18	0.00	---	PEAK	2	7356.00	41.74	74.00	-32.26	60.75	35.70	11.98	66.69	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4984.00	39.66	74.00	-34.34	62.04	34.09	9.71	66.18	0.00	---	PEAK																																																																																																																			
2	7356.00	41.26	74.00	-32.74	60.27	35.70	11.98	66.69	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4984.00	39.18	74.00	-34.82	61.56	34.09	9.71	66.18	0.00	---	PEAK																																																																																																																			
2	7356.00	41.74	74.00	-32.26	60.75	35.70	11.98	66.69	0.00	---	PEAK																																																																																																																			







Mode	7	
	18G-25G	
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		







Mode	7																																																																																																																																																																																																																													
	30-1G																																																																																																																																																																																																																													
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																																																																																																																																													
ANT	1																																																																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) Part 15C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>105.90</td><td>30.00</td><td>43.50</td><td>-12.70</td><td>45.73</td><td>16.61</td><td>1.12</td><td>32.66</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>199.99</td><td>35.17</td><td>43.50</td><td>-8.33</td><td>51.34</td><td>15.02</td><td>1.57</td><td>32.76</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>249.95</td><td>35.42</td><td>46.00</td><td>-10.58</td><td>47.87</td><td>18.70</td><td>1.74</td><td>32.89</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>299.90</td><td>40.75</td><td>46.00</td><td>-5.25</td><td>52.23</td><td>19.44</td><td>1.91</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>350.10</td><td>42.44</td><td>46.00</td><td>-3.56</td><td>52.90</td><td>20.34</td><td>2.05</td><td>32.85</td><td>0.00</td><td>100</td><td>195 QP</td></tr><tr><td>6</td><td>450.01</td><td>39.68</td><td>46.00</td><td>-6.32</td><td>47.53</td><td>22.89</td><td>2.32</td><td>33.06</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	105.90	30.00	43.50	-12.70	45.73	16.61	1.12	32.66	0.00	---	Peak	2	199.99	35.17	43.50	-8.33	51.34	15.02	1.57	32.76	0.00	---	Peak	3	249.95	35.42	46.00	-10.58	47.87	18.70	1.74	32.89	0.00	---	Peak	4	299.90	40.75	46.00	-5.25	52.23	19.44	1.91	32.83	0.00	---	Peak	5	350.10	42.44	46.00	-3.56	52.90	20.34	2.05	32.85	0.00	100	195 QP	6	450.01	39.68	46.00	-6.32	47.53	22.89	2.32	33.06	0.00	---	Peak	 Level (dBuV/m) Frequency (MHz) Part 15C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>60.07</td><td>34.61</td><td>40.00</td><td>-5.39</td><td>54.65</td><td>12.02</td><td>0.66</td><td>32.72</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>199.99</td><td>35.46</td><td>43.50</td><td>-8.04</td><td>51.63</td><td>15.02</td><td>1.57</td><td>32.76</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>299.90</td><td>35.85</td><td>46.00</td><td>-10.15</td><td>47.33</td><td>19.44</td><td>1.91</td><td>32.83</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>350.10</td><td>35.12</td><td>46.00</td><td>-10.88</td><td>45.58</td><td>20.34</td><td>2.05</td><td>32.85</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>550.16</td><td>38.52</td><td>46.00</td><td>-7.48</td><td>43.94</td><td>25.24</td><td>2.56</td><td>33.22</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>600.12</td><td>42.56</td><td>46.00</td><td>-3.44</td><td>47.36</td><td>25.84</td><td>2.67</td><td>33.31</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	60.07	34.61	40.00	-5.39	54.65	12.02	0.66	32.72	0.00	---	Peak	2	199.99	35.46	43.50	-8.04	51.63	15.02	1.57	32.76	0.00	---	Peak	3	299.90	35.85	46.00	-10.15	47.33	19.44	1.91	32.83	0.00	---	Peak	4	350.10	35.12	46.00	-10.88	45.58	20.34	2.05	32.85	0.00	---	Peak	5	550.16	38.52	46.00	-7.48	43.94	25.24	2.56	33.22	0.00	---	Peak	6	600.12	42.56	46.00	-3.44	47.36	25.84	2.67	33.31	0.00	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																				
1	105.90	30.00	43.50	-12.70	45.73	16.61	1.12	32.66	0.00	---	Peak																																																																																																																																																																																																																			
2	199.99	35.17	43.50	-8.33	51.34	15.02	1.57	32.76	0.00	---	Peak																																																																																																																																																																																																																			
3	249.95	35.42	46.00	-10.58	47.87	18.70	1.74	32.89	0.00	---	Peak																																																																																																																																																																																																																			
4	299.90	40.75	46.00	-5.25	52.23	19.44	1.91	32.83	0.00	---	Peak																																																																																																																																																																																																																			
5	350.10	42.44	46.00	-3.56	52.90	20.34	2.05	32.85	0.00	100	195 QP																																																																																																																																																																																																																			
6	450.01	39.68	46.00	-6.32	47.53	22.89	2.32	33.06	0.00	---	Peak																																																																																																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																				
1	60.07	34.61	40.00	-5.39	54.65	12.02	0.66	32.72	0.00	---	Peak																																																																																																																																																																																																																			
2	199.99	35.46	43.50	-8.04	51.63	15.02	1.57	32.76	0.00	---	Peak																																																																																																																																																																																																																			
3	299.90	35.85	46.00	-10.15	47.33	19.44	1.91	32.83	0.00	---	Peak																																																																																																																																																																																																																			
4	350.10	35.12	46.00	-10.88	45.58	20.34	2.05	32.85	0.00	---	Peak																																																																																																																																																																																																																			
5	550.16	38.52	46.00	-7.48	43.94	25.24	2.56	33.22	0.00	---	Peak																																																																																																																																																																																																																			
6	600.12	42.56	46.00	-3.44	47.36	25.84	2.67	33.31	0.00	---	Peak																																																																																																																																																																																																																			





Co-location

Mode	7																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>66.66</td><td>74.00</td><td>-7.34</td><td>54.13</td><td>32.26</td><td>6.69</td><td>32.42</td><td>6.00</td><td>100</td><td>222</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	66.66	74.00	-7.34	54.13	32.26	6.69	32.42	6.00	100	222	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.83</td><td>-----</td><td>-----</td><td>98.20</td><td>32.34</td><td>6.71</td><td>32.42</td><td>6.00</td><td>100</td><td>222</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.83	-----	-----	98.20	32.34	6.71	32.42	6.00	100	222
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.30	66.66	74.00	-7.34	54.13	32.26	6.69	32.42	6.00	100	222	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	110.83	-----	-----	98.20	32.34	6.71	32.42	6.00	100	222	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.96</td><td>54.00</td><td>-3.04</td><td>38.43</td><td>32.26</td><td>6.69</td><td>32.42</td><td>6.00</td><td>100</td><td>222</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.96	54.00	-3.04	38.43	32.26	6.69	32.42	6.00	100	222	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.48</td><td>-----</td><td>-----</td><td>88.85</td><td>32.34</td><td>6.71</td><td>32.42</td><td>6.00</td><td>100</td><td>222</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.48	-----	-----	88.85	32.34	6.71	32.42	6.00	100	222
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	50.96	54.00	-3.04	38.43	32.26	6.69	32.42	6.00	100	222	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	101.48	-----	-----	88.85	32.34	6.71	32.42	6.00	100	222	AVERAGE																																																																																							



Mode	7																																																																																																						
	Band Edge																																																																																																						
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>61.59</td><td>74.00</td><td>-12.41</td><td>49.06</td><td>32.26</td><td>6.69</td><td>32.42</td><td>6.00</td><td>100</td><td>288</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	61.59	74.00	-12.41	49.06	32.26	6.69	32.42	6.00	100	288	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.82</td><td>-----</td><td>-----</td><td>93.17</td><td>32.35</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>288</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.82	-----	-----	93.17	32.35	6.72	32.42	6.00	100	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2389.17	61.59	74.00	-12.41	49.06	32.26	6.69	32.42	6.00	100	288	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2412.00	105.82	-----	-----	93.17	32.35	6.72	32.42	6.00	100	288	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>47.23</td><td>54.00</td><td>-6.77</td><td>34.70</td><td>32.26</td><td>6.69</td><td>32.42</td><td>6.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	47.23	54.00	-6.77	34.70	32.26	6.69	32.42	6.00	100	288	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.41</td><td>-----</td><td>-----</td><td>83.78</td><td>32.34</td><td>6.71</td><td>32.42</td><td>6.00</td><td>100</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.41	-----	-----	83.78	32.34	6.71	32.42	6.00	100	288
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2389.95	47.23	54.00	-6.77	34.70	32.26	6.69	32.42	6.00	100	288	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2412.00	96.41	-----	-----	83.78	32.34	6.71	32.42	6.00	100	288	AVERAGE																																																																																											



Mode	7																																																																																																																																																																															
	Harmonic																																																																																																																																																																															
	2400-2483.5_802.11n HT20_CH01_Full RU_2412MHz																																																																																																																																																																															
ANT	1																																																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																																																							
Peak Avg																																																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>38.93</td><td>74.00</td><td>-35.07</td><td>61.35</td><td>34.10</td><td>9.64</td><td>66.16</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	4824.00	38.93	74.00	-35.07	61.35	34.10	9.64	66.16	0.00										---										deg										---										PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>39.25</td><td>74.00</td><td>-34.75</td><td>61.67</td><td>34.10</td><td>9.64</td><td>66.16</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	4824.00	39.25	74.00	-34.75	61.67	34.10	9.64	66.16	0.00										---										deg										---										PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																								
1	4824.00	38.93	74.00	-35.07	61.35	34.10	9.64	66.16	0.00																																																																																																																																																																							



									deg																																																																																																																																																																							

									PEAK																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																								
1	4824.00	39.25	74.00	-34.75	61.67	34.10	9.64	66.16	0.00																																																																																																																																																																							

									deg																																																																																																																																																																							

									PEAK																																																																																																																																																																							



Mode	7																																																																																																																								
	Band Edge																																																																																																																								
	902-928_LFR_927.6MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal																																																																																																																								
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>199.99</td><td>37.13</td><td>43.50</td><td>-6.37</td><td>43.38</td><td>15.02</td><td>1.49</td><td>32.76</td><td>10.00</td><td>--- Peak</td></tr><tr><td>2</td><td>350.10</td><td>42.39</td><td>46.00</td><td>-3.61</td><td>42.93</td><td>20.34</td><td>1.97</td><td>32.85</td><td>10.00</td><td>--- Peak</td></tr><tr><td>3</td><td>400.06</td><td>41.30</td><td>46.00</td><td>-4.70</td><td>40.24</td><td>21.96</td><td>2.13</td><td>33.03</td><td>10.00</td><td>--- Peak</td></tr><tr><td>4</td><td>450.01</td><td>42.62</td><td>46.00</td><td>-3.38</td><td>40.56</td><td>22.89</td><td>2.23</td><td>33.06</td><td>10.00</td><td>--- Peak</td></tr><tr><td>5</td><td>499.97</td><td>42.68</td><td>46.00</td><td>-3.32</td><td>39.29</td><td>24.20</td><td>2.34</td><td>33.15</td><td>10.00</td><td>--- Peak</td></tr><tr><td>6</td><td>550.16</td><td>42.88</td><td>46.00</td><td>-3.12</td><td>38.41</td><td>25.24</td><td>2.45</td><td>33.22</td><td>10.00</td><td>--- Peak</td></tr><tr><td>7</td><td>927.49</td><td>111.22</td><td>46.00</td><td>65.22</td><td>100.02</td><td>29.99</td><td>3.17</td><td>31.96</td><td>10.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	199.99	37.13	43.50	-6.37	43.38	15.02	1.49	32.76	10.00	--- Peak	2	350.10	42.39	46.00	-3.61	42.93	20.34	1.97	32.85	10.00	--- Peak	3	400.06	41.30	46.00	-4.70	40.24	21.96	2.13	33.03	10.00	--- Peak	4	450.01	42.62	46.00	-3.38	40.56	22.89	2.23	33.06	10.00	--- Peak	5	499.97	42.68	46.00	-3.32	39.29	24.20	2.34	33.15	10.00	--- Peak	6	550.16	42.88	46.00	-3.12	38.41	25.24	2.45	33.22	10.00	--- Peak	7	927.49	111.22	46.00	65.22	100.02	29.99	3.17	31.96	10.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	199.99	37.13	43.50	-6.37	43.38	15.02	1.49	32.76	10.00	--- Peak																																																																																																															
2	350.10	42.39	46.00	-3.61	42.93	20.34	1.97	32.85	10.00	--- Peak																																																																																																															
3	400.06	41.30	46.00	-4.70	40.24	21.96	2.13	33.03	10.00	--- Peak																																																																																																															
4	450.01	42.62	46.00	-3.38	40.56	22.89	2.23	33.06	10.00	--- Peak																																																																																																															
5	499.97	42.68	46.00	-3.32	39.29	24.20	2.34	33.15	10.00	--- Peak																																																																																																															
6	550.16	42.88	46.00	-3.12	38.41	25.24	2.45	33.22	10.00	--- Peak																																																																																																															
7	927.49	111.22	46.00	65.22	100.02	29.99	3.17	31.96	10.00	--- Peak																																																																																																															
Peak																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>62.25</td><td>36.49</td><td>40.00</td><td>-3.51</td><td>46.40</td><td>12.01</td><td>0.80</td><td>32.72</td><td>10.00</td><td>--- Peak</td></tr><tr><td>2</td><td>199.99</td><td>32.72</td><td>43.50</td><td>-10.78</td><td>38.97</td><td>15.02</td><td>1.49</td><td>32.76</td><td>10.00</td><td>--- Peak</td></tr><tr><td>3</td><td>350.10</td><td>35.62</td><td>46.00</td><td>-10.38</td><td>36.16</td><td>20.34</td><td>1.97</td><td>32.85</td><td>10.00</td><td>--- Peak</td></tr><tr><td>4</td><td>400.06</td><td>38.93</td><td>46.00</td><td>-7.07</td><td>37.87</td><td>21.96</td><td>2.13</td><td>33.03</td><td>10.00</td><td>--- Peak</td></tr><tr><td>5</td><td>499.97</td><td>41.93</td><td>46.00</td><td>-4.07</td><td>38.54</td><td>24.20</td><td>2.34</td><td>33.15</td><td>10.00</td><td>--- Peak</td></tr><tr><td>6</td><td>549.92</td><td>42.85</td><td>46.00</td><td>-3.15</td><td>38.42</td><td>25.20</td><td>2.45</td><td>33.22</td><td>10.00</td><td>--- Peak</td></tr><tr><td>7</td><td>927.49</td><td>106.34</td><td>46.00</td><td>60.34</td><td>95.14</td><td>29.99</td><td>3.17</td><td>31.96</td><td>10.00</td><td>--- Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	62.25	36.49	40.00	-3.51	46.40	12.01	0.80	32.72	10.00	--- Peak	2	199.99	32.72	43.50	-10.78	38.97	15.02	1.49	32.76	10.00	--- Peak	3	350.10	35.62	46.00	-10.38	36.16	20.34	1.97	32.85	10.00	--- Peak	4	400.06	38.93	46.00	-7.07	37.87	21.96	2.13	33.03	10.00	--- Peak	5	499.97	41.93	46.00	-4.07	38.54	24.20	2.34	33.15	10.00	--- Peak	6	549.92	42.85	46.00	-3.15	38.42	25.20	2.45	33.22	10.00	--- Peak	7	927.49	106.34	46.00	60.34	95.14	29.99	3.17	31.96	10.00	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	62.25	36.49	40.00	-3.51	46.40	12.01	0.80	32.72	10.00	--- Peak																																																																																																															
2	199.99	32.72	43.50	-10.78	38.97	15.02	1.49	32.76	10.00	--- Peak																																																																																																															
3	350.10	35.62	46.00	-10.38	36.16	20.34	1.97	32.85	10.00	--- Peak																																																																																																															
4	400.06	38.93	46.00	-7.07	37.87	21.96	2.13	33.03	10.00	--- Peak																																																																																																															
5	499.97	41.93	46.00	-4.07	38.54	24.20	2.34	33.15	10.00	--- Peak																																																																																																															
6	549.92	42.85	46.00	-3.15	38.42	25.20	2.45	33.22	10.00	--- Peak																																																																																																															
7	927.49	106.34	46.00	60.34	95.14	29.99	3.17	31.96	10.00	--- Peak																																																																																																															

Remark: #7 is LFR RF fundamental signal and can be ignored.



Mode	7																																																																				
	Harmonic																																																																				
	902-928_LFR_927.6MHz																																																																				
ANT	1																																																																				
Pol.	Horizontal																																																																				
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>66.98</td><td>74.00</td><td>-7.02</td><td>93.59</td><td>32.35</td><td>6.72</td><td>65.68</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>2782.00</td><td>39.00</td><td>74.00</td><td>-35.00</td><td>65.32</td><td>32.20</td><td>7.23</td><td>65.75</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	66.98	74.00	-7.02	93.59	32.35	6.72	65.68	0.00	---	Peak	2	2782.00	39.00	74.00	-35.00	65.32	32.20	7.23	65.75	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2412.00	66.98	74.00	-7.02	93.59	32.35	6.72	65.68	0.00	---	Peak																																																										
2	2782.00	39.00	74.00	-35.00	65.32	32.20	7.23	65.75	0.00	---	PEAK																																																										
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.10</td><td>63.13</td><td>74.00</td><td>-10.87</td><td>89.74</td><td>32.35</td><td>6.72</td><td>65.68</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>2782.80</td><td>38.87</td><td>74.00</td><td>-35.13</td><td>65.19</td><td>32.20</td><td>7.23</td><td>65.75</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.10	63.13	74.00	-10.87	89.74	32.35	6.72	65.68	0.00	---	Peak	2	2782.80	38.87	74.00	-35.13	65.19	32.20	7.23	65.75	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2412.10	63.13	74.00	-10.87	89.74	32.35	6.72	65.68	0.00	---	Peak																																																										
2	2782.80	38.87	74.00	-35.13	65.19	32.20	7.23	65.75	0.00	---	PEAK																																																										

Remark: #1 is WIFI2.4G RF fundamental signal and can be ignored.


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	98.96	-	-	10Hz
802.11n HT20	98.88	-	-	10Hz

802.11b



802.11g



802.11n HT20

