

## Report Revision Explanation Letter

TIMCO Engineering, Inc.

This is to request the report update of FCC ID: 2AF82-TD1050HPRO,

The major change filed under this application and the relevant report numbers are as below:

Equipment class	Report number	Date of original report version	Date of updated report version	Revise content																																																																																																																																																																																																										
DTS: BLE	JYTSZ-R12-2200354	03 Mar., 2022	13 Apr., 2022	Updated page 15, test data list at during data entry, the reporter was negligent in his work, paste the data in the "Freq., Reading, Level, Factor, Limit, Margin" column to the wrong place. <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="12" style="text-align: center;">Original report ↵</th> <th colspan="12" style="text-align: center;">Updated report ↵</th> </tr> <tr> <th>NO</th><th>Freq [MHz]</th><th>Reading [dBuV/m]</th><th>Level [dBuV/m]</th><th>Factor [dB]</th><th>Limit [dBuV/m]</th><th>Margin [dB]</th><th>Angle [-]</th><th>Height [cm]</th><th>Trace</th><th>Polarity</th><th>NO</th><th>Freq [MHz]</th><th>Reading [dBuV/m]</th><th>Level [dBuV/m]</th><th>Factor [dB]</th><th>Limit [dBuV/m]</th><th>Margin [dB]</th><th>Angle [-]</th><th>Height [cm]</th><th>Trace</th><th>Polarity</th> </tr> </thead> <tbody> <tr> <td>1</td><td>1</td><td>2483.500</td><td>30.30</td><td>68.02</td><td>35.72</td><td>74.00</td><td>281</td><td>140</td><td>PK</td><td>Horizontal</td><td>1</td><td>2483.5</td><td>30.30</td><td>68.02</td><td>35.72</td><td>74.00</td><td>7.08</td><td>281</td><td>140</td><td>PK</td><td>Horizontal</td> </tr> <tr> <td>2</td><td>2</td><td>2483.500</td><td>16.68</td><td>52.40</td><td>35.72</td><td>54.00</td><td>302</td><td>136</td><td>AV</td><td>Horizontal</td><td>2</td><td>2483.5</td><td>16.68</td><td>52.40</td><td>35.72</td><td>64.00</td><td>1.69</td><td>302</td><td>136</td><td>AV</td><td>Horizontal</td> </tr> <tr> <td>3</td><td>3</td><td>2487.284</td><td>13.62</td><td>49.33</td><td>35.71</td><td>54.00</td><td>268</td><td>150</td><td>AV</td><td>Horizontal</td><td>3</td><td>2487.2</td><td>13.62</td><td>49.33</td><td>35.71</td><td>54.00</td><td>4.67</td><td>268</td><td>150</td><td>AV</td><td>Horizontal</td> </tr> <tr> <td>4</td><td>4</td><td>2487.372</td><td>28.91</td><td>64.62</td><td>35.71</td><td>74.00</td><td>230</td><td>141</td><td>PK</td><td>Horizontal</td><td>4</td><td>2487.3</td><td>28.91</td><td>64.62</td><td>35.71</td><td>74.00</td><td>9.38</td><td>230</td><td>141</td><td>PK</td><td>Horizontal</td> </tr> <tr> <td>5</td><td>5</td><td>2495.160</td><td>28.58</td><td>64.27</td><td>35.69</td><td>74.00</td><td>318</td><td>152</td><td>PK</td><td>Horizontal</td><td>5</td><td>2495.1</td><td>28.58</td><td>64.27</td><td>35.69</td><td>74.00</td><td>9.73</td><td>318</td><td>152</td><td>PK</td><td>Horizontal</td> </tr> <tr> <td>6</td><td>6</td><td>2495.160</td><td>13.14</td><td>48.63</td><td>35.69</td><td>54.00</td><td>337</td><td>162</td><td>AV</td><td>Horizontal</td><td>6</td><td>2495.1</td><td>13.14</td><td>48.63</td><td>35.69</td><td>54.00</td><td>5.17</td><td>337</td><td>162</td><td>AV</td><td>Horizontal</td> </tr> </tbody> </table>	Original report ↵												Updated report ↵												NO	Freq [MHz]	Reading [dBuV/m]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Angle [-]	Height [cm]	Trace	Polarity	NO	Freq [MHz]	Reading [dBuV/m]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Angle [-]	Height [cm]	Trace	Polarity	1	1	2483.500	30.30	68.02	35.72	74.00	281	140	PK	Horizontal	1	2483.5	30.30	68.02	35.72	74.00	7.08	281	140	PK	Horizontal	2	2	2483.500	16.68	52.40	35.72	54.00	302	136	AV	Horizontal	2	2483.5	16.68	52.40	35.72	64.00	1.69	302	136	AV	Horizontal	3	3	2487.284	13.62	49.33	35.71	54.00	268	150	AV	Horizontal	3	2487.2	13.62	49.33	35.71	54.00	4.67	268	150	AV	Horizontal	4	4	2487.372	28.91	64.62	35.71	74.00	230	141	PK	Horizontal	4	2487.3	28.91	64.62	35.71	74.00	9.38	230	141	PK	Horizontal	5	5	2495.160	28.58	64.27	35.69	74.00	318	152	PK	Horizontal	5	2495.1	28.58	64.27	35.69	74.00	9.73	318	152	PK	Horizontal	6	6	2495.160	13.14	48.63	35.69	54.00	337	162	AV	Horizontal	6	2495.1	13.14	48.63	35.69	54.00	5.17	337	162	AV	Horizontal	↵ ↵												↵ ↵											
Original report ↵												Updated report ↵																																																																																																																																																																																																		
NO	Freq [MHz]	Reading [dBuV/m]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Angle [-]	Height [cm]	Trace	Polarity	NO	Freq [MHz]	Reading [dBuV/m]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Angle [-]	Height [cm]	Trace	Polarity																																																																																																																																																																																									
1	1	2483.500	30.30	68.02	35.72	74.00	281	140	PK	Horizontal	1	2483.5	30.30	68.02	35.72	74.00	7.08	281	140	PK	Horizontal																																																																																																																																																																																									
2	2	2483.500	16.68	52.40	35.72	54.00	302	136	AV	Horizontal	2	2483.5	16.68	52.40	35.72	64.00	1.69	302	136	AV	Horizontal																																																																																																																																																																																									
3	3	2487.284	13.62	49.33	35.71	54.00	268	150	AV	Horizontal	3	2487.2	13.62	49.33	35.71	54.00	4.67	268	150	AV	Horizontal																																																																																																																																																																																									
4	4	2487.372	28.91	64.62	35.71	74.00	230	141	PK	Horizontal	4	2487.3	28.91	64.62	35.71	74.00	9.38	230	141	PK	Horizontal																																																																																																																																																																																									
5	5	2495.160	28.58	64.27	35.69	74.00	318	152	PK	Horizontal	5	2495.1	28.58	64.27	35.69	74.00	9.73	318	152	PK	Horizontal																																																																																																																																																																																									
6	6	2495.160	13.14	48.63	35.69	54.00	337	162	AV	Horizontal	6	2495.1	13.14	48.63	35.69	54.00	5.17	337	162	AV	Horizontal																																																																																																																																																																																									
DSS	JYTSZ-R12-2200355	03 Mar., 2022	13 Apr., 2022	1. Updated pages 29, the column width of "Freq." in the test data list is narrow, so the data after the decimal point is not displayed, this the reporter was negligent in his work. 2. Updated page 33, test data list at during data entry, the reporter was negligent in his work, paste the data in the "Freq., Reading, Level, Factor, Limit, Margin" column to the wrong place. <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="12" style="text-align: center;">Original report ↵</th> <th colspan="12" style="text-align: center;">Updated report ↵</th> </tr> <tr> <th>NO</th><th>Freq [MHz]</th><th>Reading [dBuV/m]</th><th>Level [dBuV/m]</th><th>Factor [dB]</th><th>Limit [dBuV/m]</th><th>Margin [dB]</th><th>Angle [-]</th><th>Height [cm]</th><th>Trace</th><th>Polarity</th><th>NO</th><th>Freq [MHz]</th><th>Reading [dBuV/m]</th><th>Level [dBuV/m]</th><th>Factor [dB]</th><th>Limit [dBuV/m]</th><th>Margin [dB]</th><th>Angle [-]</th><th>Height [cm]</th><th>Trace</th><th>Polarity</th> </tr> </thead> <tbody> <tr> <td>1</td><td>1</td><td>8371.031</td><td>55.36</td><td>57.09</td><td>1.73</td><td>74.00</td><td>308</td><td>130</td><td>PK</td><td>Horizontal</td><td>1</td><td>8371.03</td><td>55.36</td><td>57.09</td><td>1.73</td><td>74.00</td><td>16.91</td><td>308</td><td>130</td><td>PK</td><td>Horizontal</td> </tr> <tr> <td>2</td><td>2</td><td>8469.312</td><td>46.14</td><td>47.72</td><td>1.58</td><td>54.00</td><td>273</td><td>130</td><td>PK</td><td>Horizontal</td><td>2</td><td>8426.31</td><td>46.14</td><td>47.72</td><td>1.58</td><td>54.00</td><td>6.26</td><td>273</td><td>148</td><td>AV</td><td>Horizontal</td> </tr> <tr> <td>3</td><td>3</td><td>10699.131</td><td>54.64</td><td>61.27</td><td>1.73</td><td>54.00</td><td>9</td><td>150</td><td>PK</td><td>Horizontal</td><td>3</td><td>10699.31</td><td>54.64</td><td>61.27</td><td>1.73</td><td>54.00</td><td>12.73</td><td>30</td><td>150</td><td>PK</td><td>Horizontal</td> </tr> <tr> <td>4</td><td>4</td><td>10773.181</td><td>43.97</td><td>51.14</td><td>7.17</td><td>54.00</td><td>354</td><td>169</td><td>AV</td><td>Horizontal</td><td>4</td><td>10773.18</td><td>43.97</td><td>51.14</td><td>7.17</td><td>54.00</td><td>34.98</td><td>169</td><td>169</td><td>AV</td><td>Horizontal</td> </tr> <tr> <td>5</td><td>5</td><td>12397.78</td><td>44.95</td><td>52.39</td><td>7.84</td><td>54.00</td><td>291</td><td>142</td><td>AV</td><td>Horizontal</td><td>5</td><td>12397.78</td><td>44.95</td><td>52.39</td><td>7.84</td><td>54.00</td><td>1.17</td><td>201</td><td>142</td><td>AV</td><td>Horizontal</td> </tr> <tr> <td>6</td><td>6</td><td>12467.311</td><td>54.13</td><td>62.44</td><td>8.31</td><td>74.00</td><td>332</td><td>133</td><td>PK</td><td>Horizontal</td><td>6</td><td>12679.31</td><td>54.13</td><td>62.44</td><td>8.31</td><td>74.00</td><td>11.58</td><td>332</td><td>133</td><td>PK</td><td>Horizontal</td> </tr> </tbody> </table>	Original report ↵												Updated report ↵												NO	Freq [MHz]	Reading [dBuV/m]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Angle [-]	Height [cm]	Trace	Polarity	NO	Freq [MHz]	Reading [dBuV/m]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Angle [-]	Height [cm]	Trace	Polarity	1	1	8371.031	55.36	57.09	1.73	74.00	308	130	PK	Horizontal	1	8371.03	55.36	57.09	1.73	74.00	16.91	308	130	PK	Horizontal	2	2	8469.312	46.14	47.72	1.58	54.00	273	130	PK	Horizontal	2	8426.31	46.14	47.72	1.58	54.00	6.26	273	148	AV	Horizontal	3	3	10699.131	54.64	61.27	1.73	54.00	9	150	PK	Horizontal	3	10699.31	54.64	61.27	1.73	54.00	12.73	30	150	PK	Horizontal	4	4	10773.181	43.97	51.14	7.17	54.00	354	169	AV	Horizontal	4	10773.18	43.97	51.14	7.17	54.00	34.98	169	169	AV	Horizontal	5	5	12397.78	44.95	52.39	7.84	54.00	291	142	AV	Horizontal	5	12397.78	44.95	52.39	7.84	54.00	1.17	201	142	AV	Horizontal	6	6	12467.311	54.13	62.44	8.31	74.00	332	133	PK	Horizontal	6	12679.31	54.13	62.44	8.31	74.00	11.58	332	133	PK	Horizontal	↵ ↵												↵ ↵											
Original report ↵												Updated report ↵																																																																																																																																																																																																		
NO	Freq [MHz]	Reading [dBuV/m]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Angle [-]	Height [cm]	Trace	Polarity	NO	Freq [MHz]	Reading [dBuV/m]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Angle [-]	Height [cm]	Trace	Polarity																																																																																																																																																																																									
1	1	8371.031	55.36	57.09	1.73	74.00	308	130	PK	Horizontal	1	8371.03	55.36	57.09	1.73	74.00	16.91	308	130	PK	Horizontal																																																																																																																																																																																									
2	2	8469.312	46.14	47.72	1.58	54.00	273	130	PK	Horizontal	2	8426.31	46.14	47.72	1.58	54.00	6.26	273	148	AV	Horizontal																																																																																																																																																																																									
3	3	10699.131	54.64	61.27	1.73	54.00	9	150	PK	Horizontal	3	10699.31	54.64	61.27	1.73	54.00	12.73	30	150	PK	Horizontal																																																																																																																																																																																									
4	4	10773.181	43.97	51.14	7.17	54.00	354	169	AV	Horizontal	4	10773.18	43.97	51.14	7.17	54.00	34.98	169	169	AV	Horizontal																																																																																																																																																																																									
5	5	12397.78	44.95	52.39	7.84	54.00	291	142	AV	Horizontal	5	12397.78	44.95	52.39	7.84	54.00	1.17	201	142	AV	Horizontal																																																																																																																																																																																									
6	6	12467.311	54.13	62.44	8.31	74.00	332	133	PK	Horizontal	6	12679.31	54.13	62.44	8.31	74.00	11.58	332	133	PK	Horizontal																																																																																																																																																																																									
DTS: 2.4G WiFi	JYTSZ-R12-2200356	03 Mar., 2022	13 Apr., 2022	Updated pages 20/31/55, during data entry, the reporter was negligent, to paste the data in the "Freq." column into the "Margin" column, overwriting the data in the original "Margin" column.																																																																																																																																																																																																										

Sincerely,  
  
 (signature)  
 (printed name) Winner Zhang