



GDR-2556U

REVISION HISTORY FOLLOWS ON PAGE 2.

WARNING: A printed copy of this document may not be the latest revision. It is the responsibility of the user to ensure that the latest revision is used. The latest revision of this document may be printed from the Genesys Aerosystems electronic document repository.

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF GENESYS AEROSYSTEMS. NEITHER RECEIPT, NOR POSSESSION THEREOF, CONFERS ANY RIGHT TO REPRODUCE OR USE, OR DISCLOSE, IN WHOLE OR IN PART, ANY SUCH INFORMATION WITHOUT WRITTEN AUTHORIZATION FROM GENESYS AEROSYSTEMS.

APPROVAL:	NAME:	PURPOSE:	
AUTHOR	Matthew Brown	This document describes the Genesys Aerosystems, Inc. Digital NAV/COM Radio, model GDR-2556U.	
CHECK	Bob DeLong		
QUALITY	Cary Foster		
COGNIZANT	Rick Price		
COGNIZANT	Dean Boston		
COGNIZANT	Sharmila Durairaj		
RELEASE DATE:	24 Mar 2020		
STATUS: Released	Typed signatures indicate approval. Handwritten, or electronic signature approval of this document is on file at Genesys Aerosystems, Anchorage, AK.	DOCUMENT NUMBER: 42-033008-0001	REV: B

REVISION RECORD

Rev	Notes	Date	Author
B	Added Section 6.2 in order to capture Red Label Hardware Configuration Mods.	See Cover Page	M. Brown
A	Initial Release	01/13/2020	M. Brown

TABLE OF CONTENTS

1	PURPOSE	4
2	PHOTOGRAPH / DRAWINGS	4
3	APPLICABLE DOCUMENTS	5
4	LIST OF COMPONENTS	5
5	DESIGN AND MANUFACTURING SPECIFICATIONS	6
6	LABEL MOD CALLOUT	6

1 PURPOSE

- 1.1 This document describes the Genesys Aerosystems, Inc. Digital NAV/COM Radio, model GDR-2556U.

2 PHOTOGRAPH / DRAWINGS




Figure 1 – GDR-2556U



Figure 2 – Nameplate Location

3 APPLICABLE DOCUMENTS

3.1 Genesys Aerosystems Documents

Document Number	Document Title
01-000077	System Requirements Specification / Software Requirements Document (SRS/SRD) For GDR
22-000065	GDR Software Configuration Index (SCI)
22-000069	GDR Configuration File Configuration Index
50-033008-0001	Final Assembly, GDR-2556U
50-033200-0001	Final Assembly, GDR
42-033100-0001	Installation Kit (may be shipped separately)
64-000109	GDR-XXXX NAV/COM Installation Manual
61-000173	GDR Calibration Procedure
61-000174	GDR Functional Test Specification
63-000295	Genesys Red Label Nameplate Drawing
63-000337	GDR-2556U Nameplate Drawing

3.2 Other Documents

Document Number	Document Title
TSO-C34e	ILS Glide Slope Receiving Equipment Operating Within Radio Frequency Range 328.6 To 335.4 Megahertz (MHz)
TSO-C35d	Airborne Radio Marker Receiving Equipment
TSO-C36e	Airborne ILS Localizer Receiving Equipment Operating Within Radio Frequency Range 108 To 112 Megahertz (MHz)
TSO-C40c	VOR Receiving Equipment Operating Within The Radio Frequency Range Of 108-117.95 Megahertz (MHz)
TSO-C128a	Equipment That Prevents Blocked Channels Used In Two-Way Radio Communications Due To Unintentional Transmissions
TSO-C169a	VHF Radio Communications Transceiver Equipment Operating Within Radio Frequency Range 117.975 To 137.000 Megahertz

4 LIST OF COMPONENTS

4.1 Black Label Production Units

The following table contains the components required for assembly. Refer to Figure 2 for placement of the TSO Nameplate. Refer to Section 6.1 for Mod Code Marking.

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	50-033008-0001	Final Assembly, GDR-2556U
2	1	63-000337	GDR-2556U TSO Nameplate

4.2 Red Label Engineering Units

The following table contains the components required for assembly. Refer to Figure 2 for placement of the Red Label Nameplate. Refer to Section 6.2 for Mod Code Marking.

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	50-033008-0001	Final Assembly, GDR-2556U
2	1	63-000295	Red Label Nameplate

5 DESIGN AND MANUFACTURING SPECIFICATIONS

- 5.1 The final assembly is documented in drawing: 50-033200-0001 and 50-033008-0001
- 5.2 The software loading instructions are documented in document: 22-000065
- 5.3 The configuration file loading instructions are document in document 22-000069
- 5.4 The calibration instructions are documented in document: 61-000173
- 5.5 The final acceptance test is documented in document: 61-000174

6 LABEL MOD CALLOUT

6.1 Black Label Production Units

Listed below are the current Mod Code markings for the GDR-2556U which is marked / punched out on the TSO Nameplate.

Mod Code	Mod Code Description
No Mod Strike (-)	Initial Release

6.2 Red Label Engineering Units

Listed below are the current Mod Code markings for the GDR-2556U which is marked / punched out on the Red Label Nameplate.

Mod Code	Mod Code Description
No Mod Strike (-)	Initial Release
1	53-033002-0001 Rev L (RF PCB Assembly) Removed R292
2	53-033002-0001 Rev M (RF PCB Assembly) - Changed C798 to 120pF - Changed D39, D40 & D41 to BAS40-04W,115
3	53-033002-0001 Rev N (RF PCB Assembly) - Removed B17, B98, C150, C153, C721, D10, D11, D39, D40, D41, Q7, R110, R116, R120, R123 & R137 - Changed D15 & D20 to 6.8uH Inductor (p/n 1008LS-682XJLC) - Changed C615 to 0 ohm resistor (p/n RC0402FR-070RL) 53-033200-0001 Rev C (GDR Final Assembly) - Addition of copper tape to seal seam around front plate