

JianYan Testing Group Shenzhen Co., Ltd.

Report No.: JYTSZ-R12-2201848

RF Exposure Evaluation Report

Applicant: Inepro BV

Address of Applicant: Pondweg 7, 2153 PK Nieuw-Vennep, The Netherlands

Equipment Under Test (EUT)

Product Name: Red Spider

Model No.: Red Spider Desktop

Trade mark: Red Spider

FCC ID: 2AFBFRSD001

Applicable standards: FCC CFR Title 47 Part 2 (§2.1091)

Date of sample receipt: 08 Sep., 2022

Date of Test: 09 Sep., to 02 Nov., 2022

Date of report issue: 08 Feb., 2023

Test Result: PASS

Tested by: ______ Date: _____ 08 Feb., 2023

Reviewed by: Date: 08 Feb., 2023

Approved by: Date: 08 Feb., 2023

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in above the application standard version. Test results reported herein relate only to the item(s) tested.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.





1 Version

Version No.	Date	Description
00	23 Nov., 2022	Original
01	08 Feb., 2023	Updated page 4/6

Remark: Please refer to FCC ID: 2AFBFRS0001, report No.: JYTSZ-R12-2201829 issue by Jian Yan Testing Group Shenzhen Co., Ltd. The Red Spider Desktop and the Red Spider model are the same internally, including circuit design, layout, components used and internal wiring. The differences between them are as follows: The Red Spider Desktop have four electrical cables. So no need retest.





2 Contents

			Page
C	over Pa	age	1
1	Ver	sion	2
2	Cor	ntents	3
3	Ger	neral Information	4
	3.1	Client Information	4
	3.2	General Description of E.U.T.	4
	3.3	Operating Modes	4
	3.4	Additions to, deviations, or exclusions from the method	
	3.5	Laboratory Facility	5
	3.6	Laboratory Location	5
4	Tec	chnical Requirements Specification	6
	4.1	Limits	6
	4.2	Result	6
	4.3	Conclusion	6





3 General Information

3.1 Client Information

Applicant:	Inepro BV	
Address:	Pondweg 7, 2153 PK Nieuw-Vennep, The Netherlands	
Manufacturer/Factory:	Manufacturer/Factory: Inepro BV	
Address:	Pondweg 7, 2153 PK Nieuw-Vennep, The Netherlands	


3.2 General Description of E.U.T.

Product Name:	Red Spider	
Model No.:	Red Spider Desktop	
Operation Frequency:	BLE: 2402MHz~2480MHz	
	NFC:13.56MHz, 125KHz	
Modulation technology:	BLE: GFSK; NFC: ASK	
Antenna Type:	Internal Antenna	
Antenna gain:	BLE: 0.5 dBi; NFC: 0 dBi	
Test Sample Condition:	The test samples were provided in good working order with no visible defects.	

3.3 Operating Modes

Operating mode Detail description	
BLE mode	Keep the EUT in continuously transmitting in BLE mode
NFC mode	Keep the EUT in continuously transmitting in NFC mode

3.4 Additions to, deviations, or exclusions from the method





Report No.: JYTSZ-R12-2201848

3.5 Laboratory Facility

The test facility is recognized, certified, or accredited by the following organizations:

FCC - Designation No.: CN1211

JianYan Testing Group Shenzhen Co., Ltd. has been accredited as a testing laboratory by FCC(Federal Communications Commission). The test firm Registration No. is 727551.

● ISED - CAB identifier.: CN0021

The 3m Semi-anechoic chamber and 10m Semi-anechoic chamber of JianYan Testing Group Shenzhen Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1.

• CNAS - Registration No.: CNAS L15527

JianYan Testing Group Shenzhen Co., Ltd. is accredited to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration laboratories for the competence of testing. The Registration No. is CNAS L15527.

• A2LA - Registration No.: 4346.01

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: https://portal.a2la.org/scopepdf/4346-01.pdf

3.6 Laboratory Location

JianYan Testing Group Shenzhen Co., Ltd.

Address: No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xingiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.

Tel: +86-755-23118282, Fax: +86-755-23116366

Email: info-JYTee@lets.com, Website: http://jyt.lets.com



Report No.: JYTSZ-R12-2201848

4 Technical Requirements Specification

4.1 Limits

RF Exposure Test Exemptions for Single Source

1-mW Test Exemption

Per § 1.1307(b)(3)(i)(A), a single RF source is exempt RF device (from the requirement to show data demonstrating compliance to RF exposure limits, as previously mentioned) if the available maximum timeaveraged power is no more than 1 mW, regardless of separation distance.

This exemption applies to all operating configurations and exposure conditions, for the frequency range 100 kHz to 100 GHz, regardless of fixed, mobile, or portable device exposure conditions. This is a standalone exemption, and it cannot be applied in conjunction with any other test exemption.

4.2 Result

According to the calculation formula of power:

EIRP = $P*G = (E*d)^2/30$, So $P = (E*d)^2/(30 *G)$.

P = transmitter output power in watts,

G = numeric gain of the antenna in the direction of interest relative to an isotropic radiator (unitless), E = electric field strength in V/m, --- $10^{((dBuV/m)/20)}/10^6$,

d = measurement distance in meters (m)---3m,

Reference to FCC ID: 2AFBFRS0001, report No.: JYTSZ-R12-2201829.

4.3 Conclusion

The device is exempt from the SAR test and satisfies RF exposure evaluation.

-----End of report-----