



## Band Edge NVNT b 2462MHz Ant1 Ref




Date: 21.AUG.2025 18:03:09

## Band Edge NVNT b 2462MHz Ant1 Emission




Date: 21.AUG.2025 18:03:14

## Band Edge NVNT g 2412MHz Ant1 Ref




Date: 21.AUG.2025 18:12:29

## Band Edge NVNT g 2412MHz Ant1 Emission




Date: 21.AUG.2025 18:12:33

## Band Edge NVNT g 2462MHz Ant1 Ref




Date: 21.AUG.2025 18:20:50

## Band Edge NVNT g 2462MHz Ant1 Emission




Date: 21.AUG.2025 18:20:54

## Band Edge NVNT n20 2412MHz Ant1 Ref




Date: 21.AUG.2025 18:24:27

## Band Edge NVNT n20 2412MHz Ant1 Emission




Date: 21.AUG.2025 18:24:32

## Band Edge NVNT n20 2462MHz Ant1 Ref




Date: 21.AUG.2025 18:34:08

## Band Edge NVNT n20 2462MHz Ant1 Emission




Date: 21.AUG.2025 18:34:11

## Band Edge NVNT n40 2422MHz Ant1 Ref




Date: 21.AUG.2025 18:50:43

## Band Edge NVNT n40 2422MHz Ant1 Emission




Date: 21.AUG.2025 18:50:47

## Band Edge NVNT n40 2452MHz Ant1 Ref



Date: 21.AUG.2025 19:19:12

## Band Edge NVNT n40 2452MHz Ant1 Emission



Date: 21.AUG.2025 19:19:16

## **12. ANTENNA REQUIREMENT**

### **12.1. Standard Requirement**

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this Section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

### **12.2. Antenna Connected Construction**

The antenna connector is unique antenna and no consideration of replacement. Please see EUT photo for details.

### **12.3. Results**

The EUT antenna is integrated antenna. It complies with the standard requirement.

**-----END OF REPORT-----**