




Extension holder



View of Combo



LED1 Charge indicator

(It is in red while in recharging,
it will be off while finish recharging)

LED2 bluetooth matching

(The light is on while be turned on/in
blinking means in bluetooth matching)

LED3 Photograph indicating lamp

The light is in blue while taking pictures

Battery parameters:

Battery capacity: 60MA

Standby time: 3 days

Working time: 20H

Charging voltage: 5V

Input current: 120MA

Charging time: 0.5H

Charging times: ≤300

Product parameters:

Total weight: 150G

Length: 80CM

Material: stainless steel

Packing dimension: 48*33*200MM

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

FCC RF Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment End users must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be collocated or operating in conjunction with any other antenna or transmitter.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.