RF EXPOSURE REPORT



Report No.: 15070562-FCC-H2 Supersede Report No.: N/A

Applicant	Shenzhen RoyStyle Technology Co., Ltd.			
Product Name	Bluetooth headset			
Model No.	BT-002			
Serial No.	BTH03, BH	102, BH03, UB	B-BTH03-101	
Test Standard	FCC 2.109	3		
Test Date	July 15 to 3	July 15 to 30, 2015		
Issue Date	July 31, 2015			
Test Result	Pass Fail			
Equipment complied with the specification				
Equipment did not comply with the specification				
Winnie Zheng David Huang				
Winnie Zhang Test Engineer			Huang ked By	

This test report may be reproduced in full only

Test result presented in this test report is applicable to the tested sample only

Issued by:

SIEMIC (SHENZHEN-CHINA) LABORATORIES

Zone A, Floor 1, Building 2 Wan Ye Long Technology Park
South Side of Zhoushi Road, Bao' an District, Shenzhen, Guangdong China 518108
Phone: +86 0755 2601 4629801 Email: China@siemic.com.cn



Test Report	15070562-FCC-H2-
Page	2 of 8

Laboratories Introduction

SIEMIC, headquartered in the heart of Silicon Valley, with superior facilities in US and Asia, is one of the leading independent testing and certification facilities providing customers with one-stop shop services for Compliance Testing and Global Certifications.



In addition to testing and certification, SIEMIC provides initial design reviews and compliance management throughout a project. Our extensive experience with China, Asia Pacific, North America, European, and International compliance requirements, assures the fastest, most cost effective way to attain regulatory compliance for the global markets.

Accreditations for Conformity Assessment

Country/Region	Scope	
USA	EMC, RF/Wireless, SAR, Telecom	
Canada	EMC, RF/Wireless, SAR, Telecom	
Taiwan	EMC, RF, Telecom, SAR, Safety	
Hong Kong	RF/Wireless, SAR, Telecom	
Australia	EMC, RF, Telecom, SAR, Safety	
Korea	EMI, EMS, RF, SAR, Telecom, Safety	
Japan	EMI, RF/Wireless, SAR, Telecom	
Singapore	EMC, RF, SAR, Telecom	
Europe	EMC, RF, SAR, Telecom, Safety	



Test Report	15070562-FCC-H2-
Page	3 of 8

This page has been left blank intentionally.



Test Report	15070562-FCC-H2-	
Page	4 of 8	

CONTENTS

1.	REPORT REVISION HISTORY	5
2.	CUSTOMER INFORMATION	.5
3.	TEST SITE INFORMATION	5
4.	EQUIPMENT UNDER TEST (EUT) INFORMATION	.6
5.	FCC §2.1093 - RADIOFREQUENCY RADIATION EXPOSURE EVALUATION: PORTABLE DEVICES.	. 7
5.1	RF EXPOSURE	.7
5 2	TEST RESULT	



Test Report	15070562-FCC-H2-
Page	5 of 8

1. Report Revision History

Report No.	Report Version	Description	Issue Date
15070562-FCC-H2	NONE	Original	July 31, 2015

2. Customer information

Applicant Name	Shenzhen RoyStyle Technology Co., Ltd.	
Applicant Add	Room 2889, Electronic Technology Building C Block, Huaqiang North, Futian District,	
	Shenzhen	
Manufacturer	Shenzhen RoyStyle Technology Co., Ltd.	
Manufacturer Add	Room 2889, Electronic Technology Building C Block, Huaqiang North, Futian	
	District, Shenzhen	

3. Test site information

Lab performing tests	SIEMIC (Shenzhen-China) LABORATORIES	
Zone A, Floor 1, Building 2 Wan Ye Long Technology Park		
Lab Address	South Side of Zhoushi Road, Bao' an District, Shenzhen, Guangdong	
	China 518108	
FCC Test Site No.	718246	
IC Test Site No.	4842E-1	
Test Software	Radiated Emission Program-To Shenzhen v2.0	



Test Report	15070562-FCC-H2-
Page	6 of 8

4. Equipment under Test (EUT) Information

Description of EUT:	Bluetooth headset
Main Model:	BT-002
Serial Model:	BTH03, BH02, BH03, UB-BTH03-101
Date EUT received:	July 14, 2015
Test Date(s):	July 15 to 30, 2015
Antenna Gain:	Bluetooth: 0.68dBi
Type of Modulation:	Bluetooth: GFSK, π /4DQPSK
RF Operating Frequency (ies):	Bluetooth: 2402-2480 MHz
Number of Channels:	Bluetooth: 79CH
Port:	USB Port, Earphone Port
Input Power:	Battery: Spec: 3.7V 300mAh
Trade Name :	N/A
FCC ID:	2AFDUBT-002



Test Report	15070562-FCC-H2-
Page	7 of 8

5. FCC §2.1093 - Radiofrequency radiation exposure evaluation: portable devices.

5.1 RF Exposure

Standard Requirement:

According to §15.247 (i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] $\cdot [\sqrt{f_{(GHz)}}] \le 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR, ¹⁶ where

- f_(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation¹⁷
- The result is rounded to one decimal place for comparison

The test exclusions are applicable only when the minimum test separation distance is ≤ 50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is ≤ 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.

Routine SAR evaluation refers to that specifically required by § 2.1093, using measurements or computer simulation. When routine SAR evaluation is not required, portable transmitters with output power greater than the applicable low threshold require SAR evaluation to qualify for TCB approval.

result = $P\sqrt{F}/D$

P= Maximum turn-up power in mW

F= Channel frequency in GHz

D= Minimum test separation distance in mm



Test Report	15070562-FCC-H2-		
Page	8 of 8		

5.2 Test Result

Bluetooth Mode:

Modulation	СН	Freq (MHz)	Conducted Power (dBm)	Tune Up Power (dBm)	Max Tune Up Power (dBm)	Max Tune Up Power (mW)	Result	Limit
GFSK	Low	2402	3.361	3±1	4	2.512	0.78	3
	Mid	2441	2.110	3±1	4	2.512	0.78	3
	High	2480	2.832	3±1	4	2.512	0.79	3
π /4 DQPSK	Low	2402	2.297	3±1	4	2.512	0.78	3
	Mid	2441	0.866	1±1	2	1.585	0.50	3
	High	2480	1.461	1±1	2	1.585	0.50	3

Result: Compliance

No SAR measurement is required.