

# FCC Test Report

Report No.: AGC07716190801FE06A

**FCC ID** : 2AFENXK03S

**APPLICATION PURPOSE** : Class II Equipment

**PRODUCT DESIGNATION** : LED Projector

**BRAND NAME** : XGIMI

**MODEL NAME** : XK03S, XK04S, XK05S, XK06S, XK07S, XK08S, XK09S, XK10S, XK11S, XK12S, XK13S, XK14S, XK15S, XK16S, XK17S, XK18S, XK19S, XK20S, XK21S, XK22S, XK23S, XK24S, XK25S, XK26S, XK27S, XK28S, XK29S, XK30S, XK31S, XK32S

**APPLICANT** : Chengdu XGIMI Technology Co., Ltd.

**DATE OF ISSUE** : Jan. 09, 2021

**STANDARD(S)** : FCC Part 15.407

**TEST PROCEDURE(S)** : KDB 789033 D02 v02r01

**REPORT VERSION** : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## REPORT REVISE RECORD

| Report Version | Revise Time | Issued Date   | Valid Version | Notes                   |
|----------------|-------------|---------------|---------------|-------------------------|
| V1.0           | /           | Jan. 09, 2021 | Valid         | Re-certification Report |

### Note:

The original test report Ref. No. AGC07716190801FE06 dated Sep. 16, 2019, was modified on Jan. 09, 2021 to include the following changes:

- Changed the name of the Applicant
- Changed the name of the Manufacturer
- Changed the name and address of the Factory
- Changed the battery
- Change the main chip packaging substrate;
- Change the photos of EUT;
- So the Conducted Emission and Radiated Emission had been tested for the Class II permissive change.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## TABLE OF CONTENTS

|                                                                  |           |
|------------------------------------------------------------------|-----------|
| <b>1. VERIFICATION OF CONFORMITY .....</b>                       | <b>4</b>  |
| <b>2. GENERAL INFORMATION.....</b>                               | <b>5</b>  |
| 2.1. PRODUCT DESCRIPTION .....                                   | 5         |
| 2.2. TABLE OF CARRIER FREQUENCIES .....                          | 5         |
| 2.3. RELATED SUBMITTAL(S) / GRANT (S) .....                      | 6         |
| 2.4. TEST METHODOLOGY .....                                      | 6         |
| 2.5. SPECIAL ACCESSORIES .....                                   | 6         |
| 2.6. EQUIPMENT MODIFICATIONS .....                               | 6         |
| <b>3. MEASUREMENT UNCERTAINTY .....</b>                          | <b>7</b>  |
| <b>4. DESCRIPTION OF TEST MODES.....</b>                         | <b>8</b>  |
| <b>5. SYSTEM TEST CONFIGURATION .....</b>                        | <b>9</b>  |
| 5.1. CONFIGURATION OF EUT SYSTEM .....                           | 9         |
| 5.2. EQUIPMENT USED IN EUT SYSTEM.....                           | 9         |
| 5.3. SUMMARY OF TEST RESULTS.....                                | 9         |
| <b>6. TEST FACILITY .....</b>                                    | <b>10</b> |
| <b>7. RADIATED EMISSION.....</b>                                 | <b>11</b> |
| 7.1. MEASUREMENT PROCEDURE .....                                 | 11        |
| 7.2. TEST SETUP.....                                             | 12        |
| 7.3. LIMITS AND MEASUREMENT RESULT .....                         | 13        |
| 7.4. TEST RESULT.....                                            | 13        |
| <b>8. FCC LINE CONDUCTED EMISSION TEST .....</b>                 | <b>24</b> |
| 8.1. LIMITS OF LINE CONDUCTED EMISSION TEST.....                 | 24        |
| 8.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST .....         | 24        |
| 8.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST ..... | 25        |
| 8.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST .....       | 25        |
| 8.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST .....           | 26        |
| <b>APPENDIX A: PHOTOGRAPHS OF TEST SETUP .....</b>               | <b>28</b> |
| <b>APPENDIX B: PHOTOGRAPHS OF EUT .....</b>                      | <b>30</b> |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



## 1. VERIFICATION OF CONFORMITY

|                                 |                                                                                                                                                                                                                                                                     |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Applicant</b>                | Chengdu XGIMI Technology Co., Ltd.                                                                                                                                                                                                                                  |
| <b>Address</b>                  | Building Building A4, Tianfu Software Park, High-tech zone, Chengdu, Sichuan, China 610041                                                                                                                                                                          |
| <b>Manufacturer</b>             | Chengdu XGIMI Technology Co., Ltd.                                                                                                                                                                                                                                  |
| <b>Address</b>                  | Building A4, Tianfu Software Park, High-tech zone, Chengdu, Sichuan, China 610041                                                                                                                                                                                   |
| <b>Factory 1</b>                | TCL KING ELECTRICAL APPLIANCE (CHENG DU) CO., LTD.                                                                                                                                                                                                                  |
| <b>Address</b>                  | No.18 Kexin Road, Hi-Tech Development Zone (West Park), Chengdu, Sichuan                                                                                                                                                                                            |
| <b>Factory 2</b>                | Yibin XGIMI Optoelectronics Co., Ltd.                                                                                                                                                                                                                               |
| <b>Address</b>                  | A3, Intelligent Terminal Industrial Park, Cuiping District, Yibin City, Sichuan Province P.R.China<br>Room 328, Enterprise Service Center, No.17, West Section 3, Changjiang North Road, Lingang Economic Development Zone, Yibin City, Sichuan Province P.R. China |
| <b>Product Designation</b>      | LED Projector                                                                                                                                                                                                                                                       |
| <b>Brand Name</b>               | XGIMI                                                                                                                                                                                                                                                               |
| <b>Test Model</b>               | XK03S                                                                                                                                                                                                                                                               |
| <b>Series Model</b>             | XK04S, XK05S, XK06S, XK07S, XK08S, XK09S, XK10S, XK11S, XK12S, XK13S, XK14S, XK15S, XK16S, XK17S, XK18S, XK19S, XK20S, XK21S, XK22S, XK23S, XK24S, XK25S, XK26S, XK27S, XK28S, XK29S, XK30S, XK31S, XK32S                                                           |
| <b>Model Difference</b>         | All the same except for the model name and different appearance color                                                                                                                                                                                               |
| <b>Date of test</b>             | Dec. 04, 2020 to Jan. 08, 2021                                                                                                                                                                                                                                      |
| <b>Deviation</b>                | None                                                                                                                                                                                                                                                                |
| <b>Condition of Test Sample</b> | Normal                                                                                                                                                                                                                                                              |
| <b>Test Result</b>              | Pass                                                                                                                                                                                                                                                                |
| <b>Report Template</b>          | AGCRT-US-BGN/RF                                                                                                                                                                                                                                                     |

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with requirement of FCC Part 15 Rules requirement.

Prepared By Sky Dong  
Sky Dong  
(Project Engineer) Jan. 08, 2021

Reviewed By Max Zhang  
Max Zhang  
(Reviewer) Jan. 09, 2021

Approved By Forrest Lei  
Forrest Lei  
(Authorized Officer) Jan. 09, 2021

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



## 2. GENERAL INFORMATION

### 2.1. PRODUCT DESCRIPTION

The EUT is designed as “LED Projector”. It is designed by way of utilizing the OFDM technology to achieve the system operation.

A major technical description of EUT is described as following

|                                 |                                                                                                  |
|---------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Operation Frequency</b>      | 5150 MHz~5250MHz;5725 MHz~5850MHz                                                                |
| <b>Output Power</b>             | IEEE 802.11a20:17.12dBm; IEEE 802.11n(20):18.67dBm<br>IEEE802.11n(40):17.31dBm                   |
| <b>Modulation</b>               | BPSK, QPSK, 16QAM, 64QAM, 128QAM, 256QAM,OFDM                                                    |
| <b>Number of channels</b>       | 13                                                                                               |
| <b>Hardware Version</b>         | V03                                                                                              |
| <b>Software Version</b>         | V1.0.0                                                                                           |
| <b>Antenna Designation</b>      | FPC Antenna                                                                                      |
| <b>Number of transmit chain</b> | 2(802.11a/n20/n40 all used two antennas,but 802.11a support SISO and 802.11n20/n40 support MIMO) |
| <b>Directional gain</b>         | All transmit signals are completely uncorrelated with each other                                 |
| <b>Antenna Gain</b>             | Ant 1: 5.76dBi<br>Ant 2: 6.02dBi                                                                 |
| <b>Power Supply</b>             | DC 14.4V by battery or DC 19V by adapter                                                         |

### 2.2. TABLE OF CARRIER FREQUENCIES

| Frequency Band       | Channel Number | Frequency | Frequency Band       | Channel Number | Frequency |
|----------------------|----------------|-----------|----------------------|----------------|-----------|
| 5150 GHz~<br>5250GHz | 36             | 5180 MHz  | 5725 GHz~<br>5850GHz | 149            | 5745 MHz  |
|                      | 38             | 5190 MHz  |                      | 151            | 5755 MHz  |
|                      | 40             | 5200 MHz  |                      | 153            | 5765 MHz  |
|                      | 44             | 5220 MHz  |                      | 157            | 5785 MHz  |
|                      | 46             | 5230 MHz  |                      | 159            | 5795 MHz  |
|                      | 48             | 5240 MHz  |                      | 161            | 5805 MHz  |
|                      |                |           |                      | 165            | 5825MHz   |
|                      |                |           |                      |                |           |

Note: For 20MHZ bandwidth system use Channel 36,40,44,48,149,153,157,161,165; For 40MHZ bandwidth system use Channel 38,46,151,159.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



### 2.3. RELATED SUBMITTAL(S) / GRANT (S)

This submittal(s) (test report) is intended for **FCC ID: 2AFENXK03S** filing to comply with the FCC Part 15 requirements.

### 2.4. TEST METHODOLOGY

Both conducted and radiated testing was performed according to the procedures in ANSI C63.10 (2013).

Radiated testing was performed at an antenna to EUT distance 3 meters.

Others testing (listed at item 5.3) was performed according to the procedures in FCC Part 15.407 rules KDB 789033 D02

### 2.5. SPECIAL ACCESSORIES

Refer to section 5.2.

### 2.6. EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



### 3. MEASUREMENT UNCERTAINTY

The uncertainty is calculated using the methods suggested in the “Guide to the Expression of Uncertainty in measurement” (GUM) published by CISPR and ANSI.

- Uncertainty of Conducted Emission,  $U_c = \pm 3.2$  dB
- Uncertainty of Radiated Emission below 1GHz,  $U_c = \pm 3.9$  dB
- Uncertainty of Radiated Emission above 1GHz,  $U_c = \pm 4.8$  dB

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc@agc-cert.com](mailto:agc@agc-cert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: [agc@agc-cert.com](mailto:agc@agc-cert.com) Web: <http://cn.agc-cert.com/>



#### 4. DESCRIPTION OF TEST MODES

| Mode        | Available channel               | Tested channel           | Modulation | Date<br>rate(Mbps) |
|-------------|---------------------------------|--------------------------|------------|--------------------|
| 802.11a/n20 | 36,40,44,48,149,153,157,161,165 | 36,38,48,149,<br>157,165 | OFDM       | 6/6.5              |
| 802.11n40   | 38,46,151,159                   | 38,46, 151,159           | OFDM       | 13.5               |

#### Note:

1. The EUT has been set to operate continuously on tested channel individually, and the EUT is operating at its maximum duty cycle>or equal 98%
2. All modes under which configure applicable have been tested and the worst mode test data recording in the test report, if no other mode data.
3. The test software is the SecureCRTSecure\_V7.0.0.326 which can set the EUT into the individual test modes.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## 5. SYSTEM TEST CONFIGURATION

### 5.1. CONFIGURATION OF EUT SYSTEM

Configure 1:



### 5.2. EQUIPMENT USED IN EUT SYSTEM

| Item | Equipment     | Model No.      | ID or Specification                                           | Remark          |
|------|---------------|----------------|---------------------------------------------------------------|-----------------|
| 1    | LED Projector | XK03S          | 2AFENXK03S                                                    | EUT             |
| 2    | Adapter       | HKA06519034-6J | Input: AC 100-240V, 50/60Hz, 1.5A<br>Output: DC 19V --- 3.42A | Market with EUT |
| 3    | Loudspeaker   | --             | --                                                            | AE              |
| 4    | PC            | Xiaomi         | Air 13.3                                                      | AE              |

### 5.3. SUMMARY OF TEST RESULTS

| FCC RULES | DESCRIPTION OF TEST      | RESULT    |
|-----------|--------------------------|-----------|
| §15.209   | Radiated Emission        | Compliant |
| §15.207   | Line Conduction Emission | Compliant |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



## 6. TEST FACILITY

|                                          |                                                                                                                                          |
|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Test Site</b>                         | Attestation of Global Compliance (Shenzhen) Co., Ltd                                                                                     |
| <b>Location</b>                          | 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China |
| <b>Designation Number</b>                | CN1259                                                                                                                                   |
| <b>FCC Test Firm Registration Number</b> | 975832                                                                                                                                   |
| <b>A2LA Cert. No.</b>                    | 5054.02                                                                                                                                  |
| <b>Description</b>                       | Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA                                                                |

### TEST EQUIPMENT OF CONDUCTED EMISSION TEST

| Equipment     | Manufacturer | Model                | S/N    | Cal. Date    | Cal. Due     |
|---------------|--------------|----------------------|--------|--------------|--------------|
| TEST RECEIVER | R&S          | ESPI                 | 101206 | May 15, 2020 | May 14, 2021 |
| LISN          | R&S          | ESH2-Z5              | 100086 | Jul. 03,2020 | Jul. 02,2021 |
| Test software | R&S          | ES-K1<br>(Ver V1.71) | N/A    | N/A          | N/A          |

### TEST EQUIPMENT OF RADIATED EMISSION TEST

| Equipment                         | Manufacturer   | Model                  | S/N        | Cal. Date     | Cal. Due      |
|-----------------------------------|----------------|------------------------|------------|---------------|---------------|
| TEST RECEIVER                     | R&S            | ESCI                   | 10096      | May 15, 2020  | May 14, 2021  |
| EXA Signal Analyzer               | Aglient        | N9010A                 | MY53470504 | Dec. 07, 2020 | Dec. 06, 2021 |
| 2.4GHz Filter                     | EM Electronics | 2400-2500MHz           | N/A        | Mar. 23, 2020 | Mar. 22, 2022 |
| Attenuator                        | ZHINAN         | E-002                  | N/A        | Sep. 03, 2020 | Sep. 02, 2022 |
| Horn antenna                      | SCHWARZBECK    | BBHA 9170              | #768       | Sep. 21, 2019 | Sep. 20, 2021 |
| Active loop antenna<br>(9K-30MHz) | ZHINAN         | ZN30900C               | 18051      | May 22, 2020  | May 21, 2022  |
| Double-Ridged Waveguide Horn      | ETS LINDGREN   | 3117                   | 00034609   | May 17, 2019  | May 16, 2021  |
| Broadband Preamplifier            | ETS LINDGREN   | 3117PA                 | 00225134   | Sep. 03, 2020 | Sep. 02, 2022 |
| ANTENNA                           | SCHWARZBECK    | VULB9168               | 494        | Jan. 09, 2019 | Jan. 08, 2021 |
| Test software                     | FARA           | EZ-EMC<br>(Ver RA-03A) | N/A        | N/A           | N/A           |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



## 7. RADIATED EMISSION

### 7.1. MEASUREMENT PROCEDURE


1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
5. Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
6. For emissions above 1GHz, use 1MHz RBW and 3M VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
8. If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High - Low scan is not required in this case.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc@agc-cert.com](mailto:agc@agc-cert.com).




## 7.2. TEST SETUP


### Radiated Emission Test-Setup Frequency Below 30MHz



### RADIATED EMISSION TEST SETUP 30MHz-1000MHz



### RADIATED EMISSION TEST SETUP ABOVE 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



### 7.3. LIMITS AND MEASUREMENT RESULT

15.209(a) Limit in the below table has to be followed

| Frequencies<br>(MHz) | Field Strength<br>(micorvolts/meter) | Measurement Distance<br>(meters) |
|----------------------|--------------------------------------|----------------------------------|
| 0.009~0.490          | 2400/F(KHz)                          | 300                              |
| 0.490~1.705          | 24000/F(KHz)                         | 30                               |
| 1.705~30.0           | 30                                   | 30                               |
| 30~88                | 100                                  | 3                                |
| 88~216               | 150                                  | 3                                |
| 216~960              | 200                                  | 3                                |
| Above 960            | 500                                  | 3                                |

Note: All modes were tested For restricted band radiated emission, the test records reported below are the worst result compared to other modes.

### 7.4. TEST RESULT

#### RADIATED EMISSION BELOW 30MHZ

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



### RADIATED EMISSION BELOW 1GHZ

|             |                   |                   |                |
|-------------|-------------------|-------------------|----------------|
| EUT         | LED Projector     | Model Name        | XK03S          |
| Temperature | 21.8°C            | Relative Humidity | 58%            |
| Pressure    | 960hPa            | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11a20 5180MHz | Antenna           | Horizontal     |

66.9 dBuV/m



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|
| 1   |     | 93.0500      | 17.29                    | 15.29                   | 32.58                      | 43.50           | -10.92     | peak     |
| 2   |     | 240.1667     | 18.29                    | 18.66                   | 36.95                      | 46.00           | -9.05      | peak     |
| 3   |     | 325.8500     | 16.96                    | 20.38                   | 37.34                      | 46.00           | -8.66      | peak     |
| 4   | *   | 479.4333     | 14.21                    | 24.58                   | 38.79                      | 46.00           | -7.21      | peak     |
| 5   |     | 599.0667     | 7.32                     | 26.93                   | 34.25                      | 46.00           | -11.75     | peak     |
| 6   |     | 720.3167     | 5.81                     | 28.61                   | 34.42                      | 46.00           | -11.58     | peak     |

**RESULT: PASS**


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



|             |                   |                   |                |
|-------------|-------------------|-------------------|----------------|
| EUT         | LED Projector     | Model Name        | XK03S          |
| Temperature | 21.8°C            | Relative Humidity | 58%            |
| Pressure    | 960hPa            | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11a20 5180MHz | Antenna           | Vertical       |

66.9 dBuV/m



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|
| 1   |     | 114.0667     | 19.24                    | 17.39                   | 36.63                      | 43.50           | -6.87      | peak     |
| 2   | *   | 240.1667     | 23.97                    | 18.66                   | 42.63                      | 46.00           | -3.37      | peak     |
| 3   |     | 345.2500     | 12.74                    | 21.06                   | 33.80                      | 46.00           | -12.20     | peak     |
| 4   |     | 479.4333     | 9.02                     | 24.58                   | 33.60                      | 46.00           | -12.40     | peak     |
| 5   |     | 600.6833     | 8.44                     | 26.96                   | 35.40                      | 46.00           | -10.60     | peak     |
| 6   |     | 945.0333     | 1.98                     | 32.09                   | 34.07                      | 46.00           | -11.93     | peak     |

**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd


Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



|             |                   |                   |                |
|-------------|-------------------|-------------------|----------------|
| EUT         | LED Projector     | Model Name        | XK03S          |
| Temperature | 21.8°C            | Relative Humidity | 58%            |
| Pressure    | 960hPa            | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11a20 5745MHz | Antenna           | Horizontal     |

66.9 dBuV/m



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|
| 1   |     | 240.1667     | 17.94                    | 18.66                   | 36.60                      | 46.00           | -9.40      | peak     |
| 2   |     | 314.5333     | 18.89                    | 19.98                   | 38.87                      | 46.00           | -7.13      | peak     |
| 3   | *   | 359.8000     | 18.46                    | 21.57                   | 40.03                      | 46.00           | -5.97      | peak     |
| 4   |     | 445.4833     | 13.93                    | 23.89                   | 37.82                      | 46.00           | -8.18      | peak     |
| 5   |     | 600.6833     | 7.77                     | 26.96                   | 34.73                      | 46.00           | -11.27     | peak     |
| 6   |     | 720.3167     | 6.89                     | 28.61                   | 35.50                      | 46.00           | -10.50     | peak     |

**RESULT: PASS**


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



|             |                   |                   |                |
|-------------|-------------------|-------------------|----------------|
| EUT         | LED Projector     | Model Name        | XK03S          |
| Temperature | 21.8°C            | Relative Humidity | 58%            |
| Pressure    | 960hPa            | Test Voltage      | Normal Voltage |
| Test Mode   | 802.11a20 5745MHz | Antenna           | Vertical       |

66.9 dBuV/m



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|------------|----------|
| 1   | *   | 115.6833     | 22.80                    | 17.55                   | 40.35                      | 43.50           | -3.15      | peak     |
| 2   | !   | 240.1667     | 23.88                    | 18.66                   | 42.54                      | 46.00           | -3.46      | peak     |
| 3   |     | 379.2000     | 10.43                    | 22.25                   | 32.68                      | 46.00           | -13.32     | peak     |
| 4   |     | 600.6833     | 12.11                    | 26.96                   | 39.07                      | 46.00           | -6.93      | peak     |
| 5   |     | 720.3167     | 7.61                     | 28.61                   | 36.22                      | 46.00           | -9.78      | peak     |
| 6   |     | 914.3167     | 3.08                     | 31.82                   | 34.90                      | 46.00           | -11.10     | peak     |

**Note:** All test channels had been tested. The 802.11a20 at 5180MHz and 5745MHz is the worst case and recorded in the test report..

Factor = Antenna Factor + Cable loss - Amplifier gain, Margin= Limit-Level.

The "Factor" value can be calculated automatically by software of measurement system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



### RADIATED EMISSION ABOVE 1GHZ

|                    |                   |                          |                     |
|--------------------|-------------------|--------------------------|---------------------|
| <b>EUT</b>         | LED Projector     | <b>Model Name</b>        | XK03S               |
| <b>Temperature</b> | 21.8°C            | <b>Relative Humidity</b> | 58%                 |
| <b>Pressure</b>    | 960hPa            | <b>Test Voltage</b>      | Normal Voltage      |
| <b>Test Mode</b>   | 802.11a20 5180MHz | <b>Antenna</b>           | Horizontal/Vertical |

### RADIATED EMISSION ABOVE 1GHZ–Horizontal

| Frequency                                             | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-------------------------------------------------------|---------------|--------|----------------|----------|--------|------------|
| (MHz)                                                 | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 10360.042                                             | 45.13         | 9.14   | 54.27          | 68.20    | -13.93 | peak       |
| 15540.063                                             | 40.79         | 10.22  | 51.01          | 74.00    | -22.99 | peak       |
| 15540.063                                             | 31.27         | 10.22  | 41.49          | 54.00    | -12.51 | AVG        |
| Remark:                                               |               |        |                |          |        |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |               |        |                |          |        |            |

### RADIATED EMISSION ABOVE 1GHZ–Vertical

| Frequency                                             | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-------------------------------------------------------|---------------|--------|----------------|----------|--------|------------|
| (MHz)                                                 | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 10360.042                                             | 46.25         | 9.14   | 55.39          | 68.20    | -12.81 | peak       |
| 15540.063                                             | 40.39         | 10.22  | 50.61          | 74.00    | -23.39 | peak       |
| 15540.063                                             | 30.57         | 10.22  | 40.79          | 54.00    | -13.21 | AVG        |
| Remark:                                               |               |        |                |          |        |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |               |        |                |          |        |            |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



|                    |                   |                          |                     |
|--------------------|-------------------|--------------------------|---------------------|
| <b>EUT</b>         | LED Projector     | <b>Model Name</b>        | XK03S               |
| <b>Temperature</b> | 21.8°C            | <b>Relative Humidity</b> | 58%                 |
| <b>Pressure</b>    | 960hPa            | <b>Test Voltage</b>      | Normal Voltage      |
| <b>Test Mode</b>   | 802.11a20 5200MHz | <b>Antenna</b>           | Horizontal/Vertical |

#### RADIATED EMISSION ABOVE 1GHZ–Horizontal

| Frequency<br>(MHz)                                    | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|-------------------------------------------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 10400.042                                             | 46.27                   | 9.14           | 55.41                      | 68.20              | -12.79         | peak       |
| 15600.063                                             | 41.25                   | 10.22          | 51.47                      | 74.00              | -22.53         | peak       |
| 15600.063                                             | 32.19                   | 10.22          | 42.41                      | 54.00              | -11.59         | AVG        |
| Remark:                                               |                         |                |                            |                    |                |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |                         |                |                            |                    |                |            |

#### RADIATED EMISSION ABOVE 1GHZ–Vertical

| Frequency<br>(MHz)                                    | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|-------------------------------------------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 10400.042                                             | 45.25                   | 9.14           | 54.39                      | 68.20              | -13.81         | peak       |
| 15600.063                                             | 40.19                   | 10.22          | 50.41                      | 74.00              | -23.59         | peak       |
| 15600.063                                             | 30.76                   | 10.22          | 40.98                      | 54.00              | -13.02         | AVG        |
| Remark:                                               |                         |                |                            |                    |                |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |                         |                |                            |                    |                |            |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



|                    |                   |                          |                     |
|--------------------|-------------------|--------------------------|---------------------|
| <b>EUT</b>         | LED Projector     | <b>Model Name</b>        | XK03S               |
| <b>Temperature</b> | 21.8°C            | <b>Relative Humidity</b> | 58%                 |
| <b>Pressure</b>    | 960hPa            | <b>Test Voltage</b>      | Normal Voltage      |
| <b>Test Mode</b>   | 802.11a20 5240MHz | <b>Antenna</b>           | Horizontal/Vertical |

#### RADIATED EMISSION ABOVE 1GHZ–Horizontal

| Frequency<br>(MHz)                                    | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|-------------------------------------------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 10480.042                                             | 49.15                   | 9.27           | 58.42                      | 68.20              | -9.78          | peak       |
| 15720.063                                             | 43.57                   | 10.38          | 53.95                      | 74.00              | -20.05         | peak       |
| 15720.063                                             | 32.46                   | 10.38          | 42.84                      | 54.00              | -11.16         | AVG        |
| Remark:                                               |                         |                |                            |                    |                |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |                         |                |                            |                    |                |            |

#### RADIATED EMISSION ABOVE 1GHZ–Vertical

| Frequency<br>(MHz)                                    | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|-------------------------------------------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 10480.042                                             | 47.26                   | 9.27           | 56.53                      | 68.20              | -11.67         | peak       |
| 15720.063                                             | 40.29                   | 10.38          | 50.67                      | 74.00              | -23.33         | peak       |
| 15720.063                                             | 30.43                   | 10.38          | 40.81                      | 54.00              | -13.19         | AVG        |
| Remark:                                               |                         |                |                            |                    |                |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |                         |                |                            |                    |                |            |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



|                    |                   |                          |                     |
|--------------------|-------------------|--------------------------|---------------------|
| <b>EUT</b>         | LED Projector     | <b>Model Name</b>        | XK03S               |
| <b>Temperature</b> | 21.8°C            | <b>Relative Humidity</b> | 58%                 |
| <b>Pressure</b>    | 960hPa            | <b>Test Voltage</b>      | Normal Voltage      |
| <b>Test Mode</b>   | 802.11a20 5745MHz | <b>Antenna</b>           | Horizontal/Vertical |

#### RADIATED EMISSION ABOVE 1GHZ–Horizontal

| Frequency<br>(MHz) | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|--------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 11490.042          | 46.89                   | 9.42           | 56.31                      | 74.00              | -17.69         | peak       |
| 11490.042          | 37.57                   | 9.42           | 46.99                      | 54.00              | -7.01          | AVG        |
| 17235.063          | 40.13                   | 10.51          | 50.64                      | 68.20              | -17.56         | peak       |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

#### RADIATED EMISSION ABOVE 1GHZ–Vertical

| Frequency<br>(MHz) | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|--------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 11490.042          | 46.16                   | 9.42           | 55.58                      | 74.00              | -18.42         | peak       |
| 11490.042          | 38.15                   | 9.42           | 47.57                      | 54.00              | -6.43          | AVG        |
| 17235.063          | 40.57                   | 10.51          | 51.08                      | 68.20              | -17.12         | peak       |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



|                    |                   |                          |                     |
|--------------------|-------------------|--------------------------|---------------------|
| <b>EUT</b>         | LED Projector     | <b>Model Name</b>        | XK03S               |
| <b>Temperature</b> | 21.8°C            | <b>Relative Humidity</b> | 58%                 |
| <b>Pressure</b>    | 960hPa            | <b>Test Voltage</b>      | Normal Voltage      |
| <b>Test Mode</b>   | 802.11a20 5785MHz | <b>Antenna</b>           | Horizontal/Vertical |

#### RADIATED EMISSION ABOVE 1GHZ–Horizontal

| Frequency<br>(MHz)                                    | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|-------------------------------------------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 11570.042                                             | 49.17                   | 9.42           | 58.59                      | 74.00              | -15.41         | peak       |
| 11570.042                                             | 38.58                   | 9.42           | 48.00                      | 54.00              | -6.00          | AVG        |
| 17355.063                                             | 41.25                   | 10.51          | 51.76                      | 68.20              | -16.44         | peak       |
| Remark:                                               |                         |                |                            |                    |                |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |                         |                |                            |                    |                |            |

#### RADIATED EMISSION ABOVE 1GHZ–Vertical

| Frequency<br>(MHz)                                    | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|-------------------------------------------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 11570.042                                             | 49.19                   | 9.42           | 58.61                      | 74.00              | -15.39         | peak       |
| 11570.042                                             | 38.53                   | 9.42           | 47.95                      | 54.00              | -6.05          | AVG        |
| 17355.063                                             | 41.25                   | 10.51          | 51.76                      | 68.20              | -16.44         | peak       |
| Remark:                                               |                         |                |                            |                    |                |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |                         |                |                            |                    |                |            |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



|                    |                   |                          |                     |
|--------------------|-------------------|--------------------------|---------------------|
| <b>EUT</b>         | LED Projector     | <b>Model Name</b>        | XK03S               |
| <b>Temperature</b> | 21.8°C            | <b>Relative Humidity</b> | 58%                 |
| <b>Pressure</b>    | 960hPa            | <b>Test Voltage</b>      | Normal Voltage      |
| <b>Test Mode</b>   | 802.11a20 5825MHz | <b>Antenna</b>           | Horizontal/Vertical |

#### RADIATED EMISSION ABOVE 1GHZ–Horizontal

| Frequency<br>(MHz)                                    | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|-------------------------------------------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 11650.042                                             | 46.17                   | 9.62           | 55.79                      | 74.00              | -18.21         | peak       |
| 11650.042                                             | 38.53                   | 9.62           | 48.15                      | 54.00              | -5.85          | AVG        |
| 17475.063                                             | 41.29                   | 10.75          | 52.04                      | 68.20              | -16.16         | peak       |
| Remark:                                               |                         |                |                            |                    |                |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |                         |                |                            |                    |                |            |

#### RADIATED EMISSION ABOVE 1GHZ–Vertical

| Frequency<br>(MHz)                                    | Meter Reading<br>(dBμV) | Factor<br>(dB) | Emission Level<br>(dBμV/m) | Limits<br>(dBμV/m) | Margin<br>(dB) | Value Type |
|-------------------------------------------------------|-------------------------|----------------|----------------------------|--------------------|----------------|------------|
| 11650.042                                             | 49.27                   | 9.62           | 58.89                      | 74.00              | -15.11         | peak       |
| 11650.042                                             | 38.59                   | 9.62           | 48.21                      | 54.00              | -5.79          | AVG        |
| 17475.063                                             | 42.63                   | 10.75          | 53.38                      | 68.20              | -14.82         | peak       |
| Remark:                                               |                         |                |                            |                    |                |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |                         |                |                            |                    |                |            |

**Note:** All the case had been tested. The 802.11a modulation is the worst case and recorded in the test report. Other frequencies radiation emission from 1GHz to 40GHz at least have 20dB margin and not recorded in the test report.

Factor = Antenna Factor + Cable loss - Amplifier gain, Margin= Limit-Level.

The “Factor” value can be calculated automatically by software of measurement system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



## 8. FCC LINE CONDUCTED EMISSION TEST


### 8.1. LIMITS OF LINE CONDUCTED EMISSION TEST

| Frequency     | Maximum RF Line Voltage |                |
|---------------|-------------------------|----------------|
|               | Q.P.( dBuV)             | Average( dBuV) |
| 150kHz~500kHz | 66-56                   | 56-46          |
| 500kHz~5MHz   | 56                      | 46             |
| 5MHz~30MHz    | 60                      | 50             |

Note:

1. The lower limit shall apply at the transition frequency.
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50MHz.

### 8.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



### 8.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
2. Support equipment, if needed, was placed as per ANSI C63.10.
3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
4. All support equipments received AC120V/60Hz power from a LISN, if any.
5. The EUT received charging voltage by adapter which received 120V/60Hz power by a LISN.
6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
8. During the above scans, the emissions were maximized by cable manipulation.
9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.


### 8.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less -2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
3. The test data of the worst case condition(s) was reported on the Summary Data page.



## 8.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST

### LINE CONDUCTED EMISSION TEST-L



#### MEASUREMENT RESULT: "agc\_fin"

2020/12/7 9:22

| Frequency<br>MHz | Level<br>dBμV | Transd<br>dB | Limit<br>dBμV | Margin<br>dB | Detector | Line |
|------------------|---------------|--------------|---------------|--------------|----------|------|
| 0.166000         | 52.10         | 11.3         | 65            | 13.1         | QP       | L1   |
| 0.210000         | 40.30         | 11.3         | 63            | 22.9         | QP       | L1   |
| 0.402000         | 41.20         | 11.3         | 58            | 16.6         | QP       | L1   |
| 0.470000         | 48.90         | 11.3         | 57            | 7.6          | QP       | L1   |
| 0.514000         | 43.30         | 11.3         | 56            | 12.7         | QP       | L1   |
| 0.734000         | 41.90         | 11.3         | 56            | 14.1         | QP       | L1   |

#### MEASUREMENT RESULT: "agc\_fin2"

2020/12/7 9:22

| Frequency<br>MHz | Level<br>dBμV | Transd<br>dB | Limit<br>dBμV | Margin<br>dB | Detector | Line |
|------------------|---------------|--------------|---------------|--------------|----------|------|
| 0.158000         | 39.80         | 11.3         | 56            | 15.8         | AV       | L1   |
| 0.218000         | 33.60         | 11.3         | 53            | 19.3         | AV       | L1   |
| 0.394000         | 35.70         | 11.3         | 48            | 12.3         | AV       | L1   |
| 0.438000         | 36.30         | 11.3         | 47            | 10.8         | AV       | L1   |
| 0.478000         | 38.10         | 11.3         | 46            | 8.3          | AV       | L1   |
| 0.782000         | 31.70         | 11.3         | 46            | 14.3         | AV       | L1   |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



# LINE CONDUCTED EMISSION TEST-N



## MEASUREMENT RESULT: "agc\_fin"

2020/12/7 9:57

| Frequency<br>MHz | Level<br>dBμV | Transd<br>dB | Limit<br>dBμV | Margin<br>dB | Detector | Line |
|------------------|---------------|--------------|---------------|--------------|----------|------|
| 0.162000         | 49.80         | 11.3         | 65            | 15.6         | QP       | N    |
| 0.206000         | 41.70         | 11.3         | 63            | 21.7         | QP       | N    |
| 0.450000         | 47.00         | 11.3         | 57            | 9.9          | QP       | N    |
| 0.470000         | 48.30         | 11.3         | 57            | 8.2          | QP       | N    |
| 0.514000         | 44.40         | 11.3         | 56            | 11.6         | QP       | N    |
| 0.746000         | 41.10         | 11.3         | 56            | 14.9         | QP       | N    |

## MEASUREMENT RESULT: "agc\_fin2"

2020/12/7 9:57

| Frequency<br>MHz | Level<br>dBμV | Transd<br>dB | Limit<br>dBμV | Margin<br>dB | Detector | Line |
|------------------|---------------|--------------|---------------|--------------|----------|------|
| 0.158000         | 40.20         | 11.3         | 56            | 15.4         | AV       | N    |
| 0.226000         | 35.20         | 11.3         | 53            | 17.4         | AV       | N    |
| 0.398000         | 35.50         | 11.3         | 48            | 12.4         | AV       | N    |
| 0.454000         | 38.20         | 11.3         | 47            | 8.6          | AV       | N    |
| 0.474000         | 38.30         | 11.3         | 46            | 8.1          | AV       | N    |
| 0.514000         | 35.20         | 11.3         | 46            | 10.8         | AV       | N    |

RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



## APPENDIX A: PHOTOGRAPHS OF TEST SETUP

### FCC LINE CONDUCTED EMISSION TEST SETUP



### FCC RADIATED EMISSION TEST SETUP BELOW 1GHZ



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc@agc-cert.com](mailto:agc@agc-cert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: [agc@agc-cert.com](mailto:agc@agc-cert.com) Web: <http://cn.agc-cert.com/>



FCC RADIATED EMISSION TEST SETUP ABOVE 1GHZ



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



## APPENDIX B: PHOTOGRAPHS OF EUT

### ALL VIEW OF EUT



### TOP VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



BOTTOM VIEW OF EUT



FRONT VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



BACK VIEW OF EUT



LEFT VIEW OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



RIGHT VIEW OF EUT



PORT VIEW OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



# OPEN VIEW OF EUT




## INTERNAL VIEW-1 OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

INTERNAL VIEW-2 OF EUT



INTERNAL VIEW-3 OF EUT




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



INTERNAL VIEW-4 OF EUT



INTERNAL VIEW-5 OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc@agc-cert.com](mailto:agc@agc-cert.com).


Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: [agc@agc-cert.com](mailto:agc@agc-cert.com) Web: <http://cn.agc-cert.com/>




Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



INTERNAL VIEW-8 OF EUT



INTERNAL VIEW-9 OF EUT



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc@agc-cert.com](mailto:agc@agc-cert.com).