


360° All-in-one Conference Camera User Manual



Note: All the pictures in this manual are for reference only, subject to our available products.

◆ Safety Warnings

Before using this equipment, please read carefully and observe the following precautions to avoid dangerous or improper operations.

★ Working Environment

- ① DO NOT expose the camera to any heat source (such as electric heaters).
- ② Use it in an environment with a temperature of 0~40°C and humidity of 10%~90%RH.
- ③ DO NOT place the product in dusty and humid environments to avoid internal circuit fault.
- ④ DO NOT expose the equipment directly to the sun to avoid a rising equipment temperature that affects the normal use of the equipment.

★ Children Safety

- ① The product and its accessories may be composed of some small parts. Please place them beyond the reach of children to avoid potential dangers.
- ② The lens of this equipment is made of glass. If it is damaged, please handle it carefully to avoid being scratched by broken glass and keep it away from children.

★ Power Supply

- ① If an external power supply is to be used, follow all safety guidelines for third-party power supply devices.

★ Waterproofness

- ① The product is not waterproof. Please keep it dry.

★ Repair and Maintenance

- ① Please contact professional service personnel for maintenance services.
- ② When the equipment is damaged, please do not disassemble it for repair without permission. Instead, please call the Customer Service Center for repair.
- ③ DO NOT insert any sharp or pointed object into the device.
- ④ DO NOT drop or strike the device to avoid damage.
- ⑤ The temperature of the equipment may rise during operation, which is a normal phenomenon. In this case, turn off the device and let it cool before trying to use it again.

◆ Statement

- ① Intellectual property right statement: The hardware design and software of this product are covered by the patents. Anyone who reproduces this product or the content of the instruction without the authorization of the Company shall assume legal liabilities.
- ② This manual is for reference only, and the actual function of the final product is subject to the actual function of the product received by the customer.
- ③ The picture is for reference only, please refer to the actual product. The company reserves the right to improve and change the appearance and design of the product without notice.

◆ Random Accessories


- USB Cable x 1
- Remote Control x 1
- Adapter x 1
- Adapter Plug x 1

◆ Product Images

Item	Status Description
Light ring	① Boot-up process: After the white lights light up completely, a blue running light appears until the boot-up is completed. ② Shut-down process: The blue lights gradually go off after all of them light up. ③ Volume adjustment: The blue lights indicate the volume level. ④ DOA: The direction indicator shows the blue light.
Power switch	Press and hold for 2s to power on, and the white light stays on continuously; Press and hold for 2s to power off, and the red light stays on continuously.
Camera switch	Press shortly to turn on the camera, and the white light stays on continuously. Press shortly to turn off the camera, and the red light stays on continuously.
Mute	Press shortly to turn on the microphone, and the white light stays on continuously. Press shortly to turn off the microphone, and the red light stays on continuously.
Mode switch	Press shortly for the white light to blink and switch between modes.
Wireless connection	① Wireless connection of remote control: Press and hold the device's wireless connection button for 8s and the remote control's wireless connection button for 3s to enter remote control pairing mode, and the white light flashes quickly; When the pairing is successful, the blue light stays on continuously; Press and hold for 8s to cancel the remote control pairing, and the white light flashes quickly. ② Wireless audio connection (optional): Press and hold for 2 seconds to start the wireless audio connection, and the blue light blinks; Press and hold for another 2 seconds to disconnect the wireless audio connection, and the blue light blinks; Press and hold for 2 seconds to turn off the wireless audio connection, and the white light stays on continuously; When the wireless audio connection fails, the white light stays on continuously; When the wireless audio connection is successful, the blue light stays on continuously.

◆ Operating Instructions

Please connect the equipment as shown in the following figure before using it.



◆ Operating Instructions


Please connect the equipment as shown in the following figure before using it.



- ③ Open the video conferencing platform (such as Tencent Meeting, Zoom, Microsoft Teams, etc.) to join the video conference and select the corresponding panoramic camera device driver.
- ④ The volume can be controlled by the computer or remote control, and the microphone can be muted by the mute button.
- ⑤ Turn off the device and disconnect the power when finished.

Note: This device needs to be connected to a 12V power supply to function properly!

- ① Connect the power adapter to the video conferencing equipment and press the power button to turn on the device. The light ring lights up and the running light indicates that the device is booting up. A prompt tone is played when the boot-up is complete.
- ② Connect the USB cable to the computer and press the mode switch button to select the desired display layout to output.



Panoramic mode



Close-up mode



Voice tracking mode



Discussion mode




Intelligent gallery mode

Mode Description

Geometric morphometric methods

camera splicing, 360 panoramic high-definition display. This mode does not support functions.




se-up mo

panoramic view, select a specific area for display. Use the remote control to zoom in and out (5 levels) and move up, down, left, and right to select an area. The selected area has a fixed 16:9 aspect ratio. This mode does not have AI functions.









positioning recognition and displays the person speaking will switch in 3 seconds automatically.



displayed at the bottom of the screen. The top shows speakers. If someone is not speaking, they will not be
3 speakers are present, the fourth person speaking is
he person who spoke least recently, with dynamic entry


⑤ Intelligent gallery mode:

- Automatically identify people and automatically layout display, that is, 1–8 people have different layouts, with a maximum of 8 people.



Description

Description



Profile Settings

menu key to enter the following function adjustments:

Item	Default item	Adjustment range
Lightness	6	0-12
Sharpness	1	0-6
Contrast	115	0-255
Duration	3	0-6
Ring sensitivity	Normal	Low, Normal, High
Frequency	60Hz	50Hz, 60Hz
Image Flip	Normal	Normal \ H \ V \ H+V
3D Flip	Normal	Normal \ H \ V \ H+V
Reset	/	One-click restore

◆ Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

◆ FCC Caution:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

◆ Non-modification Statement:

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

◆ ISED Radiation Exposure Statement for Canada

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.

2. This device must accept any interference, including interference that may cause undesired operation of the device.

L' émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d' Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L' exploitation est autorisée aux deux conditions suivantes :

1.L' appareil ne doit pas produire de brouillage;

2.L' appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This equipment complies with ISED RSS-102 radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.

Pour se conformer aux exigences de conformité CNR 102 RF exposition, une distance de séparation d'au moins 20 cm doit être maintenue entre l'antenne de cet appareil et toutes les personnes.

Hereby, Guangzhou Shirui Electronics Co., Ltd. declares that the radio Equipment is in compliance with Directive 2014/53/EU.



!											
AT	BE	BG	CH	CY	CZ	DE	DK	EE	EL	ES	FI
FR	HR	HU	IE	IS	IT	LI	LT	LU	LV	MT	NL
RO	SE	SI	SK	UK(NI)	PL	PT					



This symbol, affixed to the product or its packaging, indicates that the product must not be processed with household waste. It must be brought to an electric and electronic waste collection point for recycling and disposal. By the appropriate disposal of this product you also help in preventing potentially negative consequences for the environment and human health. The recycling of materials helps preserve our natural resources. For further information regarding the recycling of this product, please contact your municipality, local waste disposal center or the store where the product was purchased.