

# UL Labels and Locations



**Veefil®** Designed & made in Australia by:  
Electric Vehicle Fast Charger  
Model No: TRI93-50-01-US

**TRITIUM**  
2014-05  
Patents Pending

INPUT:  
3ø WYE, 480V, 60Hz, 55kW  
1ø, 120V, 60Hz, 250W

OUTPUT:  
50-500V DC, 50kW

OPERATING TEMPERATURE:  
-20 to +55°C, -4 to 131°C

IP65, NEMA Type 3R Electronics Enclosure

00012465

CAUTION: Have defective cords or wires replaced immediately by a qualified service person.

## 1. External

FCC ID: 2AFHX-TRI935001US  
CONTAINS FCC ID: QIPXS8  
CONTAINS FCC ID: N7NSL8090  
MODEL: TRI93-50-01-US

This device complies with part 15 of the FCC Rules.  
Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference; and
- (2) This device must accept any interference received, including interference that may cause undesired operation of the device.

## 2. FCC External

## Label Material and Method

The labels are on a UL approved material and printing method. They are a self-adhesive polyester base material, Link Hamson part LP5251UL.

They use a thermal transfer resin printing method, Link Hamson part LP5123. They are rated for outdoor exposure to UV and high and low temperatures.