



802.11b CHANNEL 11, Carrier level




802.11b CHANNEL 11, Reference level




802.11g CHANNEL 1, Carrier level



802.11g CHANNEL 1, Reference level



802.11g CHANNEL 2, Carrier level




802.11g CHANNEL 2, Reference level




802.11g CHANNEL 3, Carrier level




802.11g CHANNEL 3, Reference level




802.11g CHANNEL 4, Carrier level




802.11g CHANNEL 4, Reference level




802.11g CHANNEL 5, Carrier level




802.11g CHANNEL 5, Reference level




802.11g CHANNEL 7, Carrier level




802.11g CHANNEL 7, Reference level



802.11g CHANNEL 8, Carrier level




802.11g CHANNEL 8, Reference level




802.11g CHANNEL 9, Carrier level




802.11g CHANNEL 9, Reference level




802.11g CHANNEL 10, Carrier level




802.11g CHANNEL 10, Reference level




802.11g CHANNEL 11, Carrier level



802.11g CHANNEL 11, Reference level



802.11n-20 MHz CHANNEL 1, Carrier level




802.11n-20 MHz CHANNEL 1, Reference level




802.11n-20 MHz CHANNEL 2, Carrier level



802.11n-20 MHz CHANNEL 2, Reference level



802.11n-20 MHz CHANNEL 3, Carrier level




802.11n-20 MHz CHANNEL 3, Reference level



802.11n-20 MHz CHANNEL 4, Carrier level




802.11n-20 MHz CHANNEL 4, Reference level




802.11n-20 MHz CHANNEL 5, Carrier level




802.11n-20 MHz CHANNEL 5, Reference level




802.11n-20 MHz CHANNEL 7, Carrier level




802.11n-20 MHz CHANNEL 7, Reference level




802.11n-20 MHz CHANNEL 8, Carrier level




802.11n-20 MHz CHANNEL 8, Reference level




802.11n-20 MHz CHANNEL 9, Carrier level




802.11n-20 MHz CHANNEL 9, Reference level




802.11n-20 MHz CHANNEL 10, Carrier level




802.11n-20 MHz CHANNEL 10, Reference level



802.11n-20 MHz CHANNEL 11, Carrier level




802.11n-20 MHz CHANNEL 11, Reference level




802.11n-40 MHz CHANNEL 3, Carrier level




802.11n-40 MHz CHANNEL 3, Reference level




802.11n-40 MHz CHANNEL 4, Carrier level




802.11n-40 MHz CHANNEL 4, Reference level




802.11n-40 MHz CHANNEL 5, Carrier level




802.11n-40 MHz CHANNEL 5, Reference level




802.11n-40 MHz CHANNEL 7, Carrier level




802.11n-40 MHz CHANNEL 7, Reference level




802.11n-40 MHz CHANNEL 8, Carrier level




802.11n-40 MHz CHANNEL 8, Reference level



802.11n-40 MHz CHANNEL 9, Carrier level



802.11n-40 MHz CHANNEL 9, Reference level



802.11VHT-20 MHz CHANNEL 1, Carrier level




802.11VHT-20 MHz CHANNEL 1, Reference level




802.11VHT-20 MHz CHANNEL 2, Carrier level




802.11VHT-20 MHz CHANNEL 2, Reference level




802.11VHT-20 MHz CHANNEL 3, Carrier level




802.11VHT-20 MHz CHANNEL 3, Reference level




802.11VHT-20 MHz CHANNEL 4, Carrier level




802.11VHT-20 MHz CHANNEL 4, Reference level




802.11VHT-20 MHz CHANNEL 5, Carrier level




802.11VHT-20 MHz CHANNEL 5, Reference level




802.11VHT-20 MHz CHANNEL 7, Carrier level




802.11VHT-20 MHz CHANNEL 7, Reference level




802.11VHT-20 MHz CHANNEL 8, Carrier level




802.11VHT-20 MHz CHANNEL 8, Reference level




802.11VHT-20 MHz CHANNEL 9, Carrier level




802.11VHT-20 MHz CHANNEL 9, Reference level




802.11VHT-20 MHz CHANNEL 10, Carrier level




802.11VHT-20 MHz CHANNEL 10, Reference level



802.11VHT-20 MHz CHANNEL 11, Carrier level




802.11VHT-20 MHz CHANNEL 11, Reference level




802.11VHT-40 MHz CHANNEL 3, Carrier level




802.11VHT-40 MHz CHANNEL 3, Reference level




802.11VHT-40 MHz CHANNEL 4, Carrier level




802.11VHT-40 MHz CHANNEL 4, Reference level




802.11VHT-40 MHz CHANNEL 5, Carrier level




802.11VHT-40 MHz CHANNEL 5, Reference level




802.11VHT-40 MHz CHANNEL 7, Carrier level




802.11VHT-40 MHz CHANNEL 7, Reference level




802.11VHT-40 MHz CHANNEL 8, Carrier level




802.11VHT-40 MHz CHANNEL 8, Reference level




802.11VHT-40 MHz CHANNEL 9, Carrier level



802.11VHT-40 MHz CHANNEL 9, Reference level




802.11ax-20 MHz(SU) CHANNEL 1, Carrier level




802.11ax-20 MHz(SU) CHANNEL 1, Reference level




802.11ax-20 MHz(SU) CHANNEL 2, Carrier level




802.11ax-20 MHz(SU) CHANNEL 2, Reference level




802.11ax-20 MHz(SU) CHANNEL 3, Carrier level




802.11ax-20 MHz(SU) CHANNEL 3, Reference level




802.11ax-20 MHz(SU) CHANNEL 4, Carrier level




802.11ax-20 MHz(SU) CHANNEL 4, Reference level




802.11ax-20 MHz(SU) CHANNEL 5, Carrier level




802.11ax-20 MHz(SU) CHANNEL 5, Reference level




802.11ax-20 MHz(SU) CHANNEL 7, Carrier level




802.11ax-20 MHz(SU) CHANNEL 7, Reference level




802.11ax-20 MHz(SU) CHANNEL 8, Carrier level




802.11ax-20 MHz(SU) CHANNEL 8, Reference level




802.11ax-20 MHz(SU) CHANNEL 9, Carrier level




802.11ax-20 MHz(SU) CHANNEL 9, Reference level




802.11ax-20 MHz(SU) CHANNEL 10, Carrier level




802.11ax-20 MHz(SU) CHANNEL 10, Reference level




802.11ax-20 MHz(SU) CHANNEL 11, Carrier level




802.11ax-20 MHz(SU) CHANNEL 11, Reference level




802.11ax-40 MHz(SU) CHANNEL 3, Carrier level




802.11ax-40 MHz(SU) CHANNEL 3, Reference level




802.11ax-40 MHz(SU) CHANNEL 4, Carrier level




802.11ax-40 MHz(SU) CHANNEL 4, Reference level




802.11ax-40 MHz(SU) CHANNEL 5, Carrier level




802.11ax-40 MHz(SU) CHANNEL 5, Reference level




802.11ax-40 MHz(SU) CHANNEL 7, Carrier level




802.11ax-40 MHz(SU) CHANNEL 7, Reference level




802.11ax-40 MHz(SU) CHANNEL 8, Carrier level




802.11ax-40 MHz(SU) CHANNEL 8, Reference level



802.11ax-40 MHz(SU) CHANNEL 9, Carrier level




802.11ax-40 MHz(SU) CHANNEL 9, Reference level



MIMO-Aux. Antenna


802.11b CHANNEL 1, Carrier level




802.11b CHANNEL 1, Reference level




802.11b CHANNEL 9, Carrier level




802.11b CHANNEL 9, Reference level




802.11b CHANNEL 10, Carrier level




802.11b CHANNEL 10, Reference level



802.11b CHANNEL 11, Carrier level



802.11b CHANNEL 11, Reference level



802.11g CHANNEL 1, Carrier level




802.11g CHANNEL 1, Reference level




802.11g CHANNEL 2, Carrier level




802.11g CHANNEL 2, Reference level




802.11g CHANNEL 3, Carrier level




802.11g CHANNEL 3, Reference level




802.11g CHANNEL 4, Carrier level




802.11g CHANNEL 4, Reference level




802.11g CHANNEL 5, Carrier level




802.11g CHANNEL 5, Reference level




802.11g CHANNEL 7, Carrier level




802.11g CHANNEL 7, Reference level




802.11g CHANNEL 8, Carrier level




802.11g CHANNEL 8, Reference level




802.11g CHANNEL 9, Carrier level




802.11g CHANNEL 9, Reference level




802.11g CHANNEL 10, Carrier level




802.11g CHANNEL 10, Reference level




802.11g CHANNEL 11, Carrier level



802.11g CHANNEL 11, Reference level



802.11n-20 MHz CHANNEL 1, Carrier level




802.11n-20 MHz CHANNEL 1, Reference level




802.11n-20 MHz CHANNEL 2, Carrier level




802.11n-20 MHz CHANNEL 2, Reference level




802.11n-20 MHz CHANNEL 3, Carrier level




802.11n-20 MHz CHANNEL 3, Reference level




802.11n-20 MHz CHANNEL 4, Carrier level




802.11n-20 MHz CHANNEL 4, Reference level




802.11n-20 MHz CHANNEL 5, Carrier level




802.11n-20 MHz CHANNEL 5, Reference level




802.11n-20 MHz CHANNEL 7, Carrier level




802.11n-20 MHz CHANNEL 7, Reference level




802.11n-20 MHz CHANNEL 8, Carrier level




802.11n-20 MHz CHANNEL 8, Reference level




802.11n-20 MHz CHANNEL 9, Carrier level




802.11n-20 MHz CHANNEL 9, Reference level




802.11n-20 MHz CHANNEL 10, Carrier level




802.11n-20 MHz CHANNEL 10, Reference level



802.11n-20 MHz CHANNEL 11, Carrier level



802.11n-20 MHz CHANNEL 11, Reference level



802.11n-40 MHz CHANNEL 3, Carrier level




802.11n-40 MHz CHANNEL 3, Reference level




802.11n-40 MHz CHANNEL 4, Carrier level




802.11n-40 MHz CHANNEL 4, Reference level



802.11n-40 MHz CHANNEL 5, Carrier level




802.11n-40 MHz CHANNEL 5, Reference level




802.11n-40 MHz CHANNEL 7, Carrier level




802.11n-40 MHz CHANNEL 7, Reference level




802.11n-40 MHz CHANNEL 8, Carrier level




802.11n-40 MHz CHANNEL 8, Reference level



802.11n-40 MHz CHANNEL 9, Carrier level




802.11n-40 MHz CHANNEL 9, Reference level



802.11VHT-20 MHz CHANNEL 1, Carrier level




802.11VHT-20 MHz CHANNEL 1, Reference level




802.11VHT-20 MHz CHANNEL 2, Carrier level



802.11VHT-20 MHz CHANNEL 2, Reference level




802.11VHT-20 MHz CHANNEL 3, Carrier level




802.11VHT-20 MHz CHANNEL 3, Reference level




802.11VHT-20 MHz CHANNEL 4, Carrier level




802.11VHT-20 MHz CHANNEL 4, Reference level




802.11VHT-20 MHz CHANNEL 5, Carrier level




802.11VHT-20 MHz CHANNEL 5, Reference level




802.11VHT-20 MHz CHANNEL 7, Carrier level




802.11VHT-20 MHz CHANNEL 7, Reference level




802.11VHT-20 MHz CHANNEL 8, Carrier level




802.11VHT-20 MHz CHANNEL 8, Reference level




802.11VHT-20 MHz CHANNEL 9, Carrier level




802.11VHT-20 MHz CHANNEL 9, Reference level




802.11VHT-20 MHz CHANNEL 10, Carrier level




802.11VHT-20 MHz CHANNEL 10, Reference level



802.11VHT-20 MHz CHANNEL 11, Carrier level



802.11VHT-20 MHz CHANNEL 11, Reference level




802.11VHT-40 MHz CHANNEL 3, Carrier level




802.11VHT-40 MHz CHANNEL 3, Reference level




802.11VHT-40 MHz CHANNEL 4, Carrier level




802.11VHT-40 MHz CHANNEL 4, Reference level




802.11VHT-40 MHz CHANNEL 5, Carrier level




802.11VHT-40 MHz CHANNEL 5, Reference level




802.11VHT-40 MHz CHANNEL 7, Carrier level




802.11VHT-40 MHz CHANNEL 7, Reference level




802.11VHT-40 MHz CHANNEL 8, Carrier level




802.11VHT-40 MHz CHANNEL 8, Reference level




802.11VHT-40 MHz CHANNEL 9, Carrier level



802.11VHT-40 MHz CHANNEL 9, Reference level



802.11ax-20 MHz(SU) CHANNEL 1, Carrier level




802.11ax-20 MHz(SU) CHANNEL 1, Reference level



802.11ax-20 MHz(SU) CHANNEL 2, Carrier level




802.11ax-20 MHz(SU) CHANNEL 2, Reference level




802.11ax-20 MHz(SU) CHANNEL 3, Carrier level




802.11ax-20 MHz(SU) CHANNEL 3, Reference level




802.11ax-20 MHz(SU) CHANNEL 4, Carrier level




802.11ax-20 MHz(SU) CHANNEL 4, Reference level




802.11ax-20 MHz(SU) CHANNEL 5, Carrier level




802.11ax-20 MHz(SU) CHANNEL 5, Reference level




802.11ax-20 MHz(SU) CHANNEL 7, Carrier level




802.11ax-20 MHz(SU) CHANNEL 7, Reference level




802.11ax-20 MHz(SU) CHANNEL 8, Carrier level




802.11ax-20 MHz(SU) CHANNEL 8, Reference level




802.11ax-20 MHz(SU) CHANNEL 9, Carrier level




802.11ax-20 MHz(SU) CHANNEL 9, Reference level




802.11ax-20 MHz(SU) CHANNEL 10, Carrier level




802.11ax-20 MHz(SU) CHANNEL 10, Reference level




802.11ax-20 MHz(SU) CHANNEL 11, Carrier level




802.11ax-20 MHz(SU) CHANNEL 11, Reference level




802.11ax-40 MHz(SU) CHANNEL 3, Carrier level




802.11ax-40 MHz(SU) CHANNEL 3, Reference level




802.11ax-40 MHz(SU) CHANNEL 4, Carrier level




802.11ax-40 MHz(SU) CHANNEL 4, Reference level




802.11ax-40 MHz(SU) CHANNEL 5, Carrier level




802.11ax-40 MHz(SU) CHANNEL 5, Reference level




802.11ax-40 MHz(SU) CHANNEL 7, Carrier level




802.11ax-40 MHz(SU) CHANNEL 7, Reference level




802.11ax-40 MHz(SU) CHANNEL 8, Carrier level




802.11ax-40 MHz(SU) CHANNEL 8, Reference level



802.11ax-40 MHz(SU) CHANNEL 9, Carrier level



802.11ax-40 MHz(SU) CHANNEL 9, Reference level




A.5 Conducted Emissions

Note¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.150	43.45	10.19	66.00	-22.55	Peak	L	Pass
1**	0.150	25.48	10.19	56.00	-30.52	AV	L	Pass
2	0.176	41.57	10.14	64.67	-23.10	Peak	L	Pass
2**	0.176	27.30	10.14	54.67	-27.37	AV	L	Pass
3	0.396	36.19	10.09	57.94	-21.75	Peak	L	Pass
3**	0.396	28.14	10.09	47.94	-19.80	AV	L	Pass
4	0.986	32.14	10.03	56.00	-23.86	Peak	L	Pass
4**	0.986	21.02	10.03	46.00	-24.98	AV	L	Pass
5	3.490	34.46	10.08	56.00	-21.54	Peak	L	Pass
5**	3.490	23.00	10.08	46.00	-23.00	AV	L	Pass
6	7.084	39.71	9.85	60.00	-20.29	Peak	L	Pass
6**	7.084	31.12	9.85	50.00	-18.88	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.150	44.18	10.19	66.00	-21.82	Peak	N	Pass
1**	0.150	25.13	10.19	56.00	-30.87	AV	N	Pass
2	0.196	41.12	10.10	63.78	-22.66	Peak	N	Pass
2**	0.196	24.53	10.10	53.78	-29.25	AV	N	Pass
3	0.390	40.13	10.09	58.06	-17.93	Peak	N	Pass
3**	0.390	30.42	10.09	48.06	-17.64	AV	N	Pass
4	1.070	31.16	10.02	56.00	-24.84	Peak	N	Pass
4**	1.070	21.88	10.02	46.00	-24.12	AV	N	Pass
5	4.310	33.05	10.04	56.00	-22.95	Peak	N	Pass
5**	4.310	21.92	10.04	46.00	-24.08	AV	N	Pass
6	7.102	38.25	9.86	60.00	-21.75	Peak	N	Pass
6**	7.102	29.72	9.86	50.00	-20.28	AV	N	Pass

A.6 Radiated Emission

Note¹: The symbol of “--” in the table which means not application.


Note²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	48.382	13.66	-22.56	40.0	-26.34	Peak	100.90	200	Horizontal	Pass
2	53.086	13.85	-22.99	40.0	-26.15	Peak	165.00	200	Horizontal	Pass
3	62.544	14.61	-24.70	40.0	-25.39	Peak	196.50	100	Horizontal	Pass
4	90.140	16.20	-26.09	43.5	-27.30	Peak	21.50	200	Horizontal	Pass
5	122.441	14.62	-26.17	43.5	-28.88	Peak	0.00	200	Horizontal	Pass
6	364.165	25.84	-19.73	46.0	-20.16	Peak	37.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	63.514	23.94	-24.85	40.0	-16.06	Peak	0.00	100	Vertical	Pass
2	68.703	30.36	-26.29	40.0	-9.64	Peak	121.20	100	Vertical	Pass
3	74.232	27.63	-28.52	40.0	-12.37	Peak	49.10	100	Vertical	Pass
4	85.533	21.50	-27.35	40.0	-18.50	Peak	282.10	100	Vertical	Pass
5	143.344	20.29	-27.81	43.5	-23.21	Peak	95.80	100	Vertical	Pass
6	198.877	20.42	-24.15	43.5	-23.08	Peak	1.00	200	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

Main Antenna

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	42.75	-18.39	74.0	-31.25	Peak	49.00	150	Horizontal	Pass
1**	1079.700	42.72	-18.39	54.0	-11.28	AV	49.00	150	Horizontal	Pass
2	2412.000	106.23	-12.65	74.0	32.23	Peak	40.00	150	Horizontal	N/A
2**	2412.000	102.88	-12.65	54.0	48.88	AV	40.00	150	Horizontal	N/A
3	4822.000	48.79	-3.81	74.0	-25.21	Peak	60.00	150	Horizontal	Pass
3**	4822.000	40.28	-3.81	54.0	-13.72	AV	60.00	150	Horizontal	Pass
4	7594.750	54.20	0.73	74.0	-19.80	Peak	356.00	150	Horizontal	Pass
4**	7594.750	44.49	0.73	54.0	-9.51	AV	356.00	150	Horizontal	Pass
5	13884.500	50.39	-0.51	74.0	-23.61	Peak	349.00	150	Horizontal	Pass
5**	13884.500	40.84	-0.51	54.0	-13.16	AV	349.00	150	Horizontal	Pass
6	17929.001	52.28	1.11	74.0	-21.72	Peak	280.00	150	Horizontal	Pass
6**	17929.001	42.81	1.11	54.0	-11.19	AV	280.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	48.44	-18.39	74.0	-25.56	Peak	78.00	150	Vertical	Pass
1**	1079.800	34.43	-18.39	54.0	-19.57	AV	78.00	150	Vertical	Pass
2	2410.600	106.47	-12.84	74.0	32.47	Peak	338.00	150	Vertical	N/A
2**	2410.600	103.53	-12.84	54.0	49.53	AV	338.00	150	Vertical	N/A
3	4824.250	48.99	-3.88	74.0	-25.01	Peak	283.00	150	Vertical	Pass
3**	4824.250	45.11	-3.88	54.0	-8.89	AV	283.00	150	Vertical	Pass
4	7645.250	53.13	1.12	74.0	-20.87	Peak	334.00	150	Vertical	Pass
4**	7645.250	43.99	1.12	54.0	-10.01	AV	334.00	150	Vertical	Pass
5	14472.500	47.45	-3.86	74.0	-26.55	Peak	32.00	150	Vertical	Pass
5**	14472.500	44.72	-3.86	54.0	-9.28	AV	32.00	150	Vertical	Pass
6	17821.999	52.77	0.75	74.0	-21.23	Peak	348.00	150	Vertical	Pass
6**	17821.999	43.10	0.75	54.0	-10.90	AV	348.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	52.26	-18.39	74.0	-21.74	Peak	350.00	150	Horizontal	Pass
1**	1079.800	37.38	-18.39	54.0	-16.62	AV	350.00	150	Horizontal	Pass
2	2435.700	106.59	-12.18	74.0	32.59	Peak	103.00	150	Horizontal	N/A
2**	2435.700	103.68	-12.18	54.0	49.68	AV	103.00	150	Horizontal	N/A
3	4874.000	47.92	-3.44	74.0	-26.08	Peak	68.00	150	Horizontal	Pass
3**	4874.000	44.18	-3.44	54.0	-9.82	AV	68.00	150	Horizontal	Pass
4	7592.000	53.23	0.85	74.0	-20.77	Peak	159.00	150	Horizontal	Pass
4**	7592.000	43.93	0.85	54.0	-10.07	AV	159.00	150	Horizontal	Pass
5	13890.500	50.57	-0.50	74.0	-23.43	Peak	126.00	150	Horizontal	Pass
5**	13890.500	41.05	-0.50	54.0	-12.95	AV	126.00	150	Horizontal	Pass
6	17966.500	52.09	1.06	74.0	-21.91	Peak	107.00	150	Horizontal	Pass
6**	17966.500	42.52	1.06	54.0	-11.48	AV	107.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	47.68	-18.39	74.0	-26.32	Peak	80.00	150	Vertical	Pass
1**	1079.800	36.30	-18.39	54.0	-17.70	AV	80.00	150	Vertical	Pass
2	2435.700	107.03	-12.18	74.0	33.03	Peak	184.00	150	Vertical	N/A
2**	2435.700	104.17	-12.18	54.0	50.17	AV	184.00	150	Vertical	N/A
3	4874.000	50.38	-3.44	74.0	-23.62	Peak	344.00	150	Vertical	Pass
3**	4874.000	45.94	-3.44	54.0	-8.06	AV	344.00	150	Vertical	Pass
4	7814.750	52.85	1.58	74.0	-21.15	Peak	98.00	150	Vertical	Pass
4**	7814.750	44.13	1.58	54.0	-9.87	AV	98.00	150	Vertical	Pass
5	14622.500	46.40	-3.82	74.0	-27.60	Peak	203.00	150	Vertical	Pass
5**	14622.500	44.35	-3.82	54.0	-9.65	AV	203.00	150	Vertical	Pass
6	16883.000	52.90	0.27	74.0	-21.10	Peak	362.00	150	Vertical	Pass
6**	16883.000	43.14	0.27	54.0	-10.86	AV	362.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	48.22	-18.41	74.0	-25.78	Peak	29.00	150	Horizontal	Pass
1**	1080.200	34.90	-18.41	54.0	-19.10	AV	29.00	150	Horizontal	Pass
2	2455.800	105.53	-12.71	74.0	31.53	Peak	314.00	150	Horizontal	N/A
2**	2455.800	102.70	-12.71	54.0	48.70	AV	314.00	150	Horizontal	N/A
3	4914.250	50.20	-3.76	74.0	-23.80	Peak	304.00	150	Horizontal	Pass
3**	4914.250	45.66	-3.76	54.0	-8.34	AV	304.00	150	Horizontal	Pass
4	7766.250	53.33	1.27	74.0	-20.67	Peak	253.00	150	Horizontal	Pass
4**	7766.250	43.97	1.27	54.0	-10.03	AV	253.00	150	Horizontal	Pass
5	12814.000	49.52	-1.65	74.0	-24.48	Peak	213.00	150	Horizontal	Pass
5**	12814.000	40.57	-1.65	54.0	-13.43	AV	213.00	150	Horizontal	Pass
6	17771.000	52.24	1.00	74.0	-21.76	Peak	268.00	150	Horizontal	Pass
6**	17771.000	41.35	1.00	54.0	-12.65	AV	268.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	47.55	-18.39	74.0	-26.45	Peak	170.00	150	Vertical	Pass
1**	1079.700	30.26	-18.39	54.0	-23.74	AV	170.00	150	Vertical	Pass
2	2455.500	106.07	-12.72	74.0	32.07	Peak	34.00	150	Vertical	N/A
2**	2455.500	103.16	-12.72	54.0	49.16	AV	34.00	150	Vertical	N/A
3	4914.250	50.49	-3.76	74.0	-23.51	Peak	267.00	150	Vertical	Pass
3**	4914.250	46.03	-3.76	54.0	-7.97	AV	267.00	150	Vertical	Pass
4	7480.500	53.03	0.98	74.0	-20.97	Peak	46.00	150	Vertical	Pass
4**	7480.500	44.38	0.98	54.0	-9.62	AV	46.00	150	Vertical	Pass
5	13862.500	50.73	-0.53	74.0	-23.27	Peak	2.00	150	Vertical	Pass
5**	13862.500	41.32	-0.53	54.0	-12.68	AV	2.00	150	Vertical	Pass
6	17894.500	51.38	1.43	74.0	-22.62	Peak	94.00	150	Vertical	Pass
6**	17894.500	42.77	1.43	54.0	-11.23	AV	94.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	52.42	-18.42	74.0	-21.58	Peak	1.00	150	Horizontal	Pass
1**	1080.300	31.11	-18.42	54.0	-22.89	AV	1.00	150	Horizontal	Pass
2	2460.800	105.71	-12.63	74.0	31.71	Peak	107.00	150	Horizontal	N/A
2**	2460.800	102.84	-12.63	54.0	48.84	AV	107.00	150	Horizontal	N/A
3	4924.250	48.89	-3.84	74.0	-25.11	Peak	26.00	150	Horizontal	Pass
3**	4924.250	44.60	-3.84	54.0	-9.40	AV	26.00	150	Horizontal	Pass
4	7986.750	53.34	1.35	74.0	-20.66	Peak	108.00	150	Horizontal	Pass
4**	7986.750	44.21	1.35	54.0	-9.79	AV	108.00	150	Horizontal	Pass
5	13885.000	50.32	-0.51	74.0	-23.68	Peak	362.00	150	Horizontal	Pass
5**	13885.000	40.78	-0.51	54.0	-13.22	AV	362.00	150	Horizontal	Pass
6	17997.001	51.85	1.48	74.0	-22.15	Peak	107.00	150	Horizontal	Pass
6**	17997.001	42.90	1.48	54.0	-11.10	AV	107.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	47.54	-18.39	74.0	-26.46	Peak	30.00	150	Vertical	Pass
1**	1079.700	33.59	-18.39	54.0	-20.41	AV	30.00	150	Vertical	Pass
2	2463.200	105.95	-12.83	74.0	31.95	Peak	245.00	150	Vertical	N/A
2**	2463.200	103.20	-12.83	54.0	49.20	AV	245.00	150	Vertical	N/A
3	4924.250	50.84	-3.84	74.0	-23.16	Peak	356.00	150	Vertical	Pass
3**	4924.250	46.52	-3.84	54.0	-7.48	AV	356.00	150	Vertical	Pass
4	7925.500	53.64	1.32	74.0	-20.36	Peak	192.00	150	Vertical	Pass
4**	7925.500	44.20	1.32	54.0	-9.80	AV	192.00	150	Vertical	Pass
5	13308.000	49.76	-1.14	74.0	-24.24	Peak	330.00	150	Vertical	Pass
5**	13308.000	40.69	-1.14	54.0	-13.31	AV	330.00	150	Vertical	Pass
6	16883.500	51.80	0.29	74.0	-22.20	Peak	32.00	150	Vertical	Pass
6**	16883.500	42.91	0.29	54.0	-11.09	AV	32.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	51.12	-18.42	74.0	-22.88	Peak	357.00	150	Horizontal	Pass
1**	1080.300	38.25	-18.42	54.0	-15.75	AV	357.00	150	Horizontal	Pass
2	2406.300	109.09	-12.72	74.0	35.09	Peak	103.00	150	Horizontal	N/A
2**	2406.300	100.82	-12.72	54.0	46.82	AV	103.00	150	Horizontal	N/A
3	5146.750	50.02	-2.08	74.0	-23.98	Peak	220.00	150	Horizontal	Pass
3**	5146.750	40.83	-2.08	54.0	-13.17	AV	220.00	150	Horizontal	Pass
4	7835.000	53.03	1.10	74.0	-20.97	Peak	46.00	150	Horizontal	Pass
4**	7835.000	43.50	1.10	54.0	-10.50	AV	46.00	150	Horizontal	Pass
5	13716.000	50.23	-1.28	74.0	-23.77	Peak	30.00	150	Horizontal	Pass
5**	13716.000	41.40	-1.28	54.0	-12.60	AV	30.00	150	Horizontal	Pass
6	17777.500	51.98	0.93	74.0	-22.02	Peak	180.00	150	Horizontal	Pass
6**	17777.500	42.64	0.93	54.0	-11.36	AV	180.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	46.44	-18.42	74.0	-27.56	Peak	15.00	150	Vertical	Pass
1**	1080.400	30.73	-18.42	54.0	-23.27	AV	15.00	150	Vertical	Pass
2	2406.500	109.72	-12.75	74.0	35.72	Peak	93.00	150	Vertical	N/A
2**	2406.500	101.97	-12.75	54.0	47.97	AV	93.00	150	Vertical	N/A
3	5245.750	50.03	-3.00	74.0	-23.97	Peak	360.00	150	Vertical	Pass
3**	5245.750	45.58	-3.00	54.0	-8.42	AV	360.00	150	Vertical	Pass
4	7809.750	53.49	1.19	74.0	-20.51	Peak	77.00	150	Vertical	Pass
4**	7809.750	44.82	1.19	54.0	-9.18	AV	77.00	150	Vertical	Pass
5	14472.500	46.36	-3.86	74.0	-27.64	Peak	30.00	150	Vertical	Pass
5**	14472.500	42.76	-3.86	54.0	-11.24	AV	30.00	150	Vertical	Pass
6	16876.000	52.15	-0.01	74.0	-21.85	Peak	362.00	150	Vertical	Pass
6**	16876.000	43.45	-0.01	54.0	-10.55	AV	362.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	47.93	-18.41	74.0	-26.07	Peak	19.00	150	Horizontal	Pass
1**	1080.100	35.87	-18.41	54.0	-18.13	AV	19.00	150	Horizontal	Pass
2	2424.300	108.41	-12.74	74.0	34.41	Peak	311.00	150	Horizontal	N/A
2**	2424.300	100.14	-12.74	54.0	46.14	AV	311.00	150	Horizontal	N/A
3	5672.250	51.22	-2.94	74.0	-22.78	Peak	0.00	150	Horizontal	Pass
3**	5672.250	41.10	-2.94	54.0	-12.90	AV	0.00	150	Horizontal	Pass
4	7841.750	53.89	1.01	74.0	-20.11	Peak	98.00	150	Horizontal	Pass
4**	7841.750	44.07	1.01	54.0	-9.93	AV	98.00	150	Horizontal	Pass
5	13868.500	49.88	-0.53	74.0	-24.12	Peak	184.00	150	Horizontal	Pass
5**	13868.500	41.97	-0.53	54.0	-12.03	AV	184.00	150	Horizontal	Pass
6	17918.501	52.41	1.25	74.0	-21.59	Peak	312.00	150	Horizontal	Pass
6**	17918.501	42.82	1.25	54.0	-11.18	AV	312.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	47.41	-18.38	74.0	-26.59	Peak	164.00	150	Vertical	Pass
1**	1079.500	29.27	-18.38	54.0	-24.73	AV	164.00	150	Vertical	Pass
2	2424.200	109.96	-12.72	74.0	35.96	Peak	306.00	150	Vertical	N/A
2**	2424.200	102.34	-12.72	54.0	48.34	AV	306.00	150	Vertical	N/A
3	4692.750	49.93	-3.59	74.0	-24.07	Peak	223.00	150	Vertical	Pass
3**	4692.750	39.84	-3.59	54.0	-14.16	AV	223.00	150	Vertical	Pass
4	7655.750	53.92	1.48	74.0	-20.08	Peak	303.00	150	Vertical	Pass
4**	7655.750	45.95	1.48	54.0	-8.05	AV	303.00	150	Vertical	Pass
5	13885.500	49.98	-0.51	74.0	-24.02	Peak	158.00	150	Vertical	Pass
5**	13885.500	41.36	-0.51	54.0	-12.64	AV	158.00	150	Vertical	Pass
6	16907.500	51.94	0.63	74.0	-22.06	Peak	0.00	150	Vertical	Pass
6**	16907.500	42.63	0.63	54.0	-11.37	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	49.98	-18.41	74.0	-24.02	Peak	34.00	150	Horizontal	Pass
1**	1080.100	36.71	-18.41	54.0	-17.29	AV	34.00	150	Horizontal	Pass
2	2420.400	108.49	-12.50	74.0	34.49	Peak	314.00	150	Horizontal	N/A
2**	2420.400	100.20	-12.50	54.0	46.20	AV	314.00	150	Horizontal	N/A
3	4955.250	49.90	-3.27	74.0	-24.10	Peak	360.00	150	Horizontal	Pass
3**	4955.250	40.23	-3.27	54.0	-13.77	AV	360.00	150	Horizontal	Pass
4	7819.000	53.72	2.12	74.0	-20.28	Peak	313.00	150	Horizontal	Pass
4**	7819.000	45.10	2.12	54.0	-8.90	AV	313.00	150	Horizontal	Pass
5	13605.000	50.86	0.56	74.0	-23.14	Peak	268.00	150	Horizontal	Pass
5**	13605.000	40.45	0.56	54.0	-13.55	AV	268.00	150	Horizontal	Pass
6	16872.500	51.95	-0.15	74.0	-22.05	Peak	342.00	150	Horizontal	Pass
6**	16872.500	42.79	-0.15	54.0	-11.21	AV	342.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	47.12	-18.38	74.0	-26.88	Peak	150.00	150	Vertical	Pass
1**	1079.500	29.64	-18.38	54.0	-24.36	AV	150.00	150	Vertical	Pass
2	2429.500	109.87	-12.90	74.0	35.87	Peak	248.00	150	Vertical	N/A
2**	2429.500	100.87	-12.90	54.0	46.87	AV	248.00	150	Vertical	N/A
3	5321.250	52.14	-3.10	74.0	-21.86	Peak	86.00	150	Vertical	Pass
3**	5321.250	40.27	-3.10	54.0	-13.73	AV	86.00	150	Vertical	Pass
4	7393.250	53.32	0.18	74.0	-20.68	Peak	147.00	150	Vertical	Pass
4**	7393.250	42.73	0.18	54.0	-11.27	AV	147.00	150	Vertical	Pass
5	13863.500	50.83	-0.53	74.0	-23.17	Peak	310.00	150	Vertical	Pass
5**	13863.500	42.37	-0.53	54.0	-11.63	AV	310.00	150	Vertical	Pass
6	16877.000	51.72	0.03	74.0	-22.28	Peak	348.00	150	Vertical	Pass
6**	16877.000	42.36	0.03	54.0	-11.64	AV	348.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	48.38	-18.39	74.0	-25.62	Peak	18.00	150	Horizontal	Pass
1**	1079.700	32.91	-18.39	54.0	-21.09	AV	18.00	150	Horizontal	Pass
2	2423.000	108.41	-12.54	74.0	34.41	Peak	311.00	150	Horizontal	N/A
2**	2423.000	100.51	-12.54	54.0	46.51	AV	311.00	150	Horizontal	N/A
3	5510.750	50.72	-3.33	74.0	-23.28	Peak	269.00	150	Horizontal	Pass
3**	5510.750	40.93	-3.33	54.0	-13.07	AV	269.00	150	Horizontal	Pass
4	7705.000	53.58	1.35	74.0	-20.42	Peak	228.00	150	Horizontal	Pass
4**	7705.000	43.81	1.35	54.0	-10.19	AV	228.00	150	Horizontal	Pass
5	13866.000	50.54	-0.53	74.0	-23.46	Peak	311.00	150	Horizontal	Pass
5**	13866.000	41.66	-0.53	54.0	-12.34	AV	311.00	150	Horizontal	Pass
6	16901.000	52.20	0.90	74.0	-21.80	Peak	165.00	150	Horizontal	Pass
6**	16901.000	42.97	0.90	54.0	-11.03	AV	165.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	47.65	-18.42	74.0	-26.35	Peak	165.00	150	Vertical	Pass
1**	1080.400	30.80	-18.42	54.0	-23.20	AV	165.00	150	Vertical	Pass
2	2434.400	110.60	-12.34	74.0	36.60	Peak	1.00	150	Vertical	N/A
2**	2434.400	102.20	-12.34	54.0	48.20	AV	1.00	150	Vertical	N/A
3	5732.250	51.16	-2.34	74.0	-22.84	Peak	19.00	150	Vertical	Pass
3**	5732.250	41.10	-2.34	54.0	-12.90	AV	19.00	150	Vertical	Pass
4	7552.750	53.55	-0.29	74.0	-20.45	Peak	9.00	150	Vertical	Pass
4**	7552.750	42.96	-0.29	54.0	-11.04	AV	9.00	150	Vertical	Pass
5	12786.500	49.57	-2.01	74.0	-24.43	Peak	232.00	150	Vertical	Pass
5**	12786.500	40.12	-2.01	54.0	-13.88	AV	232.00	150	Vertical	Pass
6	17826.001	51.92	0.76	74.0	-22.08	Peak	105.00	150	Vertical	Pass
6**	17826.001	42.55	0.76	54.0	-11.45	AV	105.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	53.77	-18.41	74.0	-20.23	Peak	355.00	150	Horizontal	Pass
1**	1080.100	41.54	-18.41	54.0	-12.46	AV	355.00	150	Horizontal	Pass
2	2439.200	109.21	-12.36	74.0	35.21	Peak	22.00	150	Horizontal	N/A
2**	2439.200	102.95	-12.36	54.0	48.95	AV	22.00	150	Horizontal	N/A
3	5232.750	50.52	-2.99	74.0	-23.48	Peak	107.00	150	Horizontal	Pass
3**	5232.750	43.49	-2.99	54.0	-10.51	AV	107.00	150	Horizontal	Pass
4	7884.500	53.00	1.26	74.0	-21.00	Peak	128.00	150	Horizontal	Pass
4**	7884.500	43.82	1.26	54.0	-10.18	AV	128.00	150	Horizontal	Pass
5	13797.500	50.04	0.37	74.0	-23.96	Peak	106.00	150	Horizontal	Pass
5**	13797.500	42.40	0.37	54.0	-11.60	AV	106.00	150	Horizontal	Pass
6	16878.000	52.00	0.07	74.0	-22.00	Peak	161.00	150	Horizontal	Pass
6**	16878.000	43.28	0.07	54.0	-10.72	AV	161.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	47.87	-18.42	74.0	-26.13	Peak	25.00	150	Vertical	Pass
1**	1080.300	34.94	-18.42	54.0	-19.06	AV	25.00	150	Vertical	Pass
2	2439.700	110.12	-12.37	74.0	36.12	Peak	357.00	150	Vertical	N/A
2**	2439.700	101.53	-12.37	54.0	47.53	AV	357.00	150	Vertical	N/A
3	5227.000	48.51	-3.77	74.0	-25.49	Peak	360.00	150	Vertical	Pass
3**	5227.000	44.42	-3.77	54.0	-9.58	AV	360.00	150	Vertical	Pass
4	7819.000	53.18	2.12	74.0	-20.82	Peak	200.00	150	Vertical	Pass
4**	7819.000	44.03	2.12	54.0	-9.97	AV	200.00	150	Vertical	Pass
5	14622.500	47.43	-3.82	74.0	-26.57	Peak	30.00	150	Vertical	Pass
5**	14622.500	43.76	-3.82	54.0	-10.24	AV	30.00	150	Vertical	Pass
6	17919.001	52.16	1.24	74.0	-21.84	Peak	360.00	150	Vertical	Pass
6**	17919.001	43.09	1.24	54.0	-10.91	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	49.26	-18.39	74.0	-24.74	Peak	23.00	150	Horizontal	Pass
1**	1079.700	37.29	-18.39	54.0	-16.71	AV	23.00	150	Horizontal	Pass
2	2450.600	107.78	-12.36	74.0	33.78	Peak	323.00	150	Horizontal	N/A
2**	2450.600	100.15	-12.36	54.0	46.15	AV	323.00	150	Horizontal	N/A
3	5567.750	52.18	-2.40	74.0	-21.82	Peak	303.00	150	Horizontal	Pass
3**	5567.750	41.91	-2.40	54.0	-12.09	AV	303.00	150	Horizontal	Pass
4	7816.000	53.37	1.68	74.0	-20.63	Peak	120.00	150	Horizontal	Pass
4**	7816.000	45.57	1.68	54.0	-8.43	AV	120.00	150	Horizontal	Pass
5	13707.000	49.59	-1.21	74.0	-24.41	Peak	286.00	150	Horizontal	Pass
5**	13707.000	40.87	-1.21	54.0	-13.13	AV	286.00	150	Horizontal	Pass
6	17917.499	51.55	1.26	74.0	-22.45	Peak	104.00	150	Horizontal	Pass
6**	17917.499	43.05	1.26	54.0	-10.95	AV	104.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	43.91	-18.39	74.0	-30.09	Peak	142.00	150	Vertical	Pass
1**	1079.800	31.71	-18.39	54.0	-22.29	AV	142.00	150	Vertical	Pass
2	2459.300	109.96	-12.75	74.0	35.96	Peak	240.00	150	Vertical	N/A
2**	2459.300	101.87	-12.75	54.0	47.87	AV	240.00	150	Vertical	N/A
3	5399.750	50.40	-2.81	74.0	-23.60	Peak	57.00	150	Vertical	Pass
3**	5399.750	40.84	-2.81	54.0	-13.16	AV	57.00	150	Vertical	Pass
4	7795.000	53.25	0.90	74.0	-20.75	Peak	68.00	150	Vertical	Pass
4**	7795.000	44.17	0.90	54.0	-9.83	AV	68.00	150	Vertical	Pass
5	11783.000	49.70	-3.55	74.0	-24.30	Peak	2.00	150	Vertical	Pass
5**	11783.000	39.72	-3.55	54.0	-14.28	AV	2.00	150	Vertical	Pass
6	17789.499	52.28	0.79	74.0	-21.72	Peak	256.00	150	Vertical	Pass
6**	17789.499	42.27	0.79	54.0	-11.73	AV	256.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	47.11	-18.40	74.0	-26.89	Peak	136.00	150	Horizontal	Pass
1**	1080.000	35.09	-18.40	54.0	-18.91	AV	136.00	150	Horizontal	Pass
2	2450.600	106.85	-12.36	74.0	32.85	Peak	311.00	150	Horizontal	N/A
2**	2450.600	99.01	-12.36	54.0	45.01	AV	311.00	150	Horizontal	N/A
3	5336.250	50.44	-3.31	74.0	-23.56	Peak	360.00	150	Horizontal	Pass
3**	5336.250	40.77	-3.31	54.0	-13.23	AV	360.00	150	Horizontal	Pass
4	7904.000	53.11	0.72	74.0	-20.89	Peak	0.00	150	Horizontal	Pass
4**	7904.000	43.68	0.72	54.0	-10.32	AV	0.00	150	Horizontal	Pass
5	13708.500	49.60	-1.22	74.0	-24.40	Peak	258.00	150	Horizontal	Pass
5**	13708.500	40.45	-1.22	54.0	-13.55	AV	258.00	150	Horizontal	Pass
6	17926.500	52.25	1.14	74.0	-21.75	Peak	183.00	150	Horizontal	Pass
6**	17926.500	43.31	1.14	54.0	-10.69	AV	183.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	47.50	-18.41	74.0	-26.50	Peak	232.00	150	Vertical	Pass
1**	1080.100	31.24	-18.41	54.0	-22.76	AV	232.00	150	Vertical	Pass
2	2464.400	110.08	-12.77	74.0	36.08	Peak	357.00	150	Vertical	N/A
2**	2464.400	101.96	-12.77	54.0	47.96	AV	357.00	150	Vertical	N/A
3	6250.250	51.44	-1.64	74.0	-22.56	Peak	212.00	150	Vertical	Pass
3**	6250.250	42.66	-1.64	54.0	-11.34	AV	212.00	150	Vertical	Pass
4	7924.000	53.42	1.09	74.0	-20.58	Peak	212.00	150	Vertical	Pass
4**	7924.000	43.74	1.09	54.0	-10.26	AV	212.00	150	Vertical	Pass
5	13873.000	50.48	-0.52	74.0	-23.52	Peak	32.00	150	Vertical	Pass
5**	13873.000	42.69	-0.52	54.0	-11.31	AV	32.00	150	Vertical	Pass
6	17903.499	52.62	1.45	74.0	-21.38	Peak	344.00	150	Vertical	Pass
6**	17903.499	42.77	1.45	54.0	-11.23	AV	344.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	52.87	-18.40	74.0	-21.13	Peak	360.00	150	Horizontal	Pass
1**	1080.000	35.87	-18.40	54.0	-18.13	AV	360.00	150	Horizontal	Pass
2	2464.500	108.48	-12.76	74.0	34.48	Peak	45.00	150	Horizontal	N/A
2**	2464.500	100.73	-12.76	54.0	46.73	AV	45.00	150	Horizontal	N/A
3	5199.250	50.75	-3.21	74.0	-23.25	Peak	119.00	150	Horizontal	Pass
3**	5199.250	44.93	-3.21	54.0	-9.07	AV	119.00	150	Horizontal	Pass
4	7992.000	53.34	1.27	74.0	-20.66	Peak	312.00	150	Horizontal	Pass
4**	7992.000	44.00	1.27	54.0	-10.00	AV	312.00	150	Horizontal	Pass
5	12817.500	49.12	-1.66	74.0	-24.88	Peak	162.00	150	Horizontal	Pass
5**	12817.500	39.34	-1.66	54.0	-14.66	AV	162.00	150	Horizontal	Pass
6	16157.000	52.17	0.00	74.0	-21.83	Peak	88.00	150	Horizontal	Pass
6**	16157.000	42.13	0.00	54.0	-11.87	AV	88.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	48.30	-18.40	74.0	-25.70	Peak	153.00	150	Vertical	Pass
1**	1080.000	37.91	-18.40	54.0	-16.09	AV	153.00	150	Vertical	Pass
2	2464.200	109.72	-12.78	74.0	35.72	Peak	322.00	150	Vertical	N/A
2**	2464.200	102.02	-12.78	54.0	48.02	AV	322.00	150	Vertical	N/A
3	5579.250	50.55	-1.36	74.0	-23.45	Peak	180.00	150	Vertical	Pass
3**	5579.250	41.79	-1.36	54.0	-12.21	AV	180.00	150	Vertical	Pass
4	7925.750	53.88	1.36	74.0	-20.12	Peak	344.00	150	Vertical	Pass
4**	7925.750	44.47	1.36	54.0	-9.53	AV	344.00	150	Vertical	Pass
5	14047.500	50.29	-0.13	74.0	-23.71	Peak	362.00	150	Vertical	Pass
5**	14047.500	40.47	-0.13	54.0	-13.53	AV	362.00	150	Vertical	Pass
6	16878.500	52.39	0.09	74.0	-21.61	Peak	329.00	150	Vertical	Pass
6**	16878.500	43.09	0.09	54.0	-10.91	AV	329.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	50.30	-18.40	74.0	-23.70	Peak	328.00	150	Horizontal	Pass
1**	1080.000	31.38	-18.40	54.0	-22.62	AV	328.00	150	Horizontal	Pass
2	2415.600	108.79	-12.67	74.0	34.79	Peak	120.00	150	Horizontal	N/A
2**	2415.600	101.04	-12.67	54.0	47.04	AV	120.00	150	Horizontal	N/A
3	5437.500	50.68	-2.56	74.0	-23.32	Peak	97.00	150	Horizontal	Pass
3**	5437.500	40.74	-2.56	54.0	-13.26	AV	97.00	150	Horizontal	Pass
4	7482.750	53.76	1.06	74.0	-20.24	Peak	170.00	150	Horizontal	Pass
4**	7482.750	43.93	1.06	54.0	-10.07	AV	170.00	150	Horizontal	Pass
5	13887.000	50.33	-0.51	74.0	-23.67	Peak	329.00	150	Horizontal	Pass
5**	13887.000	41.34	-0.51	54.0	-12.66	AV	329.00	150	Horizontal	Pass
6	17931.999	52.92	1.07	74.0	-21.08	Peak	69.00	150	Horizontal	Pass
6**	17931.999	43.46	1.07	54.0	-10.54	AV	69.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	46.90	-18.38	74.0	-27.10	Peak	142.00	150	Vertical	Pass
1**	1079.600	33.05	-18.38	54.0	-20.95	AV	142.00	150	Vertical	Pass
2	2419.600	109.69	-12.49	74.0	35.69	Peak	51.00	150	Vertical	N/A
2**	2419.600	101.18	-12.49	54.0	47.18	AV	51.00	150	Vertical	N/A
3	5578.750	51.41	-1.37	74.0	-22.59	Peak	139.00	150	Vertical	Pass
3**	5578.750	42.20	-1.37	54.0	-11.80	AV	139.00	150	Vertical	Pass
4	7820.250	53.11	1.94	74.0	-20.89	Peak	323.00	150	Vertical	Pass
4**	7820.250	44.37	1.94	54.0	-9.63	AV	323.00	150	Vertical	Pass
5	13874.000	50.15	-0.52	74.0	-23.85	Peak	103.00	150	Vertical	Pass
5**	13874.000	40.75	-0.52	54.0	-13.25	AV	103.00	150	Vertical	Pass
6	17901.001	51.59	1.48	74.0	-22.41	Peak	48.00	150	Vertical	Pass
6**	17901.001	43.62	1.48	54.0	-10.38	AV	48.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	49.48	-18.42	74.0	-24.52	Peak	349.00	150	Horizontal	Pass
1**	1080.500	29.73	-18.42	54.0	-24.27	AV	349.00	150	Horizontal	Pass
2	2420.900	107.28	-12.49	74.0	33.28	Peak	88.00	150	Horizontal	N/A
2**	2420.900	99.80	-12.49	54.0	45.80	AV	88.00	150	Horizontal	N/A
3	5551.250	50.53	-2.30	74.0	-23.47	Peak	214.00	150	Horizontal	Pass
3**	5551.250	41.34	-2.30	54.0	-12.66	AV	214.00	150	Horizontal	Pass
4	7480.500	53.58	0.98	74.0	-20.42	Peak	226.00	150	Horizontal	Pass
4**	7480.500	43.60	0.98	54.0	-10.40	AV	226.00	150	Horizontal	Pass
5	12500.000	49.82	-2.69	74.0	-24.18	Peak	267.00	150	Horizontal	Pass
5**	12500.000	39.79	-2.69	54.0	-14.21	AV	267.00	150	Horizontal	Pass
6	17927.500	51.62	1.13	74.0	-22.38	Peak	345.00	150	Horizontal	Pass
6**	17927.500	43.54	1.13	54.0	-10.46	AV	345.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	46.72	-18.38	74.0	-27.28	Peak	143.00	150	Vertical	Pass
1**	1079.600	29.47	-18.38	54.0	-24.53	AV	143.00	150	Vertical	Pass
2	2422.400	109.50	-12.48	74.0	35.50	Peak	283.00	150	Vertical	N/A
2**	2422.400	101.84	-12.48	54.0	47.84	AV	283.00	150	Vertical	N/A
3	5090.500	49.98	-2.98	74.0	-24.02	Peak	156.00	150	Vertical	Pass
3**	5090.500	40.01	-2.98	54.0	-13.99	AV	156.00	150	Vertical	Pass
4	7821.500	52.85	1.63	74.0	-21.15	Peak	188.00	150	Vertical	Pass
4**	7821.500	44.26	1.63	54.0	-9.74	AV	188.00	150	Vertical	Pass
5	12542.500	49.70	-3.00	74.0	-24.30	Peak	151.00	150	Vertical	Pass
5**	12542.500	39.18	-3.00	54.0	-14.82	AV	151.00	150	Vertical	Pass
6	17902.500	51.55	1.46	74.0	-22.45	Peak	14.00	150	Vertical	Pass
6**	17902.500	42.63	1.46	54.0	-11.37	AV	14.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	48.05	-18.42	74.0	-25.95	Peak	336.00	150	Horizontal	Pass
1**	1080.500	29.51	-18.42	54.0	-24.49	AV	336.00	150	Horizontal	Pass
2	2418.600	107.09	-12.47	74.0	33.09	Peak	21.00	150	Horizontal	N/A
2**	2418.600	98.93	-12.47	54.0	44.93	AV	21.00	150	Horizontal	N/A
3	5636.000	51.93	-2.54	74.0	-22.07	Peak	306.00	150	Horizontal	Pass
3**	5636.000	41.34	-2.54	54.0	-12.66	AV	306.00	150	Horizontal	Pass
4	7497.000	53.60	0.91	74.0	-20.40	Peak	199.00	150	Horizontal	Pass
4**	7497.000	43.53	0.91	54.0	-10.47	AV	199.00	150	Horizontal	Pass
5	13875.500	50.96	-0.52	74.0	-23.04	Peak	210.00	150	Horizontal	Pass
5**	13875.500	41.27	-0.52	54.0	-12.73	AV	210.00	150	Horizontal	Pass
6	17279.500	52.25	0.32	74.0	-21.75	Peak	360.00	150	Horizontal	Pass
6**	17279.500	41.80	0.32	54.0	-12.20	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1404.400	40.17	-17.25	74.0	-33.83	Peak	130.00	150	Vertical	Pass
1**	1404.400	30.75	-17.25	54.0	-23.25	AV	130.00	150	Vertical	Pass
2	2424.500	109.37	-12.77	74.0	35.37	Peak	43.00	150	Vertical	N/A
2**	2424.500	101.09	-12.77	54.0	47.09	AV	43.00	150	Vertical	N/A
3	5437.250	50.33	-2.57	74.0	-23.67	Peak	170.00	150	Vertical	Pass
3**	5437.250	40.63	-2.57	54.0	-13.37	AV	170.00	150	Vertical	Pass
4	7817.750	53.11	2.21	74.0	-20.89	Peak	308.00	150	Vertical	Pass
4**	7817.750	45.22	2.21	54.0	-8.78	AV	308.00	150	Vertical	Pass
5	13874.000	50.61	-0.52	74.0	-23.39	Peak	287.00	150	Vertical	Pass
5**	13874.000	41.85	-0.52	54.0	-12.15	AV	287.00	150	Vertical	Pass
6	16868.500	52.89	-0.31	74.0	-21.11	Peak	51.00	150	Vertical	Pass
6**	16868.500	42.92	-0.31	54.0	-11.08	AV	51.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	48.49	-18.38	74.0	-25.51	Peak	331.00	150	Horizontal	Pass
1**	1079.500	29.26	-18.38	54.0	-24.74	AV	331.00	150	Horizontal	Pass
2	2423.000	107.99	-12.54	74.0	33.99	Peak	97.00	150	Horizontal	N/A
2**	2423.000	99.42	-12.54	54.0	45.42	AV	97.00	150	Horizontal	N/A
3	5579.750	50.61	-1.35	74.0	-23.39	Peak	54.00	150	Horizontal	Pass
3**	5579.750	42.33	-1.35	54.0	-11.67	AV	54.00	150	Horizontal	Pass
4	7496.250	53.23	0.96	74.0	-20.77	Peak	194.00	150	Horizontal	Pass
4**	7496.250	43.87	0.96	54.0	-10.13	AV	194.00	150	Horizontal	Pass
5	13856.000	50.41	-0.54	74.0	-23.59	Peak	226.00	150	Horizontal	Pass
5**	13856.000	41.22	-0.54	54.0	-12.78	AV	226.00	150	Horizontal	Pass
6	17813.000	51.80	0.71	74.0	-22.20	Peak	207.00	150	Horizontal	Pass
6**	17813.000	42.42	0.71	54.0	-11.58	AV	207.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	44.22	-18.39	74.0	-29.78	Peak	176.00	150	Vertical	Pass
1**	1079.700	29.84	-18.39	54.0	-24.16	AV	176.00	150	Vertical	Pass
2	2424.200	109.40	-12.72	74.0	35.40	Peak	82.00	150	Vertical	N/A
2**	2424.200	101.23	-12.72	54.0	47.23	AV	82.00	150	Vertical	N/A
3	5579.250	51.34	-1.36	74.0	-22.66	Peak	294.00	150	Vertical	Pass
3**	5579.250	42.58	-1.36	54.0	-11.42	AV	294.00	150	Vertical	Pass
4	7977.750	52.86	1.09	74.0	-21.14	Peak	252.00	150	Vertical	Pass
4**	7977.750	44.31	1.09	54.0	-9.69	AV	252.00	150	Vertical	Pass
5	13875.500	49.73	-0.52	74.0	-24.27	Peak	308.00	150	Vertical	Pass
5**	13875.500	41.04	-0.52	54.0	-12.96	AV	308.00	150	Vertical	Pass
6	17812.001	52.14	0.71	74.0	-21.86	Peak	0.00	150	Vertical	Pass
6**	17812.001	43.92	0.71	54.0	-10.08	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.800	47.79	-18.44	74.0	-26.21	Peak	360.00	150	Horizontal	Pass
1**	1080.800	29.78	-18.44	54.0	-24.22	AV	360.00	150	Horizontal	Pass
2	2435.000	108.89	-12.21	74.0	34.89	Peak	103.00	150	Horizontal	N/A
2**	2435.000	100.56	-12.21	54.0	46.56	AV	103.00	150	Horizontal	N/A
3	5583.500	50.35	-1.49	74.0	-23.65	Peak	271.00	150	Horizontal	Pass
3**	5583.500	41.30	-1.49	54.0	-12.70	AV	271.00	150	Horizontal	Pass
4	7800.250	53.50	0.82	74.0	-20.50	Peak	47.00	150	Horizontal	Pass
4**	7800.250	43.24	0.82	54.0	-10.76	AV	47.00	150	Horizontal	Pass
5	13849.000	49.88	-0.52	74.0	-24.12	Peak	254.00	150	Horizontal	Pass
5**	13849.000	40.25	-0.52	54.0	-13.75	AV	254.00	150	Horizontal	Pass
6	17961.001	51.90	0.98	74.0	-22.10	Peak	330.00	150	Horizontal	Pass
6**	17961.001	42.94	0.98	54.0	-11.06	AV	330.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	45.18	-18.39	74.0	-28.82	Peak	162.00	150	Vertical	Pass
1**	1079.700	31.45	-18.39	54.0	-22.55	AV	162.00	150	Vertical	Pass
2	2438.400	109.64	-12.36	74.0	35.64	Peak	169.00	150	Vertical	N/A
2**	2438.400	101.48	-12.36	54.0	47.48	AV	169.00	150	Vertical	N/A
3	4875.500	49.57	-3.41	74.0	-24.43	Peak	171.00	150	Vertical	Pass
3**	4875.500	39.82	-3.41	54.0	-14.18	AV	171.00	150	Vertical	Pass
4	7583.250	54.68	0.64	74.0	-19.32	Peak	314.00	150	Vertical	Pass
4**	7583.250	43.70	0.64	54.0	-10.30	AV	314.00	150	Vertical	Pass
5	13885.000	50.37	-0.51	74.0	-23.63	Peak	180.00	150	Vertical	Pass
5**	13885.000	41.65	-0.51	54.0	-12.35	AV	180.00	150	Vertical	Pass
6	17796.000	52.05	0.71	74.0	-21.95	Peak	311.00	150	Vertical	Pass
6**	17796.000	41.78	0.71	54.0	-12.22	AV	311.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	45.42	-18.40	74.0	-28.58	Peak	253.00	150	Horizontal	Pass
1**	1079.900	30.57	-18.40	54.0	-23.43	AV	253.00	150	Horizontal	Pass
2	2451.900	106.70	-12.48	74.0	32.70	Peak	318.00	150	Horizontal	N/A
2**	2451.900	99.20	-12.48	54.0	45.20	AV	318.00	150	Horizontal	N/A
3	5703.250	51.25	-2.80	74.0	-22.75	Peak	179.00	150	Horizontal	Pass
3**	5703.250	42.26	-2.80	54.0	-11.74	AV	179.00	150	Horizontal	Pass
4	7819.750	53.16	2.03	74.0	-20.84	Peak	302.00	150	Horizontal	Pass
4**	7819.750	44.81	2.03	54.0	-9.19	AV	302.00	150	Horizontal	Pass
5	13860.500	49.98	-0.53	74.0	-24.02	Peak	226.00	150	Horizontal	Pass
5**	13860.500	41.45	-0.53	54.0	-12.55	AV	226.00	150	Horizontal	Pass
6	17924.999	51.90	1.16	74.0	-22.10	Peak	207.00	150	Horizontal	Pass
6**	17924.999	43.37	1.16	54.0	-10.63	AV	207.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	44.30	-18.39	74.0	-29.70	Peak	153.00	150	Vertical	Pass
1**	1079.700	31.97	-18.39	54.0	-22.03	AV	153.00	150	Vertical	Pass
2	2460.300	109.65	-12.67	74.0	35.65	Peak	360.00	150	Vertical	N/A
2**	2460.300	101.67	-12.67	54.0	47.67	AV	360.00	150	Vertical	N/A
3	5308.750	52.45	-3.16	74.0	-21.55	Peak	172.00	150	Vertical	Pass
3**	5308.750	41.08	-3.16	54.0	-12.92	AV	172.00	150	Vertical	Pass
4	7916.000	54.34	0.64	74.0	-19.66	Peak	109.00	150	Vertical	Pass
4**	7916.000	44.02	0.64	54.0	-9.98	AV	109.00	150	Vertical	Pass
5	14054.500	49.98	-0.19	74.0	-24.02	Peak	180.00	150	Vertical	Pass
5**	14054.500	41.70	-0.19	54.0	-12.30	AV	180.00	150	Vertical	Pass
6	17930.500	52.62	1.09	74.0	-21.38	Peak	348.00	150	Vertical	Pass
6**	17930.500	44.03	1.09	54.0	-9.97	AV	348.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	51.55	-18.41	74.0	-22.45	Peak	343.00	150	Horizontal	Pass
1**	1080.100	30.18	-18.41	54.0	-23.82	AV	343.00	150	Horizontal	Pass
2	2467.300	108.31	-12.69	74.0	34.31	Peak	22.00	150	Horizontal	N/A
2**	2467.300	100.58	-12.69	54.0	46.58	AV	22.00	150	Horizontal	N/A
3	5205.000	51.16	-2.97	74.0	-22.84	Peak	27.00	150	Horizontal	Pass
3**	5205.000	44.04	-2.97	54.0	-9.96	AV	27.00	150	Horizontal	Pass
4	7821.250	52.77	1.69	74.0	-21.23	Peak	323.00	150	Horizontal	Pass
4**	7821.250	44.37	1.69	54.0	-9.63	AV	323.00	150	Horizontal	Pass
5	13891.000	50.91	-0.50	74.0	-23.09	Peak	50.00	150	Horizontal	Pass
5**	13891.000	41.60	-0.50	54.0	-12.40	AV	50.00	150	Horizontal	Pass
6	17807.000	52.55	0.69	74.0	-21.45	Peak	143.00	150	Horizontal	Pass
6**	17807.000	43.66	0.69	54.0	-10.34	AV	143.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	46.41	-18.38	74.0	-27.59	Peak	32.00	150	Vertical	Pass
1**	1079.500	36.48	-18.38	54.0	-17.52	AV	32.00	150	Vertical	Pass
2	2467.500	110.18	-12.65	74.0	36.18	Peak	0.00	150	Vertical	N/A
2**	2467.500	101.59	-12.65	54.0	47.59	AV	0.00	150	Vertical	N/A
3	5048.750	49.91	-3.15	74.0	-24.09	Peak	140.00	150	Vertical	Pass
3**	5048.750	39.97	-3.15	54.0	-14.03	AV	140.00	150	Vertical	Pass
4	7813.000	53.70	1.51	74.0	-20.30	Peak	17.00	150	Vertical	Pass
4**	7813.000	43.82	1.51	54.0	-10.18	AV	17.00	150	Vertical	Pass
5	14772.500	47.17	-1.76	74.0	-26.83	Peak	12.00	150	Vertical	Pass
5**	14772.500	45.94	-1.76	54.0	-8.06	AV	12.00	150	Vertical	Pass
6	17954.501	52.74	0.89	74.0	-21.26	Peak	180.00	150	Vertical	Pass
6**	17954.501	43.12	0.89	54.0	-10.88	AV	180.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	53.07	-18.41	74.0	-20.93	Peak	351.00	150	Horizontal	Pass
1**	1080.200	30.06	-18.41	54.0	-23.94	AV	351.00	150	Horizontal	Pass
2	2420.000	106.72	-12.49	74.0	32.72	Peak	5.00	150	Horizontal	N/A
2**	2420.000	98.18	-12.49	54.0	44.18	AV	5.00	150	Horizontal	N/A
3	6134.000	51.12	-2.18	74.0	-22.88	Peak	16.00	150	Horizontal	Pass
3**	6134.000	41.50	-2.18	54.0	-12.50	AV	16.00	150	Horizontal	Pass
4	7822.500	52.78	1.50	74.0	-21.22	Peak	118.00	150	Horizontal	Pass
4**	7822.500	43.92	1.50	54.0	-10.08	AV	118.00	150	Horizontal	Pass
5	11833.000	49.32	-3.76	74.0	-24.68	Peak	31.00	150	Horizontal	Pass
5**	11833.000	38.97	-3.76	54.0	-15.03	AV	31.00	150	Horizontal	Pass
6	17907.499	52.42	1.40	74.0	-21.58	Peak	180.00	150	Horizontal	Pass
6**	17907.499	43.12	1.40	54.0	-10.88	AV	180.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	46.54	-18.41	74.0	-27.46	Peak	67.00	150	Vertical	Pass
1**	1080.100	29.26	-18.41	54.0	-24.74	AV	67.00	150	Vertical	Pass
2	2436.500	107.07	-12.26	74.0	33.07	Peak	353.00	150	Vertical	N/A
2**	2436.500	99.30	-12.26	54.0	45.30	AV	353.00	150	Vertical	N/A
3	4952.500	49.55	-3.27	74.0	-24.45	Peak	6.00	150	Vertical	Pass
3**	4952.500	40.86	-3.27	54.0	-13.14	AV	6.00	150	Vertical	Pass
4	7646.250	52.77	1.25	74.0	-21.23	Peak	149.00	150	Vertical	Pass
4**	7646.250	44.81	1.25	54.0	-9.19	AV	149.00	150	Vertical	Pass
5	13868.000	50.26	-0.53	74.0	-23.74	Peak	273.00	150	Vertical	Pass
5**	13868.000	41.66	-0.53	54.0	-12.34	AV	273.00	150	Vertical	Pass
6	17796.000	51.87	0.71	74.0	-22.13	Peak	30.00	150	Vertical	Pass
6**	17796.000	42.52	0.71	54.0	-11.48	AV	30.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.600	48.90	-18.43	74.0	-25.10	Peak	0.00	150	Horizontal	Pass
1**	1080.600	31.24	-18.43	54.0	-22.76	AV	0.00	150	Horizontal	Pass
2	2434.400	100.01	-12.34	74.0	26.01	Peak	20.00	150	Horizontal	N/A
2**	2434.400	92.69	-12.34	54.0	38.69	AV	20.00	150	Horizontal	N/A
3	4988.500	49.67	-3.23	74.0	-24.33	Peak	137.00	150	Horizontal	Pass
3**	4988.500	40.30	-3.23	54.0	-13.70	AV	137.00	150	Horizontal	Pass
4	7993.000	53.37	1.22	74.0	-20.63	Peak	60.00	150	Horizontal	Pass
4**	7993.000	43.86	1.22	54.0	-10.14	AV	60.00	150	Horizontal	Pass
5	12720.500	49.09	-1.87	74.0	-24.91	Peak	134.00	150	Horizontal	Pass
5**	12720.500	39.16	-1.87	54.0	-14.84	AV	134.00	150	Horizontal	Pass
6	17909.000	52.27	1.38	74.0	-21.73	Peak	289.00	150	Horizontal	Pass
6**	17909.000	43.62	1.38	54.0	-10.38	AV	289.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	46.85	-18.40	74.0	-27.15	Peak	0.00	150	Vertical	Pass
1**	1080.000	30.08	-18.40	54.0	-23.92	AV	0.00	150	Vertical	Pass
2	2416.900	105.85	-12.57	74.0	31.85	Peak	68.00	150	Vertical	N/A
2**	2416.900	97.90	-12.57	54.0	43.90	AV	68.00	150	Vertical	N/A
3	5062.500	49.49	-3.05	74.0	-24.51	Peak	50.00	150	Vertical	Pass
3**	5062.500	40.30	-3.05	54.0	-13.70	AV	50.00	150	Vertical	Pass
4	7652.500	53.48	1.30	74.0	-20.52	Peak	235.00	150	Vertical	Pass
4**	7652.500	43.72	1.30	54.0	-10.28	AV	235.00	150	Vertical	Pass
5	12788.000	49.87	-1.97	74.0	-24.13	Peak	34.00	150	Vertical	Pass
5**	12788.000	40.48	-1.97	54.0	-13.52	AV	34.00	150	Vertical	Pass
6	17813.500	52.14	0.72	74.0	-21.86	Peak	362.00	150	Vertical	Pass
6**	17813.500	42.33	0.72	54.0	-11.67	AV	362.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.100	45.92	-18.36	74.0	-28.08	Peak	360.00	150	Horizontal	Pass
1**	1079.100	30.10	-18.36	54.0	-23.90	AV	360.00	150	Horizontal	Pass
2	2425.400	100.47	-12.75	74.0	26.47	Peak	91.00	150	Horizontal	N/A
2**	2425.400	92.30	-12.75	54.0	38.30	AV	91.00	150	Horizontal	N/A
3	5735.750	51.56	-2.18	74.0	-22.44	Peak	124.00	150	Horizontal	Pass
3**	5735.750	41.55	-2.18	54.0	-12.45	AV	124.00	150	Horizontal	Pass
4	7810.000	53.37	1.22	74.0	-20.63	Peak	224.00	150	Horizontal	Pass
4**	7810.000	43.32	1.22	54.0	-10.68	AV	224.00	150	Horizontal	Pass
5	13873.500	50.34	-0.52	74.0	-23.66	Peak	227.00	150	Horizontal	Pass
5**	13873.500	41.24	-0.52	54.0	-12.76	AV	227.00	150	Horizontal	Pass
6	17920.999	52.40	1.22	74.0	-21.60	Peak	286.00	150	Horizontal	Pass
6**	17920.999	43.36	1.22	54.0	-10.64	AV	286.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	46.10	-18.41	74.0	-27.90	Peak	20.00	150	Vertical	Pass
1**	1080.100	29.38	-18.41	54.0	-24.62	AV	20.00	150	Vertical	Pass
2	2423.200	106.87	-12.57	74.0	32.87	Peak	298.00	150	Vertical	N/A
2**	2423.200	97.67	-12.57	54.0	43.67	AV	298.00	150	Vertical	N/A
3	5574.750	50.56	-1.83	74.0	-23.44	Peak	0.00	150	Vertical	Pass
3**	5574.750	41.39	-1.83	54.0	-12.61	AV	0.00	150	Vertical	Pass
4	7985.500	52.98	1.38	74.0	-21.02	Peak	322.00	150	Vertical	Pass
4**	7985.500	44.35	1.38	54.0	-9.65	AV	322.00	150	Vertical	Pass
5	13782.500	49.76	-0.24	74.0	-24.24	Peak	1.00	150	Vertical	Pass
5**	13782.500	40.22	-0.24	54.0	-13.78	AV	1.00	150	Vertical	Pass
6	17916.000	52.62	1.28	74.0	-21.38	Peak	173.00	150	Vertical	Pass
6**	17916.000	42.99	1.28	54.0	-11.01	AV	173.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	50.03	-18.41	74.0	-23.97	Peak	360.00	150	Horizontal	Pass
1**	1080.200	30.12	-18.41	54.0	-23.88	AV	360.00	150	Horizontal	Pass
2	2439.200	101.37	-12.36	74.0	27.37	Peak	29.00	150	Horizontal	N/A
2**	2439.200	93.20	-12.36	54.0	39.20	AV	29.00	150	Horizontal	N/A
3	5746.250	50.90	-2.16	74.0	-23.10	Peak	98.00	150	Horizontal	Pass
3**	5746.250	41.73	-2.16	54.0	-12.27	AV	98.00	150	Horizontal	Pass
4	7801.750	53.56	0.79	74.0	-20.44	Peak	355.00	150	Horizontal	Pass
4**	7801.750	44.51	0.79	54.0	-9.49	AV	355.00	150	Horizontal	Pass
5	12797.000	49.93	-1.70	74.0	-24.07	Peak	190.00	150	Horizontal	Pass
5**	12797.000	39.97	-1.70	54.0	-14.03	AV	190.00	150	Horizontal	Pass
6	17867.999	52.18	1.09	74.0	-21.82	Peak	-2.00	150	Horizontal	Pass
6**	17867.999	43.28	1.09	54.0	-10.72	AV	-2.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	47.17	-18.41	74.0	-26.83	Peak	179.00	150	Vertical	Pass
1**	1080.100	29.73	-18.41	54.0	-24.27	AV	179.00	150	Vertical	Pass
2	2423.400	106.31	-12.60	74.0	32.31	Peak	310.00	150	Vertical	N/A
2**	2423.400	98.15	-12.60	54.0	44.15	AV	310.00	150	Vertical	N/A
3	5323.500	50.57	-2.87	74.0	-23.43	Peak	288.00	150	Vertical	Pass
3**	5323.500	41.35	-2.87	54.0	-12.65	AV	288.00	150	Vertical	Pass
4	7811.750	53.27	1.42	74.0	-20.73	Peak	1.00	150	Vertical	Pass
4**	7811.750	44.70	1.42	54.0	-9.30	AV	1.00	150	Vertical	Pass
5	13875.000	50.76	-0.52	74.0	-23.24	Peak	362.00	150	Vertical	Pass
5**	13875.000	41.07	-0.52	54.0	-12.93	AV	362.00	150	Vertical	Pass
6	17910.000	52.96	1.36	74.0	-21.04	Peak	0.00	150	Vertical	Pass
6**	17910.000	42.93	1.36	54.0	-11.07	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	47.34	-18.42	74.0	-26.66	Peak	360.00	150	Horizontal	Pass
1**	1080.400	33.57	-18.42	54.0	-20.43	AV	360.00	150	Horizontal	Pass
2	2438.600	99.64	-12.36	74.0	25.64	Peak	31.00	150	Horizontal	N/A
2**	2438.600	91.04	-12.36	54.0	37.04	AV	31.00	150	Horizontal	N/A
3	5046.000	50.68	-2.97	74.0	-23.32	Peak	296.00	150	Horizontal	Pass
3**	5046.000	41.25	-2.97	54.0	-12.75	AV	296.00	150	Horizontal	Pass
4	7814.750	53.27	1.58	74.0	-20.73	Peak	13.00	150	Horizontal	Pass
4**	7814.750	43.85	1.58	54.0	-10.15	AV	13.00	150	Horizontal	Pass
5	12995.500	50.38	-2.10	74.0	-23.62	Peak	130.00	150	Horizontal	Pass
5**	12995.500	40.21	-2.10	54.0	-13.79	AV	130.00	150	Horizontal	Pass
6	17757.999	52.52	1.15	74.0	-21.48	Peak	228.00	150	Horizontal	Pass
6**	17757.999	41.77	1.15	54.0	-12.23	AV	228.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	46.81	-18.41	74.0	-27.19	Peak	147.00	150	Vertical	Pass
1**	1080.100	36.00	-18.41	54.0	-18.00	AV	147.00	150	Vertical	Pass
2	2432.000	105.53	-12.67	74.0	31.53	Peak	296.00	150	Vertical	N/A
2**	2432.000	97.18	-12.67	54.0	43.18	AV	296.00	150	Vertical	N/A
3	4705.500	49.73	-3.80	74.0	-24.27	Peak	238.00	150	Vertical	Pass
3**	4705.500	39.17	-3.80	54.0	-14.83	AV	238.00	150	Vertical	Pass
4	7984.500	53.09	1.30	74.0	-20.91	Peak	250.00	150	Vertical	Pass
4**	7984.500	43.97	1.30	54.0	-10.03	AV	250.00	150	Vertical	Pass
5	11910.000	49.63	-2.85	74.0	-24.37	Peak	289.00	150	Vertical	Pass
5**	11910.000	39.97	-2.85	54.0	-14.03	AV	289.00	150	Vertical	Pass
6	17920.999	51.76	1.22	74.0	-22.24	Peak	16.00	150	Vertical	Pass
6**	17920.999	43.33	1.22	54.0	-10.67	AV	16.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	49.02	-18.42	74.0	-24.98	Peak	0.00	150	Horizontal	Pass
1**	1080.500	31.15	-18.42	54.0	-22.85	AV	0.00	150	Horizontal	Pass
2	2443.300	98.66	-12.44	74.0	24.66	Peak	23.00	150	Horizontal	N/A
2**	2443.300	90.45	-12.44	54.0	36.45	AV	23.00	150	Horizontal	N/A
3	5234.750	50.70	-2.82	74.0	-23.30	Peak	174.00	150	Horizontal	Pass
3**	5234.750	41.67	-2.82	54.0	-12.33	AV	174.00	150	Horizontal	Pass
4	7371.000	53.27	0.90	74.0	-20.73	Peak	20.00	150	Horizontal	Pass
4**	7371.000	43.44	0.90	54.0	-10.56	AV	20.00	150	Horizontal	Pass
5	13873.000	49.94	-0.52	74.0	-24.06	Peak	191.00	150	Horizontal	Pass
5**	13873.000	41.11	-0.52	54.0	-12.89	AV	191.00	150	Horizontal	Pass
6	16897.500	53.09	0.85	74.0	-20.91	Peak	73.00	150	Horizontal	Pass
6**	16897.500	42.78	0.85	54.0	-11.22	AV	73.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.600	44.55	-18.43	74.0	-29.45	Peak	0.00	150	Vertical	Pass
1**	1080.600	30.04	-18.43	54.0	-23.96	AV	0.00	150	Vertical	Pass
2	2439.200	105.11	-12.36	74.0	31.11	Peak	56.00	150	Vertical	N/A
2**	2439.200	96.81	-12.36	54.0	42.81	AV	56.00	150	Vertical	N/A
3	5735.250	50.57	-2.19	74.0	-23.43	Peak	246.00	150	Vertical	Pass
3**	5735.250	41.44	-2.19	54.0	-12.56	AV	246.00	150	Vertical	Pass
4	7989.500	52.97	1.14	74.0	-21.03	Peak	270.00	150	Vertical	Pass
4**	7989.500	43.90	1.14	54.0	-10.10	AV	270.00	150	Vertical	Pass
5	14153.500	50.57	-1.15	74.0	-23.43	Peak	304.00	150	Vertical	Pass
5**	14153.500	40.34	-1.15	54.0	-13.66	AV	304.00	150	Vertical	Pass
6	17931.500	52.30	1.08	74.0	-21.70	Peak	149.00	150	Vertical	Pass
6**	17931.500	42.92	1.08	54.0	-11.08	AV	149.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	52.56	-18.41	74.0	-21.44	Peak	0.00	150	Horizontal	Pass
1**	1080.200	31.70	-18.41	54.0	-22.30	AV	0.00	150	Horizontal	Pass
2	2450.000	106.47	-12.34	74.0	32.47	Peak	13.00	150	Horizontal	N/A
2**	2450.000	97.93	-12.34	54.0	43.93	AV	13.00	150	Horizontal	N/A
3	5586.500	50.75	-1.87	74.0	-23.25	Peak	360.00	150	Horizontal	Pass
3**	5586.500	41.40	-1.87	54.0	-12.60	AV	360.00	150	Horizontal	Pass
4	7795.500	53.86	0.76	74.0	-20.14	Peak	360.00	150	Horizontal	Pass
4**	7795.500	43.55	0.76	54.0	-10.45	AV	360.00	150	Horizontal	Pass
5	14037.500	50.53	-0.55	74.0	-23.47	Peak	30.00	150	Horizontal	Pass
5**	14037.500	40.19	-0.55	54.0	-13.81	AV	30.00	150	Horizontal	Pass
6	17878.499	51.77	1.22	74.0	-22.23	Peak	30.00	150	Horizontal	Pass
6**	17878.499	42.16	1.22	54.0	-11.84	AV	30.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	44.92	-18.38	74.0	-29.08	Peak	40.00	150	Vertical	Pass
1**	1079.400	31.14	-18.38	54.0	-22.86	AV	40.00	150	Vertical	Pass
2	2464.700	106.95	-12.75	74.0	32.95	Peak	0.00	150	Vertical	N/A
2**	2464.700	98.51	-12.75	54.0	44.51	AV	0.00	150	Vertical	N/A
3	5232.750	50.35	-2.99	74.0	-23.65	Peak	138.00	150	Vertical	Pass
3**	5232.750	46.66	-2.99	54.0	-7.34	AV	138.00	150	Vertical	Pass
4	7818.500	53.79	2.18	74.0	-20.21	Peak	231.00	150	Vertical	Pass
4**	7818.500	44.25	2.18	54.0	-9.75	AV	231.00	150	Vertical	Pass
5	14712.500	48.00	-3.07	74.0	-26.00	Peak	31.00	150	Vertical	Pass
5**	14712.500	44.87	-3.07	54.0	-9.13	AV	31.00	150	Vertical	Pass
6	17925.501	52.39	1.16	74.0	-21.61	Peak	294.00	150	Vertical	Pass
6**	17925.501	43.40	1.16	54.0	-10.60	AV	294.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	50.06	-18.38	74.0	-23.94	Peak	0.00	150	Horizontal	Pass
1**	1079.600	30.68	-18.38	54.0	-23.32	AV	0.00	150	Horizontal	Pass
2	2405.100	108.98	-12.63	74.0	34.98	Peak	117.00	150	Horizontal	N/A
2**	2405.100	100.08	-12.63	54.0	46.08	AV	117.00	150	Horizontal	N/A
3	5233.500	50.86	-2.86	74.0	-23.14	Peak	149.00	150	Horizontal	Pass
3**	5233.500	42.92	-2.86	54.0	-11.08	AV	149.00	150	Horizontal	Pass
4	7375.500	53.52	0.75	74.0	-20.48	Peak	51.00	150	Horizontal	Pass
4**	7375.500	43.57	0.75	54.0	-10.43	AV	51.00	150	Horizontal	Pass
5	11884.500	49.79	-2.90	74.0	-24.21	Peak	196.00	150	Horizontal	Pass
5**	11884.500	39.93	-2.90	54.0	-14.07	AV	196.00	150	Horizontal	Pass
6	17891.000	52.36	1.38	74.0	-21.64	Peak	123.00	150	Horizontal	Pass
6**	17891.000	43.22	1.38	54.0	-10.78	AV	123.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	43.02	-18.40	74.0	-30.98	Peak	71.00	150	Vertical	Pass
1**	1080.000	29.36	-18.40	54.0	-24.64	AV	71.00	150	Vertical	Pass
2	2405.000	109.78	-12.64	74.0	35.78	Peak	28.00	150	Vertical	N/A
2**	2405.000	101.65	-12.64	54.0	47.65	AV	28.00	150	Vertical	N/A
3	5237.250	50.11	-2.77	74.0	-23.89	Peak	332.00	150	Vertical	Pass
3**	5237.250	40.87	-2.77	54.0	-13.13	AV	332.00	150	Vertical	Pass
4	7979.750	54.07	1.33	74.0	-19.93	Peak	321.00	150	Vertical	Pass
4**	7979.750	44.44	1.33	54.0	-9.56	AV	321.00	150	Vertical	Pass
5	13250.500	49.77	-2.28	74.0	-24.23	Peak	235.00	150	Vertical	Pass
5**	13250.500	39.63	-2.28	54.0	-14.37	AV	235.00	150	Vertical	Pass
6	17968.501	51.93	1.08	74.0	-22.07	Peak	0.00	150	Vertical	Pass
6**	17968.501	42.54	1.08	54.0	-11.46	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	51.02	-18.40	74.0	-22.98	Peak	330.00	150	Horizontal	Pass
1**	1079.900	30.55	-18.40	54.0	-23.45	AV	330.00	150	Horizontal	Pass
2	2419.800	107.46	-12.49	74.0	33.46	Peak	96.00	150	Horizontal	N/A
2**	2419.800	99.81	-12.49	54.0	45.81	AV	96.00	150	Horizontal	N/A
3	5458.250	50.83	-2.95	74.0	-23.17	Peak	296.00	150	Horizontal	Pass
3**	5458.250	39.88	-2.95	54.0	-14.12	AV	296.00	150	Horizontal	Pass
4	7482.000	53.45	0.98	74.0	-20.55	Peak	274.00	150	Horizontal	Pass
4**	7482.000	44.66	0.98	54.0	-9.34	AV	274.00	150	Horizontal	Pass
5	13202.000	49.09	-1.03	74.0	-24.91	Peak	95.00	150	Horizontal	Pass
5**	13202.000	39.49	-1.03	54.0	-14.51	AV	95.00	150	Horizontal	Pass
6	17922.001	52.16	1.20	74.0	-21.84	Peak	289.00	150	Horizontal	Pass
6**	17922.001	43.61	1.20	54.0	-10.39	AV	289.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	48.14	-18.42	74.0	-25.86	Peak	150.00	150	Vertical	Pass
1**	1080.400	34.90	-18.42	54.0	-19.10	AV	150.00	150	Vertical	Pass
2	2411.600	109.79	-12.69	74.0	35.79	Peak	291.00	150	Vertical	N/A
2**	2411.600	101.60	-12.69	54.0	47.60	AV	291.00	150	Vertical	N/A
3	5041.000	50.20	-3.00	74.0	-23.80	Peak	205.00	150	Vertical	Pass
3**	5041.000	41.09	-3.00	54.0	-12.91	AV	205.00	150	Vertical	Pass
4	7813.750	54.14	1.56	74.0	-19.86	Peak	332.00	150	Vertical	Pass
4**	7813.750	44.59	1.56	54.0	-9.41	AV	332.00	150	Vertical	Pass
5	13602.500	49.58	0.60	74.0	-24.42	Peak	71.00	150	Vertical	Pass
5**	13602.500	40.74	0.60	54.0	-13.26	AV	71.00	150	Vertical	Pass
6	16903.000	52.31	0.82	74.0	-21.69	Peak	168.00	150	Vertical	Pass
6**	16903.000	42.37	0.82	54.0	-11.63	AV	168.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.800	46.18	-18.44	74.0	-27.82	Peak	360.00	150	Horizontal	Pass
1**	1080.800	31.96	-18.44	54.0	-22.04	AV	360.00	150	Horizontal	Pass
2	2426.200	107.42	-12.70	74.0	33.42	Peak	96.00	150	Horizontal	N/A
2**	2426.200	100.41	-12.70	54.0	46.41	AV	96.00	150	Horizontal	N/A
3	5820.000	50.83	-2.03	74.0	-23.17	Peak	23.00	150	Horizontal	Pass
3**	5820.000	41.86	-2.03	54.0	-12.14	AV	23.00	150	Horizontal	Pass
4	7767.500	53.98	1.22	74.0	-20.02	Peak	322.00	150	Horizontal	Pass
4**	7767.500	43.13	1.22	54.0	-10.87	AV	322.00	150	Horizontal	Pass
5	13881.500	51.03	-0.51	74.0	-22.97	Peak	227.00	150	Horizontal	Pass
5**	13881.500	41.54	-0.51	54.0	-12.46	AV	227.00	150	Horizontal	Pass
6	17937.500	51.69	1.00	74.0	-22.31	Peak	360.00	150	Horizontal	Pass
6**	17937.500	43.02	1.00	54.0	-10.98	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	45.58	-18.41	74.0	-28.42	Peak	103.00	150	Vertical	Pass
1**	1080.100	29.13	-18.41	54.0	-24.87	AV	103.00	150	Vertical	Pass
2	2418.300	110.49	-12.47	74.0	36.49	Peak	49.00	150	Vertical	N/A
2**	2418.300	101.60	-12.47	54.0	47.60	AV	49.00	150	Vertical	N/A
3	5148.750	50.26	-2.35	74.0	-23.74	Peak	6.00	150	Vertical	Pass
3**	5148.750	41.02	-2.35	54.0	-12.98	AV	6.00	150	Vertical	Pass
4	7757.250	53.22	0.96	74.0	-20.78	Peak	187.00	150	Vertical	Pass
4**	7757.250	43.69	0.96	54.0	-10.31	AV	187.00	150	Vertical	Pass
5	11914.000	49.47	-3.00	74.0	-24.53	Peak	37.00	150	Vertical	Pass
5**	11914.000	40.48	-3.00	54.0	-13.52	AV	37.00	150	Vertical	Pass
6	17853.999	52.61	0.91	74.0	-21.39	Peak	193.00	150	Vertical	Pass
6**	17853.999	42.42	0.91	54.0	-11.58	AV	193.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	51.32	-18.41	74.0	-22.68	Peak	1.00	150	Horizontal	Pass
1**	1080.100	39.97	-18.41	54.0	-14.03	AV	1.00	150	Horizontal	Pass
2	2431.400	108.96	-12.70	74.0	34.96	Peak	110.00	150	Horizontal	N/A
2**	2431.400	100.30	-12.70	54.0	46.30	AV	110.00	150	Horizontal	N/A
3	5681.000	50.72	-2.78	74.0	-23.28	Peak	332.00	150	Horizontal	Pass
3**	5681.000	41.67	-2.78	54.0	-12.33	AV	332.00	150	Horizontal	Pass
4	7486.000	54.06	1.56	74.0	-19.94	Peak	321.00	150	Horizontal	Pass
4**	7486.000	44.40	1.56	54.0	-9.60	AV	321.00	150	Horizontal	Pass
5	13223.500	49.82	-1.59	74.0	-24.18	Peak	0.00	150	Horizontal	Pass
5**	13223.500	41.29	-1.59	54.0	-12.71	AV	0.00	150	Horizontal	Pass
6	17901.001	52.43	1.48	74.0	-21.57	Peak	0.00	150	Horizontal	Pass
6**	17901.001	43.79	1.48	54.0	-10.21	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.200	45.39	-18.37	74.0	-28.61	Peak	134.00	150	Vertical	Pass
1**	1079.200	30.15	-18.37	54.0	-23.85	AV	134.00	150	Vertical	Pass
2	2430.700	110.07	-12.76	74.0	36.07	Peak	270.00	150	Vertical	N/A
2**	2430.700	101.50	-12.76	54.0	47.50	AV	270.00	150	Vertical	N/A
3	5582.750	50.74	-1.44	74.0	-23.26	Peak	360.00	150	Vertical	Pass
3**	5582.750	41.52	-1.44	54.0	-12.48	AV	360.00	150	Vertical	Pass
4	7610.750	53.58	0.22	74.0	-20.42	Peak	123.00	150	Vertical	Pass
4**	7610.750	43.65	0.22	54.0	-10.35	AV	123.00	150	Vertical	Pass
5	13866.000	49.90	-0.53	74.0	-24.10	Peak	180.00	150	Vertical	Pass
5**	13866.000	41.86	-0.53	54.0	-12.14	AV	180.00	150	Vertical	Pass
6	17683.499	52.63	-0.14	74.0	-21.37	Peak	48.00	150	Vertical	Pass
6**	17683.499	42.58	-0.14	54.0	-11.42	AV	48.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	47.82	-18.41	74.0	-26.18	Peak	270.00	150	Horizontal	Pass
1**	1080.200	29.55	-18.41	54.0	-24.45	AV	270.00	150	Horizontal	Pass
2	2456.400	108.11	-12.68	74.0	34.11	Peak	95.00	150	Horizontal	N/A
2**	2456.400	100.06	-12.68	54.0	46.06	AV	95.00	150	Horizontal	N/A
3	5878.500	51.02	-2.80	74.0	-22.98	Peak	252.00	150	Horizontal	Pass
3**	5878.500	40.98	-2.80	54.0	-13.02	AV	252.00	150	Horizontal	Pass
4	7899.750	53.12	0.66	74.0	-20.88	Peak	360.00	150	Horizontal	Pass
4**	7899.750	42.99	0.66	54.0	-11.01	AV	360.00	150	Horizontal	Pass
5	13710.000	50.14	-1.24	74.0	-23.86	Peak	287.00	150	Horizontal	Pass
5**	13710.000	40.46	-1.24	54.0	-13.54	AV	287.00	150	Horizontal	Pass
6	17927.000	51.82	1.14	74.0	-22.18	Peak	326.00	150	Horizontal	Pass
6**	17927.000	43.66	1.14	54.0	-10.34	AV	326.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	49.70	-18.41	74.0	-24.30	Peak	156.00	150	Vertical	Pass
1**	1080.100	32.01	-18.41	54.0	-21.99	AV	156.00	150	Vertical	Pass
2	2445.000	109.61	-12.45	74.0	35.61	Peak	70.00	150	Vertical	N/A
2**	2445.000	101.76	-12.45	54.0	47.76	AV	70.00	150	Vertical	N/A
3	5406.250	50.94	-2.87	74.0	-23.06	Peak	299.00	150	Vertical	Pass
3**	5406.250	40.57	-2.87	54.0	-13.43	AV	299.00	150	Vertical	Pass
4	7934.750	53.87	2.26	74.0	-20.13	Peak	203.00	150	Vertical	Pass
4**	7934.750	44.03	2.26	54.0	-9.97	AV	203.00	150	Vertical	Pass
5	13622.000	49.66	0.26	74.0	-24.34	Peak	229.00	150	Vertical	Pass
5**	13622.000	40.73	0.26	54.0	-13.27	AV	229.00	150	Vertical	Pass
6	17959.500	52.13	0.96	74.0	-21.87	Peak	362.00	150	Vertical	Pass
6**	17959.500	43.03	0.96	54.0	-10.97	AV	362.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1081.300	42.52	-18.46	74.0	-31.48	Peak	9.00	150	Horizontal	Pass
1**	1081.300	32.36	-18.46	54.0	-21.64	AV	9.00	150	Horizontal	Pass
2	2459.300	107.92	-12.75	74.0	33.92	Peak	102.00	150	Horizontal	N/A
2**	2459.300	99.07	-12.75	54.0	45.07	AV	102.00	150	Horizontal	N/A
3	5548.500	51.19	-2.32	74.0	-22.81	Peak	247.00	150	Horizontal	Pass
3**	5548.500	41.64	-2.32	54.0	-12.36	AV	247.00	150	Horizontal	Pass
4	7583.750	53.26	0.74	74.0	-20.74	Peak	353.00	150	Horizontal	Pass
4**	7583.750	43.77	0.74	54.0	-10.23	AV	353.00	150	Horizontal	Pass
5	13872.500	50.00	-0.52	74.0	-24.00	Peak	150.00	150	Horizontal	Pass
5**	13872.500	41.57	-0.52	54.0	-12.43	AV	150.00	150	Horizontal	Pass
6	17810.500	52.26	0.71	74.0	-21.74	Peak	189.00	150	Horizontal	Pass
6**	17810.500	42.46	0.71	54.0	-11.54	AV	189.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	45.83	-18.42	74.0	-28.17	Peak	156.00	150	Vertical	Pass
1**	1080.300	31.69	-18.42	54.0	-22.31	AV	156.00	150	Vertical	Pass
2	2458.500	109.47	-12.78	74.0	35.47	Peak	256.00	150	Vertical	N/A
2**	2458.500	101.36	-12.78	54.0	47.36	AV	256.00	150	Vertical	N/A
3	5867.750	51.61	-2.60	74.0	-22.39	Peak	113.00	150	Vertical	Pass
3**	5867.750	40.53	-2.60	54.0	-13.47	AV	113.00	150	Vertical	Pass
4	7487.250	53.23	1.62	74.0	-20.77	Peak	231.00	150	Vertical	Pass
4**	7487.250	44.08	1.62	54.0	-9.92	AV	231.00	150	Vertical	Pass
5	13843.000	50.25	-0.40	74.0	-23.75	Peak	34.00	150	Vertical	Pass
5**	13843.000	40.27	-0.40	54.0	-13.73	AV	34.00	150	Vertical	Pass
6	17852.500	52.61	0.89	74.0	-21.39	Peak	327.00	150	Vertical	Pass
6**	17852.500	43.24	0.89	54.0	-10.76	AV	327.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	50.97	-18.42	74.0	-23.03	Peak	360.00	150	Horizontal	Pass
1**	1080.400	33.22	-18.42	54.0	-20.78	AV	360.00	150	Horizontal	Pass
2	2466.300	108.28	-12.72	74.0	34.28	Peak	12.00	150	Horizontal	N/A
2**	2466.300	99.88	-12.72	54.0	45.88	AV	12.00	150	Horizontal	N/A
3	5579.000	50.60	-1.36	74.0	-23.40	Peak	204.00	150	Horizontal	Pass
3**	5579.000	42.32	-1.36	54.0	-11.68	AV	204.00	150	Horizontal	Pass
4	7801.750	52.98	0.79	74.0	-21.02	Peak	215.00	150	Horizontal	Pass
4**	7801.750	43.83	0.79	54.0	-10.17	AV	215.00	150	Horizontal	Pass
5	13870.000	51.45	-0.52	74.0	-22.55	Peak	-2.00	150	Horizontal	Pass
5**	13870.000	40.96	-0.52	54.0	-13.04	AV	-2.00	150	Horizontal	Pass
6	17930.500	51.85	1.09	74.0	-22.15	Peak	50.00	150	Horizontal	Pass
6**	17930.500	42.70	1.09	54.0	-11.30	AV	50.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	48.85	-18.39	74.0	-25.15	Peak	210.00	150	Vertical	Pass
1**	1079.800	38.71	-18.39	54.0	-15.29	AV	210.00	150	Vertical	Pass
2	2470.000	109.69	-12.30	74.0	35.69	Peak	17.00	150	Vertical	N/A
2**	2470.000	101.86	-12.30	54.0	47.86	AV	17.00	150	Vertical	N/A
3	4933.250	50.38	-3.70	74.0	-23.62	Peak	197.00	150	Vertical	Pass
3**	4933.250	42.48	-3.70	54.0	-11.52	AV	197.00	150	Vertical	Pass
4	7486.500	54.17	1.62	74.0	-19.83	Peak	144.00	150	Vertical	Pass
4**	7486.500	44.67	1.62	54.0	-9.33	AV	144.00	150	Vertical	Pass
5	11905.000	49.98	-2.66	74.0	-24.02	Peak	162.00	150	Vertical	Pass
5**	11905.000	40.35	-2.66	54.0	-13.65	AV	162.00	150	Vertical	Pass
6	17929.501	52.40	1.10	74.0	-21.60	Peak	162.00	150	Vertical	Pass
6**	17929.501	42.85	1.10	54.0	-11.15	AV	162.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	50.01	-18.38	74.0	-23.99	Peak	0.00	150	Horizontal	Pass
1**	1079.400	29.57	-18.38	54.0	-24.43	AV	0.00	150	Horizontal	Pass
2	2414.100	106.58	-12.77	74.0	32.58	Peak	25.00	150	Horizontal	N/A
2**	2414.100	98.42	-12.77	54.0	44.42	AV	25.00	150	Horizontal	N/A
3	5718.250	50.67	-2.44	74.0	-23.33	Peak	100.00	150	Horizontal	Pass
3**	5718.250	40.46	-2.44	54.0	-13.54	AV	100.00	150	Horizontal	Pass
4	7480.750	53.05	0.98	74.0	-20.95	Peak	27.00	150	Horizontal	Pass
4**	7480.750	43.97	0.98	54.0	-10.03	AV	27.00	150	Horizontal	Pass
5	13869.000	50.12	-0.52	74.0	-23.88	Peak	143.00	150	Horizontal	Pass
5**	13869.000	41.01	-0.52	54.0	-12.99	AV	143.00	150	Horizontal	Pass
6	16886.000	52.54	0.39	74.0	-21.46	Peak	106.00	150	Horizontal	Pass
6**	16886.000	43.06	0.39	54.0	-10.94	AV	106.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.600	46.24	-18.43	74.0	-27.76	Peak	150.00	150	Vertical	Pass
1**	1080.600	31.93	-18.43	54.0	-22.07	AV	150.00	150	Vertical	Pass
2	2412.200	107.07	-12.66	74.0	33.07	Peak	209.00	150	Vertical	N/A
2**	2412.200	99.03	-12.66	54.0	45.03	AV	209.00	150	Vertical	N/A
3	5293.000	50.18	-2.71	74.0	-23.82	Peak	261.00	150	Vertical	Pass
3**	5293.000	41.01	-2.71	54.0	-12.99	AV	261.00	150	Vertical	Pass
4	7978.750	53.40	1.27	74.0	-20.60	Peak	261.00	150	Vertical	Pass
4**	7978.750	43.83	1.27	54.0	-10.17	AV	261.00	150	Vertical	Pass
5	13797.500	50.08	0.37	74.0	-23.92	Peak	69.00	150	Vertical	Pass
5**	13797.500	41.00	0.37	54.0	-13.00	AV	69.00	150	Vertical	Pass
6	17846.000	52.04	0.84	74.0	-21.96	Peak	31.00	150	Vertical	Pass
6**	17846.000	42.54	0.84	54.0	-11.46	AV	31.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	50.36	-18.40	74.0	-23.64	Peak	360.00	150	Horizontal	Pass
1**	1079.900	33.53	-18.40	54.0	-20.47	AV	360.00	150	Horizontal	Pass
2	2432.700	99.96	-12.62	74.0	25.96	Peak	114.00	150	Horizontal	N/A
2**	2432.700	92.10	-12.62	54.0	38.10	AV	114.00	150	Horizontal	N/A
3	5362.750	50.20	-3.53	74.0	-23.80	Peak	43.00	150	Horizontal	Pass
3**	5362.750	40.57	-3.53	54.0	-13.43	AV	43.00	150	Horizontal	Pass
4	7931.250	53.39	1.95	74.0	-20.61	Peak	321.00	150	Horizontal	Pass
4**	7931.250	43.68	1.95	54.0	-10.32	AV	321.00	150	Horizontal	Pass
5	13779.500	49.70	-0.36	74.0	-24.30	Peak	1.00	150	Horizontal	Pass
5**	13779.500	39.75	-0.36	54.0	-14.25	AV	0.00	150	Horizontal	Pass
6	17819.501	52.66	0.74	74.0	-21.34	Peak	265.00	150	Horizontal	Pass
6**	17819.501	42.67	0.74	54.0	-11.33	AV	265.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	46.15	-18.40	74.0	-27.85	Peak	0.00	150	Vertical	Pass
1**	1079.900	30.52	-18.40	54.0	-23.48	AV	0.00	150	Vertical	Pass
2	2423.300	106.07	-12.59	74.0	32.07	Peak	34.00	150	Vertical	N/A
2**	2423.300	98.70	-12.59	54.0	44.70	AV	34.00	150	Vertical	N/A
3	5317.250	50.29	-3.13	74.0	-23.71	Peak	211.00	150	Vertical	Pass
3**	5317.250	41.22	-3.13	54.0	-12.78	AV	211.00	150	Vertical	Pass
4	7881.500	52.99	1.52	74.0	-21.01	Peak	167.00	150	Vertical	Pass
4**	7881.500	43.78	1.52	54.0	-10.22	AV	167.00	150	Vertical	Pass
5	13873.000	50.28	-0.52	74.0	-23.72	Peak	153.00	150	Vertical	Pass
5**	13873.000	41.49	-0.52	54.0	-12.51	AV	153.00	150	Vertical	Pass
6	17764.000	53.10	1.08	74.0	-20.90	Peak	56.00	150	Vertical	Pass
6**	17764.000	41.62	1.08	54.0	-12.38	AV	56.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	50.59	-18.41	74.0	-23.41	Peak	360.00	150	Horizontal	Pass
1**	1080.100	30.00	-18.41	54.0	-24.00	AV	360.00	150	Horizontal	Pass
2	2434.700	101.24	-12.28	74.0	27.24	Peak	24.00	150	Horizontal	N/A
2**	2434.700	92.89	-12.28	54.0	38.89	AV	24.00	150	Horizontal	N/A
3	5580.750	51.25	-1.36	74.0	-22.75	Peak	187.00	150	Horizontal	Pass
3**	5580.750	42.01	-1.36	54.0	-11.99	AV	187.00	150	Horizontal	Pass
4	7587.000	53.38	0.66	74.0	-20.62	Peak	325.00	150	Horizontal	Pass
4**	7587.000	44.07	0.66	54.0	-9.93	AV	325.00	150	Horizontal	Pass
5	13865.500	50.69	-0.53	74.0	-23.31	Peak	327.00	150	Horizontal	Pass
5**	13865.500	41.07	-0.53	54.0	-12.93	AV	327.00	150	Horizontal	Pass
6	17938.999	52.36	0.98	74.0	-21.64	Peak	346.00	150	Horizontal	Pass
6**	17938.999	43.15	0.98	54.0	-10.85	AV	346.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	43.81	-18.38	74.0	-30.19	Peak	42.00	150	Vertical	Pass
1**	1079.500	29.20	-18.38	54.0	-24.80	AV	42.00	150	Vertical	Pass
2	2421.200	106.14	-12.49	74.0	32.14	Peak	90.00	150	Vertical	N/A
2**	2421.200	98.18	-12.49	54.0	44.18	AV	90.00	150	Vertical	N/A
3	5402.750	50.09	-2.82	74.0	-23.91	Peak	300.00	150	Vertical	Pass
3**	5402.750	41.63	-2.82	54.0	-12.37	AV	300.00	150	Vertical	Pass
4	7933.750	53.36	2.06	74.0	-20.64	Peak	45.00	150	Vertical	Pass
4**	7933.750	44.94	2.06	54.0	-9.06	AV	45.00	150	Vertical	Pass
5	13876.000	50.10	-0.52	74.0	-23.90	Peak	304.00	150	Vertical	Pass
5**	13876.000	41.81	-0.52	54.0	-12.19	AV	304.00	150	Vertical	Pass
6	16880.000	52.21	0.15	74.0	-21.79	Peak	188.00	150	Vertical	Pass
6**	16880.000	43.31	0.15	54.0	-10.69	AV	188.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	50.59	-18.42	74.0	-23.41	Peak	348.00	150	Horizontal	Pass
1**	1080.500	30.24	-18.42	54.0	-23.76	AV	348.00	150	Horizontal	Pass
2	2443.100	104.07	-12.43	74.0	30.07	Peak	31.00	150	Horizontal	N/A
2**	2443.100	95.57	-12.43	54.0	41.57	AV	31.00	150	Horizontal	N/A
3	4835.250	49.83	-4.19	74.0	-24.17	Peak	321.00	150	Horizontal	Pass
3**	4835.250	38.57	-4.19	54.0	-15.43	AV	321.00	150	Horizontal	Pass
4	7816.750	53.17	1.91	74.0	-20.83	Peak	343.00	150	Horizontal	Pass
4**	7816.750	45.25	1.91	54.0	-8.75	AV	343.00	150	Horizontal	Pass
5	13884.500	50.18	-0.51	74.0	-23.82	Peak	0.00	150	Horizontal	Pass
5**	13884.500	41.76	-0.51	54.0	-12.24	AV	0.00	150	Horizontal	Pass
6	17929.001	51.93	1.11	74.0	-22.07	Peak	228.00	150	Horizontal	Pass
6**	17929.001	43.19	1.11	54.0	-10.81	AV	228.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	46.56	-18.38	74.0	-27.44	Peak	139.00	150	Vertical	Pass
1**	1079.400	35.27	-18.38	54.0	-18.73	AV	139.00	150	Vertical	Pass
2	2420.300	106.77	-12.50	74.0	32.77	Peak	27.00	150	Vertical	N/A
2**	2420.300	98.32	-12.50	54.0	44.32	AV	27.00	150	Vertical	N/A
3	5494.750	50.56	-2.52	74.0	-23.44	Peak	17.00	150	Vertical	Pass
3**	5494.750	40.95	-2.52	54.0	-13.05	AV	17.00	150	Vertical	Pass
4	7702.250	53.56	1.01	74.0	-20.44	Peak	250.00	150	Vertical	Pass
4**	7702.250	43.53	1.01	54.0	-10.47	AV	250.00	150	Vertical	Pass
5	11940.500	49.41	-4.01	74.0	-24.59	Peak	34.00	150	Vertical	Pass
5**	11940.500	38.75	-4.01	54.0	-15.25	AV	34.00	150	Vertical	Pass
6	17920.999	52.15	1.22	74.0	-21.85	Peak	34.00	150	Vertical	Pass
6**	17920.999	43.30	1.22	54.0	-10.70	AV	34.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	48.26	-18.39	74.0	-25.74	Peak	142.00	150	Horizontal	Pass
1**	1079.800	30.51	-18.39	54.0	-23.49	AV	142.00	150	Horizontal	Pass
2	2443.800	102.72	-12.45	74.0	28.72	Peak	27.00	150	Horizontal	N/A
2**	2443.800	94.93	-12.45	54.0	40.93	AV	27.00	150	Horizontal	N/A
3	5487.000	50.59	-2.39	74.0	-23.41	Peak	7.00	150	Horizontal	Pass
3**	5487.000	41.00	-2.39	54.0	-13.00	AV	7.00	150	Horizontal	Pass
4	7929.000	53.04	1.83	74.0	-20.96	Peak	263.00	150	Horizontal	Pass
4**	7929.000	45.04	1.83	54.0	-8.96	AV	263.00	150	Horizontal	Pass
5	13868.500	50.41	-0.53	74.0	-23.59	Peak	0.00	150	Horizontal	Pass
5**	13868.500	42.04	-0.53	54.0	-11.96	AV	0.00	150	Horizontal	Pass
6	17915.501	52.42	1.29	74.0	-21.58	Peak	249.00	150	Horizontal	Pass
6**	17915.501	43.41	1.29	54.0	-10.59	AV	249.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	48.13	-18.41	74.0	-25.87	Peak	152.00	150	Vertical	Pass
1**	1080.200	29.53	-18.41	54.0	-24.47	AV	152.00	150	Vertical	Pass
2	2434.900	106.33	-12.23	74.0	32.33	Peak	352.00	150	Vertical	N/A
2**	2434.900	99.76	-12.23	54.0	45.76	AV	352.00	150	Vertical	N/A
3	5202.750	50.28	-2.97	74.0	-23.72	Peak	310.00	150	Vertical	Pass
3**	5202.750	40.74	-2.97	54.0	-13.26	AV	310.00	150	Vertical	Pass
4	7993.500	53.46	1.19	74.0	-20.54	Peak	183.00	150	Vertical	Pass
4**	7993.500	44.25	1.19	54.0	-9.75	AV	183.00	150	Vertical	Pass
5	12783.500	49.96	-2.10	74.0	-24.04	Peak	53.00	150	Vertical	Pass
5**	12783.500	40.11	-2.10	54.0	-13.89	AV	53.00	150	Vertical	Pass
6	17928.499	52.44	1.12	74.0	-21.56	Peak	151.00	150	Vertical	Pass
6**	17928.499	43.46	1.12	54.0	-10.54	AV	151.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	50.94	-18.41	74.0	-23.06	Peak	0.00	150	Horizontal	Pass
1**	1080.100	38.26	-18.41	54.0	-15.74	AV	0.00	150	Horizontal	Pass
2	2458.200	101.70	-12.77	74.0	27.70	Peak	106.00	150	Horizontal	N/A
2**	2458.200	93.44	-12.77	54.0	39.44	AV	106.00	150	Horizontal	N/A
3	5583.750	50.44	-1.51	74.0	-23.56	Peak	360.00	150	Horizontal	Pass
3**	5583.750	41.96	-1.51	54.0	-12.04	AV	360.00	150	Horizontal	Pass
4	7987.500	53.42	1.31	74.0	-20.58	Peak	184.00	150	Horizontal	Pass
4**	7987.500	44.41	1.31	54.0	-9.59	AV	184.00	150	Horizontal	Pass
5	13013.500	49.64	-2.00	74.0	-24.36	Peak	227.00	150	Horizontal	Pass
5**	13013.500	39.75	-2.00	54.0	-14.25	AV	227.00	150	Horizontal	Pass
6	17924.499	52.28	1.17	74.0	-21.72	Peak	168.00	150	Horizontal	Pass
6**	17924.499	43.36	1.17	54.0	-10.64	AV	168.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.600	44.55	-18.43	74.0	-29.45	Peak	24.00	150	Vertical	Pass
1**	1080.600	30.14	-18.43	54.0	-23.86	AV	24.00	150	Vertical	Pass
2	2435.600	106.73	-12.17	74.0	32.73	Peak	320.00	150	Vertical	N/A
2**	2435.600	98.67	-12.17	54.0	44.67	AV	320.00	150	Vertical	N/A
3	5803.000	51.15	-1.89	74.0	-22.85	Peak	230.00	150	Vertical	Pass
3**	5803.000	41.60	-1.89	54.0	-12.40	AV	230.00	150	Vertical	Pass
4	7722.000	53.65	0.63	74.0	-20.35	Peak	358.00	150	Vertical	Pass
4**	7722.000	43.19	0.63	54.0	-10.81	AV	358.00	150	Vertical	Pass
5	14812.500	51.02	-1.83	74.0	-22.98	Peak	54.00	150	Vertical	Pass
5**	14812.500	40.91	-1.83	54.0	-13.09	AV	54.00	150	Vertical	Pass
6	17899.999	52.58	1.50	74.0	-21.42	Peak	191.00	150	Vertical	Pass
6**	17899.999	42.72	1.50	54.0	-11.28	AV	191.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	48.74	-18.40	74.0	-25.26	Peak	329.00	150	Horizontal	Pass
1**	1079.900	29.83	-18.40	54.0	-24.17	AV	329.00	150	Horizontal	Pass
2	2448.500	105.82	-12.54	74.0	31.82	Peak	105.00	150	Horizontal	N/A
2**	2448.500	97.70	-12.54	54.0	43.70	AV	105.00	150	Horizontal	N/A
3	5580.250	50.59	-1.34	74.0	-23.41	Peak	242.00	150	Horizontal	Pass
3**	5580.250	41.74	-1.34	54.0	-12.26	AV	242.00	150	Horizontal	Pass
4	7820.000	54.50	2.00	74.0	-19.50	Peak	202.00	150	Horizontal	Pass
4**	7820.000	44.39	2.00	54.0	-9.61	AV	202.00	150	Horizontal	Pass
5	13863.000	50.12	-0.53	74.0	-23.88	Peak	276.00	150	Horizontal	Pass
5**	13863.000	41.14	-0.53	54.0	-12.86	AV	276.00	150	Horizontal	Pass
6	17899.000	51.95	1.48	74.0	-22.05	Peak	362.00	150	Horizontal	Pass
6**	17899.000	43.00	1.48	54.0	-11.00	AV	362.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	46.27	-18.38	74.0	-27.73	Peak	14.00	150	Vertical	Pass
1**	1079.600	30.85	-18.38	54.0	-23.15	AV	14.00	150	Vertical	Pass
2	2468.800	107.26	-12.41	74.0	33.26	Peak	42.00	150	Vertical	N/A
2**	2468.800	98.67	-12.41	54.0	44.67	AV	42.00	150	Vertical	N/A
3	5240.000	50.59	-2.70	74.0	-23.41	Peak	344.00	150	Vertical	Pass
3**	5240.000	40.46	-2.70	54.0	-13.54	AV	344.00	150	Vertical	Pass
4	7710.250	53.02	1.27	74.0	-20.98	Peak	313.00	150	Vertical	Pass
4**	7710.250	44.00	1.27	54.0	-10.00	AV	313.00	150	Vertical	Pass
5	12822.500	49.66	-1.68	74.0	-24.34	Peak	2.00	150	Vertical	Pass
5**	12822.500	39.52	-1.68	54.0	-14.48	AV	2.00	150	Vertical	Pass
6	16894.000	52.16	0.71	74.0	-21.84	Peak	218.00	150	Vertical	Pass
6**	16894.000	42.75	0.71	54.0	-11.25	AV	218.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	50.33	-18.39	74.0	-23.67	Peak	360.00	150	Horizontal	Pass
1**	1079.800	29.82	-18.39	54.0	-24.18	AV	360.00	150	Horizontal	Pass
2	2417.600	110.15	-12.52	74.0	36.15	Peak	39.00	150	Horizontal	N/A
2**	2417.600	101.00	-12.52	54.0	47.00	AV	39.00	150	Horizontal	N/A
3	5581.000	51.31	-1.37	74.0	-22.69	Peak	273.00	150	Horizontal	Pass
3**	5581.000	42.21	-1.37	54.0	-11.79	AV	273.00	150	Horizontal	Pass
4	7488.250	53.73	1.61	74.0	-20.27	Peak	222.00	150	Horizontal	Pass
4**	7488.250	44.31	1.61	54.0	-9.69	AV	222.00	150	Horizontal	Pass
5	11911.999	49.56	-2.93	74.0	-24.44	Peak	0.00	150	Horizontal	Pass
5**	11911.999	40.27	-2.93	54.0	-13.73	AV	0.00	150	Horizontal	Pass
6	15997.500	52.61	-0.73	74.0	-21.39	Peak	106.00	150	Horizontal	Pass
6**	15997.500	42.60	-0.73	54.0	-11.40	AV	106.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	45.95	-18.40	74.0	-28.05	Peak	91.00	150	Vertical	Pass
1**	1079.900	33.21	-18.40	54.0	-20.79	AV	91.00	150	Vertical	Pass
2	2405.200	110.14	-12.63	74.0	36.14	Peak	327.00	150	Vertical	N/A
2**	2405.200	101.08	-12.63	54.0	47.08	AV	327.00	150	Vertical	N/A
3	5186.750	50.68	-2.73	74.0	-23.32	Peak	58.00	150	Vertical	Pass
3**	5186.750	40.35	-2.73	54.0	-13.65	AV	58.00	150	Vertical	Pass
4	7702.750	53.04	1.05	74.0	-20.96	Peak	313.00	150	Vertical	Pass
4**	7702.750	43.77	1.05	54.0	-10.23	AV	313.00	150	Vertical	Pass
5	12783.000	49.32	-2.12	74.0	-24.68	Peak	161.00	150	Vertical	Pass
5**	12783.000	39.82	-2.12	54.0	-14.18	AV	161.00	150	Vertical	Pass
6	17924.000	52.29	1.18	74.0	-21.71	Peak	68.00	150	Vertical	Pass
6**	17924.000	43.27	1.18	54.0	-10.73	AV	68.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	51.08	-18.40	74.0	-22.92	Peak	360.00	150	Horizontal	Pass
1**	1080.000	33.88	-18.40	54.0	-20.12	AV	360.00	150	Horizontal	Pass
2	2417.300	106.41	-12.54	74.0	32.41	Peak	30.00	150	Horizontal	N/A
2**	2417.300	96.59	-12.54	54.0	42.59	AV	30.00	150	Horizontal	N/A
3	5579.500	50.93	-1.35	74.0	-23.07	Peak	44.00	150	Horizontal	Pass
3**	5579.500	42.37	-1.35	54.0	-11.63	AV	44.00	150	Horizontal	Pass
4	7487.000	52.99	1.62	74.0	-21.01	Peak	269.00	150	Horizontal	Pass
4**	7487.000	45.19	1.62	54.0	-8.81	AV	269.00	150	Horizontal	Pass
5	14055.500	50.35	-0.23	74.0	-23.65	Peak	228.00	150	Horizontal	Pass
5**	14055.500	40.56	-0.23	54.0	-13.44	AV	228.00	150	Horizontal	Pass
6	17934.500	52.64	1.04	74.0	-21.36	Peak	360.00	150	Horizontal	Pass
6**	17934.500	43.32	1.04	54.0	-10.68	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	43.70	-18.39	74.0	-30.30	Peak	222.00	150	Vertical	Pass
1**	1079.800	29.13	-18.39	54.0	-24.87	AV	222.00	150	Vertical	Pass
2	2422.900	109.99	-12.53	74.0	35.99	Peak	41.00	150	Vertical	N/A
2**	2422.900	100.89	-12.53	54.0	46.89	AV	41.00	150	Vertical	N/A
3	5738.750	50.95	-2.09	74.0	-23.05	Peak	209.00	150	Vertical	Pass
3**	5738.750	41.62	-2.09	54.0	-12.38	AV	209.00	150	Vertical	Pass
4	7823.500	53.09	1.59	74.0	-20.91	Peak	326.00	150	Vertical	Pass
4**	7823.500	43.75	1.59	54.0	-10.25	AV	326.00	150	Vertical	Pass
5	12691.500	49.57	-1.29	74.0	-24.43	Peak	346.00	150	Vertical	Pass
5**	12691.500	39.95	-1.29	54.0	-14.05	AV	346.00	150	Vertical	Pass
6	17884.000	54.13	1.29	74.0	-19.87	Peak	76.00	150	Vertical	Pass
6**	17884.000	43.15	1.29	54.0	-10.85	AV	76.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	50.90	-18.40	74.0	-23.10	Peak	330.00	150	Horizontal	Pass
1**	1080.000	29.98	-18.40	54.0	-24.02	AV	330.00	150	Horizontal	Pass
2	2425.500	108.05	-12.75	74.0	34.05	Peak	103.00	150	Horizontal	N/A
2**	2425.500	98.79	-12.75	54.0	44.79	AV	103.00	150	Horizontal	N/A
3	5743.500	51.00	-2.18	74.0	-23.00	Peak	189.00	150	Horizontal	Pass
3**	5743.500	41.13	-2.18	54.0	-12.87	AV	189.00	150	Horizontal	Pass
4	7886.250	53.25	1.17	74.0	-20.75	Peak	145.00	150	Horizontal	Pass
4**	7886.250	44.34	1.17	54.0	-9.66	AV	145.00	150	Horizontal	Pass
5	12816.500	49.40	-1.66	74.0	-24.60	Peak	289.00	150	Horizontal	Pass
5**	12816.500	40.18	-1.66	54.0	-13.82	AV	289.00	150	Horizontal	Pass
6	17911.501	52.14	1.34	74.0	-21.86	Peak	0.00	150	Horizontal	Pass
6**	17911.501	43.00	1.34	54.0	-11.00	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	45.11	-18.42	74.0	-28.89	Peak	357.00	150	Vertical	Pass
1**	1080.300	29.24	-18.42	54.0	-24.76	AV	357.00	150	Vertical	Pass
2	2423.400	109.81	-12.60	74.0	35.81	Peak	230.00	150	Vertical	N/A
2**	2423.400	101.63	-12.60	54.0	47.63	AV	230.00	150	Vertical	N/A
3	5566.250	50.84	-2.40	74.0	-23.16	Peak	0.00	150	Vertical	Pass
3**	5566.250	41.58	-2.40	54.0	-12.42	AV	0.00	150	Vertical	Pass
4	7839.000	53.36	1.07	74.0	-20.64	Peak	360.00	150	Vertical	Pass
4**	7839.000	44.41	1.07	54.0	-9.59	AV	360.00	150	Vertical	Pass
5	13864.500	49.96	-0.53	74.0	-24.04	Peak	190.00	150	Vertical	Pass
5**	13864.500	41.06	-0.53	54.0	-12.94	AV	190.00	150	Vertical	Pass
6	17937.500	52.59	1.00	74.0	-21.41	Peak	268.00	150	Vertical	Pass
6**	17937.500	43.14	1.00	54.0	-10.86	AV	268.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.300	49.61	-18.37	74.0	-24.39	Peak	349.00	150	Horizontal	Pass
1**	1079.300	31.68	-18.37	54.0	-22.32	AV	349.00	150	Horizontal	Pass
2	2434.100	108.42	-12.40	74.0	34.42	Peak	88.00	150	Horizontal	N/A
2**	2434.100	99.39	-12.40	54.0	45.39	AV	88.00	150	Horizontal	N/A
3	5242.750	50.29	-2.84	74.0	-23.71	Peak	23.00	150	Horizontal	Pass
3**	5242.750	44.88	-2.84	54.0	-9.12	AV	23.00	150	Horizontal	Pass
4	7987.000	53.93	1.34	74.0	-20.07	Peak	342.00	150	Horizontal	Pass
4**	7987.000	43.75	1.34	54.0	-10.25	AV	342.00	150	Horizontal	Pass
5	13704.500	49.92	-1.19	74.0	-24.08	Peak	287.00	150	Horizontal	Pass
5**	13704.500	40.47	-1.19	54.0	-13.53	AV	287.00	150	Horizontal	Pass
6	16877.500	51.79	0.05	74.0	-22.21	Peak	344.00	150	Horizontal	Pass
6**	16877.500	42.91	0.05	54.0	-11.09	AV	344.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	46.19	-18.42	74.0	-27.81	Peak	9.00	150	Vertical	Pass
1**	1080.400	31.13	-18.42	54.0	-22.87	AV	9.00	150	Vertical	Pass
2	2432.600	110.44	-12.63	74.0	36.44	Peak	230.00	150	Vertical	N/A
2**	2432.600	101.40	-12.63	54.0	47.40	AV	230.00	150	Vertical	N/A
3	5582.250	50.99	-1.41	74.0	-23.01	Peak	143.00	150	Vertical	Pass
3**	5582.250	41.38	-1.41	54.0	-12.62	AV	143.00	150	Vertical	Pass
4	7915.750	52.78	0.67	74.0	-21.22	Peak	0.00	150	Vertical	Pass
4**	7915.750	42.81	0.67	54.0	-11.19	AV	0.00	150	Vertical	Pass
5	13856.000	50.79	-0.54	74.0	-23.21	Peak	288.00	150	Vertical	Pass
5**	13856.000	40.56	-0.54	54.0	-13.44	AV	288.00	150	Vertical	Pass
6	17944.001	51.78	0.91	74.0	-22.22	Peak	171.00	150	Vertical	Pass
6**	17944.001	42.89	0.91	54.0	-11.11	AV	171.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	51.55	-18.40	74.0	-22.45	Peak	315.00	150	Horizontal	Pass
1**	1079.900	29.85	-18.40	54.0	-24.15	AV	315.00	150	Horizontal	Pass
2	2438.500	109.53	-12.36	74.0	35.53	Peak	35.00	150	Horizontal	N/A
2**	2438.500	100.86	-12.36	54.0	46.86	AV	35.00	150	Horizontal	N/A
3	5675.000	50.65	-2.83	74.0	-23.35	Peak	284.00	150	Horizontal	Pass
3**	5675.000	41.04	-2.83	54.0	-12.96	AV	284.00	150	Horizontal	Pass
4	7879.500	52.92	1.46	74.0	-21.08	Peak	108.00	150	Horizontal	Pass
4**	7879.500	44.62	1.46	54.0	-9.38	AV	108.00	150	Horizontal	Pass
5	13049.000	49.49	-1.66	74.0	-24.51	Peak	199.00	150	Horizontal	Pass
5**	13049.000	39.89	-1.66	54.0	-14.11	AV	199.00	150	Horizontal	Pass
6	17942.000	51.76	0.94	74.0	-22.24	Peak	254.00	150	Horizontal	Pass
6**	17942.000	42.77	0.94	54.0	-11.23	AV	254.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	47.28	-18.40	74.0	-26.72	Peak	91.00	150	Vertical	Pass
1**	1079.900	34.74	-18.40	54.0	-19.26	AV	91.00	150	Vertical	Pass
2	2431.300	110.52	-12.71	74.0	36.52	Peak	193.00	150	Vertical	N/A
2**	2431.300	101.26	-12.71	54.0	47.26	AV	193.00	150	Vertical	N/A
3	4891.750	50.27	-3.63	74.0	-23.73	Peak	7.00	150	Vertical	Pass
3**	4891.750	39.59	-3.63	54.0	-14.41	AV	7.00	150	Vertical	Pass
4	7593.500	53.66	0.83	74.0	-20.34	Peak	271.00	150	Vertical	Pass
4**	7593.500	43.47	0.83	54.0	-10.53	AV	271.00	150	Vertical	Pass
5	13888.000	50.38	-0.51	74.0	-23.62	Peak	316.00	150	Vertical	Pass
5**	13888.000	41.07	-0.51	54.0	-12.93	AV	316.00	150	Vertical	Pass
6	17896.499	52.64	1.45	74.0	-21.36	Peak	360.00	150	Vertical	Pass
6**	17896.499	43.11	1.45	54.0	-10.89	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	47.24	-18.42	74.0	-26.76	Peak	330.00	150	Horizontal	Pass
1**	1080.400	30.70	-18.42	54.0	-23.30	AV	330.00	150	Horizontal	Pass
2	2460.200	108.76	-12.68	74.0	34.76	Peak	96.00	150	Horizontal	N/A
2**	2460.200	99.26	-12.68	54.0	45.26	AV	96.00	150	Horizontal	N/A
3	5490.750	50.67	-2.50	74.0	-23.33	Peak	241.00	150	Horizontal	Pass
3**	5490.750	41.57	-2.50	54.0	-12.43	AV	241.00	150	Horizontal	Pass
4	7592.500	53.94	0.89	74.0	-20.06	Peak	219.00	150	Horizontal	Pass
4**	7592.500	43.99	0.89	54.0	-10.01	AV	219.00	150	Horizontal	Pass
5	13893.000	50.47	-0.50	74.0	-23.53	Peak	288.00	150	Horizontal	Pass
5**	13893.000	41.28	-0.50	54.0	-12.72	AV	288.00	150	Horizontal	Pass
6	17864.499	52.04	1.04	74.0	-21.96	Peak	249.00	150	Horizontal	Pass
6**	17864.499	43.22	1.04	54.0	-10.78	AV	249.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	46.94	-18.41	74.0	-27.06	Peak	145.00	150	Vertical	Pass
1**	1080.100	29.52	-18.41	54.0	-24.48	AV	145.00	150	Vertical	Pass
2	2462.700	110.00	-12.82	74.0	36.00	Peak	339.00	150	Vertical	N/A
2**	2462.700	101.20	-12.82	54.0	47.20	AV	339.00	150	Vertical	N/A
3	5599.750	50.54	-2.41	74.0	-23.46	Peak	0.00	150	Vertical	Pass
3**	5599.750	41.49	-2.41	54.0	-12.51	AV	0.00	150	Vertical	Pass
4	7653.750	54.01	1.21	74.0	-19.99	Peak	33.00	150	Vertical	Pass
4**	7653.750	43.63	1.21	54.0	-10.37	AV	33.00	150	Vertical	Pass
5	13895.000	50.01	-0.50	74.0	-23.99	Peak	324.00	150	Vertical	Pass
5**	13895.000	41.07	-0.50	54.0	-12.93	AV	324.00	150	Vertical	Pass
6	17844.500	52.27	0.83	74.0	-21.73	Peak	13.00	150	Vertical	Pass
6**	17844.500	43.28	0.83	54.0	-10.72	AV	13.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	50.18	-18.39	74.0	-23.82	Peak	0.00	150	Horizontal	Pass
1**	1079.800	30.02	-18.39	54.0	-23.98	AV	0.00	150	Horizontal	Pass
2	2458.900	108.58	-12.78	74.0	34.58	Peak	112.00	150	Horizontal	N/A
2**	2458.900	99.15	-12.78	54.0	45.15	AV	112.00	150	Horizontal	N/A
3	5583.250	50.65	-1.47	74.0	-23.35	Peak	27.00	150	Horizontal	Pass
3**	5583.250	41.97	-1.47	54.0	-12.03	AV	27.00	150	Horizontal	Pass
4	7711.500	53.49	1.35	74.0	-20.51	Peak	344.00	150	Horizontal	Pass
4**	7711.500	44.00	1.35	54.0	-10.00	AV	344.00	150	Horizontal	Pass
5	13613.500	49.98	0.41	74.0	-24.02	Peak	290.00	150	Horizontal	Pass
5**	13613.500	40.65	0.41	54.0	-13.35	AV	290.00	150	Horizontal	Pass
6	17550.500	51.91	1.78	74.0	-22.09	Peak	87.00	150	Horizontal	Pass
6**	17550.500	42.00	1.78	54.0	-12.00	AV	87.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	47.06	-18.42	74.0	-26.94	Peak	130.00	150	Vertical	Pass
1**	1080.500	29.67	-18.42	54.0	-24.33	AV	130.00	150	Vertical	Pass
2	2465.900	109.75	-12.72	74.0	35.75	Peak	111.00	150	Vertical	N/A
2**	2465.900	101.26	-12.72	54.0	47.26	AV	111.00	150	Vertical	N/A
3	5577.500	50.88	-1.43	74.0	-23.12	Peak	358.00	150	Vertical	Pass
3**	5577.500	42.17	-1.43	54.0	-11.83	AV	358.00	150	Vertical	Pass
4	7485.000	53.58	1.39	74.0	-20.42	Peak	337.00	150	Vertical	Pass
4**	7485.000	44.63	1.39	54.0	-9.37	AV	337.00	150	Vertical	Pass
5	13872.000	50.51	-0.52	74.0	-23.49	Peak	199.00	150	Vertical	Pass
5**	13872.000	41.67	-0.52	54.0	-12.33	AV	199.00	150	Vertical	Pass
6	17874.000	52.17	1.16	74.0	-21.83	Peak	107.00	150	Vertical	Pass
6**	17874.000	42.72	1.16	54.0	-11.28	AV	107.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1078.800	47.60	-18.35	74.0	-26.40	Peak	348.00	150	Horizontal	Pass
1**	1078.800	36.62	-18.35	54.0	-17.38	AV	348.00	150	Horizontal	Pass
2	2405.800	106.68	-12.64	74.0	32.68	Peak	21.00	150	Horizontal	N/A
2**	2405.800	97.57	-12.64	54.0	43.57	AV	21.00	150	Horizontal	N/A
3	5489.500	51.40	-2.41	74.0	-22.60	Peak	0.00	150	Horizontal	Pass
3**	5489.500	40.72	-2.41	54.0	-13.28	AV	0.00	150	Horizontal	Pass
4	7638.000	53.65	0.50	74.0	-20.35	Peak	118.00	150	Horizontal	Pass
4**	7638.000	44.19	0.50	54.0	-9.81	AV	118.00	150	Horizontal	Pass
5	14081.000	50.00	-1.15	74.0	-24.00	Peak	272.00	150	Horizontal	Pass
5**	14081.000	39.42	-1.15	54.0	-14.58	AV	272.00	150	Horizontal	Pass
6	17904.501	52.21	1.44	74.0	-21.79	Peak	-2.00	150	Horizontal	Pass
6**	17904.501	42.70	1.44	54.0	-11.30	AV	-2.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	46.37	-18.38	74.0	-27.63	Peak	12.00	150	Vertical	Pass
1**	1079.600	33.26	-18.38	54.0	-20.74	AV	12.00	150	Vertical	Pass
2	2433.000	107.88	-12.61	74.0	33.88	Peak	347.00	150	Vertical	N/A
2**	2433.000	98.61	-12.61	54.0	44.61	AV	347.00	150	Vertical	N/A
3	5577.750	50.51	-1.41	74.0	-23.49	Peak	150.00	150	Vertical	Pass
3**	5577.750	42.08	-1.41	54.0	-11.92	AV	150.00	150	Vertical	Pass
4	7485.000	53.53	1.39	74.0	-20.47	Peak	242.00	150	Vertical	Pass
4**	7485.000	44.50	1.39	54.0	-9.50	AV	242.00	150	Vertical	Pass
5	13861.500	50.65	-0.53	74.0	-23.35	Peak	14.00	150	Vertical	Pass
5**	13861.500	40.90	-0.53	54.0	-13.10	AV	14.00	150	Vertical	Pass
6	16155.500	52.02	-0.01	74.0	-21.98	Peak	238.00	150	Vertical	Pass
6**	16155.500	42.82	-0.01	54.0	-11.18	AV	238.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	48.74	-18.38	74.0	-25.26	Peak	360.00	150	Horizontal	Pass
1**	1079.500	38.84	-18.38	54.0	-15.16	AV	360.00	150	Horizontal	Pass
2	2420.300	101.29	-12.50	74.0	27.29	Peak	84.00	150	Horizontal	N/A
2**	2420.300	91.20	-12.50	54.0	37.20	AV	84.00	150	Horizontal	N/A
3	5293.750	50.64	-2.74	74.0	-23.36	Peak	221.00	150	Horizontal	Pass
3**	5293.750	41.49	-2.74	54.0	-12.51	AV	221.00	150	Horizontal	Pass
4	7594.750	52.63	0.73	74.0	-21.37	Peak	39.00	150	Horizontal	Pass
4**	7594.750	43.15	0.73	54.0	-10.85	AV	39.00	150	Horizontal	Pass
5	13786.500	50.47	-0.07	74.0	-23.53	Peak	289.00	150	Horizontal	Pass
5**	13786.500	40.77	-0.07	54.0	-13.23	AV	289.00	150	Horizontal	Pass
6	17930.000	52.41	1.10	74.0	-21.59	Peak	18.00	150	Horizontal	Pass
6**	17930.000	42.62	1.10	54.0	-11.38	AV	18.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.700	43.09	-18.43	74.0	-30.91	Peak	360.00	150	Vertical	Pass
1**	1080.700	29.57	-18.43	54.0	-24.43	AV	360.00	150	Vertical	Pass
2	2419.600	107.41	-12.49	74.0	33.41	Peak	260.00	150	Vertical	N/A
2**	2419.600	97.34	-12.49	54.0	43.34	AV	260.00	150	Vertical	N/A
3	5351.500	51.25	-2.94	74.0	-22.75	Peak	3.00	150	Vertical	Pass
3**	5351.500	40.40	-2.94	54.0	-13.60	AV	3.00	150	Vertical	Pass
4	7638.500	53.18	0.56	74.0	-20.82	Peak	311.00	150	Vertical	Pass
4**	7638.500	43.73	0.56	54.0	-10.27	AV	311.00	150	Vertical	Pass
5	12899.000	49.77	-1.70	74.0	-24.23	Peak	0.00	150	Vertical	Pass
5**	12899.000	39.99	-1.70	54.0	-14.01	AV	0.00	150	Vertical	Pass
6	17915.001	51.82	1.30	74.0	-22.18	Peak	169.00	150	Vertical	Pass
6**	17915.001	42.89	1.30	54.0	-11.11	AV	169.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.900	46.48	-18.44	74.0	-27.52	Peak	0.00	150	Horizontal	Pass
1**	1080.900	29.98	-18.44	54.0	-24.02	AV	0.00	150	Horizontal	Pass
2	2445.100	102.09	-12.45	74.0	28.09	Peak	25.00	150	Horizontal	N/A
2**	2445.100	91.78	-12.45	54.0	37.78	AV	25.00	150	Horizontal	N/A
3	5487.750	50.79	-2.38	74.0	-23.21	Peak	163.00	150	Horizontal	Pass
3**	5487.750	41.14	-2.38	54.0	-12.86	AV	163.00	150	Horizontal	Pass
4	7996.000	52.85	1.11	74.0	-21.15	Peak	354.00	150	Horizontal	Pass
4**	7996.000	44.09	1.11	54.0	-9.91	AV	354.00	150	Horizontal	Pass
5	13607.000	50.37	0.52	74.0	-23.63	Peak	168.00	150	Horizontal	Pass
5**	13607.000	40.73	0.52	54.0	-13.27	AV	168.00	150	Horizontal	Pass
6	17793.499	52.00	0.74	74.0	-22.00	Peak	34.00	150	Horizontal	Pass
6**	17793.499	42.08	0.74	54.0	-11.92	AV	34.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	44.22	-18.42	74.0	-29.78	Peak	164.00	150	Vertical	Pass
1**	1080.300	29.98	-18.42	54.0	-24.02	AV	164.00	150	Vertical	Pass
2	2423.900	107.65	-12.68	74.0	33.65	Peak	314.00	150	Vertical	N/A
2**	2423.900	97.86	-12.68	54.0	43.86	AV	314.00	150	Vertical	N/A
3	5840.750	51.25	-2.24	74.0	-22.75	Peak	305.00	150	Vertical	Pass
3**	5840.750	41.27	-2.24	54.0	-12.73	AV	305.00	150	Vertical	Pass
4	7804.750	53.27	0.81	74.0	-20.73	Peak	166.00	150	Vertical	Pass
4**	7804.750	43.89	0.81	54.0	-10.11	AV	166.00	150	Vertical	Pass
5	13890.000	50.46	-0.50	74.0	-23.54	Peak	133.00	150	Vertical	Pass
5**	13890.000	40.83	-0.50	54.0	-13.17	AV	133.00	150	Vertical	Pass
6	17871.999	52.51	1.14	74.0	-21.49	Peak	307.00	150	Vertical	Pass
6**	17871.999	43.50	1.14	54.0	-10.50	AV	307.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	48.53	-18.41	74.0	-25.47	Peak	360.00	150	Horizontal	Pass
1**	1080.200	36.83	-18.41	54.0	-17.17	AV	360.00	150	Horizontal	Pass
2	2430.000	103.96	-12.84	74.0	29.96	Peak	21.00	150	Horizontal	N/A
2**	2430.000	94.37	-12.84	54.0	40.37	AV	21.00	150	Horizontal	N/A
3	5236.750	51.29	-2.81	74.0	-22.71	Peak	294.00	150	Horizontal	Pass
3**	5236.750	40.91	-2.81	54.0	-13.09	AV	294.00	150	Horizontal	Pass
4	7939.500	53.56	1.98	74.0	-20.44	Peak	166.00	150	Horizontal	Pass
4**	7939.500	44.03	1.98	54.0	-9.97	AV	166.00	150	Horizontal	Pass
5	13863.500	50.13	-0.53	74.0	-23.87	Peak	288.00	150	Horizontal	Pass
5**	13863.500	40.88	-0.53	54.0	-13.12	AV	288.00	150	Horizontal	Pass
6	17923.500	52.07	1.18	74.0	-21.93	Peak	327.00	150	Horizontal	Pass
6**	17923.500	43.37	1.18	54.0	-10.63	AV	327.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	47.05	-18.38	74.0	-26.95	Peak	145.00	150	Vertical	Pass
1**	1079.600	34.08	-18.38	54.0	-19.92	AV	145.00	150	Vertical	Pass
2	2423.700	107.91	-12.65	74.0	33.91	Peak	40.00	150	Vertical	N/A
2**	2423.700	98.49	-12.65	54.0	44.49	AV	40.00	150	Vertical	N/A
3	5190.500	49.95	-2.86	74.0	-24.05	Peak	173.00	150	Vertical	Pass
3**	5190.500	40.39	-2.86	54.0	-13.61	AV	173.00	150	Vertical	Pass
4	7486.750	53.44	1.62	74.0	-20.56	Peak	279.00	150	Vertical	Pass
4**	7486.750	44.37	1.62	54.0	-9.63	AV	279.00	150	Vertical	Pass
5	13878.500	49.98	-0.51	74.0	-24.02	Peak	323.00	150	Vertical	Pass
5**	13878.500	41.63	-0.51	54.0	-12.37	AV	323.00	150	Vertical	Pass
6	17928.499	52.25	1.12	74.0	-21.75	Peak	90.00	150	Vertical	Pass
6**	17928.499	43.68	1.12	54.0	-10.32	AV	90.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	49.17	-18.40	74.0	-24.83	Peak	340.00	150	Horizontal	Pass
1**	1079.900	29.66	-18.40	54.0	-24.34	AV	340.00	150	Horizontal	Pass
2	2436.700	103.21	-12.28	74.0	29.21	Peak	114.00	150	Horizontal	N/A
2**	2436.700	94.56	-12.28	54.0	40.56	AV	114.00	150	Horizontal	N/A
3	5578.500	50.67	-1.37	74.0	-23.33	Peak	0.00	150	Horizontal	Pass
3**	5578.500	42.05	-1.37	54.0	-11.95	AV	0.00	150	Horizontal	Pass
4	7314.000	53.18	0.48	74.0	-20.82	Peak	106.00	150	Horizontal	Pass
4**	7314.000	43.06	0.48	54.0	-10.94	AV	106.00	150	Horizontal	Pass
5	13880.001	50.96	-0.51	74.0	-23.04	Peak	90.00	150	Horizontal	Pass
5**	13880.001	40.75	-0.51	54.0	-13.25	AV	90.00	150	Horizontal	Pass
6	17856.000	53.20	0.93	74.0	-20.80	Peak	90.00	150	Horizontal	Pass
6**	17856.000	42.58	0.93	54.0	-11.42	AV	90.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	45.50	-18.42	74.0	-28.50	Peak	360.00	150	Vertical	Pass
1**	1080.300	29.46	-18.42	54.0	-24.54	AV	360.00	150	Vertical	Pass
2	2426.000	107.80	-12.71	74.0	33.80	Peak	26.00	150	Vertical	N/A
2**	2426.000	97.57	-12.71	54.0	43.57	AV	26.00	150	Vertical	N/A
3	5469.250	51.20	-3.13	74.0	-22.80	Peak	360.00	150	Vertical	Pass
3**	5469.250	40.16	-3.13	54.0	-13.84	AV	360.00	150	Vertical	Pass
4	7819.000	53.23	2.12	74.0	-20.77	Peak	360.00	150	Vertical	Pass
4**	7819.000	44.93	2.12	54.0	-9.07	AV	360.00	150	Vertical	Pass
5	12682.000	49.66	-1.62	74.0	-24.34	Peak	76.00	150	Vertical	Pass
5**	12682.000	40.34	-1.62	54.0	-13.66	AV	76.00	150	Vertical	Pass
6	17856.999	52.11	0.95	74.0	-21.89	Peak	347.00	150	Vertical	Pass
6**	17856.999	43.16	0.95	54.0	-10.84	AV	347.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	49.78	-18.38	74.0	-24.22	Peak	360.00	150	Horizontal	Pass
1**	1079.600	30.40	-18.38	54.0	-23.60	AV	360.00	150	Horizontal	Pass
2	2435.700	103.73	-12.18	74.0	29.73	Peak	20.00	150	Horizontal	N/A
2**	2435.700	93.55	-12.18	54.0	39.55	AV	20.00	150	Horizontal	N/A
3	5576.500	51.04	-1.50	74.0	-22.96	Peak	177.00	150	Horizontal	Pass
3**	5576.500	42.45	-1.50	54.0	-11.55	AV	177.00	150	Horizontal	Pass
4	7485.750	53.20	1.52	74.0	-20.80	Peak	305.00	150	Horizontal	Pass
4**	7485.750	44.01	1.52	54.0	-9.99	AV	305.00	150	Horizontal	Pass
5	12771.500	49.64	-2.47	74.0	-24.36	Peak	151.00	150	Horizontal	Pass
5**	12771.500	39.59	-2.47	54.0	-14.41	AV	151.00	150	Horizontal	Pass
6	17792.999	52.06	0.75	74.0	-21.94	Peak	307.00	150	Horizontal	Pass
6**	17792.999	42.25	0.75	54.0	-11.75	AV	307.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	45.22	-18.42	74.0	-28.78	Peak	360.00	150	Vertical	Pass
1**	1080.400	32.40	-18.42	54.0	-21.60	AV	360.00	150	Vertical	Pass
2	2456.300	108.10	-12.68	74.0	34.10	Peak	91.00	150	Vertical	N/A
2**	2456.300	96.92	-12.68	54.0	42.92	AV	91.00	150	Vertical	N/A
3	5137.500	50.72	-2.41	74.0	-23.28	Peak	226.00	150	Vertical	Pass
3**	5137.500	40.59	-2.41	54.0	-13.41	AV	226.00	150	Vertical	Pass
4	7824.500	53.48	1.59	74.0	-20.52	Peak	87.00	150	Vertical	Pass
4**	7824.500	43.50	1.59	54.0	-10.50	AV	87.00	150	Vertical	Pass
5	13858.500	50.37	-0.54	74.0	-23.63	Peak	54.00	150	Vertical	Pass
5**	13858.500	41.53	-0.54	54.0	-12.47	AV	54.00	150	Vertical	Pass
6	17901.500	52.09	1.48	74.0	-21.91	Peak	362.00	150	Vertical	Pass
6**	17901.500	43.14	1.48	54.0	-10.86	AV	362.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	50.53	-18.42	74.0	-23.47	Peak	329.00	150	Horizontal	Pass
1**	1080.400	36.33	-18.42	54.0	-17.67	AV	329.00	150	Horizontal	Pass
2	2444.600	106.79	-12.45	74.0	32.79	Peak	105.00	150	Horizontal	N/A
2**	2444.600	97.49	-12.45	54.0	43.49	AV	105.00	150	Horizontal	N/A
3	4695.750	49.49	-3.41	74.0	-24.51	Peak	292.00	150	Horizontal	Pass
3**	4695.750	40.10	-3.41	54.0	-13.90	AV	292.00	150	Horizontal	Pass
4	7879.250	54.03	1.44	74.0	-19.97	Peak	149.00	150	Horizontal	Pass
4**	7879.250	43.66	1.44	54.0	-10.34	AV	149.00	150	Horizontal	Pass
5	12512.500	49.34	-2.78	74.0	-24.66	Peak	108.00	150	Horizontal	Pass
5**	12512.500	40.29	-2.78	54.0	-13.71	AV	108.00	150	Horizontal	Pass
6	17931.000	52.97	1.08	74.0	-21.03	Peak	89.00	150	Horizontal	Pass
6**	17931.000	42.98	1.08	54.0	-11.02	AV	89.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	44.42	-18.38	74.0	-29.58	Peak	217.00	150	Vertical	Pass
1**	1079.600	30.27	-18.38	54.0	-23.73	AV	217.00	150	Vertical	Pass
2	2469.700	107.90	-12.31	74.0	33.90	Peak	279.00	150	Vertical	N/A
2**	2469.700	98.66	-12.31	54.0	44.66	AV	279.00	150	Vertical	N/A
3	5149.250	49.86	-2.36	74.0	-24.14	Peak	86.00	150	Vertical	Pass
3**	5149.250	40.62	-2.36	54.0	-13.38	AV	86.00	150	Vertical	Pass
4	7710.250	53.00	1.27	74.0	-21.00	Peak	66.00	150	Vertical	Pass
4**	7710.250	44.26	1.27	54.0	-9.74	AV	66.00	150	Vertical	Pass
5	13900.500	50.48	-0.51	74.0	-23.52	Peak	179.00	150	Vertical	Pass
5**	13900.500	40.65	-0.51	54.0	-13.35	AV	179.00	150	Vertical	Pass
6	17787.001	53.37	0.82	74.0	-20.63	Peak	291.00	150	Vertical	Pass
6**	17787.001	42.77	0.82	54.0	-11.23	AV	291.00	150	Vertical	Pass

Aux. Antenna

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	51.46	-18.39	74.0	-22.54	Peak	359.00	150	Horizontal	Pass
1**	1079.800	31.79	-18.39	54.0	-22.21	AV	359.00	150	Horizontal	Pass
2	2411.900	106.10	-12.65	74.0	32.10	Peak	228.00	150	Horizontal	N/A
2**	2411.900	102.51	-12.65	54.0	48.51	AV	228.00	150	Horizontal	N/A
3	4824.250	48.47	-3.88	74.0	-25.53	Peak	307.00	150	Horizontal	Pass
3**	4824.250	44.92	-3.88	54.0	-9.08	AV	307.00	150	Horizontal	Pass
4	7994.750	53.21	1.12	74.0	-20.79	Peak	160.00	150	Horizontal	Pass
4**	7994.750	43.41	1.12	54.0	-10.59	AV	160.00	150	Horizontal	Pass
5	14026.000	51.10	-1.03	74.0	-22.90	Peak	0.00	150	Horizontal	Pass
5**	14026.000	39.40	-1.03	54.0	-14.60	AV	0.00	150	Horizontal	Pass
6	17824.500	51.77	0.76	74.0	-22.23	Peak	198.00	150	Horizontal	Pass
6**	17824.500	43.00	0.76	54.0	-11.00	AV	198.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	48.51	-18.41	74.0	-25.49	Peak	195.00	150	Vertical	Pass
1**	1080.200	36.19	-18.41	54.0	-17.81	AV	195.00	150	Vertical	Pass
2	2412.000	106.23	-12.65	74.0	32.23	Peak	81.00	150	Vertical	N/A
2**	2412.000	102.65	-12.65	54.0	48.65	AV	81.00	150	Vertical	N/A
3	4824.250	51.40	-3.88	74.0	-22.60	Peak	267.00	150	Vertical	Pass
3**	4824.250	47.68	-3.88	54.0	-6.32	AV	267.00	150	Vertical	Pass
4	7928.500	53.25	1.78	74.0	-20.75	Peak	312.00	150	Vertical	Pass
4**	7928.500	44.03	1.78	54.0	-9.97	AV	312.00	150	Vertical	Pass
5	13866.500	49.96	-0.53	74.0	-24.04	Peak	254.00	150	Vertical	Pass
5**	13866.500	41.53	-0.53	54.0	-12.47	AV	254.00	150	Vertical	Pass
6	17909.000	52.47	1.38	74.0	-21.53	Peak	0.00	150	Vertical	Pass
6**	17909.000	42.57	1.38	54.0	-11.43	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	51.47	-18.42	74.0	-22.53	Peak	360.00	150	Horizontal	Pass
1**	1080.300	34.84	-18.42	54.0	-19.16	AV	360.00	150	Horizontal	Pass
2	2435.900	106.16	-12.20	74.0	32.16	Peak	213.00	150	Horizontal	N/A
2**	2435.900	103.38	-12.20	54.0	49.38	AV	213.00	150	Horizontal	N/A
3	4874.000	48.73	-3.44	74.0	-25.27	Peak	241.00	150	Horizontal	Pass
3**	4874.000	44.08	-3.44	54.0	-9.92	AV	241.00	150	Horizontal	Pass
4	7807.750	53.07	1.14	74.0	-20.93	Peak	0.00	150	Horizontal	Pass
4**	7807.750	44.77	1.14	54.0	-9.23	AV	0.00	150	Horizontal	Pass
5	13873.500	50.09	-0.52	74.0	-23.91	Peak	104.00	150	Horizontal	Pass
5**	13873.500	41.30	-0.52	54.0	-12.70	AV	104.00	150	Horizontal	Pass
6	17999.499	51.76	1.51	74.0	-22.24	Peak	29.00	150	Horizontal	Pass
6**	17999.499	42.72	1.51	54.0	-11.28	AV	29.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	46.90	-18.38	74.0	-27.10	Peak	147.00	150	Vertical	Pass
1**	1079.500	35.65	-18.38	54.0	-18.35	AV	147.00	150	Vertical	Pass
2	2435.800	106.78	-12.19	74.0	32.78	Peak	192.00	150	Vertical	N/A
2**	2435.800	103.95	-12.19	54.0	49.95	AV	192.00	150	Vertical	N/A
3	4874.250	49.85	-3.44	74.0	-24.15	Peak	329.00	150	Vertical	Pass
3**	4874.250	46.45	-3.44	54.0	-7.55	AV	329.00	150	Vertical	Pass
4	7760.250	53.15	1.29	74.0	-20.85	Peak	55.00	150	Vertical	Pass
4**	7760.250	43.77	1.29	54.0	-10.23	AV	55.00	150	Vertical	Pass
5	13621.500	49.93	0.27	74.0	-24.07	Peak	49.00	150	Vertical	Pass
5**	13621.500	41.18	0.27	54.0	-12.82	AV	49.00	150	Vertical	Pass
6	17935.999	52.39	1.02	74.0	-21.61	Peak	161.00	150	Vertical	Pass
6**	17935.999	43.57	1.02	54.0	-10.43	AV	161.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	51.93	-18.41	74.0	-22.07	Peak	0.00	150	Horizontal	Pass
1**	1080.100	38.55	-18.41	54.0	-15.45	AV	0.00	150	Horizontal	Pass
2	2462.000	105.73	-12.75	74.0	31.73	Peak	219.00	150	Horizontal	N/A
2**	2462.000	101.44	-12.75	54.0	47.44	AV	219.00	150	Horizontal	N/A
3	4924.000	50.14	-3.84	74.0	-23.86	Peak	213.00	150	Horizontal	Pass
3**	4924.000	44.14	-3.84	54.0	-9.86	AV	213.00	150	Horizontal	Pass
4	7313.500	52.66	0.48	74.0	-21.34	Peak	237.00	150	Horizontal	Pass
4**	7313.500	43.30	0.48	54.0	-10.70	AV	237.00	150	Horizontal	Pass
5	11708.000	49.31	-3.67	74.0	-24.69	Peak	239.00	150	Horizontal	Pass
5**	11708.000	39.75	-3.67	54.0	-14.25	AV	239.00	150	Horizontal	Pass
6	17919.001	52.61	1.24	74.0	-21.39	Peak	239.00	150	Horizontal	Pass
6**	17919.001	43.17	1.24	54.0	-10.83	AV	239.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	48.98	-18.40	74.0	-25.02	Peak	139.00	150	Vertical	Pass
1**	1079.900	30.45	-18.40	54.0	-23.55	AV	139.00	150	Vertical	Pass
2	2463.200	106.13	-12.83	74.0	32.13	Peak	150.00	150	Vertical	N/A
2**	2463.200	103.43	-12.83	54.0	49.43	AV	150.00	150	Vertical	N/A
3	4924.500	49.39	-3.85	74.0	-24.61	Peak	270.00	150	Vertical	Pass
3**	4924.500	44.29	-3.85	54.0	-9.71	AV	270.00	150	Vertical	Pass
4	7990.500	52.99	1.13	74.0	-21.01	Peak	91.00	150	Vertical	Pass
4**	7990.500	44.26	1.13	54.0	-9.74	AV	91.00	150	Vertical	Pass
5	13873.000	50.35	-0.52	74.0	-23.65	Peak	49.00	150	Vertical	Pass
5**	13873.000	41.19	-0.52	54.0	-12.81	AV	49.00	150	Vertical	Pass
6	17369.000	52.17	-0.08	74.0	-21.83	Peak	179.00	150	Vertical	Pass
6**	17369.000	43.16	-0.08	54.0	-10.84	AV	179.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	52.03	-18.40	74.0	-21.97	Peak	315.00	150	Horizontal	Pass
1**	1079.900	37.45	-18.40	54.0	-16.55	AV	315.00	150	Horizontal	Pass
2	2413.100	108.31	-12.71	74.0	34.31	Peak	218.00	150	Horizontal	N/A
2**	2413.100	100.50	-12.71	54.0	46.50	AV	218.00	150	Horizontal	N/A
3	5581.000	50.64	-1.37	74.0	-23.36	Peak	131.00	150	Horizontal	Pass
3**	5581.000	41.77	-1.37	54.0	-12.23	AV	131.00	150	Horizontal	Pass
4	7883.750	53.31	1.30	74.0	-20.69	Peak	106.00	150	Horizontal	Pass
4**	7883.750	44.21	1.30	54.0	-9.79	AV	106.00	150	Horizontal	Pass
5	13862.500	50.76	-0.53	74.0	-23.24	Peak	275.00	150	Horizontal	Pass
5**	13862.500	41.50	-0.53	54.0	-12.50	AV	275.00	150	Horizontal	Pass
6	17898.500	52.90	1.48	74.0	-21.10	Peak	310.00	150	Horizontal	Pass
6**	17898.500	43.46	1.48	54.0	-10.54	AV	310.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	47.35	-18.40	74.0	-26.65	Peak	215.00	150	Vertical	Pass
1**	1080.000	35.25	-18.40	54.0	-18.75	AV	215.00	150	Vertical	Pass
2	2413.400	110.17	-12.73	74.0	36.17	Peak	349.00	150	Vertical	N/A
2**	2413.400	102.22	-12.73	54.0	48.22	AV	349.00	150	Vertical	N/A
3	5491.250	50.35	-2.51	74.0	-23.65	Peak	216.00	150	Vertical	Pass
3**	5491.250	41.75	-2.51	54.0	-12.25	AV	216.00	150	Vertical	Pass
4	7811.750	53.13	1.42	74.0	-20.87	Peak	352.00	150	Vertical	Pass
4**	7811.750	44.55	1.42	54.0	-9.45	AV	352.00	150	Vertical	Pass
5	13856.000	50.86	-0.54	74.0	-23.14	Peak	360.00	150	Vertical	Pass
5**	13856.000	40.86	-0.54	54.0	-13.14	AV	360.00	150	Vertical	Pass
6	17902.000	52.36	1.47	74.0	-21.64	Peak	350.00	150	Vertical	Pass
6**	17902.000	42.88	1.47	54.0	-11.12	AV	350.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	50.05	-18.41	74.0	-23.95	Peak	360.00	150	Horizontal	Pass
1**	1080.200	36.79	-18.41	54.0	-17.21	AV	360.00	150	Horizontal	Pass
2	2421.500	107.16	-12.49	74.0	33.16	Peak	319.00	150	Horizontal	N/A
2**	2421.500	98.73	-12.49	54.0	44.73	AV	319.00	150	Horizontal	N/A
3	5481.500	50.76	-2.59	74.0	-23.24	Peak	244.00	150	Horizontal	Pass
3**	5481.500	41.30	-2.59	54.0	-12.70	AV	244.00	150	Horizontal	Pass
4	7647.750	53.53	1.24	74.0	-20.47	Peak	38.00	150	Horizontal	Pass
4**	7647.750	44.01	1.24	54.0	-9.99	AV	38.00	150	Horizontal	Pass
5	13860.500	50.36	-0.53	74.0	-23.64	Peak	53.00	150	Horizontal	Pass
5**	13860.500	41.43	-0.53	54.0	-12.57	AV	53.00	150	Horizontal	Pass
6	17997.001	52.62	1.48	74.0	-21.38	Peak	228.00	150	Horizontal	Pass
6**	17997.001	43.27	1.48	54.0	-10.73	AV	228.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	46.28	-18.41	74.0	-27.72	Peak	0.00	150	Vertical	Pass
1**	1080.200	30.00	-18.41	54.0	-24.00	AV	0.00	150	Vertical	Pass
2	2420.200	109.74	-12.50	74.0	35.74	Peak	267.00	150	Vertical	N/A
2**	2420.200	102.68	-12.50	54.0	48.68	AV	267.00	150	Vertical	N/A
3	5848.500	51.30	-2.27	74.0	-22.70	Peak	47.00	150	Vertical	Pass
3**	5848.500	42.26	-2.27	54.0	-11.74	AV	47.00	150	Vertical	Pass
4	7818.750	53.80	2.15	74.0	-20.20	Peak	109.00	150	Vertical	Pass
4**	7818.750	44.73	2.15	54.0	-9.27	AV	109.00	150	Vertical	Pass
5	13890.000	49.71	-0.50	74.0	-24.29	Peak	113.00	150	Vertical	Pass
5**	13890.000	41.59	-0.50	54.0	-12.41	AV	113.00	150	Vertical	Pass
6	17861.501	51.98	1.00	74.0	-22.02	Peak	360.00	150	Vertical	Pass
6**	17861.501	43.06	1.00	54.0	-10.94	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	49.94	-18.39	74.0	-24.06	Peak	360.00	150	Horizontal	Pass
1**	1079.800	35.87	-18.39	54.0	-18.13	AV	360.00	150	Horizontal	Pass
2	2419.600	107.71	-12.49	74.0	33.71	Peak	201.00	150	Horizontal	N/A
2**	2419.600	99.07	-12.49	54.0	45.07	AV	201.00	150	Horizontal	N/A
3	5776.000	51.17	-2.67	74.0	-22.83	Peak	271.00	150	Horizontal	Pass
3**	5776.000	41.75	-2.67	54.0	-12.25	AV	271.00	150	Horizontal	Pass
4	7486.500	53.88	1.62	74.0	-20.12	Peak	347.00	150	Horizontal	Pass
4**	7486.500	45.71	1.62	54.0	-8.29	AV	347.00	150	Horizontal	Pass
5	13869.500	50.34	-0.52	74.0	-23.66	Peak	328.00	150	Horizontal	Pass
5**	13869.500	41.71	-0.52	54.0	-12.29	AV	328.00	150	Horizontal	Pass
6	17856.000	51.63	0.93	74.0	-22.37	Peak	134.00	150	Horizontal	Pass
6**	17856.000	42.70	0.93	54.0	-11.30	AV	134.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.300	45.95	-18.37	74.0	-28.05	Peak	0.00	150	Vertical	Pass
1**	1079.300	29.72	-18.37	54.0	-24.28	AV	0.00	150	Vertical	Pass
2	2417.900	109.61	-12.50	74.0	35.61	Peak	339.00	150	Vertical	N/A
2**	2417.900	102.39	-12.50	54.0	48.39	AV	339.00	150	Vertical	N/A
3	5578.000	51.43	-1.39	74.0	-22.57	Peak	30.00	150	Vertical	Pass
3**	5578.000	42.60	-1.39	54.0	-11.40	AV	30.00	150	Vertical	Pass
4	7567.250	54.04	0.70	74.0	-19.96	Peak	302.00	150	Vertical	Pass
4**	7567.250	43.95	0.70	54.0	-10.05	AV	302.00	150	Vertical	Pass
5	13879.000	50.63	-0.51	74.0	-23.37	Peak	110.00	150	Vertical	Pass
5**	13879.000	42.34	-0.51	54.0	-11.66	AV	110.00	150	Vertical	Pass
6	17933.500	52.24	1.05	74.0	-21.76	Peak	13.00	150	Vertical	Pass
6**	17933.500	43.48	1.05	54.0	-10.52	AV	13.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	50.90	-18.40	74.0	-23.10	Peak	0.00	150	Horizontal	Pass
1**	1080.000	32.70	-18.40	54.0	-21.30	AV	0.00	150	Horizontal	Pass
2	2425.000	108.50	-12.78	74.0	34.50	Peak	322.00	150	Horizontal	N/A
2**	2425.000	100.53	-12.78	54.0	46.53	AV	322.00	150	Horizontal	N/A
3	5463.250	50.52	-3.05	74.0	-23.48	Peak	338.00	150	Horizontal	Pass
3**	5463.250	41.49	-3.05	54.0	-12.51	AV	338.00	150	Horizontal	Pass
4	7763.750	54.02	1.25	74.0	-19.98	Peak	326.00	150	Horizontal	Pass
4**	7763.750	43.91	1.25	54.0	-10.09	AV	326.00	150	Horizontal	Pass
5	13879.000	50.36	-0.51	74.0	-23.64	Peak	286.00	150	Horizontal	Pass
5**	13879.000	42.30	-0.51	54.0	-11.70	AV	286.00	150	Horizontal	Pass
6	17913.000	52.00	1.32	74.0	-22.00	Peak	92.00	150	Horizontal	Pass
6**	17913.000	42.87	1.32	54.0	-11.13	AV	92.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	45.46	-18.41	74.0	-28.54	Peak	172.00	150	Vertical	Pass
1**	1080.200	34.65	-18.41	54.0	-19.35	AV	172.00	150	Vertical	Pass
2	2431.900	109.60	-12.67	74.0	35.60	Peak	158.00	150	Vertical	N/A
2**	2431.900	102.03	-12.67	54.0	48.03	AV	158.00	150	Vertical	N/A
3	4951.000	50.23	-3.34	74.0	-23.77	Peak	360.00	150	Vertical	Pass
3**	4951.000	39.85	-3.34	54.0	-14.15	AV	360.00	150	Vertical	Pass
4	7405.000	53.18	0.45	74.0	-20.82	Peak	100.00	150	Vertical	Pass
4**	7405.000	43.44	0.45	54.0	-10.56	AV	100.00	150	Vertical	Pass
5	13561.000	49.53	0.08	74.0	-24.47	Peak	192.00	150	Vertical	Pass
5**	13561.000	40.49	0.08	54.0	-13.51	AV	192.00	150	Vertical	Pass
6	17861.501	52.40	1.00	74.0	-21.60	Peak	171.00	150	Vertical	Pass
6**	17861.501	43.66	1.00	54.0	-10.34	AV	171.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	50.47	-18.41	74.0	-23.53	Peak	323.00	150	Horizontal	Pass
1**	1080.100	40.95	-18.41	54.0	-13.05	AV	323.00	150	Horizontal	Pass
2	2426.200	108.49	-12.70	74.0	34.49	Peak	310.00	150	Horizontal	N/A
2**	2426.200	100.93	-12.70	54.0	46.93	AV	310.00	150	Horizontal	N/A
3	5487.250	50.81	-2.39	74.0	-23.19	Peak	183.00	150	Horizontal	Pass
3**	5487.250	41.93	-2.39	54.0	-12.07	AV	183.00	150	Horizontal	Pass
4	7588.250	53.23	0.73	74.0	-20.77	Peak	183.00	150	Horizontal	Pass
4**	7588.250	44.38	0.73	54.0	-9.62	AV	183.00	150	Horizontal	Pass
5	13881.000	49.71	-0.51	74.0	-24.29	Peak	251.00	150	Horizontal	Pass
5**	13881.000	42.45	-0.51	54.0	-11.55	AV	251.00	150	Horizontal	Pass
6	16873.500	52.43	-0.11	74.0	-21.57	Peak	289.00	150	Horizontal	Pass
6**	16873.500	42.80	-0.11	54.0	-11.20	AV	289.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	48.68	-18.41	74.0	-25.32	Peak	152.00	150	Vertical	Pass
1**	1080.200	37.32	-18.41	54.0	-16.68	AV	152.00	150	Vertical	Pass
2	2434.800	110.40	-12.26	74.0	36.40	Peak	347.00	150	Vertical	N/A
2**	2434.800	102.12	-12.26	54.0	48.12	AV	347.00	150	Vertical	N/A
3	4907.250	50.57	-3.72	74.0	-23.43	Peak	101.00	150	Vertical	Pass
3**	4907.250	40.32	-3.72	54.0	-13.68	AV	101.00	150	Vertical	Pass
4	7934.500	53.99	2.21	74.0	-20.01	Peak	0.00	150	Vertical	Pass
4**	7934.500	43.78	2.21	54.0	-10.22	AV	0.00	150	Vertical	Pass
5	13874.500	50.54	-0.52	74.0	-23.46	Peak	95.00	150	Vertical	Pass
5**	13874.500	41.54	-0.52	54.0	-12.46	AV	95.00	150	Vertical	Pass
6	16879.000	52.38	0.11	74.0	-21.62	Peak	231.00	150	Vertical	Pass
6**	16879.000	42.54	0.11	54.0	-11.46	AV	231.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	51.88	-18.41	74.0	-22.12	Peak	330.00	150	Horizontal	Pass
1**	1080.200	41.49	-18.41	54.0	-12.51	AV	330.00	150	Horizontal	Pass
2	2435.000	108.34	-12.21	74.0	34.34	Peak	219.00	150	Horizontal	N/A
2**	2435.000	100.98	-12.21	54.0	46.98	AV	219.00	150	Horizontal	N/A
3	5141.000	50.27	-2.31	74.0	-23.73	Peak	189.00	150	Horizontal	Pass
3**	5141.000	40.74	-2.31	54.0	-13.26	AV	189.00	150	Horizontal	Pass
4	7811.000	53.45	1.34	74.0	-20.55	Peak	151.00	150	Horizontal	Pass
4**	7811.000	44.60	1.34	54.0	-9.40	AV	151.00	150	Horizontal	Pass
5	12838.500	49.78	-1.73	74.0	-24.22	Peak	51.00	150	Horizontal	Pass
5**	12838.500	40.03	-1.73	54.0	-13.97	AV	51.00	150	Horizontal	Pass
6	17850.499	52.40	0.86	74.0	-21.60	Peak	126.00	150	Horizontal	Pass
6**	17850.499	42.12	0.86	54.0	-11.88	AV	126.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	47.81	-18.41	74.0	-26.19	Peak	137.00	150	Vertical	Pass
1**	1080.100	34.56	-18.41	54.0	-19.44	AV	137.00	150	Vertical	Pass
2	2436.000	110.93	-12.21	74.0	36.93	Peak	188.00	150	Vertical	N/A
2**	2436.000	101.60	-12.21	54.0	47.60	AV	188.00	150	Vertical	N/A
3	5582.250	50.74	-1.41	74.0	-23.26	Peak	98.00	150	Vertical	Pass
3**	5582.250	42.28	-1.41	54.0	-11.72	AV	98.00	150	Vertical	Pass
4	7702.500	53.31	1.03	74.0	-20.69	Peak	136.00	150	Vertical	Pass
4**	7702.500	43.89	1.03	54.0	-10.11	AV	136.00	150	Vertical	Pass
5	13613.000	49.70	0.42	74.0	-24.30	Peak	328.00	150	Vertical	Pass
5**	13613.000	40.21	0.42	54.0	-13.79	AV	328.00	150	Vertical	Pass
6	17814.499	52.62	0.72	74.0	-21.38	Peak	0.00	150	Vertical	Pass
6**	17814.499	43.34	0.72	54.0	-10.66	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	50.22	-18.42	74.0	-23.78	Peak	358.00	150	Horizontal	Pass
1**	1080.400	34.75	-18.42	54.0	-19.25	AV	358.00	150	Horizontal	Pass
2	2439.600	108.00	-12.36	74.0	34.00	Peak	211.00	150	Horizontal	N/A
2**	2439.600	100.37	-12.36	54.0	46.37	AV	211.00	150	Horizontal	N/A
3	5071.500	50.34	-2.87	74.0	-23.66	Peak	360.00	150	Horizontal	Pass
3**	5071.500	39.92	-2.87	54.0	-14.08	AV	360.00	150	Horizontal	Pass
4	7200.750	53.40	-0.01	74.0	-20.60	Peak	175.00	150	Horizontal	Pass
4**	7200.750	43.07	-0.01	54.0	-10.93	AV	175.00	150	Horizontal	Pass
5	11767.500	49.10	-3.50	74.0	-24.90	Peak	360.00	150	Horizontal	Pass
5**	11767.500	40.80	-3.50	54.0	-13.20	AV	360.00	150	Horizontal	Pass
6	17988.499	52.93	1.36	74.0	-21.07	Peak	190.00	150	Horizontal	Pass
6**	17988.499	42.15	1.36	54.0	-11.85	AV	190.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.300	45.88	-18.37	74.0	-28.12	Peak	148.00	150	Vertical	Pass
1**	1079.300	33.41	-18.37	54.0	-20.59	AV	148.00	150	Vertical	Pass
2	2439.200	110.25	-12.36	74.0	36.25	Peak	228.00	150	Vertical	N/A
2**	2439.200	101.89	-12.36	54.0	47.89	AV	228.00	150	Vertical	N/A
3	5717.000	51.37	-2.59	74.0	-22.63	Peak	186.00	150	Vertical	Pass
3**	5717.000	42.37	-2.59	54.0	-11.63	AV	186.00	150	Vertical	Pass
4	7705.500	52.97	1.33	74.0	-21.03	Peak	200.00	150	Vertical	Pass
4**	7705.500	43.56	1.33	54.0	-10.44	AV	200.00	150	Vertical	Pass
5	13893.000	50.39	-0.50	74.0	-23.61	Peak	11.00	150	Vertical	Pass
5**	13893.000	42.18	-0.50	54.0	-11.82	AV	11.00	150	Vertical	Pass
6	17979.501	52.29	1.24	74.0	-21.71	Peak	148.00	150	Vertical	Pass
6**	17979.501	42.29	1.24	54.0	-11.71	AV	148.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	49.81	-18.39	74.0	-24.19	Peak	360.00	150	Horizontal	Pass
1**	1079.800	33.56	-18.39	54.0	-20.44	AV	360.00	150	Horizontal	Pass
2	2448.900	107.65	-12.49	74.0	33.65	Peak	194.00	150	Horizontal	N/A
2**	2448.900	100.16	-12.49	54.0	46.16	AV	194.00	150	Horizontal	N/A
3	5047.000	50.30	-2.98	74.0	-23.70	Peak	96.00	150	Horizontal	Pass
3**	5047.000	41.05	-2.98	54.0	-12.95	AV	96.00	150	Horizontal	Pass
4	7994.000	53.04	1.15	74.0	-20.96	Peak	235.00	150	Horizontal	Pass
4**	7994.000	44.41	1.15	54.0	-9.59	AV	235.00	150	Horizontal	Pass
5	13873.500	50.46	-0.52	74.0	-23.54	Peak	167.00	150	Horizontal	Pass
5**	13873.500	41.15	-0.52	54.0	-12.85	AV	167.00	150	Horizontal	Pass
6	17930.000	52.21	1.10	74.0	-21.79	Peak	247.00	150	Horizontal	Pass
6**	17930.000	43.46	1.10	54.0	-10.54	AV	247.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	46.35	-18.42	74.0	-27.65	Peak	0.00	150	Vertical	Pass
1**	1080.500	34.84	-18.42	54.0	-19.16	AV	0.00	150	Vertical	Pass
2	2449.900	109.91	-12.36	74.0	35.91	Peak	40.00	150	Vertical	N/A
2**	2449.900	102.04	-12.36	54.0	48.04	AV	40.00	150	Vertical	N/A
3	5989.500	50.93	-1.92	74.0	-23.07	Peak	130.00	150	Vertical	Pass
3**	5989.500	41.87	-1.92	54.0	-12.13	AV	130.00	150	Vertical	Pass
4	7814.750	53.82	1.58	74.0	-20.18	Peak	7.00	150	Vertical	Pass
4**	7814.750	44.22	1.58	54.0	-9.78	AV	7.00	150	Vertical	Pass
5	13857.500	50.60	-0.54	74.0	-23.40	Peak	269.00	150	Vertical	Pass
5**	13857.500	41.00	-0.54	54.0	-13.00	AV	269.00	150	Vertical	Pass
6	17858.501	52.23	0.96	74.0	-21.77	Peak	347.00	150	Vertical	Pass
6**	17858.501	42.92	0.96	54.0	-11.08	AV	347.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	50.35	-18.41	74.0	-23.65	Peak	348.00	150	Horizontal	Pass
1**	1080.100	30.18	-18.41	54.0	-23.82	AV	348.00	150	Horizontal	Pass
2	2456.700	107.00	-12.68	74.0	33.00	Peak	208.00	150	Horizontal	N/A
2**	2456.700	98.51	-12.68	54.0	44.51	AV	208.00	150	Horizontal	N/A
3	5494.750	50.82	-2.52	74.0	-23.18	Peak	349.00	150	Horizontal	Pass
3**	5494.750	41.10	-2.52	54.0	-12.90	AV	349.00	150	Horizontal	Pass
4	7645.750	53.38	1.25	74.0	-20.62	Peak	94.00	150	Horizontal	Pass
4**	7645.750	44.28	1.25	54.0	-9.72	AV	94.00	150	Horizontal	Pass
5	12780.500	49.39	-2.19	74.0	-24.61	Peak	356.00	150	Horizontal	Pass
5**	12780.500	40.11	-2.19	54.0	-13.89	AV	356.00	150	Horizontal	Pass
6	17809.000	51.79	0.70	74.0	-22.21	Peak	77.00	150	Horizontal	Pass
6**	17809.000	43.52	0.70	54.0	-10.48	AV	77.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	45.40	-18.41	74.0	-28.60	Peak	102.00	150	Vertical	Pass
1**	1080.200	33.77	-18.41	54.0	-20.23	AV	102.00	150	Vertical	Pass
2	2450.100	109.95	-12.33	74.0	35.95	Peak	289.00	150	Vertical	N/A
2**	2450.100	101.65	-12.33	54.0	47.65	AV	289.00	150	Vertical	N/A
3	5564.500	50.94	-2.44	74.0	-23.06	Peak	131.00	150	Vertical	Pass
3**	5564.500	41.13	-2.44	54.0	-12.87	AV	131.00	150	Vertical	Pass
4	7806.750	53.92	1.06	74.0	-20.08	Peak	42.00	150	Vertical	Pass
4**	7806.750	44.24	1.06	54.0	-9.76	AV	42.00	150	Vertical	Pass
5	13890.500	50.26	-0.50	74.0	-23.74	Peak	2.00	150	Vertical	Pass
5**	13890.500	41.26	-0.50	54.0	-12.74	AV	2.00	150	Vertical	Pass
6	17779.499	52.55	0.90	74.0	-21.45	Peak	0.00	150	Vertical	Pass
6**	17779.499	42.43	0.90	54.0	-11.57	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	50.83	-18.41	74.0	-23.17	Peak	0.00	150	Horizontal	Pass
1**	1080.100	37.97	-18.41	54.0	-16.03	AV	0.00	150	Horizontal	Pass
2	2460.000	106.14	-12.69	74.0	32.14	Peak	204.00	150	Horizontal	N/A
2**	2460.000	98.40	-12.69	54.0	44.40	AV	204.00	150	Horizontal	N/A
3	5585.500	50.96	-1.71	74.0	-23.04	Peak	113.00	150	Horizontal	Pass
3**	5585.500	41.60	-1.71	54.0	-12.40	AV	113.00	150	Horizontal	Pass
4	7605.500	53.46	0.74	74.0	-20.54	Peak	316.00	150	Horizontal	Pass
4**	7605.500	44.19	0.74	54.0	-9.81	AV	316.00	150	Horizontal	Pass
5	13866.500	50.01	-0.53	74.0	-23.99	Peak	185.00	150	Horizontal	Pass
5**	13866.500	41.21	-0.53	54.0	-12.79	AV	185.00	150	Horizontal	Pass
6	17883.001	52.21	1.28	74.0	-21.79	Peak	322.00	150	Horizontal	Pass
6**	17883.001	42.66	1.28	54.0	-11.34	AV	322.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	46.93	-18.40	74.0	-27.07	Peak	184.00	150	Vertical	Pass
1**	1079.900	36.90	-18.40	54.0	-17.10	AV	184.00	150	Vertical	Pass
2	2456.300	109.17	-12.68	74.0	35.17	Peak	341.00	150	Vertical	N/A
2**	2456.300	101.63	-12.68	54.0	47.63	AV	341.00	150	Vertical	N/A
3	5890.500	51.32	-2.72	74.0	-22.68	Peak	47.00	150	Vertical	Pass
3**	5890.500	40.94	-2.72	54.0	-13.06	AV	47.00	150	Vertical	Pass
4	7565.500	53.75	0.46	74.0	-20.25	Peak	247.00	150	Vertical	Pass
4**	7565.500	43.71	0.46	54.0	-10.29	AV	247.00	150	Vertical	Pass
5	13858.000	50.35	-0.54	74.0	-23.65	Peak	360.00	150	Vertical	Pass
5**	13858.000	41.03	-0.54	54.0	-12.97	AV	360.00	150	Vertical	Pass
6	17846.999	52.26	0.84	74.0	-21.74	Peak	177.00	150	Vertical	Pass
6**	17846.999	42.49	0.84	54.0	-11.51	AV	177.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	51.88	-18.41	74.0	-22.12	Peak	351.00	150	Horizontal	Pass
1**	1080.200	39.29	-18.41	54.0	-14.71	AV	351.00	150	Horizontal	Pass
2	2463.300	108.12	-12.82	74.0	34.12	Peak	220.00	150	Horizontal	N/A
2**	2463.300	100.95	-12.82	54.0	46.95	AV	220.00	150	Horizontal	N/A
3	5579.500	51.36	-1.35	74.0	-22.64	Peak	315.00	150	Horizontal	Pass
3**	5579.500	41.48	-1.35	54.0	-12.52	AV	315.00	150	Horizontal	Pass
4	7493.000	53.61	1.18	74.0	-20.39	Peak	169.00	150	Horizontal	Pass
4**	7493.000	44.83	1.18	54.0	-9.17	AV	169.00	150	Horizontal	Pass
5	13901.000	50.21	-0.53	74.0	-23.79	Peak	80.00	150	Horizontal	Pass
5**	13901.000	41.25	-0.53	54.0	-12.75	AV	80.00	150	Horizontal	Pass
6	17744.501	51.80	1.09	74.0	-22.20	Peak	138.00	150	Horizontal	Pass
6**	17744.501	42.62	1.09	54.0	-11.38	AV	138.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	46.32	-18.42	74.0	-27.68	Peak	142.00	150	Vertical	Pass
1**	1080.300	34.75	-18.42	54.0	-19.25	AV	142.00	150	Vertical	Pass
2	2463.900	110.01	-12.79	74.0	36.01	Peak	285.00	150	Vertical	N/A
2**	2463.900	101.71	-12.79	54.0	47.71	AV	285.00	150	Vertical	N/A
3	5380.250	50.69	-2.87	74.0	-23.31	Peak	234.00	150	Vertical	Pass
3**	5380.250	40.11	-2.87	54.0	-13.89	AV	234.00	150	Vertical	Pass
4	7375.500	52.81	0.75	74.0	-21.19	Peak	182.00	150	Vertical	Pass
4**	7375.500	44.15	0.75	54.0	-9.85	AV	182.00	150	Vertical	Pass
5	13887.000	50.06	-0.51	74.0	-23.94	Peak	0.00	150	Vertical	Pass
5**	13887.000	41.99	-0.51	54.0	-12.01	AV	0.00	150	Vertical	Pass
6	17925.501	52.27	1.16	74.0	-21.73	Peak	185.00	150	Vertical	Pass
6**	17925.501	43.19	1.16	54.0	-10.81	AV	185.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	50.12	-18.38	74.0	-23.88	Peak	327.00	150	Horizontal	Pass
1**	1079.500	38.38	-18.38	54.0	-15.62	AV	327.00	150	Horizontal	Pass
2	2418.500	108.17	-12.47	74.0	34.17	Peak	231.00	150	Horizontal	N/A
2**	2418.500	99.49	-12.47	54.0	45.49	AV	231.00	150	Horizontal	N/A
3	5803.750	50.90	-1.87	74.0	-23.10	Peak	71.00	150	Horizontal	Pass
3**	5803.750	41.75	-1.87	54.0	-12.25	AV	71.00	150	Horizontal	Pass
4	7759.250	53.49	1.17	74.0	-20.51	Peak	334.00	150	Horizontal	Pass
4**	7759.250	43.53	1.17	54.0	-10.47	AV	334.00	150	Horizontal	Pass
5	13792.500	49.81	0.17	74.0	-24.19	Peak	360.00	150	Horizontal	Pass
5**	13792.500	40.45	0.17	54.0	-13.55	AV	360.00	150	Horizontal	Pass
6	17951.500	52.51	0.85	74.0	-21.49	Peak	360.00	150	Horizontal	Pass
6**	17951.500	43.31	0.85	54.0	-10.69	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	41.69	-18.39	74.0	-32.31	Peak	166.00	150	Vertical	Pass
1**	1079.700	30.36	-18.39	54.0	-23.64	AV	166.00	150	Vertical	Pass
2	2412.800	109.66	-12.70	74.0	35.66	Peak	349.00	150	Vertical	N/A
2**	2412.800	101.19	-12.70	54.0	47.19	AV	349.00	150	Vertical	N/A
3	5488.250	50.18	-2.38	74.0	-23.82	Peak	0.00	150	Vertical	Pass
3**	5488.250	41.69	-2.38	54.0	-12.31	AV	0.00	150	Vertical	Pass
4	7755.750	53.80	0.90	74.0	-20.20	Peak	152.00	150	Vertical	Pass
4**	7755.750	43.85	0.90	54.0	-10.15	AV	152.00	150	Vertical	Pass
5	13134.000	49.72	-1.12	74.0	-24.28	Peak	188.00	150	Vertical	Pass
5**	13134.000	40.27	-1.12	54.0	-13.73	AV	188.00	150	Vertical	Pass
6	17920.500	52.18	1.22	74.0	-21.82	Peak	0.00	150	Vertical	Pass
6**	17920.500	43.10	1.22	54.0	-10.90	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1228.300	46.78	-11.61	74.0	-27.22	Peak	131.00	150	Horizontal	Pass
1**	1228.300	37.52	-11.61	54.0	-16.48	AV	131.00	150	Horizontal	Pass
2	2414.100	106.18	-6.90	74.0	32.18	Peak	311.00	150	Horizontal	N/A
2**	2414.100	97.74	-6.90	54.0	43.74	AV	311.00	150	Horizontal	N/A
3	4679.500	49.30	-4.19	74.0	-24.70	Peak	360.00	150	Horizontal	Pass
3**	4679.500	38.89	-4.19	54.0	-15.11	AV	360.00	150	Horizontal	Pass
4	7632.250	52.98	-0.01	74.0	-21.02	Peak	91.00	150	Horizontal	Pass
4**	7632.250	43.39	-0.01	54.0	-10.61	AV	91.00	150	Horizontal	Pass
5	9802.500	49.91	-2.46	74.0	-24.09	Peak	93.00	150	Horizontal	Pass
5**	9802.500	40.76	-2.46	54.0	-13.24	AV	93.00	150	Horizontal	Pass
6	17814.499	52.71	0.72	74.0	-21.29	Peak	336.00	150	Horizontal	Pass
6**	17814.499	44.48	0.72	54.0	-9.52	AV	336.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1294.600	47.07	-11.52	74.0	-26.93	Peak	75.00	150	Vertical	Pass
1**	1294.600	38.04	-11.52	54.0	-15.96	AV	75.00	150	Vertical	Pass
2	2419.700	114.26	-6.71	74.0	40.26	Peak	334.00	150	Vertical	N/A
2**	2419.700	106.89	-6.71	54.0	52.89	AV	334.00	150	Vertical	N/A
3	5095.000	49.90	-3.01	74.0	-24.10	Peak	58.00	150	Vertical	Pass
3**	5095.000	39.63	-3.01	54.0	-14.37	AV	58.00	150	Vertical	Pass
4	7817.500	53.66	2.14	74.0	-20.34	Peak	142.00	150	Vertical	Pass
4**	7817.500	44.09	2.14	54.0	-9.91	AV	142.00	150	Vertical	Pass
5	9805.500	50.40	-2.62	74.0	-23.60	Peak	221.00	150	Vertical	Pass
5**	9805.500	41.08	-2.62	54.0	-12.92	AV	221.00	150	Vertical	Pass
6	16907.000	51.63	0.65	74.0	-22.37	Peak	306.00	150	Vertical	Pass
6**	16907.000	42.27	0.65	54.0	-11.73	AV	306.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	48.87	-12.50	74.0	-25.13	Peak	162.00	150	Horizontal	Pass
1**	1080.000	38.97	-12.50	54.0	-15.03	AV	162.00	150	Horizontal	Pass
2	2417.800	107.43	-6.81	74.0	33.43	Peak	322.00	150	Horizontal	N/A
2**	2417.800	99.16	-6.81	54.0	45.16	AV	322.00	150	Horizontal	N/A
3	4358.750	47.52	-4.80	74.0	-26.48	Peak	131.00	150	Horizontal	Pass
3**	4358.750	38.41	-4.80	54.0	-15.59	AV	131.00	150	Horizontal	Pass
4	7060.250	52.79	-0.99	74.0	-21.21	Peak	184.00	150	Horizontal	Pass
4**	7060.250	42.71	-0.99	54.0	-11.29	AV	184.00	150	Horizontal	Pass
5	9834.000	49.56	-4.10	74.0	-24.44	Peak	24.00	150	Horizontal	Pass
5**	9834.000	40.17	-4.10	54.0	-13.83	AV	24.00	150	Horizontal	Pass
6	16901.500	51.98	0.88	74.0	-22.02	Peak	207.00	150	Horizontal	Pass
6**	16901.500	42.33	0.88	54.0	-11.67	AV	207.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.700	47.20	-11.49	74.0	-26.80	Peak	179.00	150	Vertical	Pass
1**	1333.700	37.38	-11.49	54.0	-16.62	AV	179.00	150	Vertical	Pass
2	2420.200	114.73	-6.68	74.0	40.73	Peak	5.00	150	Vertical	N/A
2**	2420.200	107.17	-6.68	54.0	53.17	AV	5.00	150	Vertical	N/A
3	4696.750	49.17	-3.44	74.0	-24.83	Peak	17.00	150	Vertical	Pass
3**	4696.750	39.81	-3.44	54.0	-14.19	AV	17.00	150	Vertical	Pass
4	7486.000	53.55	1.56	74.0	-20.45	Peak	27.00	150	Vertical	Pass
4**	7486.000	43.94	1.56	54.0	-10.06	AV	27.00	150	Vertical	Pass
5	9801.000	49.26	-2.39	74.0	-24.74	Peak	193.00	150	Vertical	Pass
5**	9801.000	41.79	-2.39	54.0	-12.21	AV	193.00	150	Vertical	Pass
6	15942.500	51.07	-0.22	74.0	-22.93	Peak	360.00	150	Vertical	Pass
6**	15942.500	43.02	-0.22	54.0	-10.98	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	49.59	-12.48	74.0	-24.41	Peak	290.00	150	Horizontal	Pass
1**	1079.600	36.30	-12.48	54.0	-17.70	AV	290.00	150	Horizontal	Pass
2	2422.600	109.06	-6.67	74.0	35.06	Peak	309.00	150	Horizontal	N/A
2**	2422.600	100.96	-6.67	54.0	46.96	AV	309.00	150	Horizontal	N/A
3	4454.500	47.73	-3.93	74.0	-26.27	Peak	291.00	150	Horizontal	Pass
3**	4454.500	38.77	-3.93	54.0	-15.23	AV	291.00	150	Horizontal	Pass
4	7654.250	52.77	1.17	74.0	-21.23	Peak	60.00	150	Horizontal	Pass
4**	7654.250	43.30	1.17	54.0	-10.70	AV	60.00	150	Horizontal	Pass
5	9804.500	49.09	-2.57	74.0	-24.91	Peak	10.00	150	Horizontal	Pass
5**	9804.500	40.98	-2.57	54.0	-13.02	AV	10.00	150	Horizontal	Pass
6	16772.000	51.69	-1.37	74.0	-22.31	Peak	0.00	150	Horizontal	Pass
6**	16772.000	41.62	-1.37	54.0	-12.38	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1365.700	46.71	-11.16	74.0	-27.29	Peak	43.00	150	Vertical	Pass
1**	1365.700	37.84	-11.16	54.0	-16.16	AV	43.00	150	Vertical	Pass
2	2426.000	115.45	-6.66	74.0	41.45	Peak	0.00	150	Vertical	N/A
2**	2426.000	107.32	-6.66	54.0	53.32	AV	0.00	150	Vertical	N/A
3	4698.250	49.00	-3.51	74.0	-25.00	Peak	15.00	150	Vertical	Pass
3**	4698.250	39.36	-3.51	54.0	-14.64	AV	15.00	150	Vertical	Pass
4	7024.000	52.72	-0.41	74.0	-21.28	Peak	216.00	150	Vertical	Pass
4**	7024.000	42.52	-0.41	54.0	-11.48	AV	216.00	150	Vertical	Pass
5	9804.000	49.09	-2.54	74.0	-24.91	Peak	236.00	150	Vertical	Pass
5**	9804.000	41.11	-2.54	54.0	-12.89	AV	236.00	150	Vertical	Pass
6	16142.000	52.05	-0.33	74.0	-21.95	Peak	80.00	150	Vertical	Pass
6**	16142.000	42.99	-0.33	54.0	-11.01	AV	80.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	49.16	-12.49	74.0	-24.84	Peak	0.00	150	Horizontal	Pass
1**	1079.800	36.62	-12.49	54.0	-17.38	AV	0.00	150	Horizontal	Pass
2	2435.100	109.07	-6.19	74.0	35.07	Peak	317.00	150	Horizontal	N/A
2**	2435.100	100.34	-6.19	54.0	46.34	AV	317.00	150	Horizontal	N/A
3	4881.250	49.15	-3.69	74.0	-24.85	Peak	216.00	150	Horizontal	Pass
3**	4881.250	39.72	-3.69	54.0	-14.28	AV	216.00	150	Horizontal	Pass
4	7814.000	53.69	1.57	74.0	-20.31	Peak	343.00	150	Horizontal	Pass
4**	7814.000	44.91	1.57	54.0	-9.09	AV	343.00	150	Horizontal	Pass
5	9894.000	49.49	-4.15	74.0	-24.51	Peak	151.00	150	Horizontal	Pass
5**	9894.000	40.08	-4.15	54.0	-13.92	AV	151.00	150	Horizontal	Pass
6	16723.500	51.78	-1.94	74.0	-22.22	Peak	319.00	150	Horizontal	Pass
6**	16723.500	42.05	-1.94	54.0	-11.95	AV	319.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	47.49	-12.49	74.0	-26.51	Peak	237.00	150	Vertical	Pass
1**	1079.800	36.14	-12.49	54.0	-17.86	AV	237.00	150	Vertical	Pass
2	2426.500	114.95	-6.59	74.0	40.95	Peak	0.00	150	Vertical	N/A
2**	2426.500	107.34	-6.59	54.0	53.34	AV	0.00	150	Vertical	N/A
3	4851.000	49.40	-3.32	74.0	-24.60	Peak	356.00	150	Vertical	Pass
3**	4851.000	40.56	-3.32	54.0	-13.44	AV	356.00	150	Vertical	Pass
4	7925.750	53.49	1.36	74.0	-20.51	Peak	177.00	150	Vertical	Pass
4**	7925.750	44.39	1.36	54.0	-9.61	AV	177.00	150	Vertical	Pass
5	9803.500	48.74	-2.52	74.0	-25.26	Peak	54.00	150	Vertical	Pass
5**	9803.500	40.44	-2.52	54.0	-13.56	AV	54.00	150	Vertical	Pass
6	14592.500	46.17	-3.63	74.0	-27.83	Peak	0.00	150	Vertical	Pass
6**	14592.500	43.34	-3.63	54.0	-10.66	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.300	49.25	-18.37	74.0	-24.75	Peak	349.00	150	Horizontal	Pass
1**	1079.300	30.86	-18.37	54.0	-23.14	AV	349.00	150	Horizontal	Pass
2	2435.500	107.97	-12.16	74.0	33.97	Peak	211.00	150	Horizontal	N/A
2**	2435.500	100.67	-12.16	54.0	46.67	AV	211.00	150	Horizontal	N/A
3	4813.750	50.14	-2.98	74.0	-23.86	Peak	343.00	150	Horizontal	Pass
3**	4813.750	40.52	-2.98	54.0	-13.48	AV	343.00	150	Horizontal	Pass
4	7815.000	53.40	1.59	74.0	-20.60	Peak	177.00	150	Horizontal	Pass
4**	7815.000	44.63	1.59	54.0	-9.37	AV	177.00	150	Horizontal	Pass
5	13899.500	50.51	-0.49	74.0	-23.49	Peak	234.00	150	Horizontal	Pass
5**	13899.500	41.72	-0.49	54.0	-12.28	AV	234.00	150	Horizontal	Pass
6	17888.000	52.22	1.34	74.0	-21.78	Peak	119.00	150	Horizontal	Pass
6**	17888.000	42.82	1.34	54.0	-11.18	AV	119.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	45.28	-18.40	74.0	-28.72	Peak	146.00	150	Vertical	Pass
1**	1080.000	34.44	-18.40	54.0	-19.56	AV	146.00	150	Vertical	Pass
2	2435.900	109.70	-12.20	74.0	35.70	Peak	283.00	150	Vertical	N/A
2**	2435.900	101.55	-12.20	54.0	47.55	AV	283.00	150	Vertical	N/A
3	5803.250	50.80	-1.86	74.0	-23.20	Peak	47.00	150	Vertical	Pass
3**	5803.250	41.82	-1.86	54.0	-12.18	AV	47.00	150	Vertical	Pass
4	7997.750	52.99	1.00	74.0	-21.01	Peak	0.00	150	Vertical	Pass
4**	7997.750	43.98	1.00	54.0	-10.02	AV	0.00	150	Vertical	Pass
5	13905.500	50.10	-0.68	74.0	-23.90	Peak	232.00	150	Vertical	Pass
5**	13905.500	40.21	-0.68	54.0	-13.79	AV	232.00	150	Vertical	Pass
6	17934.000	52.18	1.04	74.0	-21.82	Peak	232.00	150	Vertical	Pass
6**	17934.000	43.35	1.04	54.0	-10.65	AV	232.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	49.07	-18.39	74.0	-24.93	Peak	0.00	150	Horizontal	Pass
1**	1079.700	30.44	-18.39	54.0	-23.56	AV	0.00	150	Horizontal	Pass
2	2447.300	107.54	-12.54	74.0	33.54	Peak	317.00	150	Horizontal	N/A
2**	2447.300	98.91	-12.54	54.0	44.91	AV	317.00	150	Horizontal	N/A
3	4444.750	47.28	-4.65	74.0	-26.72	Peak	17.00	150	Horizontal	Pass
3**	4444.750	38.92	-4.65	54.0	-15.08	AV	17.00	150	Horizontal	Pass
4	7485.750	53.82	1.52	74.0	-20.18	Peak	59.00	150	Horizontal	Pass
4**	7485.750	44.30	1.52	54.0	-9.70	AV	59.00	150	Horizontal	Pass
5	9801.500	49.55	-2.41	74.0	-24.45	Peak	53.00	150	Horizontal	Pass
5**	9801.500	41.76	-2.41	54.0	-12.24	AV	53.00	150	Horizontal	Pass
6	16644.000	51.91	-2.22	74.0	-22.09	Peak	336.00	150	Horizontal	Pass
6**	16644.000	41.60	-2.22	54.0	-12.40	AV	336.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	46.62	-18.38	74.0	-27.38	Peak	271.00	150	Vertical	Pass
1**	1079.500	29.29	-18.38	54.0	-24.71	AV	271.00	150	Vertical	Pass
2	2445.400	109.80	-12.45	74.0	35.80	Peak	317.00	150	Vertical	N/A
2**	2445.400	102.20	-12.45	54.0	48.20	AV	317.00	150	Vertical	N/A
3	4688.500	49.69	-3.80	74.0	-24.31	Peak	333.00	150	Vertical	Pass
3**	4688.500	39.19	-3.80	54.0	-14.81	AV	333.00	150	Vertical	Pass
4	7648.750	54.11	1.16	74.0	-19.89	Peak	37.00	150	Vertical	Pass
4**	7648.750	43.39	1.16	54.0	-10.61	AV	37.00	150	Vertical	Pass
5	9804.500	49.61	-2.57	74.0	-24.39	Peak	80.00	150	Vertical	Pass
5**	9804.500	41.87	-2.57	54.0	-12.13	AV	80.00	150	Vertical	Pass
6	17841.000	53.06	0.82	74.0	-20.94	Peak	235.00	150	Vertical	Pass
6**	17841.000	43.39	0.82	54.0	-10.61	AV	235.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	47.25	-18.38	74.0	-26.75	Peak	360.00	150	Horizontal	Pass
1**	1079.400	30.14	-18.38	54.0	-23.86	AV	360.00	150	Horizontal	Pass
2	2450.100	106.63	-12.33	74.0	32.63	Peak	218.00	150	Horizontal	N/A
2**	2450.100	98.96	-12.33	54.0	44.96	AV	218.00	150	Horizontal	N/A
3	4696.250	49.26	-3.42	74.0	-24.74	Peak	360.00	150	Horizontal	Pass
3**	4696.250	39.65	-3.42	54.0	-14.35	AV	360.00	150	Horizontal	Pass
4	7586.250	52.86	0.61	74.0	-21.14	Peak	332.00	150	Horizontal	Pass
4**	7586.250	43.71	0.61	54.0	-10.29	AV	332.00	150	Horizontal	Pass
5	9983.500	49.16	-5.62	74.0	-24.84	Peak	39.00	150	Horizontal	Pass
5**	9983.500	38.87	-5.62	54.0	-15.13	AV	39.00	150	Horizontal	Pass
6	17764.000	51.98	1.08	74.0	-22.02	Peak	109.00	150	Horizontal	Pass
6**	17764.000	41.81	1.08	54.0	-12.19	AV	109.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	47.85	-18.40	74.0	-26.15	Peak	211.00	150	Vertical	Pass
1**	1079.900	29.38	-18.40	54.0	-24.62	AV	211.00	150	Vertical	Pass
2	2440.400	109.58	-12.37	74.0	35.58	Peak	237.00	150	Vertical	N/A
2**	2440.400	101.33	-12.37	54.0	47.33	AV	237.00	150	Vertical	N/A
3	5040.250	51.12	-2.98	74.0	-22.88	Peak	187.00	150	Vertical	Pass
3**	5040.250	41.06	-2.98	54.0	-12.94	AV	187.00	150	Vertical	Pass
4	7808.250	52.94	1.14	74.0	-21.06	Peak	0.00	150	Vertical	Pass
4**	7808.250	45.12	1.14	54.0	-8.88	AV	0.00	150	Vertical	Pass
5	9795.000	49.40	-2.52	74.0	-24.60	Peak	322.00	150	Vertical	Pass
5**	9795.000	40.18	-2.52	54.0	-13.82	AV	322.00	150	Vertical	Pass
6	16897.500	52.07	0.85	74.0	-21.93	Peak	138.00	150	Vertical	Pass
6**	16897.500	42.56	0.85	54.0	-11.44	AV	138.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.000	36.60	-18.44	74.0	-37.40	Peak	76.00	150	Horizontal	Pass
1**	1000.000	30.74	-18.44	54.0	-23.26	AV	76.00	150	Horizontal	Pass
2	2453.300	106.83	-12.64	74.0	32.83	Peak	209.00	150	Horizontal	N/A
2**	2453.300	97.51	-12.64	54.0	43.51	AV	209.00	150	Horizontal	N/A
3	4456.000	48.82	-4.17	74.0	-25.18	Peak	264.00	150	Horizontal	Pass
3**	4456.000	38.01	-4.17	54.0	-15.99	AV	264.00	150	Horizontal	Pass
4	7490.750	53.59	1.39	74.0	-20.41	Peak	190.00	150	Horizontal	Pass
4**	7490.750	44.62	1.39	54.0	-9.38	AV	190.00	150	Horizontal	Pass
5	9806.500	49.51	-2.67	74.0	-24.49	Peak	108.00	150	Horizontal	Pass
5**	9806.500	40.70	-2.67	54.0	-13.30	AV	108.00	150	Horizontal	Pass
6	16096.500	52.20	-1.68	74.0	-21.80	Peak	81.00	150	Horizontal	Pass
6**	16096.500	42.40	-1.68	54.0	-11.60	AV	81.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	47.22	-18.41	74.0	-26.78	Peak	256.00	150	Vertical	Pass
1**	1080.200	35.57	-18.41	54.0	-18.43	AV	256.00	150	Vertical	Pass
2	2457.700	109.80	-12.74	74.0	35.80	Peak	308.00	150	Vertical	N/A
2**	2457.700	100.88	-12.74	54.0	46.88	AV	308.00	150	Vertical	N/A
3	4541.000	48.88	-4.31	74.0	-25.12	Peak	343.00	150	Vertical	Pass
3**	4541.000	39.37	-4.31	54.0	-14.63	AV	343.00	150	Vertical	Pass
4	7758.500	53.23	1.07	74.0	-20.77	Peak	227.00	150	Vertical	Pass
4**	7758.500	44.27	1.07	54.0	-9.73	AV	227.00	150	Vertical	Pass
5	9903.500	49.58	-4.18	74.0	-24.42	Peak	307.00	150	Vertical	Pass
5**	9903.500	39.39	-4.18	54.0	-14.61	AV	307.00	150	Vertical	Pass
6	16223.000	51.37	-0.94	74.0	-22.63	Peak	123.00	150	Vertical	Pass
6**	16223.000	42.07	-0.94	54.0	-11.93	AV	123.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	49.13	-18.39	74.0	-24.87	Peak	338.00	150	Horizontal	Pass
1**	1079.700	30.42	-18.39	54.0	-23.58	AV	338.00	150	Horizontal	Pass
2	2455.100	104.53	-12.74	74.0	30.53	Peak	212.00	150	Horizontal	N/A
2**	2455.100	97.76	-12.74	54.0	43.76	AV	212.00	150	Horizontal	N/A
3	4259.250	47.68	-4.71	74.0	-26.32	Peak	360.00	150	Horizontal	Pass
3**	4259.250	37.84	-4.71	54.0	-16.16	AV	360.00	150	Horizontal	Pass
4	7831.750	53.03	0.98	74.0	-20.97	Peak	153.00	150	Horizontal	Pass
4**	7831.750	43.08	0.98	54.0	-10.92	AV	153.00	150	Horizontal	Pass
5	9830.000	49.33	-3.89	74.0	-24.67	Peak	0.00	150	Horizontal	Pass
5**	9830.000	39.45	-3.89	54.0	-14.55	AV	0.00	150	Horizontal	Pass
6	16125.500	51.51	-0.86	74.0	-22.49	Peak	236.00	150	Horizontal	Pass
6**	16125.500	42.75	-0.86	54.0	-11.25	AV	236.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	45.22	-18.39	74.0	-28.78	Peak	264.00	150	Vertical	Pass
1**	1079.700	29.40	-18.39	54.0	-24.60	AV	264.00	150	Vertical	Pass
2	2449.800	109.54	-12.37	74.0	35.54	Peak	0.00	150	Vertical	N/A
2**	2449.800	100.83	-12.37	54.0	46.83	AV	0.00	150	Vertical	N/A
3	4549.500	48.64	-4.54	74.0	-25.36	Peak	111.00	150	Vertical	Pass
3**	4549.500	39.70	-4.54	54.0	-14.30	AV	111.00	150	Vertical	Pass
4	7817.750	53.87	2.21	74.0	-20.13	Peak	176.00	150	Vertical	Pass
4**	7817.750	44.91	2.21	54.0	-9.09	AV	176.00	150	Vertical	Pass
5	9797.000	49.49	-2.45	74.0	-24.51	Peak	166.00	150	Vertical	Pass
5**	9797.000	40.79	-2.45	54.0	-13.21	AV	166.00	150	Vertical	Pass
6	16121.000	51.23	-1.01	74.0	-22.77	Peak	209.00	150	Vertical	Pass
6**	16121.000	42.62	-1.01	54.0	-11.38	AV	209.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	51.93	-18.41	74.0	-22.07	Peak	327.00	150	Horizontal	Pass
1**	1080.100	30.61	-18.41	54.0	-23.39	AV	327.00	150	Horizontal	Pass
2	2464.300	108.82	-12.77	74.0	34.82	Peak	221.00	150	Horizontal	N/A
2**	2464.300	99.59	-12.77	54.0	45.59	AV	221.00	150	Horizontal	N/A
3	5139.000	49.87	-2.34	74.0	-24.13	Peak	323.00	150	Horizontal	Pass
3**	5139.000	40.52	-2.34	54.0	-13.48	AV	323.00	150	Horizontal	Pass
4	7822.500	53.17	1.50	74.0	-20.83	Peak	71.00	150	Horizontal	Pass
4**	7822.500	43.78	1.50	54.0	-10.22	AV	71.00	150	Horizontal	Pass
5	13873.500	50.41	-0.52	74.0	-23.59	Peak	180.00	150	Horizontal	Pass
5**	13873.500	41.03	-0.52	54.0	-12.97	AV	180.00	150	Horizontal	Pass
6	17872.501	52.12	1.14	74.0	-21.88	Peak	360.00	150	Horizontal	Pass
6**	17872.501	42.75	1.14	54.0	-11.25	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	44.82	-18.42	74.0	-29.18	Peak	228.00	150	Vertical	Pass
1**	1080.400	33.32	-18.42	54.0	-20.68	AV	228.00	150	Vertical	Pass
2	2467.700	110.02	-12.62	74.0	36.02	Peak	54.00	150	Vertical	N/A
2**	2467.700	101.42	-12.62	54.0	47.42	AV	54.00	150	Vertical	N/A
3	5913.750	50.95	-2.47	74.0	-23.05	Peak	335.00	150	Vertical	Pass
3**	5913.750	41.89	-2.47	54.0	-12.11	AV	335.00	150	Vertical	Pass
4	7817.750	53.40	2.21	74.0	-20.60	Peak	360.00	150	Vertical	Pass
4**	7817.750	44.57	2.21	54.0	-9.43	AV	360.00	150	Vertical	Pass
5	13869.500	50.53	-0.52	74.0	-23.47	Peak	136.00	150	Vertical	Pass
5**	13869.500	41.46	-0.52	54.0	-12.54	AV	136.00	150	Vertical	Pass
6	17927.999	52.50	1.12	74.0	-21.50	Peak	212.00	150	Vertical	Pass
6**	17927.999	43.34	1.12	54.0	-10.66	AV	212.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	48.86	-18.40	74.0	-25.14	Peak	3.00	150	Horizontal	Pass
1**	1079.900	36.14	-18.40	54.0	-17.86	AV	3.00	150	Horizontal	Pass
2	2418.200	105.91	-12.47	74.0	31.91	Peak	204.00	150	Horizontal	N/A
2**	2418.200	97.52	-12.47	54.0	43.52	AV	204.00	150	Horizontal	N/A
3	5233.250	50.66	-2.90	74.0	-23.34	Peak	0.00	150	Horizontal	Pass
3**	5233.250	42.93	-2.90	54.0	-11.07	AV	0.00	150	Horizontal	Pass
4	7811.000	53.61	1.34	74.0	-20.39	Peak	24.00	150	Horizontal	Pass
4**	7811.000	43.75	1.34	54.0	-10.25	AV	24.00	150	Horizontal	Pass
5	13882.000	50.05	-0.51	74.0	-23.95	Peak	0.00	150	Horizontal	Pass
5**	13882.000	41.03	-0.51	54.0	-12.97	AV	0.00	150	Horizontal	Pass
6	17899.500	52.34	1.49	74.0	-21.66	Peak	86.00	150	Horizontal	Pass
6**	17899.500	42.83	1.49	54.0	-11.17	AV	86.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.100	45.02	-18.36	74.0	-28.98	Peak	157.00	150	Vertical	Pass
1**	1079.100	30.45	-18.36	54.0	-23.55	AV	157.00	150	Vertical	Pass
2	2424.900	106.91	-12.79	74.0	32.91	Peak	71.00	150	Vertical	N/A
2**	2424.900	98.47	-12.79	54.0	44.47	AV	71.00	150	Vertical	N/A
3	5232.750	49.99	-2.99	74.0	-24.01	Peak	234.00	150	Vertical	Pass
3**	5232.750	42.05	-2.99	54.0	-11.95	AV	234.00	150	Vertical	Pass
4	7817.500	52.84	2.14	74.0	-21.16	Peak	5.00	150	Vertical	Pass
4**	7817.500	44.55	2.14	54.0	-9.45	AV	5.00	150	Vertical	Pass
5	13814.000	50.18	0.19	74.0	-23.82	Peak	32.00	150	Vertical	Pass
5**	13814.000	40.15	0.19	54.0	-13.85	AV	32.00	150	Vertical	Pass
6	17920.500	52.77	1.22	74.0	-21.23	Peak	132.00	150	Vertical	Pass
6**	17920.500	42.89	1.22	54.0	-11.11	AV	132.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	47.90	-18.40	74.0	-26.10	Peak	291.00	150	Horizontal	Pass
1**	1079.900	30.60	-18.40	54.0	-23.40	AV	291.00	150	Horizontal	Pass
2	2422.100	98.05	-12.48	74.0	24.05	Peak	318.00	150	Horizontal	N/A
2**	2422.100	89.97	-12.48	54.0	35.97	AV	318.00	150	Horizontal	N/A
3	4904.500	48.98	-3.61	74.0	-25.02	Peak	0.00	150	Horizontal	Pass
3**	4904.500	39.62	-3.61	54.0	-14.38	AV	0.00	150	Horizontal	Pass
4	7485.500	53.16	1.47	74.0	-20.84	Peak	317.00	150	Horizontal	Pass
4**	7485.500	43.98	1.47	54.0	-10.02	AV	317.00	150	Horizontal	Pass
5	9805.000	49.64	-2.59	74.0	-24.36	Peak	164.00	150	Horizontal	Pass
5**	9805.000	41.23	-2.59	54.0	-12.77	AV	164.00	150	Horizontal	Pass
6	16872.500	51.77	-0.15	74.0	-22.23	Peak	122.00	150	Horizontal	Pass
6**	16872.500	43.91	-0.15	54.0	-10.09	AV	122.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	46.79	-18.41	74.0	-27.21	Peak	246.00	150	Vertical	Pass
1**	1080.100	31.06	-18.41	54.0	-22.94	AV	246.00	150	Vertical	Pass
2	2433.000	106.15	-12.61	74.0	32.15	Peak	327.00	150	Vertical	N/A
2**	2433.000	97.57	-12.61	54.0	43.57	AV	327.00	150	Vertical	N/A
3	4355.750	47.57	-4.89	74.0	-26.43	Peak	322.00	150	Vertical	Pass
3**	4355.750	37.48	-4.89	54.0	-16.52	AV	322.00	150	Vertical	Pass
4	7194.500	52.71	-0.23	74.0	-21.29	Peak	79.00	150	Vertical	Pass
4**	7194.500	43.24	-0.23	54.0	-10.76	AV	79.00	150	Vertical	Pass
5	9818.000	49.81	-3.27	74.0	-24.19	Peak	166.00	150	Vertical	Pass
5**	9818.000	40.41	-3.27	54.0	-13.59	AV	166.00	150	Vertical	Pass
6	17694.501	52.55	-0.13	74.0	-21.45	Peak	95.00	150	Vertical	Pass
6**	17694.501	41.86	-0.13	54.0	-12.14	AV	95.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1081.100	44.16	-18.45	74.0	-29.84	Peak	352.00	150	Horizontal	Pass
1**	1081.100	32.54	-18.45	54.0	-21.46	AV	352.00	150	Horizontal	Pass
2	2423.900	97.76	-12.68	74.0	23.76	Peak	324.00	150	Horizontal	N/A
2**	2423.900	89.13	-12.68	54.0	35.13	AV	324.00	150	Horizontal	N/A
3	4681.750	49.05	-4.00	74.0	-24.95	Peak	57.00	150	Horizontal	Pass
3**	4681.750	39.31	-4.00	54.0	-14.69	AV	57.00	150	Horizontal	Pass
4	7643.000	52.97	0.65	74.0	-21.03	Peak	205.00	150	Horizontal	Pass
4**	7643.000	43.06	0.65	54.0	-10.94	AV	205.00	150	Horizontal	Pass
5	9819.000	50.02	-3.32	74.0	-23.98	Peak	307.00	150	Horizontal	Pass
5**	9819.000	40.73	-3.32	54.0	-13.27	AV	307.00	150	Horizontal	Pass
6	15444.500	51.15	-1.64	74.0	-22.85	Peak	110.00	150	Horizontal	Pass
6**	15444.500	40.98	-1.64	54.0	-13.02	AV	110.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.800	46.84	-18.44	74.0	-27.16	Peak	216.00	150	Vertical	Pass
1**	1080.800	30.54	-18.44	54.0	-23.46	AV	216.00	150	Vertical	Pass
2	2435.400	106.03	-12.15	74.0	32.03	Peak	0.00	150	Vertical	N/A
2**	2435.400	98.54	-12.15	54.0	44.54	AV	0.00	150	Vertical	N/A
3	4365.750	47.23	-4.94	74.0	-26.77	Peak	49.00	150	Vertical	Pass
3**	4365.750	38.01	-4.94	54.0	-15.99	AV	49.00	150	Vertical	Pass
4	7490.750	53.25	1.39	74.0	-20.75	Peak	186.00	150	Vertical	Pass
4**	7490.750	43.99	1.39	54.0	-10.01	AV	186.00	150	Vertical	Pass
5	9805.500	49.25	-2.62	74.0	-24.75	Peak	264.00	150	Vertical	Pass
5**	9805.500	41.05	-2.62	54.0	-12.95	AV	264.00	150	Vertical	Pass
6	16884.500	52.73	0.33	74.0	-21.27	Peak	108.00	150	Vertical	Pass
6**	16884.500	42.51	0.33	54.0	-11.49	AV	108.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	49.49	-18.40	74.0	-24.51	Peak	290.00	150	Horizontal	Pass
1**	1080.000	39.94	-18.40	54.0	-14.06	AV	290.00	150	Horizontal	Pass
2	2424.800	98.17	-12.79	74.0	24.17	Peak	317.00	150	Horizontal	N/A
2**	2424.800	89.25	-12.79	54.0	35.25	AV	317.00	150	Horizontal	N/A
3	5579.250	51.27	-1.36	74.0	-22.73	Peak	324.00	150	Horizontal	Pass
3**	5579.250	42.70	-1.36	54.0	-11.30	AV	324.00	150	Horizontal	Pass
4	7496.250	52.76	0.96	74.0	-21.24	Peak	102.00	150	Horizontal	Pass
4**	7496.250	43.67	0.96	54.0	-10.33	AV	102.00	150	Horizontal	Pass
5	13889.000	50.16	-0.50	74.0	-23.84	Peak	78.00	150	Horizontal	Pass
5**	13889.000	41.61	-0.50	54.0	-12.39	AV	78.00	150	Horizontal	Pass
6	17806.500	52.56	0.69	74.0	-21.44	Peak	2.00	150	Horizontal	Pass
6**	17806.500	42.08	0.69	54.0	-11.92	AV	2.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.600	42.82	-17.41	74.0	-31.18	Peak	43.00	150	Vertical	Pass
1**	1594.600	31.82	-17.41	54.0	-22.18	AV	43.00	150	Vertical	Pass
2	2435.100	106.15	-12.19	74.0	32.15	Peak	282.00	150	Vertical	N/A
2**	2435.100	98.11	-12.19	54.0	44.11	AV	282.00	150	Vertical	N/A
3	5139.000	50.40	-2.34	74.0	-23.60	Peak	290.00	150	Vertical	Pass
3**	5139.000	41.04	-2.34	54.0	-12.96	AV	290.00	150	Vertical	Pass
4	7586.500	53.01	0.63	74.0	-20.99	Peak	237.00	150	Vertical	Pass
4**	7586.500	42.83	0.63	54.0	-11.17	AV	237.00	150	Vertical	Pass
5	13871.000	50.26	-0.52	74.0	-23.74	Peak	33.00	150	Vertical	Pass
5**	13871.000	41.53	-0.52	54.0	-12.47	AV	33.00	150	Vertical	Pass
6	17920.500	52.22	1.22	74.0	-21.78	Peak	226.00	150	Vertical	Pass
6**	17920.500	43.65	1.22	54.0	-10.35	AV	226.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	48.30	-18.41	74.0	-25.70	Peak	0.00	150	Horizontal	Pass
1**	1080.100	30.22	-18.41	54.0	-23.78	AV	0.00	150	Horizontal	Pass
2	2451.300	96.25	-12.43	74.0	22.25	Peak	314.00	150	Horizontal	N/A
2**	2451.300	87.46	-12.43	54.0	33.46	AV	314.00	150	Horizontal	N/A
3	5286.500	50.48	-3.09	74.0	-23.52	Peak	102.00	150	Horizontal	Pass
3**	5286.500	40.45	-3.09	54.0	-13.55	AV	102.00	150	Horizontal	Pass
4	7902.750	53.65	0.75	74.0	-20.35	Peak	250.00	150	Horizontal	Pass
4**	7902.750	44.25	0.75	54.0	-9.75	AV	250.00	150	Horizontal	Pass
5	9799.999	49.31	-2.34	74.0	-24.69	Peak	122.00	150	Horizontal	Pass
5**	9799.999	41.55	-2.34	54.0	-12.45	AV	122.00	150	Horizontal	Pass
6	16798.500	51.76	-0.47	74.0	-22.24	Peak	94.00	150	Horizontal	Pass
6**	16798.500	42.21	-0.47	54.0	-11.79	AV	94.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	45.77	-18.39	74.0	-28.23	Peak	248.00	150	Vertical	Pass
1**	1079.800	30.15	-18.39	54.0	-23.85	AV	248.00	150	Vertical	Pass
2	2451.600	105.37	-12.46	74.0	31.37	Peak	317.00	150	Vertical	N/A
2**	2451.600	96.86	-12.46	54.0	42.86	AV	317.00	150	Vertical	N/A
3	4695.000	49.26	-3.41	74.0	-24.74	Peak	248.00	150	Vertical	Pass
3**	4695.000	40.40	-3.41	54.0	-13.60	AV	248.00	150	Vertical	Pass
4	7142.250	52.69	-0.02	74.0	-21.31	Peak	206.00	150	Vertical	Pass
4**	7142.250	43.14	-0.02	54.0	-10.86	AV	206.00	150	Vertical	Pass
5	9823.000	49.25	-3.53	74.0	-24.75	Peak	348.00	150	Vertical	Pass
5**	9823.000	40.07	-3.53	54.0	-13.93	AV	348.00	150	Vertical	Pass
6	16118.000	51.73	-1.11	74.0	-22.27	Peak	165.00	150	Vertical	Pass
6**	16118.000	42.85	-1.11	54.0	-11.15	AV	165.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	48.29	-18.41	74.0	-25.71	Peak	342.00	150	Horizontal	Pass
1**	1080.100	30.91	-18.41	54.0	-23.09	AV	342.00	150	Horizontal	Pass
2	2449.400	95.01	-12.42	74.0	21.01	Peak	217.00	150	Horizontal	N/A
2**	2449.400	86.63	-12.42	54.0	32.63	AV	217.00	150	Horizontal	N/A
3	4947.000	49.57	-3.49	74.0	-24.43	Peak	237.00	150	Horizontal	Pass
3**	4947.000	40.30	-3.49	54.0	-13.70	AV	237.00	150	Horizontal	Pass
4	7486.000	53.59	1.56	74.0	-20.41	Peak	57.00	150	Horizontal	Pass
4**	7486.000	45.17	1.56	54.0	-8.83	AV	57.00	150	Horizontal	Pass
5	9801.500	49.74	-2.41	74.0	-24.26	Peak	81.00	150	Horizontal	Pass
5**	9801.500	41.11	-2.41	54.0	-12.89	AV	81.00	150	Horizontal	Pass
6	16130.000	52.25	-0.72	74.0	-21.75	Peak	81.00	150	Horizontal	Pass
6**	16130.000	42.55	-0.72	54.0	-11.45	AV	81.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	46.58	-18.41	74.0	-27.42	Peak	160.00	150	Vertical	Pass
1**	1080.100	30.61	-18.41	54.0	-23.39	AV	160.00	150	Vertical	Pass
2	2442.500	104.87	-12.41	74.0	30.87	Peak	1.00	150	Vertical	N/A
2**	2442.500	96.47	-12.41	54.0	42.47	AV	1.00	150	Vertical	N/A
3	4804.250	49.11	-3.45	74.0	-24.89	Peak	186.00	150	Vertical	Pass
3**	4804.250	39.07	-3.45	54.0	-14.93	AV	186.00	150	Vertical	Pass
4	7485.750	52.92	1.52	74.0	-21.08	Peak	176.00	150	Vertical	Pass
4**	7485.750	44.34	1.52	54.0	-9.66	AV	176.00	150	Vertical	Pass
5	9810.500	49.48	-2.88	74.0	-24.52	Peak	167.00	150	Vertical	Pass
5**	9810.500	40.98	-2.88	54.0	-13.02	AV	167.00	150	Vertical	Pass
6	17808.501	52.21	0.70	74.0	-21.79	Peak	110.00	150	Vertical	Pass
6**	17808.501	42.80	0.70	54.0	-11.20	AV	110.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	50.47	-18.42	74.0	-23.53	Peak	347.00	150	Horizontal	Pass
1**	1080.500	38.94	-18.42	54.0	-15.06	AV	347.00	150	Horizontal	Pass
2	2450.100	105.65	-12.33	74.0	31.65	Peak	211.00	150	Horizontal	N/A
2**	2450.100	97.10	-12.33	54.0	43.10	AV	211.00	150	Horizontal	N/A
3	5323.750	50.17	-2.87	74.0	-23.83	Peak	209.00	150	Horizontal	Pass
3**	5323.750	40.25	-2.87	54.0	-13.75	AV	209.00	150	Horizontal	Pass
4	7755.250	53.27	0.93	74.0	-20.73	Peak	118.00	150	Horizontal	Pass
4**	7755.250	43.59	0.93	54.0	-10.41	AV	118.00	150	Horizontal	Pass
5	13704.500	49.97	-1.19	74.0	-24.03	Peak	47.00	150	Horizontal	Pass
5**	13704.500	40.69	-1.19	54.0	-13.31	AV	47.00	150	Horizontal	Pass
6	17541.501	52.34	1.65	74.0	-21.66	Peak	172.00	150	Horizontal	Pass
6**	17541.501	42.22	1.65	54.0	-11.78	AV	172.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	46.00	-18.42	74.0	-28.00	Peak	59.00	150	Vertical	Pass
1**	1080.300	29.25	-18.42	54.0	-24.75	AV	59.00	150	Vertical	Pass
2	2465.400	106.50	-12.73	74.0	32.50	Peak	339.00	150	Vertical	N/A
2**	2465.400	98.23	-12.73	54.0	44.23	AV	339.00	150	Vertical	N/A
3	5235.250	50.51	-2.84	74.0	-23.49	Peak	271.00	150	Vertical	Pass
3**	5235.250	44.06	-2.84	54.0	-9.94	AV	271.00	150	Vertical	Pass
4	7486.000	53.40	1.56	74.0	-20.60	Peak	360.00	150	Vertical	Pass
4**	7486.000	44.38	1.56	54.0	-9.62	AV	360.00	150	Vertical	Pass
5	12806.500	49.46	-1.63	74.0	-24.54	Peak	0.00	150	Vertical	Pass
5**	12806.500	39.50	-1.63	54.0	-14.50	AV	0.00	150	Vertical	Pass
6	16802.000	52.51	-0.44	74.0	-21.49	Peak	101.00	150	Vertical	Pass
6**	16802.000	43.04	-0.44	54.0	-10.96	AV	101.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	49.79	-18.41	74.0	-24.21	Peak	360.00	150	Horizontal	Pass
1**	1080.200	30.12	-18.41	54.0	-23.88	AV	360.00	150	Horizontal	Pass
2	2414.600	108.28	-12.74	74.0	34.28	Peak	215.00	150	Horizontal	N/A
2**	2414.600	101.33	-12.74	54.0	47.33	AV	215.00	150	Horizontal	N/A
3	5504.750	51.50	-3.16	74.0	-22.50	Peak	33.00	150	Horizontal	Pass
3**	5504.750	41.34	-3.16	54.0	-12.66	AV	33.00	150	Horizontal	Pass
4	7821.000	53.42	1.75	74.0	-20.58	Peak	228.00	150	Horizontal	Pass
4**	7821.000	44.31	1.75	54.0	-9.69	AV	228.00	150	Horizontal	Pass
5	13874.000	50.41	-0.52	74.0	-23.59	Peak	226.00	150	Horizontal	Pass
5**	13874.000	40.81	-0.52	54.0	-13.19	AV	226.00	150	Horizontal	Pass
6	17918.501	52.35	1.25	74.0	-21.65	Peak	360.00	150	Horizontal	Pass
6**	17918.501	43.64	1.25	54.0	-10.36	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.200	44.07	-18.37	74.0	-29.93	Peak	141.00	150	Vertical	Pass
1**	1079.200	29.10	-18.37	54.0	-24.90	AV	141.00	150	Vertical	Pass
2	2414.000	109.32	-12.77	74.0	35.32	Peak	206.00	150	Vertical	N/A
2**	2414.000	101.79	-12.77	54.0	47.79	AV	206.00	150	Vertical	N/A
3	5554.000	50.63	-2.44	74.0	-23.37	Peak	38.00	150	Vertical	Pass
3**	5554.000	40.84	-2.44	54.0	-13.16	AV	38.00	150	Vertical	Pass
4	7929.250	53.59	1.86	74.0	-20.41	Peak	248.00	150	Vertical	Pass
4**	7929.250	44.22	1.86	54.0	-9.78	AV	248.00	150	Vertical	Pass
5	13879.000	50.38	-0.51	74.0	-23.62	Peak	176.00	150	Vertical	Pass
5**	13879.000	41.42	-0.51	54.0	-12.58	AV	176.00	150	Vertical	Pass
6	17930.500	51.97	1.09	74.0	-22.03	Peak	88.00	150	Vertical	Pass
6**	17930.500	43.72	1.09	54.0	-10.28	AV	88.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	47.58	-18.40	74.0	-26.42	Peak	155.00	150	Horizontal	Pass
1**	1080.000	34.55	-18.40	54.0	-19.45	AV	155.00	150	Horizontal	Pass
2	2422.300	105.46	-12.48	74.0	31.46	Peak	311.00	150	Horizontal	N/A
2**	2422.300	97.67	-12.48	54.0	43.67	AV	311.00	150	Horizontal	N/A
3	4590.250	47.45	-4.86	74.0	-26.55	Peak	282.00	150	Horizontal	Pass
3**	4590.250	38.47	-4.86	54.0	-15.53	AV	282.00	150	Horizontal	Pass
4	7808.500	53.85	1.14	74.0	-20.15	Peak	28.00	150	Horizontal	Pass
4**	7808.500	43.49	1.14	54.0	-10.51	AV	28.00	150	Horizontal	Pass
5	9831.500	50.24	-3.97	74.0	-23.76	Peak	95.00	150	Horizontal	Pass
5**	9831.500	40.70	-3.97	54.0	-13.30	AV	95.00	150	Horizontal	Pass
6	16901.000	52.81	0.90	74.0	-21.19	Peak	180.00	150	Horizontal	Pass
6**	16901.000	43.09	0.90	54.0	-10.91	AV	180.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	47.41	-18.40	74.0	-26.59	Peak	267.00	150	Vertical	Pass
1**	1080.000	31.23	-18.40	54.0	-22.77	AV	267.00	150	Vertical	Pass
2	2420.900	109.64	-12.49	74.0	35.64	Peak	344.00	150	Vertical	N/A
2**	2420.900	101.53	-12.49	54.0	47.53	AV	344.00	150	Vertical	N/A
3	4699.750	49.75	-3.57	74.0	-24.25	Peak	16.00	150	Vertical	Pass
3**	4699.750	39.36	-3.57	54.0	-14.64	AV	16.00	150	Vertical	Pass
4	7724.000	52.94	0.39	74.0	-21.06	Peak	290.00	150	Vertical	Pass
4**	7724.000	43.18	0.39	54.0	-10.82	AV	290.00	150	Vertical	Pass
5	9813.000	50.26	-3.01	74.0	-23.74	Peak	81.00	150	Vertical	Pass
5**	9813.000	41.17	-3.01	54.0	-12.83	AV	81.00	150	Vertical	Pass
6	15937.500	51.74	-0.34	74.0	-22.26	Peak	322.00	150	Vertical	Pass
6**	15937.500	42.80	-0.34	54.0	-11.20	AV	322.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	49.24	-18.42	74.0	-24.76	Peak	0.00	150	Horizontal	Pass
1**	1080.300	37.70	-18.42	54.0	-16.30	AV	0.00	150	Horizontal	Pass
2	2418.700	106.12	-12.47	74.0	32.12	Peak	320.00	150	Horizontal	N/A
2**	2418.700	98.50	-12.47	54.0	44.50	AV	320.00	150	Horizontal	N/A
3	4912.750	48.92	-3.77	74.0	-25.08	Peak	142.00	150	Horizontal	Pass
3**	4912.750	39.07	-3.77	54.0	-14.93	AV	142.00	150	Horizontal	Pass
4	7480.500	53.37	0.98	74.0	-20.63	Peak	0.00	150	Horizontal	Pass
4**	7480.500	44.38	0.98	54.0	-9.62	AV	0.00	150	Horizontal	Pass
5	9829.000	49.29	-3.84	74.0	-24.71	Peak	180.00	150	Horizontal	Pass
5**	9829.000	39.70	-3.84	54.0	-14.30	AV	180.00	150	Horizontal	Pass
6	16797.500	51.81	-0.50	74.0	-22.19	Peak	360.00	150	Horizontal	Pass
6**	16797.500	42.66	-0.50	54.0	-11.34	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	46.39	-18.40	74.0	-27.61	Peak	164.00	150	Vertical	Pass
1**	1080.000	29.65	-18.40	54.0	-24.35	AV	164.00	150	Vertical	Pass
2	2418.000	109.44	-12.49	74.0	35.44	Peak	300.00	150	Vertical	N/A
2**	2418.000	101.96	-12.49	54.0	47.96	AV	300.00	150	Vertical	N/A
3	4265.250	48.41	-5.22	74.0	-25.59	Peak	314.00	150	Vertical	Pass
3**	4265.250	37.27	-5.22	54.0	-16.73	AV	314.00	150	Vertical	Pass
4	7136.000	53.82	0.04	74.0	-20.18	Peak	0.00	150	Vertical	Pass
4**	7136.000	43.08	0.04	54.0	-10.92	AV	0.00	150	Vertical	Pass
5	9799.500	50.32	-2.35	74.0	-23.68	Peak	222.00	150	Vertical	Pass
5**	9799.500	40.70	-2.35	54.0	-13.30	AV	222.00	150	Vertical	Pass
6	16006.500	51.33	-0.87	74.0	-22.67	Peak	237.00	150	Vertical	Pass
6**	16006.500	41.86	-0.87	54.0	-12.14	AV	237.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	47.11	-18.40	74.0	-26.89	Peak	12.00	150	Horizontal	Pass
1**	1079.900	30.81	-18.40	54.0	-23.19	AV	12.00	150	Horizontal	Pass
2	2424.800	107.40	-12.79	74.0	33.40	Peak	314.00	150	Horizontal	N/A
2**	2424.800	98.56	-12.79	54.0	44.56	AV	314.00	150	Horizontal	N/A
3	5183.500	49.66	-2.51	74.0	-24.34	Peak	293.00	150	Horizontal	Pass
3**	5183.500	40.09	-2.51	54.0	-13.91	AV	293.00	150	Horizontal	Pass
4	7816.750	53.24	1.91	74.0	-20.76	Peak	360.00	150	Horizontal	Pass
4**	7816.750	44.21	1.91	54.0	-9.79	AV	360.00	150	Horizontal	Pass
5	9821.500	49.05	-3.45	74.0	-24.95	Peak	95.00	150	Horizontal	Pass
5**	9821.500	40.90	-3.45	54.0	-13.10	AV	95.00	150	Horizontal	Pass
6	15960.001	51.34	-0.19	74.0	-22.66	Peak	166.00	150	Horizontal	Pass
6**	15960.001	42.30	-0.19	54.0	-11.70	AV	166.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.200	44.68	-18.37	74.0	-29.32	Peak	225.00	150	Vertical	Pass
1**	1079.200	31.12	-18.37	54.0	-22.88	AV	225.00	150	Vertical	Pass
2	2424.600	109.42	-12.78	74.0	35.42	Peak	216.00	150	Vertical	N/A
2**	2424.600	102.36	-12.78	54.0	48.36	AV	216.00	150	Vertical	N/A
3	4363.250	47.57	-4.94	74.0	-26.43	Peak	79.00	150	Vertical	Pass
3**	4363.250	38.02	-4.94	54.0	-15.98	AV	79.00	150	Vertical	Pass
4	7713.250	52.96	1.13	74.0	-21.04	Peak	353.00	150	Vertical	Pass
4**	7713.250	43.74	1.13	54.0	-10.26	AV	353.00	150	Vertical	Pass
5	9834.000	49.50	-4.10	74.0	-24.50	Peak	320.00	150	Vertical	Pass
5**	9834.000	40.59	-4.10	54.0	-13.41	AV	320.00	150	Vertical	Pass
6	16873.000	51.82	-0.13	74.0	-22.18	Peak	10.00	150	Vertical	Pass
6**	16873.000	43.17	-0.13	54.0	-10.83	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	47.90	-18.38	74.0	-26.10	Peak	0.00	150	Horizontal	Pass
1**	1079.400	30.95	-18.38	54.0	-23.05	AV	0.00	150	Horizontal	Pass
2	2428.500	107.39	-12.90	74.0	33.39	Peak	317.00	150	Horizontal	N/A
2**	2428.500	99.24	-12.90	54.0	45.24	AV	317.00	150	Horizontal	N/A
3	4520.750	48.80	-4.65	74.0	-25.20	Peak	270.00	150	Horizontal	Pass
3**	4520.750	38.83	-4.65	54.0	-15.17	AV	270.00	150	Horizontal	Pass
4	7138.750	52.11	-0.13	74.0	-21.89	Peak	302.00	150	Horizontal	Pass
4**	7138.750	43.14	-0.13	54.0	-10.86	AV	302.00	150	Horizontal	Pass
5	9802.000	49.15	-2.44	74.0	-24.85	Peak	138.00	150	Horizontal	Pass
5**	9802.000	41.78	-2.44	54.0	-12.22	AV	138.00	150	Horizontal	Pass
6	16143.500	51.29	-0.28	74.0	-22.71	Peak	67.00	150	Horizontal	Pass
6**	16143.500	42.80	-0.28	54.0	-11.20	AV	67.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.000	41.54	-18.36	74.0	-32.46	Peak	162.00	150	Vertical	Pass
1**	1079.000	29.70	-18.36	54.0	-24.30	AV	162.00	150	Vertical	Pass
2	2433.800	109.84	-12.47	74.0	35.84	Peak	346.00	150	Vertical	N/A
2**	2433.800	101.86	-12.47	54.0	47.86	AV	346.00	150	Vertical	N/A
3	5061.750	48.86	-3.01	74.0	-25.14	Peak	318.00	150	Vertical	Pass
3**	5061.750	41.39	-3.01	54.0	-12.61	AV	318.00	150	Vertical	Pass
4	7489.500	53.32	1.51	74.0	-20.68	Peak	190.00	150	Vertical	Pass
4**	7489.500	44.33	1.51	54.0	-9.67	AV	190.00	150	Vertical	Pass
5	9803.500	49.15	-2.52	74.0	-24.85	Peak	351.00	150	Vertical	Pass
5**	9803.500	41.42	-2.52	54.0	-12.58	AV	351.00	150	Vertical	Pass
6	16122.000	51.59	-0.98	74.0	-22.41	Peak	321.00	150	Vertical	Pass
6**	16122.000	42.34	-0.98	54.0	-11.66	AV	321.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	50.89	-18.40	74.0	-23.11	Peak	358.00	150	Horizontal	Pass
1**	1080.000	30.28	-18.40	54.0	-23.72	AV	358.00	150	Horizontal	Pass
2	2440.600	108.53	-12.37	74.0	34.53	Peak	227.00	150	Horizontal	N/A
2**	2440.600	99.97	-12.37	54.0	45.97	AV	227.00	150	Horizontal	N/A
3	4952.750	50.46	-3.26	74.0	-23.54	Peak	116.00	150	Horizontal	Pass
3**	4952.750	40.11	-3.26	54.0	-13.89	AV	116.00	150	Horizontal	Pass
4	7375.500	53.63	0.75	74.0	-20.37	Peak	182.00	150	Horizontal	Pass
4**	7375.500	43.29	0.75	54.0	-10.71	AV	182.00	150	Horizontal	Pass
5	13595.000	49.64	0.57	74.0	-24.36	Peak	223.00	150	Horizontal	Pass
5**	13595.000	40.33	0.57	54.0	-13.67	AV	223.00	150	Horizontal	Pass
6	17316.999	52.47	0.37	74.0	-21.53	Peak	223.00	150	Horizontal	Pass
6**	17316.999	42.43	0.37	54.0	-11.57	AV	223.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	48.12	-18.40	74.0	-25.88	Peak	196.00	150	Vertical	Pass
1**	1079.900	35.97	-18.40	54.0	-18.03	AV	196.00	150	Vertical	Pass
2	2442.700	110.26	-12.42	74.0	36.26	Peak	16.00	150	Vertical	N/A
2**	2442.700	101.84	-12.42	54.0	47.84	AV	16.00	150	Vertical	N/A
3	5536.250	50.57	-2.84	74.0	-23.43	Peak	132.00	150	Vertical	Pass
3**	5536.250	40.71	-2.84	54.0	-13.29	AV	132.00	150	Vertical	Pass
4	7932.250	53.39	1.87	74.0	-20.61	Peak	67.00	150	Vertical	Pass
4**	7932.250	43.80	1.87	54.0	-10.20	AV	67.00	150	Vertical	Pass
5	13860.500	50.16	-0.53	74.0	-23.84	Peak	180.00	150	Vertical	Pass
5**	13860.500	41.01	-0.53	54.0	-12.99	AV	180.00	150	Vertical	Pass
6	17923.500	52.49	1.18	74.0	-21.51	Peak	89.00	150	Vertical	Pass
6**	17923.500	44.43	1.18	54.0	-9.57	AV	89.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	46.40	-18.42	74.0	-27.60	Peak	300.00	150	Horizontal	Pass
1**	1080.300	30.19	-18.42	54.0	-23.81	AV	300.00	150	Horizontal	Pass
2	2441.700	107.60	-12.39	74.0	33.60	Peak	308.00	150	Horizontal	N/A
2**	2441.700	98.71	-12.39	54.0	44.71	AV	308.00	150	Horizontal	N/A
3	5578.000	51.31	-1.39	74.0	-22.69	Peak	312.00	150	Horizontal	Pass
3**	5578.000	41.71	-1.39	54.0	-12.29	AV	312.00	150	Horizontal	Pass
4	7621.000	52.98	-0.43	74.0	-21.02	Peak	28.00	150	Horizontal	Pass
4**	7621.000	42.72	-0.43	54.0	-11.28	AV	28.00	150	Horizontal	Pass
5	9816.500	49.37	-3.19	74.0	-24.63	Peak	250.00	150	Horizontal	Pass
5**	9816.500	40.03	-3.19	54.0	-13.97	AV	250.00	150	Horizontal	Pass
6	15931.000	51.64	-0.50	74.0	-22.36	Peak	335.00	150	Horizontal	Pass
6**	15931.000	42.54	-0.50	54.0	-11.46	AV	335.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	46.22	-18.41	74.0	-27.78	Peak	221.00	150	Vertical	Pass
1**	1080.200	29.25	-18.41	54.0	-24.75	AV	221.00	150	Vertical	Pass
2	2448.700	110.00	-12.51	74.0	36.00	Peak	324.00	150	Vertical	N/A
2**	2448.700	101.46	-12.51	54.0	47.46	AV	324.00	150	Vertical	N/A
3	5070.500	49.85	-2.95	74.0	-24.15	Peak	0.00	150	Vertical	Pass
3**	5070.500	40.94	-2.95	54.0	-13.06	AV	0.00	150	Vertical	Pass
4	7486.750	53.92	1.62	74.0	-20.08	Peak	311.00	150	Vertical	Pass
4**	7486.750	45.93	1.62	54.0	-8.07	AV	311.00	150	Vertical	Pass
5	9814.500	49.78	-3.09	74.0	-24.22	Peak	266.00	150	Vertical	Pass
5**	9814.500	40.69	-3.09	54.0	-13.31	AV	266.00	150	Vertical	Pass
6	16896.500	52.16	0.81	74.0	-21.84	Peak	39.00	150	Vertical	Pass
6**	16896.500	43.61	0.81	54.0	-10.39	AV	39.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.700	45.29	-18.43	74.0	-28.71	Peak	308.00	150	Horizontal	Pass
1**	1080.700	35.65	-18.43	54.0	-18.35	AV	308.00	150	Horizontal	Pass
2	2449.700	106.53	-12.38	74.0	32.53	Peak	221.00	150	Horizontal	N/A
2**	2449.700	98.32	-12.38	54.0	44.32	AV	221.00	150	Horizontal	N/A
3	4955.000	48.91	-3.27	74.0	-25.09	Peak	322.00	150	Horizontal	Pass
3**	4955.000	40.44	-3.27	54.0	-13.56	AV	322.00	150	Horizontal	Pass
4	7485.000	53.06	1.39	74.0	-20.94	Peak	270.00	150	Horizontal	Pass
4**	7485.000	43.78	1.39	54.0	-10.22	AV	270.00	150	Horizontal	Pass
5	9808.000	49.19	-2.75	74.0	-24.81	Peak	349.00	150	Horizontal	Pass
5**	9808.000	41.08	-2.75	54.0	-12.92	AV	349.00	150	Horizontal	Pass
6	16141.500	51.58	-0.34	74.0	-22.42	Peak	0.00	150	Horizontal	Pass
6**	16141.500	42.87	-0.34	54.0	-11.13	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	44.43	-18.42	74.0	-29.57	Peak	240.00	150	Vertical	Pass
1**	1080.400	30.33	-18.42	54.0	-23.67	AV	240.00	150	Vertical	Pass
2	2446.500	109.72	-12.49	74.0	35.72	Peak	29.00	150	Vertical	N/A
2**	2446.500	101.07	-12.49	54.0	47.07	AV	29.00	150	Vertical	N/A
3	4705.250	48.94	-3.79	74.0	-25.06	Peak	207.00	150	Vertical	Pass
3**	4705.250	39.14	-3.79	54.0	-14.86	AV	207.00	150	Vertical	Pass
4	7185.500	52.86	-0.39	74.0	-21.14	Peak	143.00	150	Vertical	Pass
4**	7185.500	42.98	-0.39	54.0	-11.02	AV	143.00	150	Vertical	Pass
5	9798.000	50.01	-2.41	74.0	-23.99	Peak	265.00	150	Vertical	Pass
5**	9798.000	40.86	-2.41	54.0	-13.14	AV	265.00	150	Vertical	Pass
6	16024.001	51.33	-1.18	74.0	-22.67	Peak	52.00	150	Vertical	Pass
6**	16024.001	42.21	-1.18	54.0	-11.79	AV	52.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	48.54	-18.39	74.0	-25.46	Peak	344.00	150	Horizontal	Pass
1**	1079.800	30.60	-18.39	54.0	-23.40	AV	344.00	150	Horizontal	Pass
2	2459.700	105.36	-12.72	74.0	31.36	Peak	205.00	150	Horizontal	N/A
2**	2459.700	98.09	-12.72	54.0	44.09	AV	205.00	150	Horizontal	N/A
3	5406.750	50.14	-2.90	74.0	-23.86	Peak	28.00	150	Horizontal	Pass
3**	5406.750	40.13	-2.90	54.0	-13.87	AV	28.00	150	Horizontal	Pass
4	7484.250	53.55	1.26	74.0	-20.45	Peak	146.00	150	Horizontal	Pass
4**	7484.250	43.91	1.26	54.0	-10.09	AV	146.00	150	Horizontal	Pass
5	9799.000	49.02	-2.37	74.0	-24.98	Peak	134.00	150	Horizontal	Pass
5**	9799.000	40.94	-2.37	54.0	-13.06	AV	134.00	150	Horizontal	Pass
6	16887.000	51.90	0.43	74.0	-22.10	Peak	220.00	150	Horizontal	Pass
6**	16887.000	43.23	0.43	54.0	-10.77	AV	220.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	45.59	-18.41	74.0	-28.41	Peak	241.00	150	Vertical	Pass
1**	1080.100	32.34	-18.41	54.0	-21.66	AV	241.00	150	Vertical	Pass
2	2458.400	109.79	-12.78	74.0	35.79	Peak	360.00	150	Vertical	N/A
2**	2458.400	101.48	-12.78	54.0	47.48	AV	360.00	150	Vertical	N/A
3	5071.750	49.60	-2.85	74.0	-24.40	Peak	289.00	150	Vertical	Pass
3**	5071.750	41.36	-2.85	54.0	-12.64	AV	289.00	150	Vertical	Pass
4	6715.250	52.90	-0.70	74.0	-21.10	Peak	204.00	150	Vertical	Pass
4**	6715.250	42.40	-0.70	54.0	-11.60	AV	204.00	150	Vertical	Pass
5	9802.000	49.23	-2.44	74.0	-24.77	Peak	351.00	150	Vertical	Pass
5**	9802.000	41.09	-2.44	54.0	-12.91	AV	351.00	150	Vertical	Pass
6	16898.000	51.77	0.87	74.0	-22.23	Peak	337.00	150	Vertical	Pass
6**	16898.000	42.89	0.87	54.0	-11.11	AV	337.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	50.03	-18.40	74.0	-23.97	Peak	360.00	150	Horizontal	Pass
1**	1080.000	30.04	-18.40	54.0	-23.96	AV	360.00	150	Horizontal	Pass
2	2464.400	108.15	-12.77	74.0	34.15	Peak	209.00	150	Horizontal	N/A
2**	2464.400	100.57	-12.77	54.0	46.57	AV	209.00	150	Horizontal	N/A
3	5128.000	50.76	-2.66	74.0	-23.24	Peak	34.00	150	Horizontal	Pass
3**	5128.000	40.56	-2.66	54.0	-13.44	AV	34.00	150	Horizontal	Pass
4	7486.000	53.36	1.56	74.0	-20.64	Peak	360.00	150	Horizontal	Pass
4**	7486.000	44.28	1.56	54.0	-9.72	AV	360.00	150	Horizontal	Pass
5	13872.500	50.64	-0.52	74.0	-23.36	Peak	318.00	150	Horizontal	Pass
5**	13872.500	41.43	-0.52	54.0	-12.57	AV	318.00	150	Horizontal	Pass
6	16881.000	52.61	0.19	74.0	-21.39	Peak	43.00	150	Horizontal	Pass
6**	16881.000	42.74	0.19	54.0	-11.26	AV	43.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	46.82	-18.38	74.0	-27.18	Peak	149.00	150	Vertical	Pass
1**	1079.400	29.64	-18.38	54.0	-24.36	AV	149.00	150	Vertical	Pass
2	2461.000	109.51	-12.65	74.0	35.51	Peak	0.00	150	Vertical	N/A
2**	2461.000	101.25	-12.65	54.0	47.25	AV	0.00	150	Vertical	N/A
3	5576.250	50.45	-1.52	74.0	-23.55	Peak	178.00	150	Vertical	Pass
3**	5576.250	42.37	-1.52	54.0	-11.63	AV	178.00	150	Vertical	Pass
4	7657.000	53.82	1.42	74.0	-20.18	Peak	344.00	150	Vertical	Pass
4**	7657.000	44.23	1.42	54.0	-9.77	AV	344.00	150	Vertical	Pass
5	13876.500	49.86	-0.52	74.0	-24.14	Peak	343.00	150	Vertical	Pass
5**	13876.500	41.22	-0.52	54.0	-12.78	AV	343.00	150	Vertical	Pass
6	17933.001	52.58	1.06	74.0	-21.42	Peak	297.00	150	Vertical	Pass
6**	17933.001	43.52	1.06	54.0	-10.48	AV	297.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	51.21	-18.38	74.0	-22.79	Peak	360.00	150	Horizontal	Pass
1**	1079.600	30.82	-18.38	54.0	-23.18	AV	360.00	150	Horizontal	Pass
2	2410.500	105.80	-12.86	74.0	31.80	Peak	217.00	150	Horizontal	N/A
2**	2410.500	97.66	-12.86	54.0	43.66	AV	217.00	150	Horizontal	N/A
3	5547.000	51.15	-2.20	74.0	-22.85	Peak	219.00	150	Horizontal	Pass
3**	5547.000	41.12	-2.20	54.0	-12.88	AV	219.00	150	Horizontal	Pass
4	7987.000	53.74	1.34	74.0	-20.26	Peak	140.00	150	Horizontal	Pass
4**	7987.000	43.54	1.34	54.0	-10.46	AV	140.00	150	Horizontal	Pass
5	13885.500	50.26	-0.51	74.0	-23.74	Peak	237.00	150	Horizontal	Pass
5**	13885.500	41.54	-0.51	54.0	-12.46	AV	237.00	150	Horizontal	Pass
6	17931.000	52.32	1.08	74.0	-21.68	Peak	150.00	150	Horizontal	Pass
6**	17931.000	44.06	1.08	54.0	-9.94	AV	150.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	45.47	-18.41	74.0	-28.53	Peak	203.00	150	Vertical	Pass
1**	1080.200	30.39	-18.41	54.0	-23.61	AV	203.00	150	Vertical	Pass
2	2426.600	107.40	-12.67	74.0	33.40	Peak	171.00	150	Vertical	N/A
2**	2426.600	98.52	-12.67	54.0	44.52	AV	171.00	150	Vertical	N/A
3	5183.750	50.51	-2.54	74.0	-23.49	Peak	191.00	150	Vertical	Pass
3**	5183.750	43.46	-2.54	54.0	-10.54	AV	191.00	150	Vertical	Pass
4	7346.250	53.13	-0.55	74.0	-20.87	Peak	360.00	150	Vertical	Pass
4**	7346.250	42.41	-0.55	54.0	-11.59	AV	360.00	150	Vertical	Pass
5	13880.500	50.75	-0.51	74.0	-23.25	Peak	72.00	150	Vertical	Pass
5**	13880.500	41.38	-0.51	54.0	-12.62	AV	72.00	150	Vertical	Pass
6	17967.499	52.17	1.07	74.0	-21.83	Peak	72.00	150	Vertical	Pass
6**	17967.499	42.58	1.07	54.0	-11.42	AV	72.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	49.59	-18.40	74.0	-24.41	Peak	0.00	150	Horizontal	Pass
1**	1080.000	30.40	-18.40	54.0	-23.60	AV	0.00	150	Horizontal	Pass
2	2415.700	97.39	-12.66	74.0	23.39	Peak	326.00	150	Horizontal	N/A
2**	2415.700	88.41	-12.66	54.0	34.41	AV	326.00	150	Horizontal	N/A
3	4878.250	49.17	-3.62	74.0	-24.83	Peak	43.00	150	Horizontal	Pass
3**	4878.250	39.57	-3.62	54.0	-14.43	AV	43.00	150	Horizontal	Pass
4	7566.000	53.77	0.54	74.0	-20.23	Peak	266.00	150	Horizontal	Pass
4**	7566.000	43.50	0.54	54.0	-10.50	AV	266.00	150	Horizontal	Pass
5	9811.000	49.42	-2.90	74.0	-24.58	Peak	208.00	150	Horizontal	Pass
5**	9811.000	41.33	-2.90	54.0	-12.67	AV	208.00	150	Horizontal	Pass
6	16897.000	51.99	0.83	74.0	-22.01	Peak	66.00	150	Horizontal	Pass
6**	16897.000	43.24	0.83	54.0	-10.76	AV	66.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.300	45.12	-18.37	74.0	-28.88	Peak	156.00	150	Vertical	Pass
1**	1079.300	30.28	-18.37	54.0	-23.72	AV	156.00	150	Vertical	Pass
2	2417.800	106.07	-12.50	74.0	32.07	Peak	354.00	150	Vertical	N/A
2**	2417.800	97.42	-12.50	54.0	43.42	AV	354.00	150	Vertical	N/A
3	5579.250	51.79	-1.36	74.0	-22.21	Peak	116.00	150	Vertical	Pass
3**	5579.250	41.85	-1.36	54.0	-12.15	AV	116.00	150	Vertical	Pass
4	7820.500	53.16	1.88	74.0	-20.84	Peak	7.00	150	Vertical	Pass
4**	7820.500	45.00	1.88	54.0	-9.00	AV	7.00	150	Vertical	Pass
5	9820.500	49.40	-3.40	74.0	-24.60	Peak	53.00	150	Vertical	Pass
5**	9820.500	40.91	-3.40	54.0	-13.09	AV	53.00	150	Vertical	Pass
6	16891.000	52.24	0.59	74.0	-21.76	Peak	25.00	150	Vertical	Pass
6**	16891.000	42.69	0.59	54.0	-11.31	AV	25.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	46.20	-18.42	74.0	-27.80	Peak	322.00	150	Horizontal	Pass
1**	1080.500	31.76	-18.42	54.0	-22.24	AV	322.00	150	Horizontal	Pass
2	2435.200	97.94	-12.17	74.0	23.94	Peak	206.00	150	Horizontal	N/A
2**	2435.200	89.20	-12.17	54.0	35.20	AV	206.00	150	Horizontal	N/A
3	5483.500	51.15	-2.53	74.0	-22.85	Peak	93.00	150	Horizontal	Pass
3**	5483.500	40.98	-2.53	54.0	-13.02	AV	93.00	150	Horizontal	Pass
4	7878.000	53.11	1.29	74.0	-20.89	Peak	60.00	150	Horizontal	Pass
4**	7878.000	43.50	1.29	54.0	-10.50	AV	60.00	150	Horizontal	Pass
5	9819.000	49.24	-3.32	74.0	-24.76	Peak	336.00	150	Horizontal	Pass
5**	9819.000	40.98	-3.32	54.0	-13.02	AV	336.00	150	Horizontal	Pass
6	16142.500	51.61	-0.31	74.0	-22.39	Peak	222.00	150	Horizontal	Pass
6**	16142.500	42.72	-0.31	54.0	-11.28	AV	222.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	45.67	-18.40	74.0	-28.33	Peak	159.00	150	Vertical	Pass
1**	1080.000	30.13	-18.40	54.0	-23.87	AV	159.00	150	Vertical	Pass
2	2440.800	106.26	-12.38	74.0	32.26	Peak	18.00	150	Vertical	N/A
2**	2440.800	97.87	-12.38	54.0	43.87	AV	18.00	150	Vertical	N/A
3	4687.000	48.89	-3.89	74.0	-25.11	Peak	243.00	150	Vertical	Pass
3**	4687.000	40.00	-3.89	54.0	-14.00	AV	243.00	150	Vertical	Pass
4	7582.750	53.09	0.54	74.0	-20.91	Peak	57.00	150	Vertical	Pass
4**	7582.750	43.71	0.54	54.0	-10.29	AV	57.00	150	Vertical	Pass
5	9809.000	49.93	-2.80	74.0	-24.07	Peak	307.00	150	Vertical	Pass
5**	9809.000	41.20	-2.80	54.0	-12.80	AV	307.00	150	Vertical	Pass
6	16893.500	51.41	0.69	74.0	-22.59	Peak	152.00	150	Vertical	Pass
6**	16893.500	43.32	0.69	54.0	-10.68	AV	152.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	44.69	-18.38	74.0	-29.31	Peak	37.00	150	Horizontal	Pass
1**	1079.600	30.39	-18.38	54.0	-23.61	AV	37.00	150	Horizontal	Pass
2	2445.400	99.08	-12.45	74.0	25.08	Peak	323.00	150	Horizontal	N/A
2**	2445.400	91.27	-12.45	54.0	37.27	AV	323.00	150	Horizontal	N/A
3	5374.250	50.13	-3.28	74.0	-23.87	Peak	312.00	150	Horizontal	Pass
3**	5374.250	40.69	-3.28	54.0	-13.31	AV	312.00	150	Horizontal	Pass
4	7802.500	53.72	0.84	74.0	-20.28	Peak	58.00	150	Horizontal	Pass
4**	7802.500	43.51	0.84	54.0	-10.49	AV	58.00	150	Horizontal	Pass
5	11786.000	49.27	-3.56	74.0	-24.73	Peak	128.00	150	Horizontal	Pass
5**	11786.000	39.72	-3.56	54.0	-14.28	AV	128.00	150	Horizontal	Pass
6	17936.501	53.24	1.01	74.0	-20.76	Peak	71.00	150	Horizontal	Pass
6**	17936.501	42.65	1.01	54.0	-11.35	AV	71.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	45.47	-18.38	74.0	-28.53	Peak	217.00	150	Vertical	Pass
1**	1079.500	33.65	-18.38	54.0	-20.35	AV	217.00	150	Vertical	Pass
2	2420.400	106.06	-12.50	74.0	32.06	Peak	297.00	150	Vertical	N/A
2**	2420.400	97.35	-12.50	54.0	43.35	AV	297.00	150	Vertical	N/A
3	5206.500	51.51	-2.83	74.0	-22.49	Peak	59.00	150	Vertical	Pass
3**	5206.500	41.97	-2.83	54.0	-12.03	AV	59.00	150	Vertical	Pass
4	7318.250	53.38	0.50	74.0	-20.62	Peak	237.00	150	Vertical	Pass
4**	7318.250	43.22	0.50	54.0	-10.78	AV	237.00	150	Vertical	Pass
5	13606.000	49.64	0.54	74.0	-24.36	Peak	288.00	150	Vertical	Pass
5**	13606.000	40.47	0.54	54.0	-13.53	AV	288.00	150	Vertical	Pass
6	17825.499	52.25	0.76	74.0	-21.75	Peak	113.00	150	Vertical	Pass
6**	17825.499	42.14	0.76	54.0	-11.86	AV	113.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	48.00	-18.38	74.0	-26.00	Peak	359.00	150	Horizontal	Pass
1**	1079.500	29.77	-18.38	54.0	-24.23	AV	359.00	150	Horizontal	Pass
2	2445.200	98.13	-12.45	74.0	24.13	Peak	326.00	150	Horizontal	N/A
2**	2445.200	89.46	-12.45	54.0	35.46	AV	326.00	150	Horizontal	N/A
3	4422.750	48.75	-4.81	74.0	-25.25	Peak	216.00	150	Horizontal	Pass
3**	4422.750	38.85	-4.81	54.0	-15.15	AV	216.00	150	Horizontal	Pass
4	7229.250	52.61	-0.59	74.0	-21.39	Peak	170.00	150	Horizontal	Pass
4**	7229.250	42.54	-0.59	54.0	-11.46	AV	170.00	150	Horizontal	Pass
5	9806.500	49.17	-2.67	74.0	-24.83	Peak	152.00	150	Horizontal	Pass
5**	9806.500	41.07	-2.67	54.0	-12.93	AV	152.00	150	Horizontal	Pass
6	16154.000	51.39	-0.03	74.0	-22.61	Peak	360.00	150	Horizontal	Pass
6**	16154.000	42.29	-0.03	54.0	-11.71	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	48.15	-18.42	74.0	-25.85	Peak	209.00	150	Vertical	Pass
1**	1080.300	34.05	-18.42	54.0	-19.95	AV	209.00	150	Vertical	Pass
2	2434.500	106.08	-12.32	74.0	32.08	Peak	0.00	150	Vertical	N/A
2**	2434.500	98.22	-12.32	54.0	44.22	AV	0.00	150	Vertical	N/A
3	5293.500	50.66	-2.71	74.0	-23.34	Peak	119.00	150	Vertical	Pass
3**	5293.500	41.15	-2.71	54.0	-12.85	AV	119.00	150	Vertical	Pass
4	7487.000	53.22	1.62	74.0	-20.78	Peak	174.00	150	Vertical	Pass
4**	7487.000	44.85	1.62	54.0	-9.15	AV	174.00	150	Vertical	Pass
5	9797.000	49.97	-2.45	74.0	-24.03	Peak	106.00	150	Vertical	Pass
5**	9797.000	41.09	-2.45	54.0	-12.91	AV	106.00	150	Vertical	Pass
6	13882.000	51.61	-0.51	74.0	-22.39	Peak	21.00	150	Vertical	Pass
6**	13882.000	42.11	-0.51	54.0	-11.89	AV	21.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	48.76	-18.41	74.0	-25.24	Peak	0.00	150	Horizontal	Pass
1**	1080.200	36.06	-18.41	54.0	-17.94	AV	0.00	150	Horizontal	Pass
2	2448.400	96.63	-12.55	74.0	22.63	Peak	307.00	150	Horizontal	N/A
2**	2448.400	87.91	-12.55	54.0	33.91	AV	307.00	150	Horizontal	N/A
3	4245.000	47.39	-4.56	74.0	-26.61	Peak	101.00	150	Horizontal	Pass
3**	4245.000	38.81	-4.56	54.0	-15.19	AV	101.00	150	Horizontal	Pass
4	7488.000	53.30	1.61	74.0	-20.70	Peak	112.00	150	Horizontal	Pass
4**	7488.000	44.19	1.61	54.0	-9.81	AV	112.00	150	Horizontal	Pass
5	9804.000	49.54	-2.54	74.0	-24.46	Peak	252.00	150	Horizontal	Pass
5**	9804.000	41.17	-2.54	54.0	-12.83	AV	252.00	150	Horizontal	Pass
6	17287.000	52.19	0.36	74.0	-21.81	Peak	152.00	150	Horizontal	Pass
6**	17287.000	42.88	0.36	54.0	-11.12	AV	152.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	47.00	-18.41	74.0	-27.00	Peak	265.00	150	Vertical	Pass
1**	1080.100	30.54	-18.41	54.0	-23.46	AV	265.00	150	Vertical	Pass
2	2451.000	106.55	-12.40	74.0	32.55	Peak	323.00	150	Vertical	N/A
2**	2451.000	98.23	-12.40	54.0	44.23	AV	323.00	150	Vertical	N/A
3	5580.000	50.76	-1.35	74.0	-23.24	Peak	235.00	150	Vertical	Pass
3**	5580.000	41.85	-1.35	54.0	-12.15	AV	235.00	150	Vertical	Pass
4	7593.500	52.86	0.83	74.0	-21.14	Peak	130.00	150	Vertical	Pass
4**	7593.500	44.25	0.83	54.0	-9.75	AV	130.00	150	Vertical	Pass
5	9807.000	49.23	-2.70	74.0	-24.77	Peak	123.00	150	Vertical	Pass
5**	9807.000	41.21	-2.70	54.0	-12.79	AV	123.00	150	Vertical	Pass
6	16138.500	51.81	-0.44	74.0	-22.19	Peak	150.00	150	Vertical	Pass
6**	16138.500	41.93	-0.44	54.0	-12.07	AV	150.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	51.28	-18.41	74.0	-22.72	Peak	356.00	150	Horizontal	Pass
1**	1080.100	32.11	-18.41	54.0	-21.89	AV	356.00	150	Horizontal	Pass
2	2449.700	105.74	-12.38	74.0	31.74	Peak	231.00	150	Horizontal	N/A
2**	2449.700	97.94	-12.38	54.0	43.94	AV	231.00	150	Horizontal	N/A
3	5583.750	50.80	-1.51	74.0	-23.20	Peak	360.00	150	Horizontal	Pass
3**	5583.750	42.09	-1.51	54.0	-11.91	AV	360.00	150	Horizontal	Pass
4	7931.750	53.08	1.91	74.0	-20.92	Peak	42.00	150	Horizontal	Pass
4**	7931.750	44.03	1.91	54.0	-9.97	AV	42.00	150	Horizontal	Pass
5	12519.999	49.10	-2.83	74.0	-24.90	Peak	40.00	150	Horizontal	Pass
5**	12519.999	40.08	-2.83	54.0	-13.92	AV	40.00	150	Horizontal	Pass
6	17904.001	52.04	1.44	74.0	-21.96	Peak	165.00	150	Horizontal	Pass
6**	17904.001	42.92	1.44	54.0	-11.08	AV	165.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	47.70	-18.41	74.0	-26.30	Peak	208.00	150	Vertical	Pass
1**	1080.100	29.66	-18.41	54.0	-24.34	AV	208.00	150	Vertical	Pass
2	2465.300	106.72	-12.73	74.0	32.72	Peak	25.00	150	Vertical	N/A
2**	2465.300	98.46	-12.73	54.0	44.46	AV	25.00	150	Vertical	N/A
3	5585.000	50.88	-1.64	74.0	-23.12	Peak	168.00	150	Vertical	Pass
3**	5585.000	41.98	-1.64	54.0	-12.02	AV	168.00	150	Vertical	Pass
4	7880.500	53.08	1.49	74.0	-20.92	Peak	336.00	150	Vertical	Pass
4**	7880.500	43.26	1.49	54.0	-10.74	AV	336.00	150	Vertical	Pass
5	13789.500	50.16	0.05	74.0	-23.84	Peak	320.00	150	Vertical	Pass
5**	13789.500	40.93	0.05	54.0	-13.07	AV	320.00	150	Vertical	Pass
6	17842.000	52.11	0.83	74.0	-21.89	Peak	320.00	150	Vertical	Pass
6**	17842.000	42.76	0.83	54.0	-11.24	AV	320.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	51.06	-18.40	74.0	-22.94	Peak	0.00	150	Horizontal	Pass
1**	1079.900	30.53	-18.40	54.0	-23.47	AV	0.00	150	Horizontal	Pass
2	2416.600	108.00	-12.59	74.0	34.00	Peak	207.00	150	Horizontal	N/A
2**	2416.600	99.25	-12.59	54.0	45.25	AV	207.00	150	Horizontal	N/A
3	5182.000	50.67	-2.51	74.0	-23.33	Peak	87.00	150	Horizontal	Pass
3**	5182.000	41.92	-2.51	54.0	-12.08	AV	87.00	150	Horizontal	Pass
4	7939.000	53.21	2.12	74.0	-20.79	Peak	302.00	150	Horizontal	Pass
4**	7939.000	43.65	2.12	54.0	-10.35	AV	302.00	150	Horizontal	Pass
5	9810.000	49.96	-2.85	74.0	-24.04	Peak	337.00	150	Horizontal	Pass
5**	9810.000	41.09	-2.85	54.0	-12.91	AV	337.00	150	Horizontal	Pass
6	16081.000	51.22	-1.67	74.0	-22.78	Peak	323.00	150	Horizontal	Pass
6**	16081.000	42.33	-1.67	54.0	-11.67	AV	323.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	46.73	-18.42	74.0	-27.27	Peak	194.00	150	Vertical	Pass
1**	1080.500	29.23	-18.42	54.0	-24.77	AV	194.00	150	Vertical	Pass
2	2417.600	110.61	-12.52	74.0	36.61	Peak	148.00	150	Vertical	N/A
2**	2417.600	101.10	-12.52	54.0	47.10	AV	148.00	150	Vertical	N/A
3	4473.750	47.70	-4.89	74.0	-26.30	Peak	26.00	150	Vertical	Pass
3**	4473.750	37.83	-4.89	54.0	-16.17	AV	26.00	150	Vertical	Pass
4	7750.000	52.71	0.43	74.0	-21.29	Peak	360.00	150	Vertical	Pass
4**	7750.000	43.54	0.43	54.0	-10.46	AV	360.00	150	Vertical	Pass
5	9801.500	49.42	-2.41	74.0	-24.58	Peak	254.00	150	Vertical	Pass
5**	9801.500	41.70	-2.41	54.0	-12.30	AV	254.00	150	Vertical	Pass
6	16145.500	51.35	-0.21	74.0	-22.65	Peak	254.00	150	Vertical	Pass
6**	16145.500	43.80	-0.21	54.0	-10.20	AV	254.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	49.35	-18.41	74.0	-24.65	Peak	344.00	150	Horizontal	Pass
1**	1080.200	30.69	-18.41	54.0	-23.31	AV	344.00	150	Horizontal	Pass
2	2414.800	107.16	-12.72	74.0	33.16	Peak	320.00	150	Horizontal	N/A
2**	2414.800	96.79	-12.72	54.0	42.79	AV	320.00	150	Horizontal	N/A
3	5637.250	50.80	-2.61	74.0	-23.20	Peak	220.00	150	Horizontal	Pass
3**	5637.250	40.72	-2.61	54.0	-13.28	AV	220.00	150	Horizontal	Pass
4	7566.250	53.64	0.57	74.0	-20.36	Peak	328.00	150	Horizontal	Pass
4**	7566.250	43.33	0.57	54.0	-10.67	AV	328.00	150	Horizontal	Pass
5	9806.500	49.09	-2.67	74.0	-24.91	Peak	360.00	150	Horizontal	Pass
5**	9806.500	41.01	-2.67	54.0	-12.99	AV	360.00	150	Horizontal	Pass
6	16132.000	51.39	-0.65	74.0	-22.61	Peak	294.00	150	Horizontal	Pass
6**	16132.000	44.02	-0.65	54.0	-9.98	AV	294.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	43.17	-18.38	74.0	-30.83	Peak	20.00	150	Vertical	Pass
1**	1079.500	29.63	-18.38	54.0	-24.37	AV	20.00	150	Vertical	Pass
2	2418.100	110.78	-12.48	74.0	36.78	Peak	220.00	150	Vertical	N/A
2**	2418.100	101.42	-12.48	54.0	47.42	AV	220.00	150	Vertical	N/A
3	4989.750	49.65	-3.36	74.0	-24.35	Peak	258.00	150	Vertical	Pass
3**	4989.750	40.10	-3.36	54.0	-13.90	AV	258.00	150	Vertical	Pass
4	7301.250	53.66	-0.02	74.0	-20.34	Peak	360.00	150	Vertical	Pass
4**	7301.250	42.93	-0.02	54.0	-11.07	AV	360.00	150	Vertical	Pass
5	9806.500	49.51	-2.67	74.0	-24.49	Peak	360.00	150	Vertical	Pass
5**	9806.500	41.11	-2.67	54.0	-12.89	AV	360.00	150	Vertical	Pass
6	15999.500	51.42	-0.75	74.0	-22.58	Peak	50.00	150	Vertical	Pass
6**	15999.500	42.82	-0.75	54.0	-11.18	AV	50.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	47.08	-18.42	74.0	-26.92	Peak	293.00	150	Horizontal	Pass
1**	1080.300	31.90	-18.42	54.0	-22.10	AV	293.00	150	Horizontal	Pass
2	2418.400	107.42	-12.47	74.0	33.42	Peak	306.00	150	Horizontal	N/A
2**	2418.400	98.79	-12.47	54.0	44.79	AV	306.00	150	Horizontal	N/A
3	4704.000	49.43	-3.73	74.0	-24.57	Peak	8.00	150	Horizontal	Pass
3**	4704.000	40.47	-3.73	54.0	-13.53	AV	8.00	150	Horizontal	Pass
4	7322.750	52.46	0.24	74.0	-21.54	Peak	290.00	150	Horizontal	Pass
4**	7322.750	43.66	0.24	54.0	-10.34	AV	290.00	150	Horizontal	Pass
5	9826.500	48.71	-3.71	74.0	-25.29	Peak	80.00	150	Horizontal	Pass
5**	9826.500	40.03	-3.71	54.0	-13.97	AV	80.00	150	Horizontal	Pass
6	16779.500	52.14	-1.12	74.0	-21.86	Peak	193.00	150	Horizontal	Pass
6**	16779.500	41.85	-1.12	54.0	-12.15	AV	193.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	44.51	-18.41	74.0	-29.49	Peak	208.00	150	Vertical	Pass
1**	1080.200	33.66	-18.41	54.0	-20.34	AV	208.00	150	Vertical	Pass
2	2419.600	110.39	-12.49	74.0	36.39	Peak	157.00	150	Vertical	N/A
2**	2419.600	101.46	-12.49	54.0	47.46	AV	157.00	150	Vertical	N/A
3	4659.000	49.13	-4.47	74.0	-24.87	Peak	0.00	150	Vertical	Pass
3**	4659.000	40.07	-4.47	54.0	-13.93	AV	0.00	150	Vertical	Pass
4	7490.250	53.57	1.44	74.0	-20.43	Peak	314.00	150	Vertical	Pass
4**	7490.250	44.65	1.44	54.0	-9.35	AV	314.00	150	Vertical	Pass
5	9804.500	49.32	-2.57	74.0	-24.68	Peak	223.00	150	Vertical	Pass
5**	9804.500	41.27	-2.57	54.0	-12.73	AV	223.00	150	Vertical	Pass
6	16780.000	52.04	-1.10	74.0	-21.96	Peak	0.00	150	Vertical	Pass
6**	16780.000	41.97	-1.10	54.0	-12.03	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	49.58	-18.40	74.0	-24.42	Peak	342.00	150	Horizontal	Pass
1**	1080.000	33.53	-18.40	54.0	-20.47	AV	342.00	150	Horizontal	Pass
2	2421.900	108.83	-12.48	74.0	34.83	Peak	201.00	150	Horizontal	N/A
2**	2421.900	100.55	-12.48	54.0	46.55	AV	201.00	150	Horizontal	N/A
3	4622.000	48.96	-4.29	74.0	-25.04	Peak	96.00	150	Horizontal	Pass
3**	4622.000	39.56	-4.29	54.0	-14.44	AV	96.00	150	Horizontal	Pass
4	7570.250	53.19	0.45	74.0	-20.81	Peak	312.00	150	Horizontal	Pass
4**	7570.250	43.17	0.45	54.0	-10.83	AV	312.00	150	Horizontal	Pass
5	9805.500	50.88	-2.62	74.0	-23.12	Peak	337.00	150	Horizontal	Pass
5**	9805.500	41.03	-2.62	54.0	-12.97	AV	337.00	150	Horizontal	Pass
6	16142.500	52.00	-0.31	74.0	-22.00	Peak	96.00	150	Horizontal	Pass
6**	16142.500	42.56	-0.31	54.0	-11.44	AV	96.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	47.54	-18.39	74.0	-26.46	Peak	201.00	150	Vertical	Pass
1**	1079.700	30.34	-18.39	54.0	-23.66	AV	201.00	150	Vertical	Pass
2	2421.800	110.82	-12.48	74.0	36.82	Peak	101.00	150	Vertical	N/A
2**	2421.800	101.31	-12.48	54.0	47.31	AV	101.00	150	Vertical	N/A
3	5248.250	52.36	-3.24	74.0	-21.64	Peak	34.00	150	Vertical	Pass
3**	5248.250	47.39	-3.24	54.0	-6.61	AV	34.00	150	Vertical	Pass
4	7838.250	53.43	1.14	74.0	-20.57	Peak	46.00	150	Vertical	Pass
4**	7838.250	44.04	1.14	54.0	-9.96	AV	46.00	150	Vertical	Pass
5	9802.500	49.52	-2.46	74.0	-24.48	Peak	80.00	150	Vertical	Pass
5**	9802.500	41.66	-2.46	54.0	-12.34	AV	80.00	150	Vertical	Pass
6	16810.500	52.04	-0.55	74.0	-21.96	Peak	222.00	150	Vertical	Pass
6**	16810.500	41.33	-0.55	54.0	-12.67	AV	222.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	47.23	-18.40	74.0	-26.77	Peak	181.00	150	Horizontal	Pass
1**	1079.900	33.72	-18.40	54.0	-20.28	AV	181.00	150	Horizontal	Pass
2	2435.500	107.21	-12.16	74.0	33.21	Peak	207.00	150	Horizontal	N/A
2**	2435.500	98.87	-12.16	54.0	44.87	AV	207.00	150	Horizontal	N/A
3	4699.000	48.74	-3.54	74.0	-25.26	Peak	139.00	150	Horizontal	Pass
3**	4699.000	39.64	-3.54	54.0	-14.36	AV	139.00	150	Horizontal	Pass
4	7817.500	53.29	2.14	74.0	-20.71	Peak	283.00	150	Horizontal	Pass
4**	7817.500	44.29	2.14	54.0	-9.71	AV	283.00	150	Horizontal	Pass
5	9804.000	49.20	-2.54	74.0	-24.80	Peak	63.00	150	Horizontal	Pass
5**	9804.000	41.35	-2.54	54.0	-12.65	AV	63.00	150	Horizontal	Pass
6	15925.500	51.40	-0.63	74.0	-22.60	Peak	50.00	150	Horizontal	Pass
6**	15925.500	42.20	-0.63	54.0	-11.80	AV	50.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.200	42.35	-18.37	74.0	-31.65	Peak	238.00	150	Vertical	Pass
1**	1079.200	29.68	-18.37	54.0	-24.32	AV	238.00	150	Vertical	Pass
2	2431.800	110.12	-12.68	74.0	36.12	Peak	185.00	150	Vertical	N/A
2**	2431.800	101.71	-12.68	54.0	47.71	AV	185.00	150	Vertical	N/A
3	4351.750	47.64	-4.90	74.0	-26.36	Peak	77.00	150	Vertical	Pass
3**	4351.750	37.62	-4.90	54.0	-16.38	AV	77.00	150	Vertical	Pass
4	7817.500	53.78	2.14	74.0	-20.22	Peak	26.00	150	Vertical	Pass
4**	7817.500	44.33	2.14	54.0	-9.67	AV	26.00	150	Vertical	Pass
5	9802.500	50.06	-2.46	74.0	-23.94	Peak	65.00	150	Vertical	Pass
5**	9802.500	41.80	-2.46	54.0	-12.20	AV	65.00	150	Vertical	Pass
6	16882.500	52.57	0.25	74.0	-21.43	Peak	311.00	150	Vertical	Pass
6**	16882.500	42.98	0.25	54.0	-11.02	AV	311.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	49.67	-18.41	74.0	-24.33	Peak	350.00	150	Horizontal	Pass
1**	1080.200	29.90	-18.41	54.0	-24.10	AV	350.00	150	Horizontal	Pass
2	2449.600	108.16	-12.40	74.0	34.16	Peak	220.00	150	Horizontal	N/A
2**	2449.600	99.81	-12.40	54.0	45.81	AV	220.00	150	Horizontal	N/A
3	5546.500	51.44	-2.16	74.0	-22.56	Peak	272.00	150	Horizontal	Pass
3**	5546.500	40.80	-2.16	54.0	-13.20	AV	272.00	150	Horizontal	Pass
4	7814.500	53.26	1.58	74.0	-20.74	Peak	351.00	150	Horizontal	Pass
4**	7814.500	44.55	1.58	54.0	-9.45	AV	351.00	150	Horizontal	Pass
5	13798.500	50.11	0.41	74.0	-23.89	Peak	135.00	150	Horizontal	Pass
5**	13798.500	40.85	0.41	54.0	-13.15	AV	135.00	150	Horizontal	Pass
6	17827.000	52.25	0.77	74.0	-21.75	Peak	290.00	150	Horizontal	Pass
6**	17827.000	42.70	0.77	54.0	-11.30	AV	290.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.000	43.83	-18.36	74.0	-30.17	Peak	222.00	150	Vertical	Pass
1**	1079.000	29.59	-18.36	54.0	-24.41	AV	222.00	150	Vertical	Pass
2	2441.800	111.00	-12.39	74.0	37.00	Peak	248.00	150	Vertical	N/A
2**	2441.800	101.39	-12.39	54.0	47.39	AV	248.00	150	Vertical	N/A
3	4921.000	48.76	-3.69	74.0	-25.24	Peak	360.00	150	Vertical	Pass
3**	4921.000	39.73	-3.69	54.0	-14.27	AV	360.00	150	Vertical	Pass
4	7200.000	52.70	-0.04	74.0	-21.30	Peak	308.00	150	Vertical	Pass
4**	7200.000	42.99	-0.04	54.0	-11.01	AV	308.00	150	Vertical	Pass
5	9803.000	50.15	-2.49	74.0	-23.85	Peak	109.00	150	Vertical	Pass
5**	9803.000	41.03	-2.49	54.0	-12.97	AV	109.00	150	Vertical	Pass
6	16796.500	51.71	-0.53	74.0	-22.29	Peak	264.00	150	Vertical	Pass
6**	16796.500	41.99	-0.53	54.0	-12.01	AV	264.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	50.01	-18.39	74.0	-23.99	Peak	336.00	150	Horizontal	Pass
1**	1079.700	39.78	-18.39	54.0	-14.22	AV	336.00	150	Horizontal	Pass
2	2447.800	108.27	-12.58	74.0	34.27	Peak	202.00	150	Horizontal	N/A
2**	2447.800	98.23	-12.58	54.0	44.23	AV	202.00	150	Horizontal	N/A
3	5174.500	50.61	-3.08	74.0	-23.39	Peak	352.00	150	Horizontal	Pass
3**	5174.500	42.00	-3.08	54.0	-12.00	AV	352.00	150	Horizontal	Pass
4	7970.000	53.16	0.97	74.0	-20.84	Peak	118.00	150	Horizontal	Pass
4**	7970.000	43.11	0.97	54.0	-10.89	AV	118.00	150	Horizontal	Pass
5	13877.500	50.42	-0.52	74.0	-23.58	Peak	290.00	150	Horizontal	Pass
5**	13877.500	41.15	-0.52	54.0	-12.85	AV	290.00	150	Horizontal	Pass
6	17771.999	51.83	0.99	74.0	-22.17	Peak	360.00	150	Horizontal	Pass
6**	17771.999	42.36	0.99	54.0	-11.64	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	42.56	-18.40	74.0	-31.44	Peak	147.00	150	Vertical	Pass
1**	1080.000	29.30	-18.40	54.0	-24.70	AV	147.00	150	Vertical	Pass
2	2444.100	110.08	-12.45	74.0	36.08	Peak	269.00	150	Vertical	N/A
2**	2444.100	100.92	-12.45	54.0	46.92	AV	269.00	150	Vertical	N/A
3	5067.250	50.25	-3.02	74.0	-23.75	Peak	183.00	150	Vertical	Pass
3**	5067.250	40.11	-3.02	54.0	-13.89	AV	183.00	150	Vertical	Pass
4	7239.500	53.62	-0.08	74.0	-20.38	Peak	113.00	150	Vertical	Pass
4**	7239.500	43.23	-0.08	54.0	-10.77	AV	113.00	150	Vertical	Pass
5	13627.500	50.66	0.17	74.0	-23.34	Peak	231.00	150	Vertical	Pass
5**	13627.500	40.43	0.17	54.0	-13.57	AV	231.00	150	Vertical	Pass
6	17824.500	52.19	0.76	74.0	-21.81	Peak	159.00	150	Vertical	Pass
6**	17824.500	42.87	0.76	54.0	-11.13	AV	159.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	45.83	-18.41	74.0	-28.17	Peak	263.00	150	Horizontal	Pass
1**	1080.100	34.39	-18.41	54.0	-19.61	AV	263.00	150	Horizontal	Pass
2	2451.500	110.31	-12.45	74.0	36.31	Peak	345.00	150	Horizontal	N/A
2**	2451.500	100.61	-12.45	54.0	46.61	AV	345.00	150	Horizontal	N/A
3	5570.000	51.36	-2.23	74.0	-22.64	Peak	0.00	150	Horizontal	Pass
3**	5570.000	42.32	-2.23	54.0	-11.68	AV	0.00	150	Horizontal	Pass
4	7992.000	53.19	1.27	74.0	-20.81	Peak	306.00	150	Horizontal	Pass
4**	7992.000	44.05	1.27	54.0	-9.95	AV	306.00	150	Horizontal	Pass
5	13866.500	50.73	-0.53	74.0	-23.27	Peak	272.00	150	Horizontal	Pass
5**	13866.500	41.96	-0.53	54.0	-12.04	AV	272.00	150	Horizontal	Pass
6	17782.499	52.01	0.87	74.0	-21.99	Peak	227.00	150	Horizontal	Pass
6**	17782.499	43.05	0.87	54.0	-10.95	AV	227.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	46.25	-18.38	74.0	-27.75	Peak	158.00	150	Vertical	Pass
1**	1079.600	32.13	-18.38	54.0	-21.87	AV	158.00	150	Vertical	Pass
2	2458.000	110.30	-12.75	74.0	36.30	Peak	360.00	150	Vertical	N/A
2**	2458.000	101.15	-12.75	54.0	47.15	AV	360.00	150	Vertical	N/A
3	5583.750	50.92	-1.51	74.0	-23.08	Peak	360.00	150	Vertical	Pass
3**	5583.750	42.09	-1.51	54.0	-11.91	AV	360.00	150	Vertical	Pass
4	7876.000	53.18	1.14	74.0	-20.82	Peak	300.00	150	Vertical	Pass
4**	7876.000	43.14	1.14	54.0	-10.86	AV	300.00	150	Vertical	Pass
5	13881.500	50.77	-0.51	74.0	-23.23	Peak	74.00	150	Vertical	Pass
5**	13881.500	41.92	-0.51	54.0	-12.08	AV	74.00	150	Vertical	Pass
6	17461.000	52.55	0.20	74.0	-21.45	Peak	206.00	150	Vertical	Pass
6**	17461.000	42.92	0.20	54.0	-11.08	AV	206.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.300	48.56	-18.37	74.0	-25.44	Peak	0.00	150	Horizontal	Pass
1**	1079.300	30.61	-18.37	54.0	-23.39	AV	0.00	150	Horizontal	Pass
2	2466.400	106.90	-12.72	74.0	32.90	Peak	209.00	150	Horizontal	N/A
2**	2466.400	98.73	-12.72	54.0	44.73	AV	209.00	150	Horizontal	N/A
3	4709.000	49.45	-3.72	74.0	-24.55	Peak	160.00	150	Horizontal	Pass
3**	4709.000	40.43	-3.72	54.0	-13.57	AV	160.00	150	Horizontal	Pass
4	7928.250	53.16	1.74	74.0	-20.84	Peak	293.00	150	Horizontal	Pass
4**	7928.250	44.31	1.74	54.0	-9.69	AV	293.00	150	Horizontal	Pass
5	9808.500	49.13	-2.78	74.0	-24.87	Peak	79.00	150	Horizontal	Pass
5**	9808.500	41.29	-2.78	54.0	-12.71	AV	79.00	150	Horizontal	Pass
6	16141.000	51.60	-0.36	74.0	-22.40	Peak	146.00	150	Horizontal	Pass
6**	16141.000	43.51	-0.36	54.0	-10.49	AV	146.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	45.49	-18.38	74.0	-28.51	Peak	129.00	150	Vertical	Pass
1**	1079.600	29.28	-18.38	54.0	-24.72	AV	129.00	150	Vertical	Pass
2	2467.900	110.00	-12.58	74.0	36.00	Peak	4.00	150	Vertical	N/A
2**	2467.900	100.92	-12.58	54.0	46.92	AV	4.00	150	Vertical	N/A
3	5247.500	53.87	-3.13	74.0	-20.13	Peak	150.00	150	Vertical	Pass
3**	5247.500	46.06	-3.13	54.0	-7.94	AV	150.00	150	Vertical	Pass
4	7485.500	53.41	1.47	74.0	-20.59	Peak	140.00	150	Vertical	Pass
4**	7485.500	44.20	1.47	54.0	-9.80	AV	140.00	150	Vertical	Pass
5	9815.500	50.18	-3.14	74.0	-23.82	Peak	213.00	150	Vertical	Pass
5**	9815.500	40.95	-3.14	54.0	-13.05	AV	213.00	150	Vertical	Pass
6	16886.000	51.37	0.39	74.0	-22.63	Peak	323.00	150	Vertical	Pass
6**	16886.000	43.14	0.39	54.0	-10.86	AV	323.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	50.86	-18.41	74.0	-23.14	Peak	344.00	150	Horizontal	Pass
1**	1080.200	30.95	-18.41	54.0	-23.05	AV	344.00	150	Horizontal	Pass
2	2426.000	106.05	-12.71	74.0	32.05	Peak	211.00	150	Horizontal	N/A
2**	2426.000	96.91	-12.71	54.0	42.91	AV	211.00	150	Horizontal	N/A
3	4704.250	48.90	-3.74	74.0	-25.10	Peak	208.00	150	Horizontal	Pass
3**	4704.250	38.93	-3.74	54.0	-15.07	AV	208.00	150	Horizontal	Pass
4	7371.250	53.15	0.94	74.0	-20.85	Peak	3.00	150	Horizontal	Pass
4**	7371.250	43.65	0.94	54.0	-10.35	AV	3.00	150	Horizontal	Pass
5	9794.000	49.51	-2.56	74.0	-24.49	Peak	338.00	150	Horizontal	Pass
5**	9794.000	39.76	-2.56	54.0	-14.24	AV	338.00	150	Horizontal	Pass
6	16874.500	52.03	-0.07	74.0	-21.97	Peak	256.00	150	Horizontal	Pass
6**	16874.500	42.79	-0.07	54.0	-11.21	AV	256.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.300	44.56	-18.37	74.0	-29.44	Peak	135.00	150	Vertical	Pass
1**	1079.300	29.83	-18.37	54.0	-24.17	AV	135.00	150	Vertical	Pass
2	2440.500	108.44	-12.37	74.0	34.44	Peak	43.00	150	Vertical	N/A
2**	2440.500	98.14	-12.37	54.0	44.14	AV	43.00	150	Vertical	N/A
3	5059.750	49.52	-3.02	74.0	-24.48	Peak	109.00	150	Vertical	Pass
3**	5059.750	40.00	-3.02	54.0	-14.00	AV	109.00	150	Vertical	Pass
4	7818.000	53.80	2.24	74.0	-20.20	Peak	273.00	150	Vertical	Pass
4**	7818.000	45.12	2.24	54.0	-8.88	AV	273.00	150	Vertical	Pass
5	9817.500	49.61	-3.24	74.0	-24.39	Peak	106.00	150	Vertical	Pass
5**	9817.500	41.14	-3.24	54.0	-12.86	AV	106.00	150	Vertical	Pass
6	16122.000	51.55	-0.98	74.0	-22.45	Peak	309.00	150	Vertical	Pass
6**	16122.000	42.05	-0.98	54.0	-11.95	AV	309.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	49.73	-18.41	74.0	-24.27	Peak	306.00	150	Horizontal	Pass
1**	1080.200	31.30	-18.41	54.0	-22.70	AV	306.00	150	Horizontal	Pass
2	2422.000	98.34	-12.48	74.0	24.34	Peak	321.00	150	Horizontal	N/A
2**	2422.000	89.30	-12.48	54.0	35.30	AV	321.00	150	Horizontal	N/A
3	5483.250	51.29	-2.51	74.0	-22.71	Peak	94.00	150	Horizontal	Pass
3**	5483.250	41.39	-2.51	54.0	-12.61	AV	94.00	150	Horizontal	Pass
4	7608.500	52.59	0.59	74.0	-21.41	Peak	184.00	150	Horizontal	Pass
4**	7608.500	43.02	0.59	54.0	-10.98	AV	184.00	150	Horizontal	Pass
5	13888.000	50.37	-0.51	74.0	-23.63	Peak	0.00	150	Horizontal	Pass
5**	13888.000	41.14	-0.51	54.0	-12.86	AV	0.00	150	Horizontal	Pass
6	17905.500	52.38	1.42	74.0	-21.62	Peak	313.00	150	Horizontal	Pass
6**	17905.500	42.90	1.42	54.0	-11.10	AV	313.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.600	44.26	-18.43	74.0	-29.74	Peak	247.00	150	Vertical	Pass
1**	1080.600	29.92	-18.43	54.0	-24.08	AV	247.00	150	Vertical	Pass
2	2411.900	106.87	-12.65	74.0	32.87	Peak	0.00	150	Vertical	N/A
2**	2411.900	97.05	-12.65	54.0	43.05	AV	0.00	150	Vertical	N/A
3	5489.000	50.57	-2.38	74.0	-23.43	Peak	348.00	150	Vertical	Pass
3**	5489.000	41.91	-2.38	54.0	-12.09	AV	348.00	150	Vertical	Pass
4	7835.250	53.70	1.12	74.0	-20.30	Peak	187.00	150	Vertical	Pass
4**	7835.250	43.29	1.12	54.0	-10.71	AV	187.00	150	Vertical	Pass
5	12832.000	50.12	-1.71	74.0	-23.88	Peak	332.00	150	Vertical	Pass
5**	12832.000	39.71	-1.71	54.0	-14.29	AV	332.00	150	Vertical	Pass
6	16884.500	52.30	0.33	74.0	-21.70	Peak	184.00	150	Vertical	Pass
6**	16884.500	43.18	0.33	54.0	-10.82	AV	184.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	49.48	-18.42	74.0	-24.52	Peak	0.00	150	Horizontal	Pass
1**	1080.300	29.51	-18.42	54.0	-24.49	AV	0.00	150	Horizontal	Pass
2	2422.800	97.97	-12.51	74.0	23.97	Peak	302.00	150	Horizontal	N/A
2**	2422.800	89.76	-12.51	54.0	35.76	AV	302.00	150	Horizontal	N/A
3	5574.500	50.66	-1.89	74.0	-23.34	Peak	44.00	150	Horizontal	Pass
3**	5574.500	41.42	-1.89	54.0	-12.58	AV	44.00	150	Horizontal	Pass
4	7818.250	53.55	2.21	74.0	-20.45	Peak	117.00	150	Horizontal	Pass
4**	7818.250	44.80	2.21	54.0	-9.20	AV	117.00	150	Horizontal	Pass
5	13775.000	49.55	-0.54	74.0	-24.45	Peak	274.00	150	Horizontal	Pass
5**	13775.000	40.80	-0.54	54.0	-13.20	AV	274.00	150	Horizontal	Pass
6	17874.999	52.18	1.18	74.0	-21.82	Peak	187.00	150	Horizontal	Pass
6**	17874.999	43.11	1.18	54.0	-10.89	AV	187.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	47.57	-18.41	74.0	-26.43	Peak	233.00	150	Vertical	Pass
1**	1080.200	30.13	-18.41	54.0	-23.87	AV	233.00	150	Vertical	Pass
2	2422.200	106.65	-12.48	74.0	32.65	Peak	0.00	150	Vertical	N/A
2**	2422.200	97.78	-12.48	54.0	43.78	AV	0.00	150	Vertical	N/A
3	5575.500	51.12	-1.66	74.0	-22.88	Peak	0.00	150	Vertical	Pass
3**	5575.500	41.48	-1.66	54.0	-12.52	AV	0.00	150	Vertical	Pass
4	7487.000	53.50	1.62	74.0	-20.50	Peak	360.00	150	Vertical	Pass
4**	7487.000	44.71	1.62	54.0	-9.29	AV	360.00	150	Vertical	Pass
5	13786.000	50.06	-0.09	74.0	-23.94	Peak	12.00	150	Vertical	Pass
5**	13786.000	40.75	-0.09	54.0	-13.25	AV	12.00	150	Vertical	Pass
6	17824.000	52.84	0.76	74.0	-21.16	Peak	87.00	150	Vertical	Pass
6**	17824.000	42.79	0.76	54.0	-11.21	AV	87.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	49.81	-18.39	74.0	-24.19	Peak	360.00	150	Horizontal	Pass
1**	1079.800	30.49	-18.39	54.0	-23.51	AV	360.00	150	Horizontal	Pass
2	2446.000	100.11	-12.45	74.0	26.11	Peak	312.00	150	Horizontal	N/A
2**	2446.000	90.54	-12.45	54.0	36.54	AV	312.00	150	Horizontal	N/A
3	5766.500	50.88	-2.25	74.0	-23.12	Peak	361.00	150	Horizontal	Pass
3**	5766.500	41.40	-2.25	54.0	-12.60	AV	361.00	150	Horizontal	Pass
4	7199.000	53.65	-0.04	74.0	-20.35	Peak	110.00	150	Horizontal	Pass
4**	7199.000	43.29	-0.04	54.0	-10.71	AV	110.00	150	Horizontal	Pass
5	13874.500	50.21	-0.52	74.0	-23.79	Peak	28.00	150	Horizontal	Pass
5**	13874.500	41.60	-0.52	54.0	-12.40	AV	28.00	150	Horizontal	Pass
6	17947.501	52.33	0.86	74.0	-21.67	Peak	253.00	150	Horizontal	Pass
6**	17947.501	42.22	0.86	54.0	-11.78	AV	253.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	46.09	-18.41	74.0	-27.91	Peak	171.00	150	Vertical	Pass
1**	1080.200	30.22	-18.41	54.0	-23.78	AV	171.00	150	Vertical	Pass
2	2434.000	108.45	-12.42	74.0	34.45	Peak	317.00	150	Vertical	N/A
2**	2434.000	97.95	-12.42	54.0	43.95	AV	317.00	150	Vertical	N/A
3	5580.000	50.32	-1.35	74.0	-23.68	Peak	57.00	150	Vertical	Pass
3**	5580.000	42.51	-1.35	54.0	-11.49	AV	57.00	150	Vertical	Pass
4	7807.750	53.14	1.14	74.0	-20.86	Peak	0.00	150	Vertical	Pass
4**	7807.750	43.93	1.14	54.0	-10.07	AV	0.00	150	Vertical	Pass
5	12837.000	50.06	-1.72	74.0	-23.94	Peak	200.00	150	Vertical	Pass
5**	12837.000	40.32	-1.72	54.0	-13.68	AV	200.00	150	Vertical	Pass
6	17849.999	51.74	0.86	74.0	-22.26	Peak	348.00	150	Vertical	Pass
6**	17849.999	42.70	0.86	54.0	-11.30	AV	348.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	48.61	-18.41	74.0	-25.39	Peak	288.00	150	Horizontal	Pass
1**	1080.100	30.46	-18.41	54.0	-23.54	AV	288.00	150	Horizontal	Pass
2	2438.500	97.98	-12.36	74.0	23.98	Peak	212.00	150	Horizontal	N/A
2**	2438.500	88.28	-12.36	54.0	34.28	AV	212.00	150	Horizontal	N/A
3	5782.750	51.06	-2.89	74.0	-22.94	Peak	331.00	150	Horizontal	Pass
3**	5782.750	41.08	-2.89	54.0	-12.92	AV	331.00	150	Horizontal	Pass
4	7930.750	53.41	1.98	74.0	-20.59	Peak	180.00	150	Horizontal	Pass
4**	7930.750	44.09	1.98	54.0	-9.91	AV	180.00	150	Horizontal	Pass
5	12685.000	49.62	-1.51	74.0	-24.38	Peak	232.00	150	Horizontal	Pass
5**	12685.000	39.28	-1.51	54.0	-14.72	AV	232.00	150	Horizontal	Pass
6	17938.999	51.94	0.98	74.0	-22.06	Peak	153.00	150	Horizontal	Pass
6**	17938.999	43.28	0.98	54.0	-10.72	AV	153.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	47.44	-18.39	74.0	-26.56	Peak	169.00	150	Vertical	Pass
1**	1079.800	31.52	-18.39	54.0	-22.48	AV	169.00	150	Vertical	Pass
2	2455.800	107.48	-12.71	74.0	33.48	Peak	0.00	150	Vertical	N/A
2**	2455.800	96.28	-12.71	54.0	42.28	AV	0.00	150	Vertical	N/A
3	5560.000	50.53	-2.64	74.0	-23.47	Peak	148.00	150	Vertical	Pass
3**	5560.000	40.92	-2.64	54.0	-13.08	AV	148.00	150	Vertical	Pass
4	7813.000	53.22	1.51	74.0	-20.78	Peak	163.00	150	Vertical	Pass
4**	7813.000	44.16	1.51	54.0	-9.84	AV	163.00	150	Vertical	Pass
5	13887.500	50.53	-0.51	74.0	-23.47	Peak	331.00	150	Vertical	Pass
5**	13887.500	41.62	-0.51	54.0	-12.38	AV	331.00	150	Vertical	Pass
6	17913.500	52.63	1.32	74.0	-21.37	Peak	331.00	150	Vertical	Pass
6**	17913.500	43.23	1.32	54.0	-10.77	AV	331.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	49.73	-18.40	74.0	-24.27	Peak	360.00	150	Horizontal	Pass
1**	1080.000	37.36	-18.40	54.0	-16.64	AV	360.00	150	Horizontal	Pass
2	2453.500	97.82	-12.67	74.0	23.82	Peak	212.00	150	Horizontal	N/A
2**	2453.500	87.72	-12.67	54.0	33.72	AV	212.00	150	Horizontal	N/A
3	5703.000	50.71	-2.78	74.0	-23.29	Peak	172.00	150	Horizontal	Pass
3**	5703.000	40.34	-2.78	54.0	-13.66	AV	172.00	150	Horizontal	Pass
4	7881.500	53.05	1.52	74.0	-20.95	Peak	11.00	150	Horizontal	Pass
4**	7881.500	44.13	1.52	54.0	-9.87	AV	11.00	150	Horizontal	Pass
5	13877.500	50.12	-0.52	74.0	-23.88	Peak	207.00	150	Horizontal	Pass
5**	13877.500	42.11	-0.52	54.0	-11.89	AV	207.00	150	Horizontal	Pass
6	17938.999	52.49	0.98	74.0	-21.51	Peak	126.00	150	Horizontal	Pass
6**	17938.999	43.32	0.98	54.0	-10.68	AV	126.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.000	43.22	-18.36	74.0	-30.78	Peak	270.00	150	Vertical	Pass
1**	1079.000	30.07	-18.36	54.0	-23.93	AV	270.00	150	Vertical	Pass
2	2448.700	106.55	-12.51	74.0	32.55	Peak	285.00	150	Vertical	N/A
2**	2448.700	97.07	-12.51	54.0	43.07	AV	285.00	150	Vertical	N/A
3	5584.250	50.77	-1.55	74.0	-23.23	Peak	153.00	150	Vertical	Pass
3**	5584.250	41.04	-1.55	54.0	-12.96	AV	153.00	150	Vertical	Pass
4	7935.500	53.23	2.07	74.0	-20.77	Peak	138.00	150	Vertical	Pass
4**	7935.500	44.89	2.07	54.0	-9.11	AV	138.00	150	Vertical	Pass
5	12779.500	50.46	-2.22	74.0	-23.54	Peak	74.00	150	Vertical	Pass
5**	12779.500	39.73	-2.22	54.0	-14.27	AV	74.00	150	Vertical	Pass
6	17881.500	51.69	1.26	74.0	-22.31	Peak	105.00	150	Vertical	Pass
6**	17881.500	43.08	1.26	54.0	-10.92	AV	105.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	49.97	-18.38	74.0	-24.03	Peak	0.00	150	Horizontal	Pass
1**	1079.600	36.31	-18.38	54.0	-17.69	AV	0.00	150	Horizontal	Pass
2	2444.600	105.11	-12.45	74.0	31.11	Peak	219.00	150	Horizontal	N/A
2**	2444.600	96.00	-12.45	54.0	42.00	AV	219.00	150	Horizontal	N/A
3	5341.750	50.48	-2.95	74.0	-23.52	Peak	88.00	150	Horizontal	Pass
3**	5341.750	41.01	-2.95	54.0	-12.99	AV	88.00	150	Horizontal	Pass
4	7935.000	53.38	2.20	74.0	-20.62	Peak	119.00	150	Horizontal	Pass
4**	7935.000	44.05	2.20	54.0	-9.95	AV	119.00	150	Horizontal	Pass
5	9810.500	48.49	-2.88	74.0	-25.51	Peak	188.00	150	Horizontal	Pass
5**	9810.500	42.70	-2.88	54.0	-11.30	AV	188.00	150	Horizontal	Pass
6	16873.000	52.36	-0.13	74.0	-21.64	Peak	51.00	150	Horizontal	Pass
6**	16873.000	42.95	-0.13	54.0	-11.05	AV	51.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	44.20	-18.41	74.0	-29.80	Peak	55.00	150	Vertical	Pass
1**	1080.200	31.96	-18.41	54.0	-22.04	AV	55.00	150	Vertical	Pass
2	2451.400	107.29	-12.44	74.0	33.29	Peak	3.00	150	Vertical	N/A
2**	2451.400	98.01	-12.44	54.0	44.01	AV	3.00	150	Vertical	N/A
3	5544.250	50.91	-2.43	74.0	-23.09	Peak	293.00	150	Vertical	Pass
3**	5544.250	40.79	-2.43	54.0	-13.21	AV	293.00	150	Vertical	Pass
4	7919.500	53.19	0.53	74.0	-20.81	Peak	108.00	150	Vertical	Pass
4**	7919.500	43.12	0.53	54.0	-10.88	AV	108.00	150	Vertical	Pass
5	9809.500	49.72	-2.83	74.0	-24.28	Peak	62.00	150	Vertical	Pass
5**	9809.500	40.96	-2.83	54.0	-13.04	AV	62.00	150	Vertical	Pass
6	16886.500	52.20	0.41	74.0	-21.80	Peak	240.00	150	Vertical	Pass
6**	16886.500	42.65	0.41	54.0	-11.35	AV	240.00	150	Vertical	Pass

MIMO

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	54.28	-18.41	74.0	-19.72	Peak	325.00	150	Horizontal	Pass
1**	1080.100	40.55	-18.41	54.0	-13.45	AV	325.00	150	Horizontal	Pass
2	2412.000	106.32	-12.65	74.0	32.32	Peak	17.00	150	Horizontal	N/A
2**	2412.000	102.72	-12.65	54.0	48.72	AV	17.00	150	Horizontal	N/A
3	4824.000	48.58	-3.85	74.0	-25.42	Peak	181.00	150	Horizontal	Pass
3**	4824.000	44.00	-3.85	54.0	-10.00	AV	181.00	150	Horizontal	Pass
4	7644.250	52.93	0.85	74.0	-21.07	Peak	27.00	150	Horizontal	Pass
4**	7644.250	43.71	0.85	54.0	-10.29	AV	27.00	150	Horizontal	Pass
5	9810.000	48.66	-2.85	74.0	-25.34	Peak	296.00	150	Horizontal	Pass
5**	9810.000	42.36	-2.85	54.0	-11.64	AV	296.00	150	Horizontal	Pass
6	16135.000	51.79	-0.55	74.0	-22.21	Peak	188.00	150	Horizontal	Pass
6**	16135.000	43.24	-0.55	54.0	-10.76	AV	188.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	50.23	-18.41	74.0	-23.77	Peak	161.00	150	Vertical	Pass
1**	1080.200	38.73	-18.41	54.0	-15.27	AV	161.00	150	Vertical	Pass
2	2413.200	106.59	-12.72	74.0	32.59	Peak	285.00	150	Vertical	N/A
2**	2413.200	103.80	-12.72	54.0	49.80	AV	285.00	150	Vertical	N/A
3	4824.250	51.00	-3.88	74.0	-23.00	Peak	16.00	150	Vertical	Pass
3**	4824.250	47.99	-3.88	54.0	-6.01	AV	16.00	150	Vertical	Pass
4	7818.250	54.07	2.21	74.0	-19.93	Peak	6.00	150	Vertical	Pass
4**	7818.250	44.61	2.21	54.0	-9.39	AV	6.00	150	Vertical	Pass
5	9806.000	49.66	-2.65	74.0	-24.34	Peak	0.00	150	Vertical	Pass
5**	9806.000	40.78	-2.65	54.0	-13.22	AV	0.00	150	Vertical	Pass
6	16880.000	52.35	0.15	74.0	-21.65	Peak	37.00	150	Vertical	Pass
6**	16880.000	43.10	0.15	54.0	-10.90	AV	37.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	53.70	-18.41	74.0	-20.30	Peak	350.00	150	Horizontal	Pass
1**	1080.100	44.30	-18.41	54.0	-9.70	AV	350.00	150	Horizontal	Pass
2	2435.700	106.71	-12.18	74.0	32.71	Peak	213.00	150	Horizontal	N/A
2**	2435.700	103.85	-12.18	54.0	49.85	AV	213.00	150	Horizontal	N/A
3	4874.000	49.54	-3.44	74.0	-24.46	Peak	170.00	150	Horizontal	Pass
3**	4874.000	44.78	-3.44	54.0	-9.22	AV	170.00	150	Horizontal	Pass
4	7814.000	53.56	1.57	74.0	-20.44	Peak	67.00	150	Horizontal	Pass
4**	7814.000	44.48	1.57	54.0	-9.52	AV	67.00	150	Horizontal	Pass
5	9807.000	49.57	-2.70	74.0	-24.43	Peak	51.00	150	Horizontal	Pass
5**	9807.000	41.74	-2.70	54.0	-12.26	AV	51.00	150	Horizontal	Pass
6	16150.000	51.94	-0.07	74.0	-22.06	Peak	188.00	150	Horizontal	Pass
6**	16150.000	42.47	-0.07	54.0	-11.53	AV	188.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	50.17	-18.42	74.0	-23.83	Peak	142.00	150	Vertical	Pass
1**	1080.300	34.62	-18.42	54.0	-19.38	AV	142.00	150	Vertical	Pass
2	2435.400	106.86	-12.15	74.0	32.86	Peak	293.00	150	Vertical	N/A
2**	2435.400	103.98	-12.15	54.0	49.98	AV	293.00	150	Vertical	N/A
3	4874.250	48.67	-3.44	74.0	-25.33	Peak	38.00	150	Vertical	Pass
3**	4874.250	45.92	-3.44	54.0	-8.08	AV	38.00	150	Vertical	Pass
4	7819.250	53.25	2.09	74.0	-20.75	Peak	181.00	150	Vertical	Pass
4**	7819.250	45.00	2.09	54.0	-9.00	AV	181.00	150	Vertical	Pass
5	9810.500	49.18	-2.88	74.0	-24.82	Peak	0.00	150	Vertical	Pass
5**	9810.500	41.29	-2.88	54.0	-12.71	AV	0.00	150	Vertical	Pass
6	17923.000	52.90	1.19	74.0	-21.10	Peak	159.00	150	Vertical	Pass
6**	17923.000	43.70	1.19	54.0	-10.30	AV	159.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	48.78	-18.39	74.0	-25.22	Peak	184.00	150	Horizontal	Pass
1**	1079.700	37.86	-18.39	54.0	-16.14	AV	184.00	150	Horizontal	Pass
2	2450.500	106.09	-12.35	74.0	32.09	Peak	37.00	150	Horizontal	N/A
2**	2450.500	103.12	-12.35	54.0	49.12	AV	37.00	150	Horizontal	N/A
3	4904.250	50.83	-3.60	74.0	-23.17	Peak	259.00	150	Horizontal	Pass
3**	4904.250	45.08	-3.60	54.0	-8.92	AV	259.00	150	Horizontal	Pass
4	7638.750	53.97	0.59	74.0	-20.03	Peak	238.00	150	Horizontal	Pass
4**	7638.750	43.67	0.59	54.0	-10.33	AV	238.00	150	Horizontal	Pass
5	9808.500	48.34	-2.78	74.0	-25.66	Peak	66.00	150	Horizontal	Pass
5**	9808.500	43.03	-2.78	54.0	-10.97	AV	66.00	150	Horizontal	Pass
6	16142.500	52.11	-0.31	74.0	-21.89	Peak	360.00	150	Horizontal	Pass
6**	16142.500	42.92	-0.31	54.0	-11.08	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	47.10	-18.38	74.0	-26.90	Peak	358.00	150	Vertical	Pass
1**	1079.600	38.00	-18.38	54.0	-16.00	AV	358.00	150	Vertical	Pass
2	2450.600	106.58	-12.36	74.0	32.58	Peak	344.00	150	Vertical	N/A
2**	2450.600	103.41	-12.36	54.0	49.41	AV	344.00	150	Vertical	N/A
3	4904.250	50.53	-3.60	74.0	-23.47	Peak	134.00	150	Vertical	Pass
3**	4904.250	46.48	-3.60	54.0	-7.52	AV	134.00	150	Vertical	Pass
4	7485.500	53.21	1.47	74.0	-20.79	Peak	102.00	150	Vertical	Pass
4**	7485.500	44.97	1.47	54.0	-9.03	AV	102.00	150	Vertical	Pass
5	9808.500	48.16	-2.78	74.0	-25.84	Peak	109.00	150	Vertical	Pass
5**	9808.500	43.92	-2.78	54.0	-10.08	AV	109.00	150	Vertical	Pass
6	16082.000	51.26	-1.67	74.0	-22.74	Peak	280.00	150	Vertical	Pass
6**	16082.000	42.32	-1.67	54.0	-11.68	AV	280.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	49.58	-18.40	74.0	-24.42	Peak	270.00	150	Horizontal	Pass
1**	1079.900	35.62	-18.40	54.0	-18.38	AV	270.00	150	Horizontal	Pass
2	2455.800	105.92	-12.71	74.0	31.92	Peak	69.00	150	Horizontal	N/A
2**	2455.800	103.03	-12.71	54.0	49.03	AV	69.00	150	Horizontal	N/A
3	4914.000	48.31	-3.76	74.0	-25.69	Peak	4.00	150	Horizontal	Pass
3**	4914.000	43.76	-3.76	54.0	-10.24	AV	4.00	150	Horizontal	Pass
4	7184.250	53.30	-0.41	74.0	-20.70	Peak	216.00	150	Horizontal	Pass
4**	7184.250	42.42	-0.41	54.0	-11.58	AV	216.00	150	Horizontal	Pass
5	9828.500	47.73	-3.81	74.0	-26.27	Peak	65.00	150	Horizontal	Pass
5**	9828.500	42.16	-3.81	54.0	-11.84	AV	65.00	150	Horizontal	Pass
6	16727.500	51.66	-1.97	74.0	-22.34	Peak	24.00	150	Horizontal	Pass
6**	16727.500	42.82	-1.97	54.0	-11.18	AV	24.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	47.53	-18.39	74.0	-26.47	Peak	360.00	150	Vertical	Pass
1**	1079.800	39.03	-18.39	54.0	-14.97	AV	360.00	150	Vertical	Pass
2	2455.400	106.11	-12.73	74.0	32.11	Peak	337.00	150	Vertical	N/A
2**	2455.400	103.18	-12.73	54.0	49.18	AV	337.00	150	Vertical	N/A
3	4914.250	49.40	-3.76	74.0	-24.60	Peak	260.00	150	Vertical	Pass
3**	4914.250	45.94	-3.76	54.0	-8.06	AV	260.00	150	Vertical	Pass
4	6951.750	52.57	-0.80	74.0	-21.43	Peak	228.00	150	Vertical	Pass
4**	6951.750	43.22	-0.80	54.0	-10.78	AV	228.00	150	Vertical	Pass
5	9828.500	47.09	-3.81	74.0	-26.91	Peak	96.00	150	Vertical	Pass
5**	9828.500	43.77	-3.81	54.0	-10.23	AV	96.00	150	Vertical	Pass
6	16881.500	51.40	0.21	74.0	-22.60	Peak	123.00	150	Vertical	Pass
6**	16881.500	42.49	0.21	54.0	-11.51	AV	123.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	53.55	-18.41	74.0	-20.45	Peak	351.00	150	Horizontal	Pass
1**	1080.100	39.15	-18.41	54.0	-14.85	AV	351.00	150	Horizontal	Pass
2	2463.700	105.51	-12.80	74.0	31.51	Peak	207.00	150	Horizontal	N/A
2**	2463.700	102.75	-12.80	54.0	48.75	AV	207.00	150	Horizontal	N/A
3	4924.250	48.89	-3.84	74.0	-25.11	Peak	354.00	150	Horizontal	Pass
3**	4924.250	45.19	-3.84	54.0	-8.81	AV	354.00	150	Horizontal	Pass
4	7764.750	52.88	1.25	74.0	-21.12	Peak	88.00	150	Horizontal	Pass
4**	7764.750	44.08	1.25	54.0	-9.92	AV	88.00	150	Horizontal	Pass
5	9848.500	46.49	-4.85	74.0	-27.51	Peak	63.00	150	Horizontal	Pass
5**	9848.500	42.83	-4.85	54.0	-11.17	AV	63.00	150	Horizontal	Pass
6	16133.500	52.04	-0.60	74.0	-21.96	Peak	200.00	150	Horizontal	Pass
6**	16133.500	42.69	-0.60	54.0	-11.31	AV	200.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	50.64	-18.41	74.0	-23.36	Peak	140.00	150	Vertical	Pass
1**	1080.100	39.18	-18.41	54.0	-14.82	AV	140.00	150	Vertical	Pass
2	2463.200	106.02	-12.83	74.0	32.02	Peak	283.00	150	Vertical	N/A
2**	2463.200	103.41	-12.83	54.0	49.41	AV	283.00	150	Vertical	N/A
3	4924.000	50.33	-3.84	74.0	-23.67	Peak	354.00	150	Vertical	Pass
3**	4924.000	45.55	-3.84	54.0	-8.45	AV	354.00	150	Vertical	Pass
4	7933.750	53.43	2.06	74.0	-20.57	Peak	107.00	150	Vertical	Pass
4**	7933.750	44.01	2.06	54.0	-9.99	AV	107.00	150	Vertical	Pass
5	9848.500	46.26	-4.85	74.0	-27.74	Peak	91.00	150	Vertical	Pass
5**	9848.500	43.68	-4.85	54.0	-10.32	AV	91.00	150	Vertical	Pass
6	16146.000	52.28	-0.20	74.0	-21.72	Peak	297.00	150	Vertical	Pass
6**	16146.000	42.75	-0.20	54.0	-11.25	AV	297.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	52.82	-18.40	74.0	-21.18	Peak	17.00	150	Horizontal	Pass
1**	1080.000	30.16	-18.40	54.0	-23.84	AV	17.00	150	Horizontal	Pass
2	2417.000	109.62	-12.56	74.0	35.62	Peak	221.00	150	Horizontal	N/A
2**	2417.000	102.79	-12.56	54.0	48.79	AV	221.00	150	Horizontal	N/A
3	4703.000	49.45	-3.67	74.0	-24.55	Peak	219.00	150	Horizontal	Pass
3**	4703.000	39.69	-3.67	54.0	-14.31	AV	219.00	150	Horizontal	Pass
4	7816.750	53.75	1.91	74.0	-20.25	Peak	4.00	150	Horizontal	Pass
4**	7816.750	44.64	1.91	54.0	-9.36	AV	4.00	150	Horizontal	Pass
5	9818.500	49.16	-3.29	74.0	-24.84	Peak	105.00	150	Horizontal	Pass
5**	9818.500	40.75	-3.29	54.0	-13.25	AV	105.00	150	Horizontal	Pass
6	17887.500	53.16	1.34	74.0	-20.84	Peak	214.00	150	Horizontal	Pass
6**	17887.500	43.36	1.34	54.0	-10.64	AV	214.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	50.00	-18.41	74.0	-24.00	Peak	138.00	150	Vertical	Pass
1**	1080.200	39.31	-18.41	54.0	-14.69	AV	138.00	150	Vertical	Pass
2	2412.700	110.83	-12.69	74.0	36.83	Peak	80.00	150	Vertical	N/A
2**	2412.700	103.70	-12.69	54.0	49.70	AV	80.00	150	Vertical	N/A
3	4871.000	49.84	-3.12	74.0	-24.16	Peak	346.00	150	Vertical	Pass
3**	4871.000	40.35	-3.12	54.0	-13.65	AV	346.00	150	Vertical	Pass
4	7792.500	53.07	0.99	74.0	-20.93	Peak	162.00	150	Vertical	Pass
4**	7792.500	43.95	0.99	54.0	-10.05	AV	162.00	150	Vertical	Pass
5	9794.000	49.23	-2.56	74.0	-24.77	Peak	0.00	150	Vertical	Pass
5**	9794.000	40.67	-2.56	54.0	-13.33	AV	0.00	150	Vertical	Pass
6	16132.500	51.89	-0.64	74.0	-22.11	Peak	269.00	150	Vertical	Pass
6**	16132.500	41.88	-0.64	54.0	-12.12	AV	269.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	49.69	-18.39	74.0	-24.31	Peak	324.00	150	Horizontal	Pass
1**	1079.800	39.17	-18.39	54.0	-14.83	AV	324.00	150	Horizontal	Pass
2	2422.500	106.29	-12.48	74.0	32.29	Peak	223.00	150	Horizontal	N/A
2**	2422.500	99.21	-12.48	54.0	45.21	AV	223.00	150	Horizontal	N/A
3	4515.500	48.21	-4.77	74.0	-25.79	Peak	120.00	150	Horizontal	Pass
3**	4515.500	38.80	-4.77	54.0	-15.20	AV	120.00	150	Horizontal	Pass
4	7582.750	52.80	0.54	74.0	-21.20	Peak	290.00	150	Horizontal	Pass
4**	7582.750	44.69	0.54	54.0	-9.31	AV	290.00	150	Horizontal	Pass
5	9817.500	49.35	-3.24	74.0	-24.65	Peak	306.00	150	Horizontal	Pass
5**	9817.500	40.68	-3.24	54.0	-13.32	AV	306.00	150	Horizontal	Pass
6	17355.500	52.03	0.15	74.0	-21.97	Peak	292.00	150	Horizontal	Pass
6**	17355.500	41.79	0.15	54.0	-12.21	AV	292.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	49.21	-18.38	74.0	-24.79	Peak	225.00	150	Vertical	Pass
1**	1079.600	33.70	-18.38	54.0	-20.30	AV	225.00	150	Vertical	Pass
2	2421.900	110.39	-12.48	74.0	36.39	Peak	191.00	150	Vertical	N/A
2**	2421.900	103.69	-12.48	54.0	49.69	AV	191.00	150	Vertical	N/A
3	4860.250	49.30	-3.30	74.0	-24.70	Peak	142.00	150	Vertical	Pass
3**	4860.250	39.49	-3.30	54.0	-14.51	AV	142.00	150	Vertical	Pass
4	7989.750	53.86	1.11	74.0	-20.14	Peak	153.00	150	Vertical	Pass
4**	7989.750	43.41	1.11	54.0	-10.59	AV	153.00	150	Vertical	Pass
5	9802.000	49.61	-2.44	74.0	-24.39	Peak	53.00	150	Vertical	Pass
5**	9802.000	41.39	-2.44	54.0	-12.61	AV	53.00	150	Vertical	Pass
6	16032.500	52.08	-1.33	74.0	-21.92	Peak	81.00	150	Vertical	Pass
6**	16032.500	42.37	-1.33	54.0	-11.63	AV	81.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	49.87	-18.41	74.0	-24.13	Peak	318.00	150	Horizontal	Pass
1**	1080.100	40.54	-18.41	54.0	-13.46	AV	318.00	150	Horizontal	Pass
2	2418.500	107.04	-12.47	74.0	33.04	Peak	191.00	150	Horizontal	N/A
2**	2418.500	99.80	-12.47	54.0	45.80	AV	191.00	150	Horizontal	N/A
3	4201.500	47.67	-5.33	74.0	-26.33	Peak	228.00	150	Horizontal	Pass
3**	4201.500	38.33	-5.33	54.0	-15.67	AV	228.00	150	Horizontal	Pass
4	7491.250	53.07	1.34	74.0	-20.93	Peak	270.00	150	Horizontal	Pass
4**	7491.250	44.60	1.34	54.0	-9.40	AV	270.00	150	Horizontal	Pass
5	9805.500	49.19	-2.62	74.0	-24.81	Peak	350.00	150	Horizontal	Pass
5**	9805.500	41.18	-2.62	54.0	-12.82	AV	350.00	150	Horizontal	Pass
6	16143.000	52.17	-0.29	74.0	-21.83	Peak	10.00	150	Horizontal	Pass
6**	16143.000	43.48	-0.29	54.0	-10.52	AV	10.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	49.29	-18.42	74.0	-24.71	Peak	223.00	150	Vertical	Pass
1**	1080.400	39.14	-18.42	54.0	-14.86	AV	223.00	150	Vertical	Pass
2	2421.000	111.36	-12.49	74.0	37.36	Peak	196.00	150	Vertical	N/A
2**	2421.000	104.21	-12.49	54.0	50.21	AV	196.00	150	Vertical	N/A
3	4712.000	48.82	-3.92	74.0	-25.18	Peak	354.00	150	Vertical	Pass
3**	4712.000	39.80	-3.92	54.0	-14.20	AV	354.00	150	Vertical	Pass
4	7492.500	52.57	1.23	74.0	-21.43	Peak	216.00	150	Vertical	Pass
4**	7492.500	43.46	1.23	54.0	-10.54	AV	216.00	150	Vertical	Pass
5	9834.500	49.27	-4.12	74.0	-24.73	Peak	360.00	150	Vertical	Pass
5**	9834.500	40.29	-4.12	54.0	-13.71	AV	360.00	150	Vertical	Pass
6	16639.000	51.60	-2.28	74.0	-22.40	Peak	292.00	150	Vertical	Pass
6**	16639.000	41.49	-2.28	54.0	-12.51	AV	292.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	48.88	-18.39	74.0	-25.12	Peak	326.00	150	Horizontal	Pass
1**	1079.700	35.43	-18.39	54.0	-18.57	AV	326.00	150	Horizontal	Pass
2	2421.700	107.64	-12.49	74.0	33.64	Peak	219.00	150	Horizontal	N/A
2**	2421.700	99.99	-12.49	54.0	45.99	AV	219.00	150	Horizontal	N/A
3	4533.250	47.81	-4.40	74.0	-26.19	Peak	360.00	150	Horizontal	Pass
3**	4533.250	38.17	-4.40	54.0	-15.83	AV	360.00	150	Horizontal	Pass
4	7538.000	52.60	0.16	74.0	-21.40	Peak	360.00	150	Horizontal	Pass
4**	7538.000	42.58	0.16	54.0	-11.42	AV	360.00	150	Horizontal	Pass
5	9809.000	49.58	-2.80	74.0	-24.42	Peak	222.00	150	Horizontal	Pass
5**	9809.000	41.06	-2.80	54.0	-12.94	AV	222.00	150	Horizontal	Pass
6	16153.000	50.94	-0.04	74.0	-23.06	Peak	165.00	150	Horizontal	Pass
6**	16153.000	42.93	-0.04	54.0	-11.07	AV	165.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	47.32	-18.41	74.0	-26.68	Peak	224.00	150	Vertical	Pass
1**	1080.200	36.54	-18.41	54.0	-17.46	AV	224.00	150	Vertical	Pass
2	2424.100	111.10	-12.71	74.0	37.10	Peak	350.00	150	Vertical	N/A
2**	2424.100	103.53	-12.71	54.0	49.53	AV	350.00	150	Vertical	N/A
3	4450.250	48.14	-4.35	74.0	-25.86	Peak	0.00	150	Vertical	Pass
3**	4450.250	37.49	-4.35	54.0	-16.51	AV	0.00	150	Vertical	Pass
4	7373.250	53.23	0.89	74.0	-20.77	Peak	271.00	150	Vertical	Pass
4**	7373.250	43.99	0.89	54.0	-10.01	AV	271.00	150	Vertical	Pass
5	9809.500	50.03	-2.83	74.0	-23.97	Peak	308.00	150	Vertical	Pass
5**	9809.500	40.99	-2.83	54.0	-13.01	AV	308.00	150	Vertical	Pass
6	16884.000	51.53	0.31	74.0	-22.47	Peak	124.00	150	Vertical	Pass
6**	16884.000	43.38	0.31	54.0	-10.62	AV	124.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	49.72	-18.40	74.0	-24.28	Peak	338.00	150	Horizontal	Pass
1**	1080.000	38.08	-18.40	54.0	-15.92	AV	338.00	150	Horizontal	Pass
2	2427.000	109.21	-12.68	74.0	35.21	Peak	211.00	150	Horizontal	N/A
2**	2427.000	101.58	-12.68	54.0	47.58	AV	211.00	150	Horizontal	N/A
3	5301.000	50.32	-3.00	74.0	-23.68	Peak	239.00	150	Horizontal	Pass
3**	5301.000	40.36	-3.00	54.0	-13.64	AV	239.00	150	Horizontal	Pass
4	7933.250	52.97	1.96	74.0	-21.03	Peak	17.00	150	Horizontal	Pass
4**	7933.250	44.06	1.96	54.0	-9.94	AV	17.00	150	Horizontal	Pass
5	9807.500	49.68	-2.72	74.0	-24.32	Peak	335.00	150	Horizontal	Pass
5**	9807.500	41.63	-2.72	54.0	-12.37	AV	335.00	150	Horizontal	Pass
6	16892.000	52.24	0.63	74.0	-21.76	Peak	137.00	150	Horizontal	Pass
6**	16892.000	42.37	0.63	54.0	-11.63	AV	137.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	50.97	-18.40	74.0	-23.03	Peak	224.00	150	Vertical	Pass
1**	1080.000	39.48	-18.40	54.0	-14.52	AV	224.00	150	Vertical	Pass
2	2436.200	110.72	-12.23	74.0	36.72	Peak	331.00	150	Vertical	N/A
2**	2436.200	103.65	-12.23	54.0	49.65	AV	331.00	150	Vertical	N/A
3	4860.250	49.71	-3.30	74.0	-24.29	Peak	354.00	150	Vertical	Pass
3**	4860.250	40.03	-3.30	54.0	-13.97	AV	354.00	150	Vertical	Pass
4	7562.750	52.81	0.23	74.0	-21.19	Peak	216.00	150	Vertical	Pass
4**	7562.750	43.16	0.23	54.0	-10.84	AV	216.00	150	Vertical	Pass
5	9830.500	49.60	-3.91	74.0	-24.40	Peak	109.00	150	Vertical	Pass
5**	9830.500	39.78	-3.91	54.0	-14.22	AV	109.00	150	Vertical	Pass
6	17950.501	52.72	0.83	74.0	-21.28	Peak	250.00	150	Vertical	Pass
6**	17950.501	42.74	0.83	54.0	-11.26	AV	250.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	49.64	-18.38	74.0	-24.36	Peak	311.00	150	Horizontal	Pass
1**	1079.500	39.87	-18.38	54.0	-14.13	AV	311.00	150	Horizontal	Pass
2	2436.100	110.16	-12.22	74.0	36.16	Peak	218.00	150	Horizontal	N/A
2**	2436.100	102.65	-12.22	54.0	48.65	AV	218.00	150	Horizontal	N/A
3	5237.500	49.70	-2.75	74.0	-24.30	Peak	355.00	150	Horizontal	Pass
3**	5237.500	40.21	-2.75	54.0	-13.79	AV	355.00	150	Horizontal	Pass
4	7817.500	53.32	2.14	74.0	-20.68	Peak	232.00	150	Horizontal	Pass
4**	7817.500	45.09	2.14	54.0	-8.91	AV	232.00	150	Horizontal	Pass
5	9889.500	49.80	-4.23	74.0	-24.20	Peak	322.00	150	Horizontal	Pass
5**	9889.500	39.95	-4.23	54.0	-14.05	AV	322.00	150	Horizontal	Pass
6	17923.000	52.77	1.19	74.0	-21.23	Peak	0.00	150	Horizontal	Pass
6**	17923.000	43.71	1.19	54.0	-10.29	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	47.43	-18.39	74.0	-26.57	Peak	166.00	150	Vertical	Pass
1**	1079.700	36.89	-18.39	54.0	-17.11	AV	166.00	150	Vertical	Pass
2	2441.400	110.95	-12.38	74.0	36.95	Peak	328.00	150	Vertical	N/A
2**	2441.400	103.17	-12.38	54.0	49.17	AV	328.00	150	Vertical	N/A
3	4876.000	48.49	-3.38	74.0	-25.51	Peak	190.00	150	Vertical	Pass
3**	4876.000	43.48	-3.38	54.0	-10.52	AV	190.00	150	Vertical	Pass
4	7802.000	54.40	0.80	74.0	-19.60	Peak	78.00	150	Vertical	Pass
4**	7802.000	43.35	0.80	54.0	-10.65	AV	78.00	150	Vertical	Pass
5	9799.500	49.65	-2.35	74.0	-24.35	Peak	51.00	150	Vertical	Pass
5**	9799.500	41.43	-2.35	54.0	-12.57	AV	51.00	150	Vertical	Pass
6	16088.001	51.44	-1.67	74.0	-22.56	Peak	338.00	150	Vertical	Pass
6**	16088.001	42.32	-1.67	54.0	-11.68	AV	338.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	51.07	-18.41	74.0	-22.93	Peak	331.00	150	Horizontal	Pass
1**	1080.100	31.41	-18.41	54.0	-22.59	AV	331.00	150	Horizontal	Pass
2	2444.900	109.53	-12.45	74.0	35.53	Peak	290.00	150	Horizontal	N/A
2**	2444.900	101.43	-12.45	54.0	47.43	AV	290.00	150	Horizontal	N/A
3	4706.750	48.32	-3.85	74.0	-25.68	Peak	100.00	150	Horizontal	Pass
3**	4706.750	39.45	-3.85	54.0	-14.55	AV	100.00	150	Horizontal	Pass
4	7710.750	53.26	1.30	74.0	-20.74	Peak	153.00	150	Horizontal	Pass
4**	7710.750	44.43	1.30	54.0	-9.57	AV	153.00	150	Horizontal	Pass
5	9814.500	48.94	-3.09	74.0	-25.06	Peak	0.00	150	Horizontal	Pass
5**	9814.500	41.01	-3.09	54.0	-12.99	AV	0.00	150	Horizontal	Pass
6	16892.000	51.80	0.63	74.0	-22.20	Peak	336.00	150	Horizontal	Pass
6**	16892.000	43.49	0.63	54.0	-10.51	AV	336.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	50.31	-18.41	74.0	-23.69	Peak	211.00	150	Vertical	Pass
1**	1080.100	38.51	-18.41	54.0	-15.49	AV	211.00	150	Vertical	Pass
2	2441.100	111.56	-12.38	74.0	37.56	Peak	317.00	150	Vertical	N/A
2**	2441.100	103.08	-12.38	54.0	49.08	AV	317.00	150	Vertical	N/A
3	4303.250	47.01	-5.03	74.0	-26.99	Peak	218.00	150	Vertical	Pass
3**	4303.250	37.37	-5.03	54.0	-16.63	AV	218.00	150	Vertical	Pass
4	7482.250	52.88	0.99	74.0	-21.12	Peak	112.00	150	Vertical	Pass
4**	7482.250	44.86	0.99	54.0	-9.14	AV	112.00	150	Vertical	Pass
5	9800.500	50.27	-2.36	74.0	-23.73	Peak	293.00	150	Vertical	Pass
5**	9800.500	40.69	-2.36	54.0	-13.31	AV	293.00	150	Vertical	Pass
6	16135.000	51.97	-0.55	74.0	-22.03	Peak	94.00	150	Vertical	Pass
6**	16135.000	42.19	-0.55	54.0	-11.81	AV	94.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	49.71	-18.42	74.0	-24.29	Peak	317.00	150	Horizontal	Pass
1**	1080.300	35.57	-18.42	54.0	-18.43	AV	317.00	150	Horizontal	Pass
2	2441.300	108.56	-12.38	74.0	34.56	Peak	291.00	150	Horizontal	N/A
2**	2441.300	100.36	-12.38	54.0	46.36	AV	291.00	150	Horizontal	N/A
3	5289.750	49.45	-2.81	74.0	-24.55	Peak	229.00	150	Horizontal	Pass
3**	5289.750	41.19	-2.81	54.0	-12.81	AV	229.00	150	Horizontal	Pass
4	7293.500	52.82	-0.56	74.0	-21.18	Peak	133.00	150	Horizontal	Pass
4**	7293.500	42.13	-0.56	54.0	-11.87	AV	133.00	150	Horizontal	Pass
5	9795.000	49.42	-2.52	74.0	-24.58	Peak	195.00	150	Horizontal	Pass
5**	9795.000	41.06	-2.52	54.0	-12.94	AV	195.00	150	Horizontal	Pass
6	17942.499	52.65	0.93	74.0	-21.35	Peak	26.00	150	Horizontal	Pass
6**	17942.499	42.94	0.93	54.0	-11.06	AV	26.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	49.84	-18.41	74.0	-24.16	Peak	163.00	150	Vertical	Pass
1**	1080.100	40.93	-18.41	54.0	-13.07	AV	163.00	150	Vertical	Pass
2	2443.600	110.77	-12.45	74.0	36.77	Peak	343.00	150	Vertical	N/A
2**	2443.600	103.19	-12.45	54.0	49.19	AV	343.00	150	Vertical	N/A
3	4885.000	49.66	-3.71	74.0	-24.34	Peak	0.00	150	Vertical	Pass
3**	4885.000	39.80	-3.71	54.0	-14.20	AV	0.00	150	Vertical	Pass
4	7488.250	53.86	1.61	74.0	-20.14	Peak	332.00	150	Vertical	Pass
4**	7488.250	45.21	1.61	54.0	-8.79	AV	332.00	150	Vertical	Pass
5	9817.000	50.43	-3.22	74.0	-23.57	Peak	138.00	150	Vertical	Pass
5**	9817.000	40.73	-3.22	54.0	-13.27	AV	138.00	150	Vertical	Pass
6	17877.000	53.06	1.20	74.0	-20.94	Peak	292.00	150	Vertical	Pass
6**	17877.000	43.13	1.20	54.0	-10.87	AV	292.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	46.73	-18.41	74.0	-27.27	Peak	203.00	150	Horizontal	Pass
1**	1080.200	30.31	-18.41	54.0	-23.69	AV	203.00	150	Horizontal	Pass
2	2451.200	106.95	-12.42	74.0	32.95	Peak	216.00	150	Horizontal	N/A
2**	2451.200	99.78	-12.42	54.0	45.78	AV	216.00	150	Horizontal	N/A
3	4870.250	49.42	-3.06	74.0	-24.58	Peak	173.00	150	Horizontal	Pass
3**	4870.250	40.58	-3.06	54.0	-13.42	AV	173.00	150	Horizontal	Pass
4	7876.750	53.49	1.19	74.0	-20.51	Peak	46.00	150	Horizontal	Pass
4**	7876.750	44.21	1.19	54.0	-9.79	AV	46.00	150	Horizontal	Pass
5	9801.500	49.30	-2.41	74.0	-24.70	Peak	350.00	150	Horizontal	Pass
5**	9801.500	40.73	-2.41	54.0	-13.27	AV	350.00	150	Horizontal	Pass
6	17922.501	53.50	1.20	74.0	-20.50	Peak	53.00	150	Horizontal	Pass
6**	17922.501	43.50	1.20	54.0	-10.50	AV	53.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	46.38	-18.39	74.0	-27.62	Peak	360.00	150	Vertical	Pass
1**	1079.700	33.96	-18.39	54.0	-20.04	AV	360.00	150	Vertical	Pass
2	2451.300	111.08	-12.43	74.0	37.08	Peak	317.00	150	Vertical	N/A
2**	2451.300	104.41	-12.43	54.0	50.41	AV	317.00	150	Vertical	N/A
3	4778.000	48.83	-4.22	74.0	-25.17	Peak	229.00	150	Vertical	Pass
3**	4778.000	40.62	-4.22	54.0	-13.38	AV	229.00	150	Vertical	Pass
4	7820.250	52.97	1.94	74.0	-21.03	Peak	304.00	150	Vertical	Pass
4**	7820.250	44.72	1.94	54.0	-9.28	AV	304.00	150	Vertical	Pass
5	9816.500	49.53	-3.19	74.0	-24.47	Peak	293.00	150	Vertical	Pass
5**	9816.500	40.42	-3.19	54.0	-13.58	AV	293.00	150	Vertical	Pass
6	16134.000	51.78	-0.59	74.0	-22.22	Peak	350.00	150	Vertical	Pass
6**	16134.000	42.55	-0.59	54.0	-11.45	AV	350.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	49.19	-18.40	74.0	-24.81	Peak	265.00	150	Horizontal	Pass
1**	1079.900	40.56	-18.40	54.0	-13.44	AV	265.00	150	Horizontal	Pass
2	2461.000	106.03	-12.65	74.0	32.03	Peak	211.00	150	Horizontal	N/A
2**	2461.000	98.44	-12.65	54.0	44.44	AV	211.00	150	Horizontal	N/A
3	5579.500	51.22	-1.35	74.0	-22.78	Peak	155.00	150	Horizontal	Pass
3**	5579.500	42.32	-1.35	54.0	-11.68	AV	155.00	150	Horizontal	Pass
4	7647.500	52.86	1.25	74.0	-21.14	Peak	197.00	150	Horizontal	Pass
4**	7647.500	43.59	1.25	54.0	-10.41	AV	197.00	150	Horizontal	Pass
5	9804.500	49.38	-2.57	74.0	-24.62	Peak	96.00	150	Horizontal	Pass
5**	9804.500	41.50	-2.57	54.0	-12.50	AV	96.00	150	Horizontal	Pass
6	17171.500	52.35	-0.56	74.0	-21.65	Peak	11.00	150	Horizontal	Pass
6**	17171.500	42.26	-0.56	54.0	-11.74	AV	11.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	50.29	-18.42	74.0	-23.71	Peak	223.00	150	Vertical	Pass
1**	1080.300	41.07	-18.42	54.0	-12.93	AV	223.00	150	Vertical	Pass
2	2449.600	110.53	-12.40	74.0	36.53	Peak	283.00	150	Vertical	N/A
2**	2449.600	102.46	-12.40	54.0	48.46	AV	283.00	150	Vertical	N/A
3	4415.750	48.11	-4.52	74.0	-25.89	Peak	248.00	150	Vertical	Pass
3**	4415.750	38.10	-4.52	54.0	-15.90	AV	248.00	150	Vertical	Pass
4	6916.750	51.90	-0.81	74.0	-22.10	Peak	360.00	150	Vertical	Pass
4**	6916.750	42.58	-0.81	54.0	-11.42	AV	360.00	150	Vertical	Pass
5	8962.000	49.90	-3.70	74.0	-24.10	Peak	360.00	150	Vertical	Pass
5**	8962.000	39.73	-3.70	54.0	-14.27	AV	360.00	150	Vertical	Pass
6	17859.000	52.57	0.97	74.0	-21.43	Peak	307.00	150	Vertical	Pass
6**	17859.000	43.88	0.97	54.0	-10.12	AV	307.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	52.56	-18.42	74.0	-21.44	Peak	0.00	150	Horizontal	Pass
1**	1080.300	38.77	-18.42	54.0	-15.23	AV	0.00	150	Horizontal	Pass
2	2457.000	109.79	-12.69	74.0	35.79	Peak	221.00	150	Horizontal	N/A
2**	2457.000	102.48	-12.69	54.0	48.48	AV	221.00	150	Horizontal	N/A
3	5242.500	53.28	-2.82	74.0	-20.72	Peak	150.00	150	Horizontal	Pass
3**	5242.500	44.95	-2.82	54.0	-9.05	AV	150.00	150	Horizontal	Pass
4	7803.250	53.09	0.86	74.0	-20.91	Peak	360.00	150	Horizontal	Pass
4**	7803.250	43.51	0.86	54.0	-10.49	AV	360.00	150	Horizontal	Pass
5	9795.500	49.87	-2.50	74.0	-24.13	Peak	146.00	150	Horizontal	Pass
5**	9795.500	40.25	-2.50	54.0	-13.75	AV	146.00	150	Horizontal	Pass
6	17180.500	51.85	-0.52	74.0	-22.15	Peak	132.00	150	Horizontal	Pass
6**	17180.500	41.96	-0.52	54.0	-12.04	AV	132.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	50.38	-18.41	74.0	-23.62	Peak	151.00	150	Vertical	Pass
1**	1080.100	33.40	-18.41	54.0	-20.60	AV	151.00	150	Vertical	Pass
2	2461.300	111.01	-12.68	74.0	37.01	Peak	20.00	150	Vertical	N/A
2**	2461.300	103.91	-12.68	54.0	49.91	AV	20.00	150	Vertical	N/A
3	5205.500	51.24	-2.92	74.0	-22.76	Peak	0.00	150	Vertical	Pass
3**	5205.500	43.31	-2.92	54.0	-10.69	AV	0.00	150	Vertical	Pass
4	7788.250	52.47	0.83	74.0	-21.53	Peak	360.00	150	Vertical	Pass
4**	7788.250	43.29	0.83	54.0	-10.71	AV	360.00	150	Vertical	Pass
5	9812.000	50.38	-2.96	74.0	-23.62	Peak	36.00	150	Vertical	Pass
5**	9812.000	41.54	-2.96	54.0	-12.46	AV	36.00	150	Vertical	Pass
6	16147.500	51.34	-0.15	74.0	-22.66	Peak	268.00	150	Vertical	Pass
6**	16147.500	43.13	-0.15	54.0	-10.87	AV	268.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	49.18	-18.38	74.0	-24.82	Peak	360.00	150	Horizontal	Pass
1**	1079.400	42.33	-18.38	54.0	-11.67	AV	360.00	150	Horizontal	Pass
2	2413.400	109.86	-12.73	74.0	35.86	Peak	206.00	150	Horizontal	N/A
2**	2413.400	103.00	-12.73	54.0	49.00	AV	206.00	150	Horizontal	N/A
3	4667.500	48.96	-4.40	74.0	-25.04	Peak	360.00	150	Horizontal	Pass
3**	4667.500	39.08	-4.40	54.0	-14.92	AV	360.00	150	Horizontal	Pass
4	7486.000	53.43	1.56	74.0	-20.57	Peak	232.00	150	Horizontal	Pass
4**	7486.000	44.11	1.56	54.0	-9.89	AV	232.00	150	Horizontal	Pass
5	9817.000	48.81	-3.22	74.0	-25.19	Peak	351.00	150	Horizontal	Pass
5**	9817.000	41.18	-3.22	54.0	-12.82	AV	351.00	150	Horizontal	Pass
6	17858.001	52.49	0.96	74.0	-21.51	Peak	269.00	150	Horizontal	Pass
6**	17858.001	43.18	0.96	54.0	-10.82	AV	269.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	45.83	-18.42	74.0	-28.17	Peak	195.00	150	Vertical	Pass
1**	1080.400	35.23	-18.42	54.0	-18.77	AV	195.00	150	Vertical	Pass
2	2405.600	111.15	-12.61	74.0	37.15	Peak	160.00	150	Vertical	N/A
2**	2405.600	102.92	-12.61	54.0	48.92	AV	160.00	150	Vertical	N/A
3	4815.750	50.03	-3.08	74.0	-23.97	Peak	251.00	150	Vertical	Pass
3**	4815.750	40.60	-3.08	54.0	-13.40	AV	251.00	150	Vertical	Pass
4	7487.000	53.21	1.62	74.0	-20.79	Peak	149.00	150	Vertical	Pass
4**	7487.000	44.46	1.62	54.0	-9.54	AV	149.00	150	Vertical	Pass
5	9802.000	50.57	-2.44	74.0	-23.43	Peak	105.00	150	Vertical	Pass
5**	9802.000	41.14	-2.44	54.0	-12.86	AV	105.00	150	Vertical	Pass
6	17173.500	52.36	-0.55	74.0	-21.64	Peak	297.00	150	Vertical	Pass
6**	17173.500	42.31	-0.55	54.0	-11.69	AV	297.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	47.12	-18.42	74.0	-26.88	Peak	24.00	150	Horizontal	Pass
1**	1080.500	39.15	-18.42	54.0	-14.85	AV	24.00	150	Horizontal	Pass
2	2418.700	106.82	-12.47	74.0	32.82	Peak	213.00	150	Horizontal	N/A
2**	2418.700	99.06	-12.47	54.0	45.06	AV	213.00	150	Horizontal	N/A
3	5335.500	49.36	-3.29	74.0	-24.64	Peak	332.00	150	Horizontal	Pass
3**	5335.500	40.32	-3.29	54.0	-13.68	AV	332.00	150	Horizontal	Pass
4	7990.500	53.23	1.13	74.0	-20.77	Peak	109.00	150	Horizontal	Pass
4**	7990.500	44.33	1.13	54.0	-9.67	AV	109.00	150	Horizontal	Pass
5	9806.000	49.75	-2.65	74.0	-24.25	Peak	0.00	150	Horizontal	Pass
5**	9806.000	40.64	-2.65	54.0	-13.36	AV	0.00	150	Horizontal	Pass
6	16798.500	52.19	-0.47	74.0	-21.81	Peak	194.00	150	Horizontal	Pass
6**	16798.500	42.36	-0.47	54.0	-11.64	AV	194.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.700	44.92	-18.43	74.0	-29.08	Peak	350.00	150	Vertical	Pass
1**	1080.700	30.67	-18.43	54.0	-23.33	AV	350.00	150	Vertical	Pass
2	2415.000	111.02	-12.71	74.0	37.02	Peak	19.00	150	Vertical	N/A
2**	2415.000	103.59	-12.71	54.0	49.59	AV	19.00	150	Vertical	N/A
3	5119.000	50.67	-3.26	74.0	-23.33	Peak	48.00	150	Vertical	Pass
3**	5119.000	39.74	-3.26	54.0	-14.26	AV	48.00	150	Vertical	Pass
4	7930.500	53.62	2.00	74.0	-20.38	Peak	249.00	150	Vertical	Pass
4**	7930.500	43.79	2.00	54.0	-10.21	AV	249.00	150	Vertical	Pass
5	9805.000	49.43	-2.59	74.0	-24.57	Peak	181.00	150	Vertical	Pass
5**	9805.000	41.24	-2.59	54.0	-12.76	AV	181.00	150	Vertical	Pass
6	17929.501	52.77	1.10	74.0	-21.23	Peak	27.00	150	Vertical	Pass
6**	17929.501	42.71	1.10	54.0	-11.29	AV	27.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	48.58	-18.42	74.0	-25.42	Peak	337.00	150	Horizontal	Pass
1**	1080.300	39.66	-18.42	54.0	-14.34	AV	337.00	150	Horizontal	Pass
2	2422.600	107.28	-12.48	74.0	33.28	Peak	209.00	150	Horizontal	N/A
2**	2422.600	99.72	-12.48	54.0	45.72	AV	209.00	150	Horizontal	N/A
3	4696.500	49.06	-3.43	74.0	-24.94	Peak	187.00	150	Horizontal	Pass
3**	4696.500	39.72	-3.43	54.0	-14.28	AV	187.00	150	Horizontal	Pass
4	7814.000	53.52	1.57	74.0	-20.48	Peak	69.00	150	Horizontal	Pass
4**	7814.000	44.53	1.57	54.0	-9.47	AV	69.00	150	Horizontal	Pass
5	9900.000	49.41	-4.04	74.0	-24.59	Peak	351.00	150	Horizontal	Pass
5**	9900.000	40.19	-4.04	54.0	-13.81	AV	351.00	150	Horizontal	Pass
6	16082.000	51.76	-1.67	74.0	-22.24	Peak	8.00	150	Horizontal	Pass
6**	16082.000	42.46	-1.67	54.0	-11.54	AV	8.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	50.28	-18.39	74.0	-23.72	Peak	224.00	150	Vertical	Pass
1**	1079.800	29.65	-18.39	54.0	-24.35	AV	224.00	150	Vertical	Pass
2	2422.900	111.39	-12.53	74.0	37.39	Peak	66.00	150	Vertical	N/A
2**	2422.900	103.82	-12.53	54.0	49.82	AV	66.00	150	Vertical	N/A
3	4849.000	49.24	-3.43	74.0	-24.76	Peak	249.00	150	Vertical	Pass
3**	4849.000	40.07	-3.43	54.0	-13.93	AV	249.00	150	Vertical	Pass
4	7634.750	54.05	-0.05	74.0	-19.95	Peak	132.00	150	Vertical	Pass
4**	7634.750	43.08	-0.05	54.0	-10.92	AV	132.00	150	Vertical	Pass
5	9810.500	49.38	-2.88	74.0	-24.62	Peak	66.00	150	Vertical	Pass
5**	9810.500	40.95	-2.88	54.0	-13.05	AV	66.00	150	Vertical	Pass
6	16147.500	52.10	-0.15	74.0	-21.90	Peak	236.00	150	Vertical	Pass
6**	16147.500	42.58	-0.15	54.0	-11.42	AV	236.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	46.99	-18.40	74.0	-27.01	Peak	17.00	150	Horizontal	Pass
1**	1079.900	39.67	-18.40	54.0	-14.33	AV	17.00	150	Horizontal	Pass
2	2426.200	107.66	-12.70	74.0	33.66	Peak	219.00	150	Horizontal	N/A
2**	2426.200	100.61	-12.70	54.0	46.61	AV	219.00	150	Horizontal	N/A
3	5182.750	49.94	-2.45	74.0	-24.06	Peak	258.00	150	Horizontal	Pass
3**	5182.750	40.72	-2.45	54.0	-13.28	AV	258.00	150	Horizontal	Pass
4	7820.750	53.21	1.81	74.0	-20.79	Peak	4.00	150	Horizontal	Pass
4**	7820.750	43.94	1.81	54.0	-10.06	AV	4.00	150	Horizontal	Pass
5	9808.500	49.34	-2.78	74.0	-24.66	Peak	124.00	150	Horizontal	Pass
5**	9808.500	41.14	-2.78	54.0	-12.86	AV	124.00	150	Horizontal	Pass
6	17891.500	52.97	1.39	74.0	-21.03	Peak	252.00	150	Horizontal	Pass
6**	17891.500	43.77	1.39	54.0	-10.23	AV	252.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	48.18	-18.41	74.0	-25.82	Peak	145.00	150	Vertical	Pass
1**	1080.200	29.29	-18.41	54.0	-24.71	AV	145.00	150	Vertical	Pass
2	2422.100	111.13	-12.48	74.0	37.13	Peak	350.00	150	Vertical	N/A
2**	2422.100	106.27	-12.48	54.0	52.27	AV	350.00	150	Vertical	N/A
3	4710.250	51.31	-3.79	74.0	-22.69	Peak	164.00	150	Vertical	Pass
3**	4710.250	39.53	-3.79	54.0	-14.47	AV	164.00	150	Vertical	Pass
4	7813.250	52.82	1.53	74.0	-21.18	Peak	60.00	150	Vertical	Pass
4**	7813.250	44.83	1.53	54.0	-9.17	AV	60.00	150	Vertical	Pass
5	9800.500	49.60	-2.36	74.0	-24.40	Peak	195.00	150	Vertical	Pass
5**	9800.500	41.81	-2.36	54.0	-12.19	AV	195.00	150	Vertical	Pass
6	17827.000	52.25	0.77	74.0	-21.75	Peak	95.00	150	Vertical	Pass
6**	17827.000	43.28	0.77	54.0	-10.72	AV	95.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	49.10	-18.40	74.0	-24.90	Peak	331.00	150	Horizontal	Pass
1**	1079.900	30.47	-18.40	54.0	-23.53	AV	331.00	150	Horizontal	Pass
2	2430.800	108.39	-12.75	74.0	34.39	Peak	108.00	150	Horizontal	N/A
2**	2430.800	100.91	-12.75	54.0	46.91	AV	108.00	150	Horizontal	N/A
3	5040.500	49.59	-2.95	74.0	-24.41	Peak	16.00	150	Horizontal	Pass
3**	5040.500	40.39	-2.95	54.0	-13.61	AV	16.00	150	Horizontal	Pass
4	7321.500	53.44	0.27	74.0	-20.56	Peak	249.00	150	Horizontal	Pass
4**	7321.500	42.70	0.27	54.0	-11.30	AV	249.00	150	Horizontal	Pass
5	9810.000	49.15	-2.85	74.0	-24.85	Peak	295.00	150	Horizontal	Pass
5**	9810.000	41.00	-2.85	54.0	-13.00	AV	295.00	150	Horizontal	Pass
6	16116.500	52.03	-1.15	74.0	-21.97	Peak	25.00	150	Horizontal	Pass
6**	16116.500	42.10	-1.15	54.0	-11.90	AV	25.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	47.90	-18.40	74.0	-26.10	Peak	216.00	150	Vertical	Pass
1**	1079.900	28.80	-18.40	54.0	-25.20	AV	216.00	150	Vertical	Pass
2	2434.700	111.00	-12.28	74.0	37.00	Peak	339.00	150	Vertical	N/A
2**	2434.700	103.61	-12.28	54.0	49.61	AV	339.00	150	Vertical	N/A
3	4252.750	46.54	-4.33	74.0	-27.46	Peak	248.00	150	Vertical	Pass
3**	4252.750	38.23	-4.33	54.0	-15.77	AV	248.00	150	Vertical	Pass
4	7809.750	53.33	1.19	74.0	-20.67	Peak	270.00	150	Vertical	Pass
4**	7809.750	43.77	1.19	54.0	-10.23	AV	270.00	150	Vertical	Pass
5	9802.000	49.63	-2.44	74.0	-24.37	Peak	138.00	150	Vertical	Pass
5**	9802.000	41.23	-2.44	54.0	-12.77	AV	138.00	150	Vertical	Pass
6	16887.000	51.99	0.43	74.0	-22.01	Peak	222.00	150	Vertical	Pass
6**	16887.000	42.85	0.43	54.0	-11.15	AV	222.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	46.72	-18.38	74.0	-27.28	Peak	136.00	150	Horizontal	Pass
1**	1079.600	38.48	-18.38	54.0	-15.52	AV	136.00	150	Horizontal	Pass
2	2438.100	108.16	-12.36	74.0	34.16	Peak	29.00	150	Horizontal	N/A
2**	2438.100	100.69	-12.36	54.0	46.69	AV	29.00	150	Horizontal	N/A
3	4401.000	47.73	-4.69	74.0	-26.27	Peak	226.00	150	Horizontal	Pass
3**	4401.000	39.54	-4.69	54.0	-14.46	AV	226.00	150	Horizontal	Pass
4	7306.250	52.73	0.36	74.0	-21.27	Peak	152.00	150	Horizontal	Pass
4**	7306.250	44.02	0.36	54.0	-9.98	AV	152.00	150	Horizontal	Pass
5	9813.000	49.43	-3.01	74.0	-24.57	Peak	264.00	150	Horizontal	Pass
5**	9813.000	41.03	-3.01	54.0	-12.97	AV	264.00	150	Horizontal	Pass
6	17942.000	52.31	0.94	74.0	-21.69	Peak	53.00	150	Horizontal	Pass
6**	17942.000	42.85	0.94	54.0	-11.15	AV	53.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	44.99	-18.40	74.0	-29.01	Peak	1.00	150	Vertical	Pass
1**	1079.900	29.16	-18.40	54.0	-24.84	AV	1.00	150	Vertical	Pass
2	2435.800	110.67	-12.19	74.0	36.67	Peak	166.00	150	Vertical	N/A
2**	2435.800	104.62	-12.19	54.0	50.62	AV	166.00	150	Vertical	N/A
3	4876.500	49.25	-3.35	74.0	-24.75	Peak	250.00	150	Vertical	Pass
3**	4876.500	40.56	-3.35	54.0	-13.44	AV	250.00	150	Vertical	Pass
4	7862.000	52.82	0.82	74.0	-21.18	Peak	59.00	150	Vertical	Pass
4**	7862.000	43.10	0.82	54.0	-10.90	AV	59.00	150	Vertical	Pass
5	9898.000	49.52	-4.08	74.0	-24.48	Peak	293.00	150	Vertical	Pass
5**	9898.000	40.58	-4.08	54.0	-13.42	AV	293.00	150	Vertical	Pass
6	15930.500	51.58	-0.51	74.0	-22.42	Peak	166.00	150	Vertical	Pass
6**	15930.500	42.08	-0.51	54.0	-11.92	AV	166.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	44.94	-18.40	74.0	-29.06	Peak	0.00	150	Horizontal	Pass
1**	1080.000	30.77	-18.40	54.0	-23.23	AV	0.00	150	Horizontal	Pass
2	2440.600	106.86	-12.37	74.0	32.86	Peak	221.00	150	Horizontal	N/A
2**	2440.600	98.91	-12.37	54.0	44.91	AV	221.00	150	Horizontal	N/A
3	4823.250	48.19	-3.82	74.0	-25.81	Peak	78.00	150	Horizontal	Pass
3**	4823.250	38.70	-3.82	54.0	-15.30	AV	78.00	150	Horizontal	Pass
4	7758.250	53.72	1.05	74.0	-20.28	Peak	360.00	150	Horizontal	Pass
4**	7758.250	43.33	1.05	54.0	-10.67	AV	360.00	150	Horizontal	Pass
5	9806.500	49.20	-2.67	74.0	-24.80	Peak	38.00	150	Horizontal	Pass
5**	9806.500	40.81	-2.67	54.0	-13.19	AV	38.00	150	Horizontal	Pass
6	16146.000	51.68	-0.20	74.0	-22.32	Peak	95.00	150	Horizontal	Pass
6**	16146.000	43.40	-0.20	54.0	-10.60	AV	95.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	45.03	-18.42	74.0	-28.97	Peak	163.00	150	Vertical	Pass
1**	1080.400	30.01	-18.42	54.0	-23.99	AV	163.00	150	Vertical	Pass
2	2440.300	111.15	-12.37	74.0	37.15	Peak	13.00	150	Vertical	N/A
2**	2440.300	103.51	-12.37	54.0	49.51	AV	13.00	150	Vertical	N/A
3	5155.000	49.76	-2.65	74.0	-24.24	Peak	335.00	150	Vertical	Pass
3**	5155.000	41.35	-2.65	54.0	-12.65	AV	335.00	150	Vertical	Pass
4	7582.250	52.98	0.45	74.0	-21.02	Peak	144.00	150	Vertical	Pass
4**	7582.250	44.10	0.45	54.0	-9.90	AV	144.00	150	Vertical	Pass
5	9809.000	51.39	-2.80	74.0	-22.61	Peak	24.00	150	Vertical	Pass
5**	9809.000	40.76	-2.80	54.0	-13.24	AV	24.00	150	Vertical	Pass
6	17802.000	52.15	0.67	74.0	-21.85	Peak	195.00	150	Vertical	Pass
6**	17802.000	42.54	0.67	54.0	-11.46	AV	195.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	44.25	-18.40	74.0	-29.75	Peak	110.00	150	Horizontal	Pass
1**	1079.900	31.28	-18.40	54.0	-22.72	AV	110.00	150	Horizontal	Pass
2	2445.400	106.05	-12.45	74.0	32.05	Peak	25.00	150	Horizontal	N/A
2**	2445.400	98.44	-12.45	54.0	44.44	AV	25.00	150	Horizontal	N/A
3	4965.500	49.69	-3.30	74.0	-24.31	Peak	248.00	150	Horizontal	Pass
3**	4965.500	39.73	-3.30	54.0	-14.27	AV	248.00	150	Horizontal	Pass
4	7487.750	52.80	1.61	74.0	-21.20	Peak	184.00	150	Horizontal	Pass
4**	7487.750	44.93	1.61	54.0	-9.07	AV	184.00	150	Horizontal	Pass
5	9817.000	50.32	-3.22	74.0	-23.68	Peak	151.00	150	Horizontal	Pass
5**	9817.000	40.86	-3.22	54.0	-13.14	AV	151.00	150	Horizontal	Pass
6	16135.500	51.54	-0.54	74.0	-22.46	Peak	308.00	150	Horizontal	Pass
6**	16135.500	42.83	-0.54	54.0	-11.17	AV	308.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	49.43	-18.40	74.0	-24.57	Peak	219.00	150	Vertical	Pass
1**	1080.000	37.51	-18.40	54.0	-16.49	AV	219.00	150	Vertical	Pass
2	2452.600	110.66	-12.56	74.0	36.66	Peak	0.00	150	Vertical	N/A
2**	2452.600	102.54	-12.56	54.0	48.54	AV	0.00	150	Vertical	N/A
3	4738.250	48.27	-3.31	74.0	-25.73	Peak	28.00	150	Vertical	Pass
3**	4738.250	39.35	-3.31	54.0	-14.65	AV	28.00	150	Vertical	Pass
4	7569.750	53.04	0.54	74.0	-20.96	Peak	197.00	150	Vertical	Pass
4**	7569.750	44.27	0.54	54.0	-9.73	AV	197.00	150	Vertical	Pass
5	9807.500	49.46	-2.72	74.0	-24.54	Peak	122.00	150	Vertical	Pass
5**	9807.500	41.31	-2.72	54.0	-12.69	AV	122.00	150	Vertical	Pass
6	16902.500	52.56	0.84	74.0	-21.44	Peak	0.00	150	Vertical	Pass
6**	16902.500	42.92	0.84	54.0	-11.08	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	47.05	-18.41	74.0	-26.95	Peak	146.00	150	Horizontal	Pass
1**	1080.100	34.10	-18.41	54.0	-19.90	AV	146.00	150	Horizontal	Pass
2	2450.200	105.94	-12.32	74.0	31.94	Peak	14.00	150	Horizontal	N/A
2**	2450.200	98.86	-12.32	54.0	44.86	AV	14.00	150	Horizontal	N/A
3	4693.750	48.93	-3.45	74.0	-25.07	Peak	252.00	150	Horizontal	Pass
3**	4693.750	40.09	-3.45	54.0	-13.91	AV	252.00	150	Horizontal	Pass
4	7583.250	53.37	0.64	74.0	-20.63	Peak	29.00	150	Horizontal	Pass
4**	7583.250	43.78	0.64	54.0	-10.22	AV	29.00	150	Horizontal	Pass
5	9802.000	49.51	-2.44	74.0	-24.49	Peak	151.00	150	Horizontal	Pass
5**	9802.000	40.96	-2.44	54.0	-13.04	AV	151.00	150	Horizontal	Pass
6	13948.000	51.28	-2.16	74.0	-22.72	Peak	37.00	150	Horizontal	Pass
6**	13948.000	39.85	-2.16	54.0	-14.15	AV	37.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	45.27	-18.40	74.0	-28.73	Peak	350.00	150	Vertical	Pass
1**	1079.900	29.16	-18.40	54.0	-24.84	AV	350.00	150	Vertical	Pass
2	2456.500	110.45	-12.67	74.0	36.45	Peak	350.00	150	Vertical	N/A
2**	2456.500	103.00	-12.67	54.0	49.00	AV	350.00	150	Vertical	N/A
3	4454.500	47.96	-3.93	74.0	-26.04	Peak	311.00	150	Vertical	Pass
3**	4454.500	39.30	-3.93	54.0	-14.70	AV	311.00	150	Vertical	Pass
4	7206.250	52.30	0.31	74.0	-21.70	Peak	0.00	150	Vertical	Pass
4**	7206.250	43.30	0.31	54.0	-10.70	AV	0.00	150	Vertical	Pass
5	9799.000	49.70	-2.37	74.0	-24.30	Peak	82.00	150	Vertical	Pass
5**	9799.000	42.26	-2.37	54.0	-11.74	AV	82.00	150	Vertical	Pass
6	15999.500	52.42	-0.75	74.0	-21.58	Peak	194.00	150	Vertical	Pass
6**	15999.500	42.39	-0.75	54.0	-11.61	AV	194.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	46.17	-18.41	74.0	-27.83	Peak	37.00	150	Horizontal	Pass
1**	1080.100	30.24	-18.41	54.0	-23.76	AV	37.00	150	Horizontal	Pass
2	2455.000	103.79	-12.75	74.0	29.79	Peak	27.00	150	Horizontal	N/A
2**	2455.000	95.73	-12.75	54.0	41.73	AV	27.00	150	Horizontal	N/A
3	4814.250	49.50	-3.01	74.0	-24.50	Peak	96.00	150	Horizontal	Pass
3**	4814.250	39.79	-3.01	54.0	-14.21	AV	96.00	150	Horizontal	Pass
4	7995.500	53.43	1.11	74.0	-20.57	Peak	247.00	150	Horizontal	Pass
4**	7995.500	43.88	1.11	54.0	-10.12	AV	247.00	150	Horizontal	Pass
5	9797.000	49.07	-2.45	74.0	-24.93	Peak	308.00	150	Horizontal	Pass
5**	9797.000	40.86	-2.45	54.0	-13.14	AV	308.00	150	Horizontal	Pass
6	16895.500	51.60	0.77	74.0	-22.40	Peak	360.00	150	Horizontal	Pass
6**	16895.500	42.91	0.77	54.0	-11.09	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	42.61	-18.38	74.0	-31.39	Peak	28.00	150	Vertical	Pass
1**	1079.500	29.46	-18.38	54.0	-24.54	AV	28.00	150	Vertical	Pass
2	2451.200	110.39	-12.42	74.0	36.39	Peak	276.00	150	Vertical	N/A
2**	2451.200	102.41	-12.42	54.0	48.41	AV	276.00	150	Vertical	N/A
3	5145.000	50.21	-2.20	74.0	-23.79	Peak	199.00	150	Vertical	Pass
3**	5145.000	41.13	-2.20	54.0	-12.87	AV	199.00	150	Vertical	Pass
4	7759.500	52.87	1.20	74.0	-21.13	Peak	295.00	150	Vertical	Pass
4**	7759.500	43.77	1.20	54.0	-10.23	AV	295.00	150	Vertical	Pass
5	9818.000	49.74	-3.27	74.0	-24.26	Peak	278.00	150	Vertical	Pass
5**	9818.000	40.77	-3.27	54.0	-13.23	AV	278.00	150	Vertical	Pass
6	16145.000	52.15	-0.23	74.0	-21.85	Peak	164.00	150	Vertical	Pass
6**	16145.000	42.56	-0.23	54.0	-11.44	AV	164.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	53.68	-18.41	74.0	-20.32	Peak	316.00	150	Horizontal	Pass
1**	1080.200	29.81	-18.41	54.0	-24.19	AV	316.00	150	Horizontal	Pass
2	2460.400	110.00	-12.66	74.0	36.00	Peak	215.00	150	Horizontal	N/A
2**	2460.400	102.00	-12.66	54.0	48.00	AV	215.00	150	Horizontal	N/A
3	5788.750	52.14	-2.73	74.0	-21.86	Peak	129.00	150	Horizontal	Pass
3**	5788.750	40.73	-2.73	54.0	-13.27	AV	129.00	150	Horizontal	Pass
4	7911.000	53.51	0.58	74.0	-20.49	Peak	150.00	150	Horizontal	Pass
4**	7911.000	43.13	0.58	54.0	-10.87	AV	150.00	150	Horizontal	Pass
5	9810.500	49.90	-2.88	74.0	-24.10	Peak	131.00	150	Horizontal	Pass
5**	9810.500	41.12	-2.88	54.0	-12.88	AV	131.00	150	Horizontal	Pass
6	15991.000	51.90	-0.63	74.0	-22.10	Peak	337.00	150	Horizontal	Pass
6**	15991.000	42.12	-0.63	54.0	-11.88	AV	337.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	46.10	-18.39	74.0	-27.90	Peak	28.00	150	Vertical	Pass
1**	1079.800	29.14	-18.39	54.0	-24.86	AV	28.00	150	Vertical	Pass
2	2470.200	111.29	-12.30	74.0	37.29	Peak	139.00	150	Vertical	N/A
2**	2470.200	103.25	-12.30	54.0	49.25	AV	139.00	150	Vertical	N/A
3	4925.250	47.21	-3.86	74.0	-26.79	Peak	118.00	150	Vertical	Pass
3**	4925.250	43.58	-3.86	54.0	-10.42	AV	118.00	150	Vertical	Pass
4	7810.500	52.94	1.28	74.0	-21.06	Peak	36.00	150	Vertical	Pass
4**	7810.500	43.87	1.28	54.0	-10.13	AV	36.00	150	Vertical	Pass
5	9802.500	49.64	-2.46	74.0	-24.36	Peak	283.00	150	Vertical	Pass
5**	9802.500	41.35	-2.46	54.0	-12.65	AV	283.00	150	Vertical	Pass
6	16148.500	51.26	-0.12	74.0	-22.74	Peak	188.00	150	Vertical	Pass
6**	16148.500	42.60	-0.12	54.0	-11.40	AV	188.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	53.53	-18.42	74.0	-20.47	Peak	352.00	150	Horizontal	Pass
1**	1080.300	40.96	-18.42	54.0	-13.04	AV	352.00	150	Horizontal	Pass
2	2431.400	107.57	-12.70	74.0	33.57	Peak	225.00	150	Horizontal	N/A
2**	2431.400	99.11	-12.70	54.0	45.11	AV	225.00	150	Horizontal	N/A
3	5570.250	50.66	-2.20	74.0	-23.34	Peak	0.00	150	Horizontal	Pass
3**	5570.250	40.89	-2.20	54.0	-13.11	AV	0.00	150	Horizontal	Pass
4	7490.000	53.43	1.46	74.0	-20.57	Peak	88.00	150	Horizontal	Pass
4**	7490.000	43.93	1.46	54.0	-10.07	AV	88.00	150	Horizontal	Pass
5	9812.500	50.60	-2.98	74.0	-23.40	Peak	360.00	150	Horizontal	Pass
5**	9812.500	40.84	-2.98	54.0	-13.16	AV	360.00	150	Horizontal	Pass
6	16098.000	51.60	-1.69	74.0	-22.40	Peak	146.00	150	Horizontal	Pass
6**	16098.000	41.95	-1.69	54.0	-12.05	AV	146.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	44.09	-18.40	74.0	-29.91	Peak	225.00	150	Vertical	Pass
1**	1080.000	33.57	-18.40	54.0	-20.43	AV	225.00	150	Vertical	Pass
2	2413.100	108.77	-12.71	74.0	34.77	Peak	159.00	150	Vertical	N/A
2**	2413.100	100.41	-12.71	54.0	46.41	AV	159.00	150	Vertical	N/A
3	5498.500	50.99	-2.94	74.0	-23.01	Peak	180.00	150	Vertical	Pass
3**	5498.500	40.64	-2.94	54.0	-13.36	AV	180.00	150	Vertical	Pass
4	7930.250	53.78	1.97	74.0	-20.22	Peak	87.00	150	Vertical	Pass
4**	7930.250	44.23	1.97	54.0	-9.77	AV	87.00	150	Vertical	Pass
5	9802.500	50.37	-2.46	74.0	-23.63	Peak	309.00	150	Vertical	Pass
5**	9802.500	40.84	-2.46	54.0	-13.16	AV	309.00	150	Vertical	Pass
6	16894.500	52.02	0.73	74.0	-21.98	Peak	309.00	150	Vertical	Pass
6**	16894.500	42.31	0.73	54.0	-11.69	AV	309.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	45.35	-18.42	74.0	-28.65	Peak	5.00	150	Horizontal	Pass
1**	1080.400	30.06	-18.42	54.0	-23.94	AV	5.00	150	Horizontal	Pass
2	2435.600	97.52	-12.17	74.0	23.52	Peak	15.00	150	Horizontal	N/A
2**	2435.600	89.12	-12.17	54.0	35.12	AV	15.00	150	Horizontal	N/A
3	4637.250	48.23	-4.08	74.0	-25.77	Peak	50.00	150	Horizontal	Pass
3**	4637.250	39.25	-4.08	54.0	-14.75	AV	50.00	150	Horizontal	Pass
4	7801.500	53.28	0.77	74.0	-20.72	Peak	50.00	150	Horizontal	Pass
4**	7801.500	44.63	0.77	54.0	-9.37	AV	50.00	150	Horizontal	Pass
5	9802.000	49.44	-2.44	74.0	-24.56	Peak	336.00	150	Horizontal	Pass
5**	9802.000	40.79	-2.44	54.0	-13.21	AV	336.00	150	Horizontal	Pass
6	16871.000	52.61	-0.21	74.0	-21.39	Peak	80.00	150	Horizontal	Pass
6**	16871.000	42.46	-0.21	54.0	-11.54	AV	80.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	48.16	-18.41	74.0	-25.84	Peak	219.00	150	Vertical	Pass
1**	1080.100	32.47	-18.41	54.0	-21.53	AV	219.00	150	Vertical	Pass
2	2422.600	107.81	-12.48	74.0	33.81	Peak	219.00	150	Vertical	N/A
2**	2422.600	99.04	-12.48	54.0	45.04	AV	219.00	150	Vertical	N/A
3	3676.000	46.39	-6.83	74.0	-27.61	Peak	29.00	150	Vertical	Pass
3**	3676.000	36.09	-6.83	54.0	-17.91	AV	29.00	150	Vertical	Pass
4	7162.500	52.70	-0.24	74.0	-21.30	Peak	255.00	150	Vertical	Pass
4**	7162.500	42.44	-0.24	54.0	-11.56	AV	255.00	150	Vertical	Pass
5	9823.000	49.74	-3.53	74.0	-24.26	Peak	223.00	150	Vertical	Pass
5**	9823.000	41.25	-3.53	54.0	-12.75	AV	223.00	150	Vertical	Pass
6	16144.000	51.60	-0.26	74.0	-22.40	Peak	209.00	150	Vertical	Pass
6**	16144.000	43.12	-0.26	54.0	-10.88	AV	209.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	45.21	-18.39	74.0	-28.79	Peak	7.00	150	Horizontal	Pass
1**	1079.700	30.25	-18.39	54.0	-23.75	AV	7.00	150	Horizontal	Pass
2	2423.600	97.75	-12.63	74.0	23.75	Peak	225.00	150	Horizontal	N/A
2**	2423.600	89.21	-12.63	54.0	35.21	AV	225.00	150	Horizontal	N/A
3	4956.250	49.27	-3.29	74.0	-24.73	Peak	277.00	150	Horizontal	Pass
3**	4956.250	40.86	-3.29	54.0	-13.14	AV	277.00	150	Horizontal	Pass
4	7826.500	53.73	1.07	74.0	-20.27	Peak	201.00	150	Horizontal	Pass
4**	7826.500	43.93	1.07	54.0	-10.07	AV	201.00	150	Horizontal	Pass
5	9804.000	49.92	-2.54	74.0	-24.08	Peak	81.00	150	Horizontal	Pass
5**	9804.000	40.89	-2.54	54.0	-13.11	AV	81.00	150	Horizontal	Pass
6	16732.500	51.74	-2.00	74.0	-22.26	Peak	53.00	150	Horizontal	Pass
6**	16732.500	41.60	-2.00	54.0	-12.40	AV	53.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	44.24	-18.38	74.0	-29.76	Peak	152.00	150	Vertical	Pass
1**	1079.600	30.21	-18.38	54.0	-23.79	AV	152.00	150	Vertical	Pass
2	2427.800	106.87	-12.80	74.0	32.87	Peak	205.00	150	Vertical	N/A
2**	2427.800	98.66	-12.80	54.0	44.66	AV	205.00	150	Vertical	N/A
3	4201.250	47.20	-5.32	74.0	-26.80	Peak	0.00	150	Vertical	Pass
3**	4201.250	38.14	-5.32	54.0	-15.86	AV	0.00	150	Vertical	Pass
4	7709.250	53.43	1.18	74.0	-20.57	Peak	90.00	150	Vertical	Pass
4**	7709.250	44.10	1.18	54.0	-9.90	AV	90.00	150	Vertical	Pass
5	9799.500	49.38	-2.35	74.0	-24.62	Peak	0.00	150	Vertical	Pass
5**	9799.500	40.86	-2.35	54.0	-13.14	AV	0.00	150	Vertical	Pass
6	16019.000	51.55	-1.09	74.0	-22.45	Peak	0.00	150	Vertical	Pass
6**	16019.000	42.64	-1.09	54.0	-11.36	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	47.65	-18.42	74.0	-26.35	Peak	185.00	150	Horizontal	Pass
1**	1080.400	39.15	-18.42	54.0	-14.85	AV	185.00	150	Horizontal	Pass
2	2435.100	98.61	-12.19	74.0	24.61	Peak	19.00	150	Horizontal	N/A
2**	2435.100	90.87	-12.19	54.0	36.87	AV	19.00	150	Horizontal	N/A
3	5059.250	49.65	-3.04	74.0	-24.35	Peak	282.00	150	Horizontal	Pass
3**	5059.250	41.05	-3.04	54.0	-12.95	AV	282.00	150	Horizontal	Pass
4	7484.250	53.45	1.26	74.0	-20.55	Peak	29.00	150	Horizontal	Pass
4**	7484.250	43.37	1.26	54.0	-10.63	AV	29.00	150	Horizontal	Pass
5	9808.500	50.54	-2.78	74.0	-23.46	Peak	66.00	150	Horizontal	Pass
5**	9808.500	41.75	-2.78	54.0	-12.25	AV	66.00	150	Horizontal	Pass
6	16135.000	51.65	-0.55	74.0	-22.35	Peak	80.00	150	Horizontal	Pass
6**	16135.000	43.35	-0.55	54.0	-10.65	AV	80.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	48.96	-18.41	74.0	-25.04	Peak	222.00	150	Vertical	Pass
1**	1080.200	30.02	-18.41	54.0	-23.98	AV	222.00	150	Vertical	Pass
2	2441.100	107.17	-12.38	74.0	33.17	Peak	301.00	150	Vertical	N/A
2**	2441.100	99.09	-12.38	54.0	45.09	AV	301.00	150	Vertical	N/A
3	5224.000	49.97	-3.68	74.0	-24.03	Peak	95.00	150	Vertical	Pass
3**	5224.000	39.99	-3.68	54.0	-14.01	AV	95.00	150	Vertical	Pass
4	7578.750	52.71	0.13	74.0	-21.29	Peak	152.00	150	Vertical	Pass
4**	7578.750	42.93	0.13	54.0	-11.07	AV	152.00	150	Vertical	Pass
5	9810.500	49.19	-2.88	74.0	-24.81	Peak	166.00	150	Vertical	Pass
5**	9810.500	40.85	-2.88	54.0	-13.15	AV	166.00	150	Vertical	Pass
6	15922.000	51.94	-0.71	74.0	-22.06	Peak	351.00	150	Vertical	Pass
6**	15922.000	42.19	-0.71	54.0	-11.81	AV	351.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	45.76	-18.41	74.0	-28.24	Peak	312.00	150	Horizontal	Pass
1**	1080.100	30.77	-18.41	54.0	-23.23	AV	312.00	150	Horizontal	Pass
2	2450.400	98.89	-12.34	74.0	24.89	Peak	33.00	150	Horizontal	N/A
2**	2450.400	90.37	-12.34	54.0	36.37	AV	33.00	150	Horizontal	N/A
3	4601.500	47.69	-4.68	74.0	-26.31	Peak	120.00	150	Horizontal	Pass
3**	4601.500	38.63	-4.68	54.0	-15.37	AV	120.00	150	Horizontal	Pass
4	7486.000	53.23	1.56	74.0	-20.77	Peak	190.00	150	Horizontal	Pass
4**	7486.000	44.13	1.56	54.0	-9.87	AV	190.00	150	Horizontal	Pass
5	9799.999	49.24	-2.34	74.0	-24.76	Peak	292.00	150	Horizontal	Pass
5**	9799.999	41.46	-2.34	54.0	-12.54	AV	292.00	150	Horizontal	Pass
6	16148.000	52.15	-0.13	74.0	-21.85	Peak	221.00	150	Horizontal	Pass
6**	16148.000	43.12	-0.13	54.0	-10.88	AV	221.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.700	44.70	-18.43	74.0	-29.30	Peak	161.00	150	Vertical	Pass
1**	1080.700	35.05	-18.43	54.0	-18.95	AV	161.00	150	Vertical	Pass
2	2435.800	106.91	-12.19	74.0	32.91	Peak	228.00	150	Vertical	N/A
2**	2435.800	99.36	-12.19	54.0	45.36	AV	228.00	150	Vertical	N/A
3	4458.500	47.53	-4.17	74.0	-26.47	Peak	0.00	150	Vertical	Pass
3**	4458.500	39.41	-4.17	54.0	-14.59	AV	0.00	150	Vertical	Pass
4	7489.250	53.41	1.53	74.0	-20.59	Peak	0.00	150	Vertical	Pass
4**	7489.250	44.02	1.53	54.0	-9.98	AV	0.00	150	Vertical	Pass
5	9894.000	49.01	-4.15	74.0	-24.99	Peak	360.00	150	Vertical	Pass
5**	9894.000	41.06	-4.15	54.0	-12.94	AV	360.00	150	Vertical	Pass
6	15075.500	51.12	-2.52	74.0	-22.88	Peak	0.00	150	Vertical	Pass
6**	15075.500	40.68	-2.52	54.0	-13.32	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	44.48	-18.39	74.0	-29.52	Peak	246.00	150	Horizontal	Pass
1**	1079.800	29.98	-18.39	54.0	-24.02	AV	246.00	150	Horizontal	Pass
2	2445.500	95.73	-12.45	74.0	21.73	Peak	10.00	150	Horizontal	N/A
2**	2445.500	88.12	-12.45	54.0	34.12	AV	10.00	150	Horizontal	N/A
3	5068.250	50.05	-2.91	74.0	-23.95	Peak	0.00	150	Horizontal	Pass
3**	5068.250	40.16	-2.91	54.0	-13.84	AV	0.00	150	Horizontal	Pass
4	7486.750	52.86	1.62	74.0	-21.14	Peak	55.00	150	Horizontal	Pass
4**	7486.750	44.47	1.62	54.0	-9.53	AV	55.00	150	Horizontal	Pass
5	9906.000	49.33	-4.28	74.0	-24.67	Peak	279.00	150	Horizontal	Pass
5**	9906.000	39.38	-4.28	54.0	-14.62	AV	279.00	150	Horizontal	Pass
6	13881.500	50.77	-0.51	74.0	-23.23	Peak	165.00	150	Horizontal	Pass
6**	13881.500	41.64	-0.51	54.0	-12.36	AV	165.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	47.31	-18.39	74.0	-26.69	Peak	0.00	150	Vertical	Pass
1**	1079.800	30.22	-18.39	54.0	-23.78	AV	0.00	150	Vertical	Pass
2	2451.400	106.19	-12.44	74.0	32.19	Peak	210.00	150	Vertical	N/A
2**	2451.400	98.72	-12.44	54.0	44.72	AV	210.00	150	Vertical	N/A
3	4984.750	49.39	-3.49	74.0	-24.61	Peak	208.00	150	Vertical	Pass
3**	4984.750	40.20	-3.49	54.0	-13.80	AV	208.00	150	Vertical	Pass
4	7816.750	52.77	1.91	74.0	-21.23	Peak	208.00	150	Vertical	Pass
4**	7816.750	44.13	1.91	54.0	-9.87	AV	208.00	150	Vertical	Pass
5	9815.000	49.08	-3.11	74.0	-24.92	Peak	278.00	150	Vertical	Pass
5**	9815.000	40.46	-3.11	54.0	-13.54	AV	278.00	150	Vertical	Pass
6	16082.000	52.13	-1.67	74.0	-21.87	Peak	250.00	150	Vertical	Pass
6**	16082.000	42.55	-1.67	54.0	-11.45	AV	250.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.300	49.47	-18.37	74.0	-24.53	Peak	338.00	150	Horizontal	Pass
1**	1079.300	35.13	-18.37	54.0	-18.87	AV	338.00	150	Horizontal	Pass
2	2460.700	107.61	-12.64	74.0	33.61	Peak	228.00	150	Horizontal	N/A
2**	2460.700	99.47	-12.64	54.0	45.47	AV	228.00	150	Horizontal	N/A
3	5719.750	50.19	-2.57	74.0	-23.81	Peak	0.00	150	Horizontal	Pass
3**	5719.750	40.92	-2.57	54.0	-13.08	AV	0.00	150	Horizontal	Pass
4	7813.000	53.21	1.51	74.0	-20.79	Peak	270.00	150	Horizontal	Pass
4**	7813.000	44.96	1.51	54.0	-9.04	AV	270.00	150	Horizontal	Pass
5	9805.000	49.93	-2.59	74.0	-24.07	Peak	202.00	150	Horizontal	Pass
5**	9805.000	40.94	-2.59	54.0	-13.06	AV	202.00	150	Horizontal	Pass
6	16136.500	51.37	-0.51	74.0	-22.63	Peak	78.00	150	Horizontal	Pass
6**	16136.500	43.57	-0.51	54.0	-10.43	AV	78.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	49.86	-18.41	74.0	-24.14	Peak	137.00	150	Vertical	Pass
1**	1080.100	29.73	-18.41	54.0	-24.27	AV	137.00	150	Vertical	Pass
2	2462.300	108.29	-12.78	74.0	34.29	Peak	318.00	150	Vertical	N/A
2**	2462.300	100.29	-12.78	54.0	46.29	AV	318.00	150	Vertical	N/A
3	5685.000	51.02	-2.43	74.0	-22.98	Peak	344.00	150	Vertical	Pass
3**	5685.000	41.08	-2.43	54.0	-12.92	AV	344.00	150	Vertical	Pass
4	7819.250	52.89	2.09	74.0	-21.11	Peak	129.00	150	Vertical	Pass
4**	7819.250	44.24	2.09	54.0	-9.76	AV	129.00	150	Vertical	Pass
5	9801.500	49.97	-2.41	74.0	-24.03	Peak	186.00	150	Vertical	Pass
5**	9801.500	42.35	-2.41	54.0	-11.65	AV	186.00	150	Vertical	Pass
6	16135.000	51.56	-0.55	74.0	-22.44	Peak	63.00	150	Vertical	Pass
6**	16135.000	42.87	-0.55	54.0	-11.13	AV	63.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	54.11	-18.40	74.0	-19.89	Peak	345.00	150	Horizontal	Pass
1**	1080.000	30.18	-18.40	54.0	-23.82	AV	345.00	150	Horizontal	Pass
2	2406.400	109.34	-12.74	74.0	35.34	Peak	116.00	150	Horizontal	N/A
2**	2406.400	101.58	-12.74	54.0	47.58	AV	116.00	150	Horizontal	N/A
3	4758.500	49.27	-4.05	74.0	-24.73	Peak	231.00	150	Horizontal	Pass
3**	4758.500	38.91	-4.05	54.0	-15.09	AV	231.00	150	Horizontal	Pass
4	7364.000	52.65	0.21	74.0	-21.35	Peak	356.00	150	Horizontal	Pass
4**	7364.000	43.14	0.21	54.0	-10.86	AV	356.00	150	Horizontal	Pass
5	8967.500	49.31	-3.94	74.0	-24.69	Peak	49.00	150	Horizontal	Pass
5**	8967.500	40.39	-3.94	54.0	-13.61	AV	49.00	150	Horizontal	Pass
6	16136.500	51.19	-0.51	74.0	-22.81	Peak	226.00	150	Horizontal	Pass
6**	16136.500	43.86	-0.51	54.0	-10.14	AV	226.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	47.21	-18.41	74.0	-26.79	Peak	218.00	150	Vertical	Pass
1**	1080.100	38.33	-18.41	54.0	-15.67	AV	218.00	150	Vertical	Pass
2	2403.800	110.98	-12.71	74.0	36.98	Peak	333.00	150	Vertical	N/A
2**	2403.800	102.79	-12.71	54.0	48.79	AV	333.00	150	Vertical	N/A
3	5581.500	51.33	-1.38	74.0	-22.67	Peak	313.00	150	Vertical	Pass
3**	5581.500	41.49	-1.38	54.0	-12.51	AV	313.00	150	Vertical	Pass
4	7656.750	53.76	1.50	74.0	-20.24	Peak	126.00	150	Vertical	Pass
4**	7656.750	44.38	1.50	54.0	-9.62	AV	126.00	150	Vertical	Pass
5	9802.000	49.54	-2.44	74.0	-24.46	Peak	24.00	150	Vertical	Pass
5**	9802.000	41.31	-2.44	54.0	-12.69	AV	24.00	150	Vertical	Pass
6	17186.501	52.22	-0.49	74.0	-21.78	Peak	162.00	150	Vertical	Pass
6**	17186.501	42.26	-0.49	54.0	-11.74	AV	162.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	47.93	-18.39	74.0	-26.07	Peak	22.00	150	Horizontal	Pass
1**	1079.700	30.09	-18.39	54.0	-23.91	AV	22.00	150	Horizontal	Pass
2	2419.900	105.52	-12.49	74.0	31.52	Peak	216.00	150	Horizontal	N/A
2**	2419.900	97.01	-12.49	54.0	43.01	AV	216.00	150	Horizontal	N/A
3	4283.750	48.43	-4.64	74.0	-25.57	Peak	92.00	150	Horizontal	Pass
3**	4283.750	38.44	-4.64	54.0	-15.56	AV	92.00	150	Horizontal	Pass
4	7839.250	53.39	1.06	74.0	-20.61	Peak	67.00	150	Horizontal	Pass
4**	7839.250	44.10	1.06	54.0	-9.90	AV	67.00	150	Horizontal	Pass
5	9805.500	49.54	-2.62	74.0	-24.46	Peak	194.00	150	Horizontal	Pass
5**	9805.500	40.87	-2.62	54.0	-13.13	AV	194.00	150	Horizontal	Pass
6	16903.500	52.60	0.80	74.0	-21.40	Peak	151.00	150	Horizontal	Pass
6**	16903.500	43.17	0.80	54.0	-10.83	AV	151.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	47.36	-18.38	74.0	-26.64	Peak	218.00	150	Vertical	Pass
1**	1079.600	35.41	-18.38	54.0	-18.59	AV	218.00	150	Vertical	Pass
2	2411.100	110.87	-12.77	74.0	36.87	Peak	230.00	150	Vertical	N/A
2**	2411.100	102.56	-12.77	54.0	48.56	AV	230.00	150	Vertical	N/A
3	4441.250	47.41	-4.68	74.0	-26.59	Peak	117.00	150	Vertical	Pass
3**	4441.250	37.65	-4.68	54.0	-16.35	AV	117.00	150	Vertical	Pass
4	7304.250	52.87	0.17	74.0	-21.13	Peak	276.00	150	Vertical	Pass
4**	7304.250	42.97	0.17	54.0	-11.03	AV	276.00	150	Vertical	Pass
5	9809.000	50.57	-2.80	74.0	-23.43	Peak	66.00	150	Vertical	Pass
5**	9809.000	41.33	-2.80	54.0	-12.67	AV	66.00	150	Vertical	Pass
6	16118.500	52.43	-1.09	74.0	-21.57	Peak	265.00	150	Vertical	Pass
6**	16118.500	42.83	-1.09	54.0	-11.17	AV	265.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	48.86	-18.40	74.0	-25.14	Peak	15.00	150	Horizontal	Pass
1**	1079.900	33.09	-18.40	54.0	-20.91	AV	15.00	150	Horizontal	Pass
2	2423.100	106.36	-12.56	74.0	32.36	Peak	213.00	150	Horizontal	N/A
2**	2423.100	98.74	-12.56	54.0	44.74	AV	213.00	150	Horizontal	N/A
3	4813.500	49.88	-2.96	74.0	-24.12	Peak	287.00	150	Horizontal	Pass
3**	4813.500	39.66	-2.96	54.0	-14.34	AV	287.00	150	Horizontal	Pass
4	7938.500	53.67	2.02	74.0	-20.33	Peak	224.00	150	Horizontal	Pass
4**	7938.500	44.13	2.02	54.0	-9.87	AV	224.00	150	Horizontal	Pass
5	9815.500	49.16	-3.14	74.0	-24.84	Peak	10.00	150	Horizontal	Pass
5**	9815.500	40.58	-3.14	54.0	-13.42	AV	10.00	150	Horizontal	Pass
6	16120.500	51.63	-1.02	74.0	-22.37	Peak	350.00	150	Horizontal	Pass
6**	16120.500	42.49	-1.02	54.0	-11.51	AV	350.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	45.92	-18.39	74.0	-28.08	Peak	0.00	150	Vertical	Pass
1**	1079.700	29.09	-18.39	54.0	-24.91	AV	0.00	150	Vertical	Pass
2	2419.400	111.44	-12.48	74.0	37.44	Peak	23.00	150	Vertical	N/A
2**	2419.400	103.60	-12.48	54.0	49.60	AV	23.00	150	Vertical	N/A
3	4852.250	48.36	-3.35	74.0	-25.64	Peak	262.00	150	Vertical	Pass
3**	4852.250	40.04	-3.35	54.0	-13.96	AV	262.00	150	Vertical	Pass
4	7485.250	53.74	1.43	74.0	-20.26	Peak	224.00	150	Vertical	Pass
4**	7485.250	44.33	1.43	54.0	-9.67	AV	224.00	150	Vertical	Pass
5	9793.500	49.63	-2.58	74.0	-24.37	Peak	52.00	150	Vertical	Pass
5**	9793.500	39.91	-2.58	54.0	-14.09	AV	52.00	150	Vertical	Pass
6	15943.000	50.98	-0.21	74.0	-23.02	Peak	250.00	150	Vertical	Pass
6**	15943.000	41.87	-0.21	54.0	-12.13	AV	250.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	44.71	-18.39	74.0	-29.29	Peak	139.00	150	Horizontal	Pass
1**	1079.700	37.51	-18.39	54.0	-16.49	AV	139.00	150	Horizontal	Pass
2	2427.800	106.29	-12.80	74.0	32.29	Peak	86.00	150	Horizontal	N/A
2**	2427.800	98.56	-12.80	54.0	44.56	AV	86.00	150	Horizontal	N/A
3	5487.000	50.56	-2.39	74.0	-23.44	Peak	24.00	150	Horizontal	Pass
3**	5487.000	41.49	-2.39	54.0	-12.51	AV	24.00	150	Horizontal	Pass
4	7935.750	53.39	2.00	74.0	-20.61	Peak	168.00	150	Horizontal	Pass
4**	7935.750	43.36	2.00	54.0	-10.64	AV	168.00	150	Horizontal	Pass
5	13855.500	49.92	-0.54	74.0	-24.08	Peak	360.00	150	Horizontal	Pass
5**	13855.500	41.32	-0.54	54.0	-12.68	AV	360.00	150	Horizontal	Pass
6	17932.501	52.09	1.06	74.0	-21.91	Peak	278.00	150	Horizontal	Pass
6**	17932.501	43.69	1.06	54.0	-10.31	AV	278.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	43.75	-18.39	74.0	-30.25	Peak	23.00	150	Vertical	Pass
1**	1079.800	32.71	-18.39	54.0	-21.29	AV	23.00	150	Vertical	Pass
2	2420.500	110.91	-12.50	74.0	36.91	Peak	229.00	150	Vertical	N/A
2**	2420.500	102.50	-12.50	54.0	48.50	AV	229.00	150	Vertical	N/A
3	3927.250	46.17	-5.86	74.0	-27.83	Peak	99.00	150	Vertical	Pass
3**	3927.250	36.87	-5.86	54.0	-17.13	AV	99.00	150	Vertical	Pass
4	7818.750	53.56	2.15	74.0	-20.44	Peak	257.00	150	Vertical	Pass
4**	7818.750	44.17	2.15	54.0	-9.83	AV	257.00	150	Vertical	Pass
5	9803.000	49.67	-2.49	74.0	-24.33	Peak	360.00	150	Vertical	Pass
5**	9803.000	40.88	-2.49	54.0	-13.12	AV	360.00	150	Vertical	Pass
6	16005.000	51.55	-0.85	74.0	-22.45	Peak	53.00	150	Vertical	Pass
6**	16005.000	41.94	-0.85	54.0	-12.06	AV	53.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	47.97	-18.42	74.0	-26.03	Peak	193.00	150	Horizontal	Pass
1**	1080.300	30.34	-18.42	54.0	-23.66	AV	193.00	150	Horizontal	Pass
2	2431.400	108.02	-12.70	74.0	34.02	Peak	113.00	150	Horizontal	N/A
2**	2431.400	100.16	-12.70	54.0	46.16	AV	113.00	150	Horizontal	N/A
3	4354.000	47.05	-4.89	74.0	-26.95	Peak	336.00	150	Horizontal	Pass
3**	4354.000	38.47	-4.89	54.0	-15.53	AV	336.00	150	Horizontal	Pass
4	7309.250	52.17	0.49	74.0	-21.83	Peak	17.00	150	Horizontal	Pass
4**	7309.250	44.18	0.49	54.0	-9.82	AV	17.00	150	Horizontal	Pass
5	9811.000	49.81	-2.90	74.0	-24.19	Peak	195.00	150	Horizontal	Pass
5**	9811.000	41.38	-2.90	54.0	-12.62	AV	195.00	150	Horizontal	Pass
6	15356.000	51.60	-1.80	74.0	-22.40	Peak	266.00	150	Horizontal	Pass
6**	15356.000	41.13	-1.80	54.0	-12.87	AV	266.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	44.89	-18.39	74.0	-29.11	Peak	0.00	150	Vertical	Pass
1**	1079.700	29.98	-18.39	54.0	-24.02	AV	0.00	150	Vertical	Pass
2	2435.900	110.73	-12.20	74.0	36.73	Peak	226.00	150	Vertical	N/A
2**	2435.900	103.08	-12.20	54.0	49.08	AV	226.00	150	Vertical	N/A
3	5236.500	49.80	-2.83	74.0	-24.20	Peak	37.00	150	Vertical	Pass
3**	5236.500	40.20	-2.83	54.0	-13.80	AV	37.00	150	Vertical	Pass
4	7212.250	52.67	-0.23	74.0	-21.33	Peak	226.00	150	Vertical	Pass
4**	7212.250	43.24	-0.23	54.0	-10.76	AV	226.00	150	Vertical	Pass
5	9803.000	49.14	-2.49	74.0	-24.86	Peak	222.00	150	Vertical	Pass
5**	9803.000	41.45	-2.49	54.0	-12.55	AV	222.00	150	Vertical	Pass
6	16905.000	52.36	0.73	74.0	-21.64	Peak	349.00	150	Vertical	Pass
6**	16905.000	42.54	0.73	54.0	-11.46	AV	349.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	47.21	-18.39	74.0	-26.79	Peak	262.00	150	Horizontal	Pass
1**	1079.700	29.87	-18.39	54.0	-24.13	AV	262.00	150	Horizontal	Pass
2	2435.600	109.28	-12.17	74.0	35.28	Peak	220.00	150	Horizontal	N/A
2**	2435.600	101.61	-12.17	54.0	47.61	AV	220.00	150	Horizontal	N/A
3	4287.000	47.14	-4.56	74.0	-26.86	Peak	72.00	150	Horizontal	Pass
3**	4287.000	38.26	-4.56	54.0	-15.74	AV	72.00	150	Horizontal	Pass
4	7705.750	53.28	1.27	74.0	-20.72	Peak	155.00	150	Horizontal	Pass
4**	7705.750	44.72	1.27	54.0	-9.28	AV	155.00	150	Horizontal	Pass
5	9824.500	49.71	-3.60	74.0	-24.29	Peak	155.00	150	Horizontal	Pass
5**	9824.500	40.00	-3.60	54.0	-14.00	AV	155.00	150	Horizontal	Pass
6	16893.500	51.96	0.69	74.0	-22.04	Peak	213.00	150	Horizontal	Pass
6**	16893.500	43.05	0.69	54.0	-10.95	AV	213.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	44.97	-18.39	74.0	-29.03	Peak	0.00	150	Vertical	Pass
1**	1079.800	33.04	-18.39	54.0	-20.96	AV	0.00	150	Vertical	Pass
2	2435.600	111.58	-12.17	74.0	37.58	Peak	161.00	150	Vertical	N/A
2**	2435.600	104.15	-12.17	54.0	50.15	AV	161.00	150	Vertical	N/A
3	4187.000	47.41	-5.18	74.0	-26.59	Peak	360.00	150	Vertical	Pass
3**	4187.000	38.39	-5.18	54.0	-15.61	AV	360.00	150	Vertical	Pass
4	6814.000	52.60	-1.02	74.0	-21.40	Peak	360.00	150	Vertical	Pass
4**	6814.000	42.89	-1.02	54.0	-11.11	AV	360.00	150	Vertical	Pass
5	9818.500	49.02	-3.29	74.0	-24.98	Peak	149.00	150	Vertical	Pass
5**	9818.500	41.16	-3.29	54.0	-12.84	AV	149.00	150	Vertical	Pass
6	16121.500	51.75	-0.99	74.0	-22.25	Peak	48.00	150	Vertical	Pass
6**	16121.500	42.59	-0.99	54.0	-11.41	AV	48.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	47.99	-18.41	74.0	-26.01	Peak	15.00	150	Horizontal	Pass
1**	1080.200	31.64	-18.41	54.0	-22.36	AV	15.00	150	Horizontal	Pass
2	2439.800	108.10	-12.37	74.0	34.10	Peak	15.00	150	Horizontal	N/A
2**	2439.800	99.85	-12.37	54.0	45.85	AV	15.00	150	Horizontal	N/A
3	4702.750	49.15	-3.65	74.0	-24.85	Peak	307.00	150	Horizontal	Pass
3**	4702.750	40.23	-3.65	54.0	-13.77	AV	307.00	150	Horizontal	Pass
4	7884.000	53.44	1.29	74.0	-20.56	Peak	360.00	150	Horizontal	Pass
4**	7884.000	43.76	1.29	54.0	-10.24	AV	360.00	150	Horizontal	Pass
5	9814.000	49.00	-3.06	74.0	-25.00	Peak	204.00	150	Horizontal	Pass
5**	9814.000	40.97	-3.06	54.0	-13.03	AV	204.00	150	Horizontal	Pass
6	16101.500	51.24	-1.64	74.0	-22.76	Peak	204.00	150	Horizontal	Pass
6**	16101.500	42.03	-1.64	54.0	-11.97	AV	204.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	48.92	-18.41	74.0	-25.08	Peak	225.00	150	Vertical	Pass
1**	1080.100	29.81	-18.41	54.0	-24.19	AV	225.00	150	Vertical	Pass
2	2433.800	110.82	-12.47	74.0	36.82	Peak	69.00	150	Vertical	N/A
2**	2433.800	103.45	-12.47	54.0	49.45	AV	69.00	150	Vertical	N/A
3	4619.000	48.26	-4.41	74.0	-25.74	Peak	151.00	150	Vertical	Pass
3**	4619.000	38.38	-4.41	54.0	-15.62	AV	151.00	150	Vertical	Pass
4	7817.500	53.87	2.14	74.0	-20.13	Peak	23.00	150	Vertical	Pass
4**	7817.500	44.51	2.14	54.0	-9.49	AV	23.00	150	Vertical	Pass
5	9803.000	50.55	-2.49	74.0	-23.45	Peak	302.00	150	Vertical	Pass
5**	9803.000	41.93	-2.49	54.0	-12.07	AV	302.00	150	Vertical	Pass
6	16890.000	51.83	0.55	74.0	-22.17	Peak	316.00	150	Vertical	Pass
6**	16890.000	43.01	0.55	54.0	-10.99	AV	316.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.200	42.61	-18.37	74.0	-31.39	Peak	159.00	150	Horizontal	Pass
1**	1079.200	30.65	-18.37	54.0	-23.35	AV	159.00	150	Horizontal	Pass
2	2445.100	107.37	-12.45	74.0	33.37	Peak	29.00	150	Horizontal	N/A
2**	2445.100	100.37	-12.45	54.0	46.37	AV	29.00	150	Horizontal	N/A
3	4737.250	49.40	-3.45	74.0	-24.60	Peak	158.00	150	Horizontal	Pass
3**	4737.250	39.04	-3.45	54.0	-14.96	AV	158.00	150	Horizontal	Pass
4	7564.750	53.08	0.37	74.0	-20.92	Peak	99.00	150	Horizontal	Pass
4**	7564.750	43.34	0.37	54.0	-10.66	AV	99.00	150	Horizontal	Pass
5	9803.500	50.43	-2.52	74.0	-23.57	Peak	102.00	150	Horizontal	Pass
5**	9803.500	41.68	-2.52	54.0	-12.32	AV	102.00	150	Horizontal	Pass
6	16123.500	51.53	-0.93	74.0	-22.47	Peak	360.00	150	Horizontal	Pass
6**	16123.500	42.89	-0.93	54.0	-11.11	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	48.59	-18.39	74.0	-25.41	Peak	208.00	150	Vertical	Pass
1**	1079.800	38.05	-18.39	54.0	-15.95	AV	208.00	150	Vertical	Pass
2	2441.800	110.89	-12.39	74.0	36.89	Peak	265.00	150	Vertical	N/A
2**	2441.800	103.77	-12.39	54.0	49.77	AV	265.00	150	Vertical	N/A
3	4905.500	49.53	-3.67	74.0	-24.47	Peak	215.00	150	Vertical	Pass
3**	4905.500	39.51	-3.67	54.0	-14.49	AV	215.00	150	Vertical	Pass
4	7818.250	53.19	2.21	74.0	-20.81	Peak	230.00	150	Vertical	Pass
4**	7818.250	43.90	2.21	54.0	-10.10	AV	230.00	150	Vertical	Pass
5	9805.500	49.22	-2.62	74.0	-24.78	Peak	186.00	150	Vertical	Pass
5**	9805.500	40.75	-2.62	54.0	-13.25	AV	186.00	150	Vertical	Pass
6	16892.500	52.21	0.65	74.0	-21.79	Peak	172.00	150	Vertical	Pass
6**	16892.500	42.58	0.65	54.0	-11.42	AV	172.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.600	45.96	-18.43	74.0	-28.04	Peak	145.00	150	Horizontal	Pass
1**	1080.600	32.31	-18.43	54.0	-21.69	AV	145.00	150	Horizontal	Pass
2	2451.100	106.48	-12.41	74.0	32.48	Peak	28.00	150	Horizontal	N/A
2**	2451.100	99.20	-12.41	54.0	45.20	AV	28.00	150	Horizontal	N/A
3	5092.500	49.71	-2.94	74.0	-24.29	Peak	273.00	150	Horizontal	Pass
3**	5092.500	41.39	-2.94	54.0	-12.61	AV	273.00	150	Horizontal	Pass
4	7760.500	53.69	1.32	74.0	-20.31	Peak	126.00	150	Horizontal	Pass
4**	7760.500	44.10	1.32	54.0	-9.90	AV	126.00	150	Horizontal	Pass
5	9798.500	50.10	-2.39	74.0	-23.90	Peak	43.00	150	Horizontal	Pass
5**	9798.500	40.89	-2.39	54.0	-13.11	AV	43.00	150	Horizontal	Pass
6	17943.501	53.33	0.91	74.0	-20.67	Peak	252.00	150	Horizontal	Pass
6**	17943.501	43.40	0.91	54.0	-10.60	AV	252.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	46.29	-18.41	74.0	-27.71	Peak	138.00	150	Vertical	Pass
1**	1080.200	38.40	-18.41	54.0	-15.60	AV	138.00	150	Vertical	Pass
2	2449.700	111.02	-12.38	74.0	37.02	Peak	5.00	150	Vertical	N/A
2**	2449.700	103.49	-12.38	54.0	49.49	AV	5.00	150	Vertical	N/A
3	4669.250	48.81	-4.48	74.0	-25.19	Peak	164.00	150	Vertical	Pass
3**	4669.250	39.76	-4.48	54.0	-14.24	AV	164.00	150	Vertical	Pass
4	7478.750	53.39	0.54	74.0	-20.61	Peak	164.00	150	Vertical	Pass
4**	7478.750	43.80	0.54	54.0	-10.20	AV	164.00	150	Vertical	Pass
5	9808.500	49.91	-2.78	74.0	-24.09	Peak	272.00	150	Vertical	Pass
5**	9808.500	44.43	-2.78	54.0	-9.57	AV	272.00	150	Vertical	Pass
6	16707.000	51.38	-1.83	74.0	-22.62	Peak	91.00	150	Vertical	Pass
6**	16707.000	42.15	-1.83	54.0	-11.85	AV	91.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	46.55	-18.42	74.0	-27.45	Peak	43.00	150	Horizontal	Pass
1**	1080.300	30.70	-18.42	54.0	-23.30	AV	43.00	150	Horizontal	Pass
2	2456.400	104.59	-12.68	74.0	30.59	Peak	12.00	150	Horizontal	N/A
2**	2456.400	96.64	-12.68	54.0	42.64	AV	12.00	150	Horizontal	N/A
3	4698.500	49.23	-3.52	74.0	-24.77	Peak	196.00	150	Horizontal	Pass
3**	4698.500	39.93	-3.52	54.0	-14.07	AV	196.00	150	Horizontal	Pass
4	7821.000	53.17	1.75	74.0	-20.83	Peak	181.00	150	Horizontal	Pass
4**	7821.000	43.66	1.75	54.0	-10.34	AV	181.00	150	Horizontal	Pass
5	9808.000	49.02	-2.75	74.0	-24.98	Peak	270.00	150	Horizontal	Pass
5**	9808.000	41.49	-2.75	54.0	-12.51	AV	270.00	150	Horizontal	Pass
6	16796.000	52.27	-0.55	74.0	-21.73	Peak	285.00	150	Horizontal	Pass
6**	16796.000	41.62	-0.55	54.0	-12.38	AV	285.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	45.51	-18.39	74.0	-28.49	Peak	178.00	150	Vertical	Pass
1**	1079.800	30.03	-18.39	54.0	-23.97	AV	178.00	150	Vertical	Pass
2	2453.900	110.31	-12.71	74.0	36.31	Peak	311.00	150	Vertical	N/A
2**	2453.900	102.72	-12.71	54.0	48.72	AV	311.00	150	Vertical	N/A
3	4862.000	48.67	-3.13	74.0	-25.33	Peak	360.00	150	Vertical	Pass
3**	4862.000	39.61	-3.13	54.0	-14.39	AV	360.00	150	Vertical	Pass
4	7709.500	53.23	1.22	74.0	-20.77	Peak	226.00	150	Vertical	Pass
4**	7709.500	43.04	1.22	54.0	-10.96	AV	226.00	150	Vertical	Pass
5	9802.000	49.16	-2.44	74.0	-24.84	Peak	360.00	150	Vertical	Pass
5**	9802.000	40.69	-2.44	54.0	-13.31	AV	360.00	150	Vertical	Pass
6	16149.000	52.67	-0.10	74.0	-21.33	Peak	318.00	150	Vertical	Pass
6**	16149.000	42.52	-0.10	54.0	-11.48	AV	318.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	51.81	-18.42	74.0	-22.19	Peak	332.00	150	Horizontal	Pass
1**	1080.500	40.72	-18.42	54.0	-13.28	AV	332.00	150	Horizontal	Pass
2	2460.800	109.47	-12.63	74.0	35.47	Peak	209.00	150	Horizontal	N/A
2**	2460.800	102.73	-12.63	54.0	48.73	AV	209.00	150	Horizontal	N/A
3	5239.000	51.13	-2.70	74.0	-22.87	Peak	360.00	150	Horizontal	Pass
3**	5239.000	47.66	-2.70	54.0	-6.34	AV	360.00	150	Horizontal	Pass
4	7911.750	53.27	0.63	74.0	-20.73	Peak	228.00	150	Horizontal	Pass
4**	7911.750	44.44	0.63	54.0	-9.56	AV	228.00	150	Horizontal	Pass
5	9806.000	49.68	-2.65	74.0	-24.32	Peak	360.00	150	Horizontal	Pass
5**	9806.000	41.71	-2.65	54.0	-12.29	AV	360.00	150	Horizontal	Pass
6	17947.001	52.74	0.87	74.0	-21.26	Peak	0.00	150	Horizontal	Pass
6**	17947.001	43.51	0.87	54.0	-10.49	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.600	44.50	-18.43	74.0	-29.50	Peak	220.00	150	Vertical	Pass
1**	1080.600	30.77	-18.43	54.0	-23.23	AV	220.00	150	Vertical	Pass
2	2469.100	110.86	-12.36	74.0	36.86	Peak	360.00	150	Vertical	N/A
2**	2469.100	103.75	-12.36	54.0	49.75	AV	360.00	150	Vertical	N/A
3	5569.500	50.56	-2.27	74.0	-23.44	Peak	343.00	150	Vertical	Pass
3**	5569.500	41.18	-2.27	54.0	-12.82	AV	343.00	150	Vertical	Pass
4	7986.250	52.99	1.38	74.0	-21.01	Peak	237.00	150	Vertical	Pass
4**	7986.250	43.94	1.38	54.0	-10.06	AV	237.00	150	Vertical	Pass
5	9801.500	49.46	-2.41	74.0	-24.54	Peak	66.00	150	Vertical	Pass
5**	9801.500	41.70	-2.41	54.0	-12.30	AV	66.00	150	Vertical	Pass
6	15939.500	52.04	-0.29	74.0	-21.96	Peak	216.00	150	Vertical	Pass
6**	15939.500	42.37	-0.29	54.0	-11.63	AV	216.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	48.00	-18.38	74.0	-26.00	Peak	341.00	150	Horizontal	Pass
1**	1079.400	29.70	-18.38	54.0	-24.30	AV	341.00	150	Horizontal	Pass
2	2413.900	107.82	-12.76	74.0	33.82	Peak	35.00	150	Horizontal	N/A
2**	2413.900	99.52	-12.76	54.0	45.52	AV	35.00	150	Horizontal	N/A
3	5139.250	50.60	-2.33	74.0	-23.40	Peak	316.00	150	Horizontal	Pass
3**	5139.250	41.16	-2.33	54.0	-12.84	AV	316.00	150	Horizontal	Pass
4	7804.250	53.59	0.83	74.0	-20.41	Peak	239.00	150	Horizontal	Pass
4**	7804.250	43.98	0.83	54.0	-10.02	AV	239.00	150	Horizontal	Pass
5	11905.000	49.81	-2.66	74.0	-24.19	Peak	104.00	150	Horizontal	Pass
5**	11905.000	40.09	-2.66	54.0	-13.91	AV	104.00	150	Horizontal	Pass
6	16135.500	52.35	-0.54	74.0	-21.65	Peak	90.00	150	Horizontal	Pass
6**	16135.500	42.82	-0.54	54.0	-11.18	AV	90.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.400	41.19	-17.89	74.0	-32.81	Peak	0.00	150	Vertical	Pass
1**	1200.400	31.25	-17.89	54.0	-22.75	AV	0.00	150	Vertical	Pass
2	2420.500	109.16	-12.50	74.0	35.16	Peak	26.00	150	Vertical	N/A
2**	2420.500	100.76	-12.50	54.0	46.76	AV	26.00	150	Vertical	N/A
3	5245.750	50.16	-3.00	74.0	-23.84	Peak	360.00	150	Vertical	Pass
3**	5245.750	42.63	-3.00	54.0	-11.37	AV	360.00	150	Vertical	Pass
4	7484.250	53.55	1.26	74.0	-20.45	Peak	326.00	150	Vertical	Pass
4**	7484.250	44.25	1.26	54.0	-9.75	AV	326.00	150	Vertical	Pass
5	9807.000	49.94	-2.70	74.0	-24.06	Peak	336.00	150	Vertical	Pass
5**	9807.000	41.24	-2.70	54.0	-12.76	AV	336.00	150	Vertical	Pass
6	17956.000	52.85	0.91	74.0	-21.15	Peak	0.00	150	Vertical	Pass
6**	17956.000	42.85	0.91	54.0	-11.15	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	49.87	-18.41	74.0	-24.13	Peak	170.00	150	Horizontal	Pass
1**	1080.100	32.93	-18.41	54.0	-21.07	AV	170.00	150	Horizontal	Pass
2	2438.900	101.04	-12.36	74.0	27.04	Peak	16.00	150	Horizontal	N/A
2**	2438.900	96.22	-12.36	54.0	42.22	AV	16.00	150	Horizontal	N/A
3	5744.250	50.91	-2.19	74.0	-23.09	Peak	164.00	150	Horizontal	Pass
3**	5744.250	42.39	-2.19	54.0	-11.61	AV	164.00	150	Horizontal	Pass
4	7585.750	53.37	0.66	74.0	-20.63	Peak	100.00	150	Horizontal	Pass
4**	7585.750	43.20	0.66	54.0	-10.80	AV	100.00	150	Horizontal	Pass
5	13287.000	49.61	-1.55	74.0	-24.39	Peak	52.00	150	Horizontal	Pass
5**	13287.000	39.19	-1.55	54.0	-14.81	AV	52.00	150	Horizontal	Pass
6	17884.500	52.72	1.30	74.0	-21.28	Peak	340.00	150	Horizontal	Pass
6**	17884.500	43.11	1.30	54.0	-10.89	AV	340.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	46.48	-18.42	74.0	-27.52	Peak	257.00	150	Vertical	Pass
1**	1080.300	29.57	-18.42	54.0	-24.43	AV	257.00	150	Vertical	Pass
2	2435.300	107.85	-12.15	74.0	33.85	Peak	317.00	150	Vertical	N/A
2**	2435.300	99.76	-12.15	54.0	45.76	AV	317.00	150	Vertical	N/A
3	5579.250	51.37	-1.36	74.0	-22.63	Peak	59.00	150	Vertical	Pass
3**	5579.250	41.51	-1.36	54.0	-12.49	AV	59.00	150	Vertical	Pass
4	7995.500	52.76	1.11	74.0	-21.24	Peak	285.00	150	Vertical	Pass
4**	7995.500	43.78	1.11	54.0	-10.22	AV	285.00	150	Vertical	Pass
5	13869.500	50.36	-0.52	74.0	-23.64	Peak	191.00	150	Vertical	Pass
5**	13869.500	41.81	-0.52	54.0	-12.19	AV	191.00	150	Vertical	Pass
6	17938.000	52.45	0.99	74.0	-21.55	Peak	35.00	150	Vertical	Pass
6**	17938.000	43.18	0.99	54.0	-10.82	AV	35.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	50.17	-18.40	74.0	-23.83	Peak	358.00	150	Horizontal	Pass
1**	1079.900	30.25	-18.40	54.0	-23.75	AV	358.00	150	Horizontal	Pass
2	2439.500	100.22	-12.36	74.0	26.22	Peak	38.00	150	Horizontal	N/A
2**	2439.500	92.46	-12.36	54.0	38.46	AV	38.00	150	Horizontal	N/A
3	5581.000	50.82	-1.37	74.0	-23.18	Peak	251.00	150	Horizontal	Pass
3**	5581.000	42.06	-1.37	54.0	-11.94	AV	251.00	150	Horizontal	Pass
4	7484.000	53.07	1.22	74.0	-20.93	Peak	356.00	150	Horizontal	Pass
4**	7484.000	45.06	1.22	54.0	-8.94	AV	356.00	150	Horizontal	Pass
5	13863.999	50.51	-0.53	74.0	-23.49	Peak	36.00	150	Horizontal	Pass
5**	13863.999	41.02	-0.53	54.0	-12.98	AV	36.00	150	Horizontal	Pass
6	17937.000	53.08	1.00	74.0	-20.92	Peak	172.00	150	Horizontal	Pass
6**	17937.000	43.63	1.00	54.0	-10.37	AV	172.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	46.40	-18.41	74.0	-27.60	Peak	23.00	150	Vertical	Pass
1**	1080.200	30.77	-18.41	54.0	-23.23	AV	23.00	150	Vertical	Pass
2	2420.400	108.24	-12.50	74.0	34.24	Peak	30.00	150	Vertical	N/A
2**	2420.400	99.74	-12.50	54.0	45.74	AV	30.00	150	Vertical	N/A
3	5803.250	50.64	-1.86	74.0	-23.36	Peak	185.00	150	Vertical	Pass
3**	5803.250	42.31	-1.86	54.0	-11.69	AV	185.00	150	Vertical	Pass
4	7761.000	53.74	1.30	74.0	-20.26	Peak	79.00	150	Vertical	Pass
4**	7761.000	45.19	1.30	54.0	-8.81	AV	79.00	150	Vertical	Pass
5	14198.000	49.62	-1.86	74.0	-24.38	Peak	0.00	150	Vertical	Pass
5**	14198.000	40.13	-1.86	54.0	-13.87	AV	0.00	150	Vertical	Pass
6	17927.500	52.43	1.13	74.0	-21.57	Peak	360.00	150	Vertical	Pass
6**	17927.500	43.25	1.13	54.0	-10.75	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	48.23	-18.39	74.0	-25.77	Peak	27.00	150	Horizontal	Pass
1**	1079.700	31.14	-18.39	54.0	-22.86	AV	27.00	150	Horizontal	Pass
2	2446.900	98.71	-12.51	74.0	24.71	Peak	107.00	150	Horizontal	N/A
2**	2446.900	90.87	-12.51	54.0	36.87	AV	107.00	150	Horizontal	N/A
3	4851.500	48.95	-3.31	74.0	-25.05	Peak	302.00	150	Horizontal	Pass
3**	4851.500	39.58	-3.31	54.0	-14.42	AV	302.00	150	Horizontal	Pass
4	7482.750	53.11	1.06	74.0	-20.89	Peak	318.00	150	Horizontal	Pass
4**	7482.750	43.89	1.06	54.0	-10.11	AV	318.00	150	Horizontal	Pass
5	9805.500	49.11	-2.62	74.0	-24.89	Peak	248.00	150	Horizontal	Pass
5**	9805.500	41.16	-2.62	54.0	-12.84	AV	248.00	150	Horizontal	Pass
6	17233.500	52.15	-0.04	74.0	-21.85	Peak	345.00	150	Horizontal	Pass
6**	17233.500	42.53	-0.04	54.0	-11.47	AV	345.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	45.89	-18.39	74.0	-28.11	Peak	0.00	150	Vertical	Pass
1**	1079.700	33.43	-18.39	54.0	-20.57	AV	0.00	150	Vertical	Pass
2	2441.600	107.73	-12.38	74.0	33.73	Peak	292.00	150	Vertical	N/A
2**	2441.600	99.68	-12.38	54.0	45.68	AV	292.00	150	Vertical	N/A
3	5224.250	50.96	-3.68	74.0	-23.04	Peak	329.00	150	Vertical	Pass
3**	5224.250	43.81	-3.68	54.0	-10.19	AV	329.00	150	Vertical	Pass
4	7655.250	54.15	1.38	74.0	-19.85	Peak	187.00	150	Vertical	Pass
4**	7655.250	43.82	1.38	54.0	-10.18	AV	187.00	150	Vertical	Pass
5	9819.000	49.75	-3.32	74.0	-24.25	Peak	188.00	150	Vertical	Pass
5**	9819.000	41.26	-3.32	54.0	-12.74	AV	188.00	150	Vertical	Pass
6	16132.500	51.99	-0.64	74.0	-22.01	Peak	348.00	150	Vertical	Pass
6**	16132.500	42.07	-0.64	54.0	-11.93	AV	348.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	47.00	-18.38	74.0	-27.00	Peak	337.00	150	Horizontal	Pass
1**	1079.600	30.60	-18.38	54.0	-23.40	AV	337.00	150	Horizontal	Pass
2	2440.300	98.61	-12.37	74.0	24.61	Peak	31.00	150	Horizontal	N/A
2**	2440.300	90.55	-12.37	54.0	36.55	AV	31.00	150	Horizontal	N/A
3	4683.000	48.83	-3.91	74.0	-25.17	Peak	0.00	150	Horizontal	Pass
3**	4683.000	40.10	-3.91	54.0	-13.90	AV	0.00	150	Horizontal	Pass
4	7823.250	53.41	1.57	74.0	-20.59	Peak	268.00	150	Horizontal	Pass
4**	7823.250	43.73	1.57	54.0	-10.27	AV	268.00	150	Horizontal	Pass
5	9802.500	49.19	-2.46	74.0	-24.81	Peak	76.00	150	Horizontal	Pass
5**	9802.500	41.76	-2.46	54.0	-12.24	AV	76.00	150	Horizontal	Pass
6	17816.001	52.51	0.73	74.0	-21.49	Peak	170.00	150	Horizontal	Pass
6**	17816.001	42.95	0.73	54.0	-11.05	AV	170.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	45.17	-18.42	74.0	-28.83	Peak	348.00	150	Vertical	Pass
1**	1080.400	30.65	-18.42	54.0	-23.35	AV	348.00	150	Vertical	Pass
2	2455.400	106.91	-12.73	74.0	32.91	Peak	270.00	150	Vertical	N/A
2**	2455.400	98.51	-12.73	54.0	44.51	AV	270.00	150	Vertical	N/A
3	4704.250	49.14	-3.74	74.0	-24.86	Peak	280.00	150	Vertical	Pass
3**	4704.250	39.76	-3.74	54.0	-14.24	AV	280.00	150	Vertical	Pass
4	7483.750	53.62	1.19	74.0	-20.38	Peak	312.00	150	Vertical	Pass
4**	7483.750	44.43	1.19	54.0	-9.57	AV	312.00	150	Vertical	Pass
5	9802.500	49.47	-2.46	74.0	-24.53	Peak	109.00	150	Vertical	Pass
5**	9802.500	40.55	-2.46	54.0	-13.45	AV	109.00	150	Vertical	Pass
6	16710.000	51.74	-1.85	74.0	-22.26	Peak	204.00	150	Vertical	Pass
6**	16710.000	41.08	-1.85	54.0	-12.92	AV	204.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	49.63	-18.40	74.0	-24.37	Peak	140.00	150	Horizontal	Pass
1**	1080.000	30.55	-18.40	54.0	-23.45	AV	140.00	150	Horizontal	Pass
2	2444.800	96.90	-12.45	74.0	22.90	Peak	45.00	150	Horizontal	N/A
2**	2444.800	89.18	-12.45	54.0	35.18	AV	45.00	150	Horizontal	N/A
3	4545.250	48.12	-4.45	74.0	-25.88	Peak	345.00	150	Horizontal	Pass
3**	4545.250	38.73	-4.45	54.0	-15.27	AV	345.00	150	Horizontal	Pass
4	7837.000	53.16	1.24	74.0	-20.84	Peak	151.00	150	Horizontal	Pass
4**	7837.000	44.03	1.24	54.0	-9.97	AV	151.00	150	Horizontal	Pass
5	9903.000	49.95	-4.16	74.0	-24.05	Peak	259.00	150	Horizontal	Pass
5**	9903.000	39.40	-4.16	54.0	-14.60	AV	259.00	150	Horizontal	Pass
6	16120.001	51.63	-1.04	74.0	-22.37	Peak	360.00	150	Horizontal	Pass
6**	16120.001	43.50	-1.04	54.0	-10.50	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	46.24	-18.41	74.0	-27.76	Peak	360.00	150	Vertical	Pass
1**	1080.100	30.33	-18.41	54.0	-23.67	AV	360.00	150	Vertical	Pass
2	2451.000	106.56	-12.40	74.0	32.56	Peak	196.00	150	Vertical	N/A
2**	2451.000	98.99	-12.40	54.0	44.99	AV	196.00	150	Vertical	N/A
3	4039.250	46.29	-5.91	74.0	-27.71	Peak	243.00	150	Vertical	Pass
3**	4039.250	37.26	-5.91	54.0	-16.74	AV	243.00	150	Vertical	Pass
4	7487.000	52.98	1.62	74.0	-21.02	Peak	360.00	150	Vertical	Pass
4**	7487.000	44.43	1.62	54.0	-9.57	AV	360.00	150	Vertical	Pass
5	9800.500	50.04	-2.36	74.0	-23.96	Peak	263.00	150	Vertical	Pass
5**	9800.500	41.43	-2.36	54.0	-12.57	AV	263.00	150	Vertical	Pass
6	16017.000	51.77	-1.06	74.0	-22.23	Peak	360.00	150	Vertical	Pass
6**	16017.000	41.66	-1.06	54.0	-12.34	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ac40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	52.38	-18.42	74.0	-21.62	Peak	331.00	150	Horizontal	Pass
1**	1080.500	29.46	-18.42	54.0	-24.54	AV	331.00	150	Horizontal	Pass
2	2460.900	107.03	-12.64	74.0	33.03	Peak	213.00	150	Horizontal	N/A
2**	2460.900	99.34	-12.64	54.0	45.34	AV	213.00	150	Horizontal	N/A
3	5597.500	50.81	-2.08	74.0	-23.19	Peak	222.00	150	Horizontal	Pass
3**	5597.500	41.71	-2.08	54.0	-12.29	AV	222.00	150	Horizontal	Pass
4	7795.000	53.25	0.90	74.0	-20.75	Peak	163.00	150	Horizontal	Pass
4**	7795.000	43.59	0.90	54.0	-10.41	AV	163.00	150	Horizontal	Pass
5	14155.500	50.05	-1.18	74.0	-23.95	Peak	35.00	150	Horizontal	Pass
5**	14155.500	41.15	-1.18	54.0	-12.85	AV	35.00	150	Horizontal	Pass
6	17910.499	52.26	1.36	74.0	-21.74	Peak	146.00	150	Horizontal	Pass
6**	17910.499	43.66	1.36	54.0	-10.34	AV	146.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ac40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	46.90	-18.42	74.0	-27.10	Peak	207.00	150	Vertical	Pass
1**	1080.300	33.46	-18.42	54.0	-20.54	AV	207.00	150	Vertical	Pass
2	2450.000	108.49	-12.34	74.0	34.49	Peak	311.00	150	Vertical	N/A
2**	2450.000	100.15	-12.34	54.0	46.15	AV	311.00	150	Vertical	N/A
3	5146.250	49.52	-2.12	74.0	-24.48	Peak	71.00	150	Vertical	Pass
3**	5146.250	40.81	-2.12	54.0	-13.19	AV	71.00	150	Vertical	Pass
4	7817.750	53.48	2.21	74.0	-20.52	Peak	71.00	150	Vertical	Pass
4**	7817.750	45.31	2.21	54.0	-8.69	AV	71.00	150	Vertical	Pass
5	12815.000	49.74	-1.65	74.0	-24.26	Peak	54.00	150	Vertical	Pass
5**	12815.000	39.90	-1.65	54.0	-14.10	AV	54.00	150	Vertical	Pass
6	17974.499	52.15	1.17	74.0	-21.85	Peak	40.00	150	Vertical	Pass
6**	17974.499	42.77	1.17	54.0	-11.23	AV	40.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	49.09	-18.38	74.0	-24.91	Peak	350.00	150	Horizontal	Pass
1**	1079.400	30.49	-18.38	54.0	-23.51	AV	350.00	150	Horizontal	Pass
2	2414.900	110.23	-12.72	74.0	36.23	Peak	21.00	150	Horizontal	N/A
2**	2414.900	101.86	-12.72	54.0	47.86	AV	21.00	150	Horizontal	N/A
3	5568.000	51.62	-2.38	74.0	-22.38	Peak	143.00	150	Horizontal	Pass
3**	5568.000	41.53	-2.38	54.0	-12.47	AV	143.00	150	Horizontal	Pass
4	7819.750	53.16	2.03	74.0	-20.84	Peak	221.00	150	Horizontal	Pass
4**	7819.750	44.58	2.03	54.0	-9.42	AV	221.00	150	Horizontal	Pass
5	13863.500	50.89	-0.53	74.0	-23.11	Peak	87.00	150	Horizontal	Pass
5**	13863.500	41.27	-0.53	54.0	-12.73	AV	87.00	150	Horizontal	Pass
6	17935.499	52.14	1.02	74.0	-21.86	Peak	336.00	150	Horizontal	Pass
6**	17935.499	43.57	1.02	54.0	-10.43	AV	336.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	47.72	-18.39	74.0	-26.28	Peak	205.00	150	Vertical	Pass
1**	1079.700	29.25	-18.39	54.0	-24.75	AV	205.00	150	Vertical	Pass
2	2403.500	111.01	-12.72	74.0	37.01	Peak	336.00	150	Vertical	N/A
2**	2403.500	104.00	-12.72	54.0	50.00	AV	336.00	150	Vertical	N/A
3	5478.750	51.10	-2.61	74.0	-22.90	Peak	62.00	150	Vertical	Pass
3**	5478.750	41.39	-2.61	54.0	-12.61	AV	62.00	150	Vertical	Pass
4	7817.250	53.46	2.06	74.0	-20.54	Peak	23.00	150	Vertical	Pass
4**	7817.250	45.05	2.06	54.0	-8.95	AV	23.00	150	Vertical	Pass
5	13886.000	50.50	-0.51	74.0	-23.50	Peak	202.00	150	Vertical	Pass
5**	13886.000	41.43	-0.51	54.0	-12.57	AV	202.00	150	Vertical	Pass
6	17926.001	52.43	1.15	74.0	-21.57	Peak	161.00	150	Vertical	Pass
6**	17926.001	43.32	1.15	54.0	-10.68	AV	161.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	48.24	-18.40	74.0	-25.76	Peak	310.00	150	Horizontal	Pass
1**	1079.900	30.67	-18.40	54.0	-23.33	AV	310.00	150	Horizontal	Pass
2	2417.800	106.13	-12.50	74.0	32.13	Peak	210.00	150	Horizontal	N/A
2**	2417.800	96.28	-12.50	54.0	42.28	AV	210.00	150	Horizontal	N/A
3	5232.750	50.92	-2.99	74.0	-23.08	Peak	133.00	150	Horizontal	Pass
3**	5232.750	43.91	-2.99	54.0	-10.09	AV	133.00	150	Horizontal	Pass
4	7636.000	53.38	0.12	74.0	-20.62	Peak	199.00	150	Horizontal	Pass
4**	7636.000	44.77	0.12	54.0	-9.23	AV	199.00	150	Horizontal	Pass
5	9799.999	49.47	-2.34	74.0	-24.53	Peak	143.00	150	Horizontal	Pass
5**	9799.999	40.92	-2.34	54.0	-13.08	AV	143.00	150	Horizontal	Pass
6	15930.500	52.55	-0.51	74.0	-21.45	Peak	176.00	150	Horizontal	Pass
6**	15930.500	42.65	-0.51	54.0	-11.35	AV	176.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	46.43	-18.42	74.0	-27.57	Peak	162.00	150	Vertical	Pass
1**	1080.500	29.97	-18.42	54.0	-24.03	AV	162.00	150	Vertical	Pass
2	2415.500	111.34	-12.67	74.0	37.34	Peak	324.00	150	Vertical	N/A
2**	2415.500	102.84	-12.67	54.0	48.84	AV	324.00	150	Vertical	N/A
3	4705.500	48.65	-3.80	74.0	-25.35	Peak	360.00	150	Vertical	Pass
3**	4705.500	39.79	-3.80	54.0	-14.21	AV	360.00	150	Vertical	Pass
4	7487.500	52.75	1.62	74.0	-21.25	Peak	246.00	150	Vertical	Pass
4**	7487.500	44.35	1.62	54.0	-9.65	AV	246.00	150	Vertical	Pass
5	9809.000	48.98	-2.80	74.0	-25.02	Peak	182.00	150	Vertical	Pass
5**	9809.000	41.00	-2.80	54.0	-13.00	AV	182.00	150	Vertical	Pass
6	17656.001	52.52	-0.19	74.0	-21.48	Peak	0.00	150	Vertical	Pass
6**	17656.001	41.80	-0.19	54.0	-12.20	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	46.61	-18.39	74.0	-27.39	Peak	277.00	150	Horizontal	Pass
1**	1079.700	32.61	-18.39	54.0	-21.39	AV	277.00	150	Horizontal	Pass
2	2423.500	108.24	-12.62	74.0	34.24	Peak	226.00	150	Horizontal	N/A
2**	2423.500	99.69	-12.62	54.0	45.69	AV	226.00	150	Horizontal	N/A
3	5140.250	50.03	-2.26	74.0	-23.97	Peak	208.00	150	Horizontal	Pass
3**	5140.250	40.99	-2.26	54.0	-13.01	AV	208.00	150	Horizontal	Pass
4	7170.250	53.05	-0.02	74.0	-20.95	Peak	309.00	150	Horizontal	Pass
4**	7170.250	43.28	-0.02	54.0	-10.72	AV	309.00	150	Horizontal	Pass
5	9802.000	49.12	-2.44	74.0	-24.88	Peak	204.00	150	Horizontal	Pass
5**	9802.000	41.00	-2.44	54.0	-13.00	AV	204.00	150	Horizontal	Pass
6	16896.500	52.02	0.81	74.0	-21.98	Peak	289.00	150	Horizontal	Pass
6**	16896.500	42.79	0.81	54.0	-11.21	AV	289.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	46.35	-18.39	74.0	-27.65	Peak	0.00	150	Vertical	Pass
1**	1079.800	29.35	-18.39	54.0	-24.65	AV	0.00	150	Vertical	Pass
2	2427.500	111.41	-12.75	74.0	37.41	Peak	0.00	150	Vertical	N/A
2**	2427.500	102.78	-12.75	54.0	48.78	AV	0.00	150	Vertical	N/A
3	4009.250	45.75	-5.70	74.0	-28.25	Peak	167.00	150	Vertical	Pass
3**	4009.250	36.99	-5.70	54.0	-17.01	AV	167.00	150	Vertical	Pass
4	7718.500	52.96	0.66	74.0	-21.04	Peak	184.00	150	Vertical	Pass
4**	7718.500	43.55	0.66	54.0	-10.45	AV	184.00	150	Vertical	Pass
5	9826.500	49.38	-3.71	74.0	-24.62	Peak	6.00	150	Vertical	Pass
5**	9826.500	40.84	-3.71	54.0	-13.16	AV	6.00	150	Vertical	Pass
6	16137.000	52.36	-0.49	74.0	-21.64	Peak	208.00	150	Vertical	Pass
6**	16137.000	42.87	-0.49	54.0	-11.13	AV	208.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	45.12	-18.42	74.0	-28.88	Peak	122.00	150	Horizontal	Pass
1**	1080.500	30.23	-18.42	54.0	-23.77	AV	122.00	150	Horizontal	Pass
2	2428.200	108.57	-12.85	74.0	34.57	Peak	207.00	150	Horizontal	N/A
2**	2428.200	99.97	-12.85	54.0	45.97	AV	207.00	150	Horizontal	N/A
3	5297.000	48.91	-2.89	74.0	-25.09	Peak	0.00	150	Horizontal	Pass
3**	5297.000	40.41	-2.89	54.0	-13.59	AV	0.00	150	Horizontal	Pass
4	7813.000	53.56	1.51	74.0	-20.44	Peak	137.00	150	Horizontal	Pass
4**	7813.000	45.09	1.51	54.0	-8.91	AV	137.00	150	Horizontal	Pass
5	9808.000	49.77	-2.75	74.0	-24.23	Peak	206.00	150	Horizontal	Pass
5**	9808.000	42.23	-2.75	54.0	-11.77	AV	206.00	150	Horizontal	Pass
6	15928.500	52.44	-0.56	74.0	-21.56	Peak	206.00	150	Horizontal	Pass
6**	15928.500	42.43	-0.56	54.0	-11.57	AV	206.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	45.75	-18.39	74.0	-28.25	Peak	17.00	150	Vertical	Pass
1**	1079.700	37.54	-18.39	54.0	-16.46	AV	17.00	150	Vertical	Pass
2	2425.000	111.82	-12.78	74.0	37.82	Peak	360.00	150	Vertical	N/A
2**	2425.000	103.27	-12.78	54.0	49.27	AV	360.00	150	Vertical	N/A
3	4712.500	48.89	-3.96	74.0	-25.11	Peak	121.00	150	Vertical	Pass
3**	4712.500	38.88	-3.96	54.0	-15.12	AV	121.00	150	Vertical	Pass
4	7932.000	53.52	1.89	74.0	-20.48	Peak	104.00	150	Vertical	Pass
4**	7932.000	43.34	1.89	54.0	-10.66	AV	104.00	150	Vertical	Pass
5	9793.000	49.75	-2.59	74.0	-24.25	Peak	52.00	150	Vertical	Pass
5**	9793.000	40.27	-2.59	54.0	-13.73	AV	52.00	150	Vertical	Pass
6	16037.500	51.94	-1.41	74.0	-22.06	Peak	222.00	150	Vertical	Pass
6**	16037.500	41.30	-1.41	54.0	-12.70	AV	222.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	45.31	-18.42	74.0	-28.69	Peak	356.00	150	Horizontal	Pass
1**	1080.300	30.51	-18.42	54.0	-23.49	AV	356.00	150	Horizontal	Pass
2	2433.700	110.04	-12.49	74.0	36.04	Peak	30.00	150	Horizontal	N/A
2**	2433.700	100.80	-12.49	54.0	46.80	AV	30.00	150	Horizontal	N/A
3	5181.500	50.11	-2.55	74.0	-23.89	Peak	47.00	150	Horizontal	Pass
3**	5181.500	43.99	-2.55	54.0	-10.01	AV	47.00	150	Horizontal	Pass
4	7987.750	53.42	1.30	74.0	-20.58	Peak	99.00	150	Horizontal	Pass
4**	7987.750	43.35	1.30	54.0	-10.65	AV	99.00	150	Horizontal	Pass
5	13802.000	50.10	0.43	74.0	-23.90	Peak	227.00	150	Horizontal	Pass
5**	13802.000	40.23	0.43	54.0	-13.77	AV	227.00	150	Horizontal	Pass
6	17898.500	52.07	1.48	74.0	-21.93	Peak	227.00	150	Horizontal	Pass
6**	17898.500	42.34	1.48	54.0	-11.66	AV	227.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	46.12	-18.42	74.0	-27.88	Peak	152.00	150	Vertical	Pass
1**	1080.400	36.96	-18.42	54.0	-17.04	AV	152.00	150	Vertical	Pass
2	2424.400	111.05	-12.75	74.0	37.05	Peak	82.00	150	Vertical	N/A
2**	2424.400	102.56	-12.75	54.0	48.56	AV	82.00	150	Vertical	N/A
3	5689.750	50.45	-2.50	74.0	-23.55	Peak	0.00	150	Vertical	Pass
3**	5689.750	40.72	-2.50	54.0	-13.28	AV	0.00	150	Vertical	Pass
4	7483.250	53.47	1.13	74.0	-20.53	Peak	360.00	150	Vertical	Pass
4**	7483.250	44.34	1.13	54.0	-9.66	AV	360.00	150	Vertical	Pass
5	13885.500	50.13	-0.51	74.0	-23.87	Peak	167.00	150	Vertical	Pass
5**	13885.500	42.00	-0.51	54.0	-12.00	AV	167.00	150	Vertical	Pass
6	17915.001	51.96	1.30	74.0	-22.04	Peak	115.00	150	Vertical	Pass
6**	17915.001	42.77	1.30	54.0	-11.23	AV	115.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	47.66	-18.41	74.0	-26.34	Peak	166.00	150	Horizontal	Pass
1**	1080.100	30.18	-18.41	54.0	-23.82	AV	166.00	150	Horizontal	Pass
2	2435.300	110.35	-12.15	74.0	36.35	Peak	3.00	150	Horizontal	N/A
2**	2435.300	101.36	-12.15	54.0	47.36	AV	3.00	150	Horizontal	N/A
3	5580.500	50.58	-1.35	74.0	-23.42	Peak	360.00	150	Horizontal	Pass
3**	5580.500	41.27	-1.35	54.0	-12.73	AV	360.00	150	Horizontal	Pass
4	7834.000	53.02	1.08	74.0	-20.98	Peak	74.00	150	Horizontal	Pass
4**	7834.000	43.52	1.08	54.0	-10.48	AV	74.00	150	Horizontal	Pass
5	13866.000	50.13	-0.53	74.0	-23.87	Peak	162.00	150	Horizontal	Pass
5**	13866.000	41.99	-0.53	54.0	-12.01	AV	162.00	150	Horizontal	Pass
6	17838.000	52.31	0.81	74.0	-21.69	Peak	108.00	150	Horizontal	Pass
6**	17838.000	44.10	0.81	54.0	-9.90	AV	108.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 6

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	46.51	-18.41	74.0	-27.49	Peak	228.00	150	Vertical	Pass
1**	1080.200	29.79	-18.41	54.0	-24.21	AV	228.00	150	Vertical	Pass
2	2434.500	111.40	-12.32	74.0	37.40	Peak	36.00	150	Vertical	N/A
2**	2434.500	103.73	-12.32	54.0	49.73	AV	36.00	150	Vertical	N/A
3	5581.750	50.35	-1.39	74.0	-23.65	Peak	59.00	150	Vertical	Pass
3**	5581.750	41.61	-1.39	54.0	-12.39	AV	59.00	150	Vertical	Pass
4	7835.500	53.16	1.14	74.0	-20.84	Peak	165.00	150	Vertical	Pass
4**	7835.500	43.53	1.14	54.0	-10.47	AV	165.00	150	Vertical	Pass
5	13801.000	50.42	0.45	74.0	-23.58	Peak	267.00	150	Vertical	Pass
5**	13801.000	40.83	0.45	54.0	-13.17	AV	267.00	150	Vertical	Pass
6	17821.000	52.89	0.75	74.0	-21.11	Peak	360.00	150	Vertical	Pass
6**	17821.000	43.92	0.75	54.0	-10.08	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	45.29	-18.41	74.0	-28.71	Peak	360.00	150	Horizontal	Pass
1**	1080.200	31.12	-18.41	54.0	-22.88	AV	360.00	150	Horizontal	Pass
2	2443.000	108.50	-12.43	74.0	34.50	Peak	108.00	150	Horizontal	N/A
2**	2443.000	99.89	-12.43	54.0	45.89	AV	108.00	150	Horizontal	N/A
3	5665.000	50.14	-2.72	74.0	-23.86	Peak	360.00	150	Horizontal	Pass
3**	5665.000	40.90	-2.72	54.0	-13.10	AV	360.00	150	Horizontal	Pass
4	7874.250	53.23	0.96	74.0	-20.77	Peak	0.00	150	Horizontal	Pass
4**	7874.250	42.89	0.96	54.0	-11.11	AV	0.00	150	Horizontal	Pass
5	13981.500	49.93	-2.16	74.0	-24.07	Peak	223.00	150	Horizontal	Pass
5**	13981.500	39.52	-2.16	54.0	-14.48	AV	223.00	150	Horizontal	Pass
6	17920.500	52.31	1.22	74.0	-21.69	Peak	259.00	150	Horizontal	Pass
6**	17920.500	43.22	1.22	54.0	-10.78	AV	259.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	47.56	-18.41	74.0	-26.44	Peak	142.00	150	Vertical	Pass
1**	1080.200	33.04	-18.41	54.0	-20.96	AV	142.00	150	Vertical	Pass
2	2439.600	111.51	-12.36	74.0	37.51	Peak	17.00	150	Vertical	N/A
2**	2439.600	102.90	-12.36	54.0	48.90	AV	17.00	150	Vertical	N/A
3	5582.250	50.86	-1.41	74.0	-23.14	Peak	327.00	150	Vertical	Pass
3**	5582.250	42.26	-1.41	54.0	-11.74	AV	327.00	150	Vertical	Pass
4	7794.250	53.34	1.03	74.0	-20.66	Peak	360.00	150	Vertical	Pass
4**	7794.250	44.07	1.03	54.0	-9.93	AV	360.00	150	Vertical	Pass
5	13898.000	49.98	-0.50	74.0	-24.02	Peak	0.00	150	Vertical	Pass
5**	13898.000	42.56	-0.50	54.0	-11.44	AV	0.00	150	Vertical	Pass
6	17822.501	51.56	0.75	74.0	-22.44	Peak	25.00	150	Vertical	Pass
6**	17822.501	43.06	0.75	54.0	-10.94	AV	25.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	48.55	-18.41	74.0	-25.45	Peak	182.00	150	Horizontal	Pass
1**	1080.100	30.57	-18.41	54.0	-23.43	AV	182.00	150	Horizontal	Pass
2	2449.000	107.56	-12.47	74.0	33.56	Peak	91.00	150	Horizontal	N/A
2**	2449.000	98.61	-12.47	54.0	44.61	AV	91.00	150	Horizontal	N/A
3	5668.250	50.37	-2.82	74.0	-23.63	Peak	354.00	150	Horizontal	Pass
3**	5668.250	40.74	-2.82	54.0	-13.26	AV	354.00	150	Horizontal	Pass
4	7931.000	53.25	1.97	74.0	-20.75	Peak	260.00	150	Horizontal	Pass
4**	7931.000	43.86	1.97	54.0	-10.14	AV	260.00	150	Horizontal	Pass
5	12767.000	49.14	-2.60	74.0	-24.86	Peak	172.00	150	Horizontal	Pass
5**	12767.000	40.28	-2.60	54.0	-13.72	AV	172.00	150	Horizontal	Pass
6	16087.000	53.01	-1.67	74.0	-20.99	Peak	62.00	150	Horizontal	Pass
6**	16087.000	42.03	-1.67	54.0	-11.97	AV	62.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	43.62	-18.42	74.0	-30.38	Peak	183.00	150	Vertical	Pass
1**	1080.400	32.08	-18.42	54.0	-21.92	AV	183.00	150	Vertical	Pass
2	2442.100	111.92	-12.40	74.0	37.92	Peak	360.00	150	Vertical	N/A
2**	2442.100	103.52	-12.40	54.0	49.52	AV	360.00	150	Vertical	N/A
3	5578.250	50.52	-1.37	74.0	-23.48	Peak	360.00	150	Vertical	Pass
3**	5578.250	41.38	-1.37	54.0	-12.62	AV	360.00	150	Vertical	Pass
4	7817.750	53.07	2.21	74.0	-20.93	Peak	216.00	150	Vertical	Pass
4**	7817.750	44.78	2.21	54.0	-9.22	AV	216.00	150	Vertical	Pass
5	14811.000	50.52	-1.83	74.0	-23.48	Peak	216.00	150	Vertical	Pass
5**	14811.000	40.60	-1.83	54.0	-13.40	AV	216.00	150	Vertical	Pass
6	17853.499	51.57	0.90	74.0	-22.43	Peak	94.00	150	Vertical	Pass
6**	17853.499	42.77	0.90	54.0	-11.23	AV	94.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	44.65	-18.41	74.0	-29.35	Peak	283.00	150	Vertical	Pass
1**	1080.200	31.36	-18.41	54.0	-22.64	AV	283.00	150	Vertical	Pass
2	2457.800	111.40	-12.74	74.0	37.40	Peak	358.00	150	Vertical	N/A
2**	2457.800	102.84	-12.74	54.0	48.84	AV	358.00	150	Vertical	N/A
3	5575.250	51.33	-1.72	74.0	-22.67	Peak	285.00	150	Vertical	Pass
3**	5575.250	41.50	-1.72	54.0	-12.50	AV	285.00	150	Vertical	Pass
4	7975.250	53.28	0.67	74.0	-20.72	Peak	95.00	150	Vertical	Pass
4**	7975.250	42.79	0.67	54.0	-11.21	AV	95.00	150	Vertical	Pass
5	13897.500	50.13	-0.50	74.0	-23.87	Peak	244.00	150	Vertical	Pass
5**	13897.500	41.97	-0.50	54.0	-12.03	AV	244.00	150	Vertical	Pass
6	17917.499	52.55	1.26	74.0	-21.45	Peak	72.00	150	Vertical	Pass
6**	17917.499	43.96	1.26	54.0	-10.04	AV	72.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	48.04	-18.42	74.0	-25.96	Peak	149.00	150	Horizontal	Pass
1**	1080.400	30.00	-18.42	54.0	-24.00	AV	149.00	150	Horizontal	Pass
2	2452.900	108.91	-12.59	74.0	34.91	Peak	113.00	150	Horizontal	N/A
2**	2452.900	98.09	-12.59	54.0	44.09	AV	113.00	150	Horizontal	N/A
3	5578.750	50.86	-1.37	74.0	-23.14	Peak	172.00	150	Horizontal	Pass
3**	5578.750	41.53	-1.37	54.0	-12.47	AV	172.00	150	Horizontal	Pass
4	7811.500	53.41	1.41	74.0	-20.59	Peak	61.00	150	Horizontal	Pass
4**	7811.500	44.12	1.41	54.0	-9.88	AV	61.00	150	Horizontal	Pass
5	13868.500	50.62	-0.53	74.0	-23.38	Peak	281.00	150	Horizontal	Pass
5**	13868.500	42.01	-0.53	54.0	-11.99	AV	281.00	150	Horizontal	Pass
6	17876.500	51.78	1.20	74.0	-22.22	Peak	299.00	150	Horizontal	Pass
6**	17876.500	42.67	1.20	54.0	-11.33	AV	299.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	46.10	-18.41	74.0	-27.90	Peak	90.00	150	Horizontal	Pass
1**	1080.200	32.43	-18.41	54.0	-21.57	AV	90.00	150	Horizontal	Pass
2	2455.900	103.22	-12.70	74.0	29.22	Peak	14.00	150	Horizontal	N/A
2**	2455.900	94.90	-12.70	54.0	40.90	AV	14.00	150	Horizontal	N/A
3	5049.250	49.17	-3.18	74.0	-24.83	Peak	342.00	150	Horizontal	Pass
3**	5049.250	39.92	-3.18	54.0	-14.08	AV	342.00	150	Horizontal	Pass
4	7312.500	53.05	0.49	74.0	-20.95	Peak	322.00	150	Horizontal	Pass
4**	7312.500	43.32	0.49	54.0	-10.68	AV	322.00	150	Horizontal	Pass
5	9802.000	49.70	-2.44	74.0	-24.30	Peak	358.00	150	Horizontal	Pass
5**	9802.000	41.20	-2.44	54.0	-12.80	AV	358.00	150	Horizontal	Pass
6	16127.500	51.59	-0.80	74.0	-22.41	Peak	36.00	150	Horizontal	Pass
6**	16127.500	42.33	-0.80	54.0	-11.67	AV	36.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.800	45.33	-18.39	74.0	-28.67	Peak	208.00	150	Vertical	Pass
1**	1079.800	29.89	-18.39	54.0	-24.11	AV	208.00	150	Vertical	Pass
2	2450.900	110.68	-12.39	74.0	36.68	Peak	304.00	150	Vertical	N/A
2**	2450.900	102.17	-12.39	54.0	48.17	AV	304.00	150	Vertical	N/A
3	4961.750	49.82	-3.28	74.0	-24.18	Peak	129.00	150	Vertical	Pass
3**	4961.750	40.11	-3.28	54.0	-13.89	AV	129.00	150	Vertical	Pass
4	7816.250	53.49	1.76	74.0	-20.51	Peak	0.00	150	Vertical	Pass
4**	7816.250	44.33	1.76	54.0	-9.67	AV	0.00	150	Vertical	Pass
5	9814.000	50.38	-3.06	74.0	-23.62	Peak	360.00	150	Vertical	Pass
5**	9814.000	41.29	-3.06	54.0	-12.71	AV	360.00	150	Vertical	Pass
6	15937.500	51.26	-0.34	74.0	-22.74	Peak	192.00	150	Vertical	Pass
6**	15937.500	42.07	-0.34	54.0	-11.93	AV	192.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	48.09	-18.42	74.0	-25.91	Peak	360.00	150	Horizontal	Pass
1**	1080.500	30.12	-18.42	54.0	-23.88	AV	360.00	150	Horizontal	Pass
2	2470.000	109.99	-12.30	74.0	35.99	Peak	107.00	150	Horizontal	N/A
2**	2470.000	102.31	-12.30	54.0	48.31	AV	107.00	150	Horizontal	N/A
3	4930.750	50.28	-3.75	74.0	-23.72	Peak	91.00	150	Horizontal	Pass
3**	4930.750	40.37	-3.75	54.0	-13.63	AV	91.00	150	Horizontal	Pass
4	7817.250	53.36	2.06	74.0	-20.64	Peak	325.00	150	Horizontal	Pass
4**	7817.250	44.21	2.06	54.0	-9.79	AV	325.00	150	Horizontal	Pass
5	13869.000	50.52	-0.52	74.0	-23.48	Peak	123.00	150	Horizontal	Pass
5**	13869.000	41.29	-0.52	54.0	-12.71	AV	123.00	150	Horizontal	Pass
6	16899.000	52.48	0.91	74.0	-21.52	Peak	317.00	150	Horizontal	Pass
6**	16899.000	42.78	0.91	54.0	-11.22	AV	317.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	41.87	-18.42	74.0	-32.13	Peak	0.00	150	Vertical	Pass
1**	1080.500	31.10	-18.42	54.0	-22.90	AV	0.00	150	Vertical	Pass
2	2468.700	110.99	-12.43	74.0	36.99	Peak	123.00	150	Vertical	N/A
2**	2468.700	103.35	-12.43	54.0	49.35	AV	123.00	150	Vertical	N/A
3	4918.000	50.25	-3.81	74.0	-23.75	Peak	360.00	150	Vertical	Pass
3**	4918.000	41.56	-3.81	54.0	-12.44	AV	360.00	150	Vertical	Pass
4	7578.750	53.52	0.13	74.0	-20.48	Peak	96.00	150	Vertical	Pass
4**	7578.750	44.85	0.13	54.0	-9.15	AV	96.00	150	Vertical	Pass
5	13875.000	50.16	-0.52	74.0	-23.84	Peak	136.00	150	Vertical	Pass
5**	13875.000	41.51	-0.52	54.0	-12.49	AV	136.00	150	Vertical	Pass
6	17866.500	52.21	1.07	74.0	-21.79	Peak	23.00	150	Vertical	Pass
6**	17866.500	42.45	1.07	54.0	-11.55	AV	23.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	52.63	-18.40	74.0	-21.37	Peak	9.00	150	Horizontal	Pass
1**	1079.900	29.83	-18.40	54.0	-24.17	AV	9.00	150	Horizontal	Pass
2	2424.500	108.11	-12.77	74.0	34.11	Peak	224.00	150	Horizontal	N/A
2**	2424.500	98.85	-12.77	54.0	44.85	AV	224.00	150	Horizontal	N/A
3	5183.750	50.41	-2.54	74.0	-23.59	Peak	337.00	150	Horizontal	Pass
3**	5183.750	42.86	-2.54	54.0	-11.14	AV	337.00	150	Horizontal	Pass
4	7930.500	53.38	2.00	74.0	-20.62	Peak	0.00	150	Horizontal	Pass
4**	7930.500	44.97	2.00	54.0	-9.03	AV	0.00	150	Horizontal	Pass
5	11916.000	49.74	-3.08	74.0	-24.26	Peak	187.00	150	Horizontal	Pass
5**	11916.000	40.86	-3.08	54.0	-13.14	AV	187.00	150	Horizontal	Pass
6	17919.500	51.91	1.24	74.0	-22.09	Peak	106.00	150	Horizontal	Pass
6**	17919.500	44.75	1.24	54.0	-9.25	AV	106.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.300	44.02	-18.42	74.0	-29.98	Peak	2.00	150	Vertical	Pass
1**	1080.300	28.81	-18.42	54.0	-25.19	AV	2.00	150	Vertical	Pass
2	2412.800	109.62	-12.70	74.0	35.62	Peak	159.00	150	Vertical	N/A
2**	2412.800	101.78	-12.70	54.0	47.78	AV	159.00	150	Vertical	N/A
3	5579.750	50.56	-1.35	74.0	-23.44	Peak	204.00	150	Vertical	Pass
3**	5579.750	41.43	-1.35	54.0	-12.57	AV	204.00	150	Vertical	Pass
4	7763.500	53.26	1.25	74.0	-20.74	Peak	335.00	150	Vertical	Pass
4**	7763.500	43.96	1.25	54.0	-10.04	AV	335.00	150	Vertical	Pass
5	13862.500	49.80	-0.53	74.0	-24.20	Peak	130.00	150	Vertical	Pass
5**	13862.500	41.00	-0.53	54.0	-13.00	AV	130.00	150	Vertical	Pass
6	17926.001	51.86	1.15	74.0	-22.14	Peak	294.00	150	Vertical	Pass
6**	17926.001	43.49	1.15	54.0	-10.51	AV	294.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.700	47.38	-18.39	74.0	-26.62	Peak	209.00	150	Horizontal	Pass
1**	1079.700	30.83	-18.39	54.0	-23.17	AV	209.00	150	Horizontal	Pass
2	2420.000	101.10	-12.49	74.0	27.10	Peak	209.00	150	Horizontal	N/A
2**	2420.000	91.51	-12.49	54.0	37.51	AV	209.00	150	Horizontal	N/A
3	5757.250	50.93	-2.37	74.0	-23.07	Peak	216.00	150	Horizontal	Pass
3**	5757.250	40.92	-2.37	54.0	-13.08	AV	216.00	150	Horizontal	Pass
4	7816.750	54.39	1.91	74.0	-19.61	Peak	0.00	150	Horizontal	Pass
4**	7816.750	44.43	1.91	54.0	-9.57	AV	0.00	150	Horizontal	Pass
5	13889.500	50.36	-0.50	74.0	-23.64	Peak	110.00	150	Horizontal	Pass
5**	13889.500	41.61	-0.50	54.0	-12.39	AV	110.00	150	Horizontal	Pass
6	17825.499	51.74	0.76	74.0	-22.26	Peak	130.00	150	Horizontal	Pass
6**	17825.499	42.44	0.76	54.0	-11.56	AV	130.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.400	44.27	-18.38	74.0	-29.73	Peak	198.00	150	Vertical	Pass
1**	1079.400	29.51	-18.38	54.0	-24.49	AV	198.00	150	Vertical	Pass
2	2421.900	109.44	-12.48	74.0	35.44	Peak	204.00	150	Vertical	N/A
2**	2421.900	99.55	-12.48	54.0	45.55	AV	204.00	150	Vertical	N/A
3	5680.250	50.98	-2.81	74.0	-23.02	Peak	270.00	150	Vertical	Pass
3**	5680.250	42.62	-2.81	54.0	-11.38	AV	270.00	150	Vertical	Pass
4	7819.000	52.99	2.12	74.0	-21.01	Peak	49.00	150	Vertical	Pass
4**	7819.000	45.29	2.12	54.0	-8.71	AV	49.00	150	Vertical	Pass
5	13880.500	50.53	-0.51	74.0	-23.47	Peak	270.00	150	Vertical	Pass
5**	13880.500	41.41	-0.51	54.0	-12.59	AV	270.00	150	Vertical	Pass
6	17937.500	52.15	1.00	74.0	-21.85	Peak	0.00	150	Vertical	Pass
6**	17937.500	44.08	1.00	54.0	-9.92	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.500	47.90	-18.38	74.0	-26.10	Peak	360.00	150	Horizontal	Pass
1**	1079.500	38.37	-18.38	54.0	-15.63	AV	360.00	150	Horizontal	Pass
2	2433.100	101.65	-12.60	74.0	27.65	Peak	311.00	150	Horizontal	N/A
2**	2433.100	92.20	-12.60	54.0	38.20	AV	311.00	150	Horizontal	N/A
3	5633.250	51.08	-2.65	74.0	-22.92	Peak	314.00	150	Horizontal	Pass
3**	5633.250	41.44	-2.65	54.0	-12.56	AV	314.00	150	Horizontal	Pass
4	7817.750	53.55	2.21	74.0	-20.45	Peak	270.00	150	Horizontal	Pass
4**	7817.750	44.50	2.21	54.0	-9.50	AV	270.00	150	Horizontal	Pass
5	12799.000	49.73	-1.64	74.0	-24.27	Peak	155.00	150	Horizontal	Pass
5**	12799.000	39.83	-1.64	54.0	-14.17	AV	155.00	150	Horizontal	Pass
6	17838.000	51.99	0.81	74.0	-22.01	Peak	0.00	150	Horizontal	Pass
6**	17838.000	42.45	0.81	54.0	-11.55	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.100	49.96	-18.41	74.0	-24.04	Peak	215.00	150	Vertical	Pass
1**	1080.100	36.69	-18.41	54.0	-17.31	AV	215.00	150	Vertical	Pass
2	2427.000	108.89	-12.68	74.0	34.89	Peak	268.00	150	Vertical	N/A
2**	2427.000	99.69	-12.68	54.0	45.69	AV	268.00	150	Vertical	N/A
3	5519.750	50.89	-2.97	74.0	-23.11	Peak	321.00	150	Vertical	Pass
3**	5519.750	40.65	-2.97	54.0	-13.35	AV	321.00	150	Vertical	Pass
4	7488.500	53.34	1.61	74.0	-20.66	Peak	68.00	150	Vertical	Pass
4**	7488.500	43.87	1.61	54.0	-10.13	AV	68.00	150	Vertical	Pass
5	13855.000	50.09	-0.54	74.0	-23.91	Peak	129.00	150	Vertical	Pass
5**	13855.000	41.03	-0.54	54.0	-12.97	AV	129.00	150	Vertical	Pass
6	17919.500	51.58	1.24	74.0	-22.42	Peak	264.00	150	Vertical	Pass
6**	17919.500	42.43	1.24	54.0	-11.57	AV	264.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.600	49.09	-18.43	74.0	-24.91	Peak	357.00	150	Horizontal	Pass
1**	1080.600	30.08	-18.43	54.0	-23.92	AV	357.00	150	Horizontal	Pass
2	2446.500	102.00	-12.49	74.0	28.00	Peak	32.00	150	Horizontal	N/A
2**	2446.500	92.71	-12.49	54.0	38.71	AV	32.00	150	Horizontal	N/A
3	5579.500	51.29	-1.35	74.0	-22.71	Peak	91.00	150	Horizontal	Pass
3**	5579.500	41.82	-1.35	54.0	-12.18	AV	91.00	150	Horizontal	Pass
4	7646.250	53.21	1.25	74.0	-20.79	Peak	112.00	150	Horizontal	Pass
4**	7646.250	44.21	1.25	54.0	-9.79	AV	112.00	150	Horizontal	Pass
5	13774.000	49.89	-0.58	74.0	-24.11	Peak	251.00	150	Horizontal	Pass
5**	13774.000	39.82	-0.58	54.0	-14.18	AV	251.00	150	Horizontal	Pass
6	17823.001	52.42	0.75	74.0	-21.58	Peak	174.00	150	Horizontal	Pass
6**	17823.001	43.29	0.75	54.0	-10.71	AV	174.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.000	46.73	-18.40	74.0	-27.27	Peak	0.00	150	Vertical	Pass
1**	1080.000	37.57	-18.40	54.0	-16.43	AV	0.00	150	Vertical	Pass
2	2441.900	108.72	-12.39	74.0	34.72	Peak	297.00	150	Vertical	N/A
2**	2441.900	99.45	-12.39	54.0	45.45	AV	297.00	150	Vertical	N/A
3	5546.500	50.52	-2.16	74.0	-23.48	Peak	59.00	150	Vertical	Pass
3**	5546.500	41.23	-2.16	54.0	-12.77	AV	59.00	150	Vertical	Pass
4	7987.750	53.25	1.30	74.0	-20.75	Peak	185.00	150	Vertical	Pass
4**	7987.750	44.35	1.30	54.0	-9.65	AV	185.00	150	Vertical	Pass
5	13860.000	50.12	-0.53	74.0	-23.88	Peak	242.00	150	Vertical	Pass
5**	13860.000	40.84	-0.53	54.0	-13.16	AV	242.00	150	Vertical	Pass
6	17923.000	52.09	1.19	74.0	-21.91	Peak	340.00	150	Vertical	Pass
6**	17923.000	43.28	1.19	54.0	-10.72	AV	340.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.400	50.50	-18.42	74.0	-23.50	Peak	360.00	150	Horizontal	Pass
1**	1080.400	42.29	-18.42	54.0	-11.71	AV	360.00	150	Horizontal	Pass
2	2451.200	101.57	-12.42	74.0	27.57	Peak	29.00	150	Horizontal	N/A
2**	2451.200	93.15	-12.42	54.0	39.15	AV	29.00	150	Horizontal	N/A
3	5575.250	50.83	-1.72	74.0	-23.17	Peak	225.00	150	Horizontal	Pass
3**	5575.250	41.62	-1.72	54.0	-12.38	AV	225.00	150	Horizontal	Pass
4	7816.500	53.46	1.83	74.0	-20.54	Peak	310.00	150	Horizontal	Pass
4**	7816.500	44.03	1.83	54.0	-9.97	AV	310.00	150	Horizontal	Pass
5	13882.000	50.85	-0.51	74.0	-23.15	Peak	362.00	150	Horizontal	Pass
5**	13882.000	41.51	-0.51	54.0	-12.49	AV	362.00	150	Horizontal	Pass
6	17895.000	51.94	1.43	74.0	-22.06	Peak	50.00	150	Horizontal	Pass
6**	17895.000	43.33	1.43	54.0	-10.67	AV	50.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	46.60	-18.40	74.0	-27.40	Peak	204.00	150	Vertical	Pass
1**	1079.900	31.12	-18.40	54.0	-22.88	AV	204.00	150	Vertical	Pass
2	2445.000	109.55	-12.45	74.0	35.55	Peak	344.00	150	Vertical	N/A
2**	2445.000	99.23	-12.45	54.0	45.23	AV	344.00	150	Vertical	N/A
3	5489.500	50.62	-2.41	74.0	-23.38	Peak	186.00	150	Vertical	Pass
3**	5489.500	41.03	-2.41	54.0	-12.97	AV	186.00	150	Vertical	Pass
4	7474.750	53.17	0.24	74.0	-20.83	Peak	249.00	150	Vertical	Pass
4**	7474.750	43.17	0.24	54.0	-10.83	AV	249.00	150	Vertical	Pass
5	12829.500	49.52	-1.70	74.0	-24.48	Peak	60.00	150	Vertical	Pass
5**	12829.500	40.69	-1.70	54.0	-13.31	AV	60.00	150	Vertical	Pass
6	17930.500	52.01	1.09	74.0	-21.99	Peak	137.00	150	Vertical	Pass
6**	17930.500	43.37	1.09	54.0	-10.63	AV	137.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	52.67	-18.41	74.0	-21.33	Peak	328.00	150	Horizontal	Pass
1**	1080.200	31.11	-18.41	54.0	-22.89	AV	328.00	150	Horizontal	Pass
2	2458.000	97.31	-12.75	74.0	23.31	Peak	80.00	150	Horizontal	N/A
2**	2458.000	89.06	-12.75	54.0	35.06	AV	80.00	150	Horizontal	N/A
3	4987.500	49.74	-3.13	74.0	-24.26	Peak	283.00	150	Horizontal	Pass
3**	4987.500	40.52	-3.13	54.0	-13.48	AV	283.00	150	Horizontal	Pass
4	7821.000	54.37	1.75	74.0	-19.63	Peak	94.00	150	Horizontal	Pass
4**	7821.000	44.11	1.75	54.0	-9.89	AV	94.00	150	Horizontal	Pass
5	13888.500	50.20	-0.50	74.0	-23.80	Peak	215.00	150	Horizontal	Pass
5**	13888.500	41.06	-0.50	54.0	-12.94	AV	215.00	150	Horizontal	Pass
6	17929.001	52.48	1.11	74.0	-21.52	Peak	0.00	150	Horizontal	Pass
6**	17929.001	43.14	1.11	54.0	-10.86	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.900	50.03	-18.40	74.0	-23.97	Peak	219.00	150	Vertical	Pass
1**	1079.900	41.41	-18.40	54.0	-12.59	AV	219.00	150	Vertical	Pass
2	2453.500	108.24	-12.67	74.0	34.24	Peak	0.00	150	Vertical	N/A
2**	2453.500	99.46	-12.67	54.0	45.46	AV	0.00	150	Vertical	N/A
3	5068.500	50.35	-2.92	74.0	-23.65	Peak	43.00	150	Vertical	Pass
3**	5068.500	40.11	-2.92	54.0	-13.89	AV	43.00	150	Vertical	Pass
4	7619.250	52.83	-0.36	74.0	-21.17	Peak	186.00	150	Vertical	Pass
4**	7619.250	43.22	-0.36	54.0	-10.78	AV	186.00	150	Vertical	Pass
5	9802.500	49.21	-2.46	74.0	-24.79	Peak	301.00	150	Vertical	Pass
5**	9802.500	42.06	-2.46	54.0	-11.94	AV	301.00	150	Vertical	Pass
6	16116.500	51.19	-1.15	74.0	-22.81	Peak	301.00	150	Vertical	Pass
6**	16116.500	42.71	-1.15	54.0	-11.29	AV	301.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.600	51.16	-18.38	74.0	-22.84	Peak	8.00	150	Horizontal	Pass
1**	1079.600	30.08	-18.38	54.0	-23.92	AV	8.00	150	Horizontal	Pass
2	2446.100	108.19	-12.46	74.0	34.19	Peak	33.00	150	Horizontal	N/A
2**	2446.100	97.52	-12.46	54.0	43.52	AV	33.00	150	Horizontal	N/A
3	4963.250	49.92	-3.39	74.0	-24.08	Peak	316.00	150	Horizontal	Pass
3**	4963.250	39.87	-3.39	54.0	-14.13	AV	316.00	150	Horizontal	Pass
4	7821.750	53.72	1.56	74.0	-20.28	Peak	220.00	150	Horizontal	Pass
4**	7821.750	44.63	1.56	54.0	-9.37	AV	220.00	150	Horizontal	Pass
5	13782.500	49.93	-0.24	74.0	-24.07	Peak	216.00	150	Horizontal	Pass
5**	13782.500	41.27	-0.24	54.0	-12.73	AV	216.00	150	Horizontal	Pass
6	17891.500	52.50	1.39	74.0	-21.50	Peak	300.00	150	Horizontal	Pass
6**	17891.500	43.34	1.39	54.0	-10.66	AV	300.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.200	47.97	-18.41	74.0	-26.03	Peak	74.00	150	Vertical	Pass
1**	1080.200	32.76	-18.41	54.0	-21.24	AV	74.00	150	Vertical	Pass
2	2445.400	108.80	-12.45	74.0	34.80	Peak	74.00	150	Vertical	N/A
2**	2445.400	100.12	-12.45	54.0	46.12	AV	74.00	150	Vertical	N/A
3	5395.250	50.70	-2.82	74.0	-23.30	Peak	168.00	150	Vertical	Pass
3**	5395.250	41.15	-2.82	54.0	-12.85	AV	168.00	150	Vertical	Pass
4	7807.750	53.57	1.14	74.0	-20.43	Peak	265.00	150	Vertical	Pass
4**	7807.750	43.99	1.14	54.0	-10.01	AV	265.00	150	Vertical	Pass
5	13613.000	50.49	0.42	74.0	-23.51	Peak	255.00	150	Vertical	Pass
5**	13613.000	40.34	0.42	54.0	-13.66	AV	255.00	150	Vertical	Pass
6	17941.500	52.67	0.94	74.0	-21.33	Peak	143.00	150	Vertical	Pass
6**	17941.500	44.55	0.94	54.0	-9.45	AV	143.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Test Data


Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note 3: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary


Main Antenna

802.11b CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.18	-1.85	74.0	-14.82	Peak	10.00	150	Vertical	Pass
1**	2390.000	48.71	-1.85	54.0	-5.29	AV	10.00	150	Vertical	Pass
2	2383.167	60.36	-1.60	74.0	-13.64	Peak	2.00	150	Vertical	Pass
2**	2383.167	52.60	-1.60	54.0	-1.40	AV	2.00	150	Vertical	Pass

802.11b CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.08	-1.28	74.0	-15.92	Peak	8.00	150	Vertical	Pass
1**	2483.500	50.71	-1.28	54.0	-3.29	AV	8.00	150	Vertical	Pass
2	2484.650	58.80	-1.30	74.0	-15.20	Peak	8.00	150	Vertical	Pass
2**	2484.650	49.57	-1.30	54.0	-4.43	AV	8.00	150	Vertical	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.11	-1.28	74.0	-15.89	Peak	1.00	150	Vertical	Pass
1**	2483.500	48.13	-1.28	54.0	-5.87	AV	1.00	150	Vertical	Pass
2	2488.500	60.75	-1.49	74.0	-13.25	Peak	1.00	150	Vertical	Pass
2**	2488.500	52.16	-1.49	54.0	-1.84	AV	1.00	150	Vertical	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.03	-1.85	74.0	-7.97	Peak	6.00	150	Vertical	Pass
1**	2390.000	51.89	-1.85	54.0	-2.11	AV	6.00	150	Vertical	Pass
2	2389.833	66.33	-1.84	74.0	-7.67	Peak	6.00	150	Vertical	Pass
2**	2389.833	51.58	-1.84	54.0	-2.42	AV	6.00	150	Vertical	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.29	-1.85	74.0	-9.71	Peak	10.00	150	Vertical	Pass
1**	2390.000	52.62	-1.85	54.0	-1.38	AV	10.00	150	Vertical	Pass
2	2389.000	66.26	-1.81	74.0	-7.74	Peak	2.00	150	Vertical	Pass
2**	2389.000	52.09	-1.81	54.0	-1.91	AV	2.00	150	Vertical	Pass

802.11g CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.71	-1.85	74.0	-9.29	Peak	10.00	150	Vertical	Pass
1**	2390.000	52.81	-1.85	54.0	-1.19	AV	10.00	150	Vertical	Pass
2	2387.667	65.19	-1.69	74.0	-8.81	Peak	14.00	150	Vertical	Pass
2**	2387.667	52.14	-1.69	54.0	-1.86	AV	14.00	150	Vertical	Pass

802.11g CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.12	-1.28	74.0	-9.88	Peak	0.00	150	Vertical	Pass
1**	2483.500	52.35	-1.28	54.0	-1.65	AV	0.00	150	Vertical	Pass
2	2483.650	65.73	-1.28	74.0	-8.27	Peak	15.00	150	Vertical	Pass
2**	2483.650	52.25	-1.28	54.0	-1.75	AV	15.00	150	Vertical	Pass

802.11g CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.12	-1.28	74.0	-9.88	Peak	0.00	150	Vertical	Pass
1**	2483.500	52.35	-1.28	54.0	-1.65	AV	0.00	150	Vertical	Pass
2	2483.650	65.73	-1.28	74.0	-8.27	Peak	15.00	150	Vertical	Pass
2**	2483.650	52.25	-1.28	54.0	-1.75	AV	15.00	150	Vertical	Pass

802.11g CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.99	-1.28	74.0	-14.01	Peak	0.00	150	Vertical	Pass
1**	2483.500	48.98	-1.28	54.0	-5.02	AV	0.00	150	Vertical	Pass
2	2483.700	62.20	-1.28	74.0	-11.80	Peak	8.00	150	Vertical	Pass
2**	2483.700	48.84	-1.28	54.0	-5.16	AV	8.00	150	Vertical	Pass

802.11g CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.68	-1.28	74.0	-10.32	Peak	14.00	150	Vertical	Pass
1**	2483.500	52.09	-1.28	54.0	-1.91	AV	14.00	150	Vertical	Pass
2	2483.900	65.55	-1.28	74.0	-8.45	Peak	15.00	150	Vertical	Pass
2**	2483.900	51.35	-1.28	54.0	-2.65	AV	15.00	150	Vertical	Pass

802.11n-20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.13	-1.85	74.0	-9.87	Peak	2.00	150	Vertical	Pass
1**	2390.000	51.73	-1.85	54.0	-2.27	AV	2.00	150	Vertical	Pass
2	2389.833	64.89	-1.84	74.0	-9.11	Peak	4.00	150	Vertical	Pass
2**	2389.833	51.45	-1.84	54.0	-2.55	AV	4.00	150	Vertical	Pass

802.11n-20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.13	-1.85	74.0	-9.87	Peak	7.00	150	Vertical	Pass
1**	2390.000	52.74	-1.85	54.0	-1.26	AV	7.00	150	Vertical	Pass
2	2389.167	65.28	-1.81	74.0	-8.72	Peak	14.00	150	Vertical	Pass
2**	2389.167	52.53	-1.81	54.0	-1.47	AV	14.00	150	Vertical	Pass

802.11n-20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.71	-1.85	74.0	-12.29	Peak	5.00	150	Vertical	Pass
1**	2390.000	50.92	-1.85	54.0	-3.08	AV	5.00	150	Vertical	Pass
2	2389.667	62.96	-1.84	74.0	-11.04	Peak	15.00	150	Vertical	Pass
2**	2389.667	50.96	-1.84	54.0	-3.04	AV	15.00	150	Vertical	Pass

802.11n-20 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.29	-1.85	74.0	-11.71	Peak	10.00	150	Vertical	Pass
1**	2390.000	49.99	-1.85	54.0	-4.01	AV	10.00	150	Vertical	Pass
2	2389.833	63.51	-1.84	74.0	-10.49	Peak	11.00	150	Vertical	Pass
2**	2389.833	49.98	-1.84	54.0	-4.02	AV	11.00	150	Vertical	Pass

802.11n-20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.09	-1.28	74.0	-10.91	Peak	10.00	150	Vertical	Pass
1**	2483.500	51.66	-1.28	54.0	-2.34	AV	10.00	150	Vertical	Pass
2	2485.000	63.75	-1.31	74.0	-10.25	Peak	0.00	150	Vertical	Pass
2**	2485.000	50.52	-1.31	54.0	-3.48	AV	0.00	150	Vertical	Pass

802.11n-20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.36	-1.28	74.0	-10.64	Peak	5.00	150	Vertical	Pass
1**	2483.500	52.66	-1.28	54.0	-1.34	AV	5.00	150	Vertical	Pass
2	2483.700	64.80	-1.28	74.0	-9.20	Peak	7.00	150	Vertical	Pass
2**	2483.700	52.75	-1.28	54.0	-1.25	AV	7.00	150	Vertical	Pass

802.11n-40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.54	-1.85	74.0	-11.46	Peak	5.00	150	Vertical	Pass
1**	2390.000	52.08	-1.85	54.0	-1.92	AV	5.00	150	Vertical	Pass
2	2387.333	64.78	-1.66	74.0	-9.22	Peak	6.00	150	Vertical	Pass
2**	2387.333	51.92	-1.66	54.0	-2.08	AV	6.00	150	Vertical	Pass

802.11n-40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.35	-1.85	74.0	-10.65	Peak	10.00	150	Vertical	Pass
1**	2390.000	52.65	-1.85	54.0	-1.35	AV	10.00	150	Vertical	Pass
2	2387.667	64.44	-1.69	74.0	-9.56	Peak	5.00	150	Vertical	Pass
2**	2387.667	51.94	-1.69	54.0	-2.06	AV	5.00	150	Vertical	Pass

802.11n-40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.07	-1.85	74.0	-10.93	Peak	15.00	150	Vertical	Pass
1**	2390.000	51.59	-1.85	54.0	-2.41	AV	15.00	150	Vertical	Pass
2	2389.833	64.08	-1.84	74.0	-9.92	Peak	7.00	150	Vertical	Pass
2**	2389.833	51.73	-1.84	54.0	-2.27	AV	7.00	150	Vertical	Pass

802.11n-40 CHANNEL 6



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.14	-1.85	74.0	-9.86	Peak	4.00	150	Vertical	Pass
1**	2390.000	52.09	-1.85	54.0	-1.91	AV	4.00	150	Vertical	Pass

802.11n-40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.15	-1.28	74.0	-9.85	Peak	14.00	150	Vertical	Pass
1**	2483.500	52.94	-1.28	54.0	-1.06	AV	14.00	150	Vertical	Pass
2	2484.250	64.92	-1.29	74.0	-9.08	Peak	9.00	150	Vertical	Pass
2**	2484.250	52.15	-1.29	54.0	-1.85	AV	9.00	150	Vertical	Pass

802.11n-40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.41	-1.28	74.0	-9.59	Peak	11.00	150	Vertical	Pass
1**	2483.500	52.81	-1.28	54.0	-1.19	AV	11.00	150	Vertical	Pass
2	2484.100	65.65	-1.28	74.0	-8.35	Peak	9.00	150	Vertical	Pass
2**	2484.100	52.63	-1.28	54.0	-1.37	AV	9.00	150	Vertical	Pass

802.11n-40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.12	-1.28	74.0	-10.88	Peak	1.00	150	Vertical	Pass
1**	2483.500	52.97	-1.28	54.0	-1.03	AV	1.00	150	Vertical	Pass
2	2483.800	66.10	-1.28	74.0	-7.90	Peak	11.00	150	Vertical	Pass
2**	2483.800	52.86	-1.28	54.0	-1.14	AV	11.00	150	Vertical	Pass

802.11n-40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.36	-1.28	74.0	-9.64	Peak	15.00	150	Vertical	Pass
1**	2483.500	52.41	-1.28	54.0	-1.59	AV	15.00	150	Vertical	Pass
2	2483.900	65.69	-1.28	74.0	-8.31	Peak	2.00	150	Vertical	Pass
2**	2483.900	52.73	-1.28	54.0	-1.27	AV	2.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.27	-1.85	74.0	-9.73	Peak	2.00	150	Vertical	Pass
1**	2390.000	52.54	-1.85	54.0	-1.46	AV	2.00	150	Vertical	Pass
2	2389.833	64.92	-1.84	74.0	-9.08	Peak	6.00	150	Vertical	Pass
2**	2389.833	52.21	-1.84	54.0	-1.79	AV	6.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.23	-1.85	74.0	-9.77	Peak	0.00	150	Vertical	Pass
1**	2390.000	52.89	-1.85	54.0	-1.11	AV	0.00	150	Vertical	Pass
2	2389.167	66.10	-1.81	74.0	-7.90	Peak	3.00	150	Vertical	Pass
2**	2389.167	52.51	-1.81	54.0	-1.49	AV	3.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.05	-1.85	74.0	-7.95	Peak	13.00	150	Vertical	Pass
1**	2390.000	52.64	-1.85	54.0	-1.36	AV	13.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.08	-1.28	74.0	-13.92	Peak	7.00	150	Vertical	Pass
1**	2483.500	49.30	-1.28	54.0	-4.70	AV	7.00	150	Vertical	Pass
2	2484.150	62.63	-1.28	74.0	-11.37	Peak	8.00	150	Vertical	Pass
2**	2484.150	48.74	-1.28	54.0	-5.26	AV	8.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.09	-1.28	74.0	-12.91	Peak	15.00	150	Vertical	Pass
1**	2483.500	50.81	-1.28	54.0	-3.19	AV	15.00	150	Vertical	Pass
2	2483.650	63.02	-1.28	74.0	-10.98	Peak	14.00	150	Vertical	Pass
2**	2483.650	50.79	-1.28	54.0	-3.21	AV	14.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.15	-1.28	74.0	-10.85	Peak	1.00	150	Vertical	Pass
1**	2483.500	51.28	-1.28	54.0	-2.72	AV	1.00	150	Vertical	Pass
2	2483.650	63.99	-1.28	74.0	-10.01	Peak	13.00	150	Vertical	Pass
2**	2483.650	51.32	-1.28	54.0	-2.68	AV	13.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.85	-1.85	74.0	-11.15	Peak	4.00	150	Vertical	Pass
1**	2390.000	52.89	-1.85	54.0	-1.11	AV	4.00	150	Vertical	Pass
2	2389.000	64.62	-1.81	74.0	-9.38	Peak	13.00	150	Vertical	Pass
2**	2389.000	52.78	-1.81	54.0	-1.22	AV	13.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.78	-1.85	74.0	-10.22	Peak	3.00	150	Vertical	Pass
1**	2390.000	52.35	-1.85	54.0	-1.65	AV	3.00	150	Vertical	Pass
2	2388.000	64.01	-1.73	74.0	-9.99	Peak	13.00	150	Vertical	Pass
2**	2388.000	51.97	-1.73	54.0	-2.03	AV	13.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.08	-1.85	74.0	-8.92	Peak	12.00	150	Vertical	Pass
1**	2390.000	52.54	-1.85	54.0	-1.46	AV	12.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.62	-1.85	74.0	-9.38	Peak	0.00	150	Vertical	Pass
1**	2390.000	52.83	-1.85	54.0	-1.17	AV	0.00	150	Vertical	Pass
2	2388.167	64.88	-1.75	74.0	-9.12	Peak	13.00	150	Vertical	Pass
2**	2388.167	51.62	-1.75	54.0	-2.38	AV	13.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.71	-1.28	74.0	-10.29	Peak	10.00	150	Vertical	Pass
1**	2483.500	51.99	-1.28	54.0	-2.01	AV	10.00	150	Vertical	Pass
2	2483.700	64.44	-1.28	74.0	-9.56	Peak	15.00	150	Vertical	Pass
2**	2483.700	51.77	-1.28	54.0	-2.23	AV	15.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.27	-1.28	74.0	-9.73	Peak	15.00	150	Vertical	Pass
1**	2483.500	51.76	-1.28	54.0	-2.24	AV	15.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.83	-1.28	74.0	-10.17	Peak	5.00	150	Vertical	Pass
1**	2483.500	52.64	-1.28	54.0	-1.36	AV	5.00	150	Vertical	Pass
2	2484.350	64.62	-1.29	74.0	-9.38	Peak	10.00	150	Vertical	Pass
2**	2484.350	52.14	-1.29	54.0	-1.86	AV	10.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.56	-1.28	74.0	-9.44	Peak	3.00	150	Vertical	Pass
1**	2483.500	51.79	-1.28	54.0	-2.21	AV	3.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.79	-1.85	74.0	-10.21	Peak	5.00	150	Vertical	Pass
1**	2390.000	52.91	-1.85	54.0	-1.09	AV	5.00	150	Vertical	Pass
2	2389.833	65.32	-1.84	74.0	-8.68	Peak	7.00	150	Vertical	Pass
2**	2389.833	52.82	-1.84	54.0	-1.18	AV	7.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.57	-1.85	74.0	-8.43	Peak	10.00	150	Vertical	Pass
1**	2390.000	52.36	-1.85	54.0	-1.64	AV	10.00	150	Vertical	Pass
2	2389.833	66.11	-1.84	74.0	-7.89	Peak	11.00	150	Vertical	Pass
2**	2389.833	51.77	-1.84	54.0	-2.23	AV	11.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.85	-1.85	74.0	-10.15	Peak	0.00	150	Vertical	Pass
1**	2390.000	51.52	-1.85	54.0	-2.48	AV	0.00	150	Vertical	Pass
2	2389.833	67.45	-1.84	74.0	-6.55	Peak	15.00	150	Vertical	Pass
2**	2389.833	51.50	-1.84	54.0	-2.50	AV	15.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.69	-1.85	74.0	-8.31	Peak	15.00	150	Vertical	Pass
1**	2390.000	51.00	-1.85	54.0	-3.00	AV	15.00	150	Vertical	Pass
2	2389.833	66.62	-1.84	74.0	-7.38	Peak	8.00	150	Vertical	Pass
2**	2389.833	51.09	-1.84	54.0	-2.91	AV	8.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.97	-1.28	74.0	-10.03	Peak	11.00	150	Vertical	Pass
1**	2483.500	52.77	-1.28	54.0	-1.23	AV	11.00	150	Vertical	Pass
2	2483.850	65.37	-1.28	74.0	-8.63	Peak	6.00	150	Vertical	Pass
2**	2483.850	52.35	-1.28	54.0	-1.65	AV	6.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.06	-1.28	74.0	-10.94	Peak	10.00	150	Vertical	Pass
1**	2483.500	52.53	-1.28	54.0	-1.47	AV	10.00	150	Vertical	Pass
2	2483.800	64.02	-1.28	74.0	-9.98	Peak	11.00	150	Vertical	Pass
2**	2483.800	52.17	-1.28	54.0	-1.83	AV	11.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.84	-1.85	74.0	-10.16	Peak	1.00	150	Vertical	Pass
1**	2390.000	52.67	-1.85	54.0	-1.33	AV	1.00	150	Vertical	Pass
2	2386.833	65.60	-1.61	74.0	-8.40	Peak	12.00	150	Vertical	Pass
2**	2386.833	52.37	-1.61	54.0	-1.63	AV	12.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.10	-1.85	74.0	-7.90	Peak	15.00	150	Vertical	Pass
1**	2390.000	52.42	-1.85	54.0	-1.58	AV	15.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.44	-1.85	74.0	-10.56	Peak	1.00	150	Vertical	Pass
1**	2390.000	51.91	-1.85	54.0	-2.09	AV	1.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.28	-1.85	74.0	-8.72	Peak	0.00	150	Vertical	Pass
1**	2390.000	52.26	-1.85	54.0	-1.74	AV	0.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.84	-1.28	74.0	-11.16	Peak	7.00	150	Vertical	Pass
1**	2483.500	52.68	-1.28	54.0	-1.32	AV	7.00	150	Vertical	Pass
2	2483.550	65.27	-1.28	74.0	-8.73	Peak	15.00	150	Vertical	Pass
2**	2483.550	52.55	-1.28	54.0	-1.45	AV	15.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.52	-1.28	74.0	-10.48	Peak	9.00	150	Vertical	Pass
1**	2483.500	52.96	-1.28	54.0	-1.04	AV	9.00	150	Vertical	Pass
2	2485.400	65.69	-1.33	74.0	-8.31	Peak	8.00	150	Vertical	Pass
2**	2485.400	51.81	-1.33	54.0	-2.19	AV	8.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.07	-1.28	74.0	-10.93	Peak	5.00	150	Vertical	Pass
1**	2483.500	52.64	-1.28	54.0	-1.36	AV	5.00	150	Vertical	Pass
2	2483.750	65.08	-1.28	74.0	-8.92	Peak	1.00	150	Vertical	Pass
2**	2483.750	52.86	-1.28	54.0	-1.14	AV	1.00	150	Vertical	Pass


802.11ax-40(SU) CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.63	-1.28	74.0	-8.37	Peak	4.00	150	Vertical	Pass
1**	2483.500	51.48	-1.28	54.0	-2.52	AV	4.00	150	Vertical	Pass


Aux. Antenna

802.11b CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.45	-1.85	74.0	-18.55	Peak	15.00	150	Vertical	Pass
1**	2390.000	46.99	-1.85	54.0	-7.01	AV	15.00	150	Vertical	Pass
2	2383.167	56.95	-1.60	74.0	-17.05	Peak	13.00	150	Vertical	Pass
2**	2383.167	48.08	-1.60	54.0	-5.92	AV	13.00	150	Vertical	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.71	-1.28	74.0	-18.29	Peak	6.00	150	Vertical	Pass
1**	2483.500	45.64	-1.28	54.0	-8.36	AV	6.00	150	Vertical	Pass
2	2490.850	58.16	-1.37	74.0	-15.84	Peak	7.00	150	Vertical	Pass
2**	2490.850	49.70	-1.37	54.0	-4.30	AV	7.00	150	Vertical	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.90	-1.85	74.0	-9.10	Peak	14.00	150	Vertical	Pass
1**	2390.000	53.00	-1.85	54.0	-1.00	AV	14.00	150	Vertical	Pass
2	2389.833	66.25	-1.84	74.0	-7.75	Peak	3.00	150	Vertical	Pass
2**	2389.833	52.63	-1.84	54.0	-1.37	AV	3.00	150	Vertical	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.77	-1.85	74.0	-9.23	Peak	2.00	150	Vertical	Pass
1**	2390.000	52.53	-1.85	54.0	-1.47	AV	2.00	150	Vertical	Pass
2	2389.833	65.51	-1.84	74.0	-8.49	Peak	4.00	150	Vertical	Pass
2**	2389.833	52.51	-1.84	54.0	-1.49	AV	4.00	150	Vertical	Pass

802.11g CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.37	-1.85	74.0	-9.63	Peak	1.00	150	Vertical	Pass
1**	2390.000	52.97	-1.85	54.0	-1.03	AV	1.00	150	Vertical	Pass

802.11g CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.82	-1.85	74.0	-8.18	Peak	1.00	150	Vertical	Pass
1**	2390.000	52.49	-1.85	54.0	-1.51	AV	1.00	150	Vertical	Pass

802.11g CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.62	-1.85	74.0	-9.38	Peak	12.00	150	Vertical	Pass
1**	2390.000	51.85	-1.85	54.0	-2.15	AV	12.00	150	Vertical	Pass
2	2388.500	65.20	-1.78	74.0	-8.80	Peak	8.00	150	Vertical	Pass
2**	2388.500	51.29	-1.78	54.0	-2.71	AV	8.00	150	Vertical	Pass

802.11g CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.44	-1.28	74.0	-8.56	Peak	15.00	150	Vertical	Pass
1**	2483.500	52.79	-1.28	54.0	-1.21	AV	15.00	150	Vertical	Pass
2	2485.300	65.93	-1.32	74.0	-8.07	Peak	12.00	150	Vertical	Pass
2**	2485.300	52.23	-1.32	54.0	-1.77	AV	12.00	150	Vertical	Pass

802.11g CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.58	-1.28	74.0	-9.42	Peak	1.00	150	Vertical	Pass
1**	2483.500	51.26	-1.28	54.0	-2.74	AV	1.00	150	Vertical	Pass
2	2483.750	64.89	-1.28	74.0	-9.11	Peak	12.00	150	Vertical	Pass
2**	2483.750	51.06	-1.28	54.0	-2.94	AV	12.00	150	Vertical	Pass

802.11g CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.80	-1.28	74.0	-9.20	Peak	6.00	150	Vertical	Pass
1**	2483.500	52.74	-1.28	54.0	-1.26	AV	6.00	150	Vertical	Pass
2	2484.200	65.41	-1.28	74.0	-8.59	Peak	14.00	150	Vertical	Pass
2**	2484.200	52.27	-1.28	54.0	-1.73	AV	14.00	150	Vertical	Pass

802.11g CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.20	-1.28	74.0	-8.80	Peak	15.00	150	Vertical	Pass
1**	2483.500	52.98	-1.28	54.0	-1.02	AV	15.00	150	Vertical	Pass
2	2485.100	66.50	-1.32	74.0	-7.50	Peak	11.00	150	Vertical	Pass
2**	2485.100	52.48	-1.32	54.0	-1.52	AV	11.00	150	Vertical	Pass

802.11g CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.49	-1.28	74.0	-8.51	Peak	8.00	150	Vertical	Pass
1**	2483.500	52.94	-1.28	54.0	-1.06	AV	8.00	150	Vertical	Pass
2	2484.150	66.83	-1.28	74.0	-7.17	Peak	5.00	150	Vertical	Pass
2**	2484.150	51.94	-1.28	54.0	-2.06	AV	5.00	150	Vertical	Pass

802.11n-20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.10	-1.85	74.0	-9.90	Peak	10.00	150	Vertical	Pass
1**	2390.000	52.87	-1.85	54.0	-1.13	AV	10.00	150	Vertical	Pass
2	2389.167	65.51	-1.81	74.0	-8.49	Peak	15.00	150	Vertical	Pass
2**	2389.167	51.74	-1.81	54.0	-2.26	AV	15.00	150	Vertical	Pass

802.11n-20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.02	-1.85	74.0	-8.98	Peak	2.00	150	Vertical	Pass
1**	2390.000	52.55	-1.85	54.0	-1.45	AV	2.00	150	Vertical	Pass

802.11n-20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.91	-1.85	74.0	-10.09	Peak	15.00	150	Vertical	Pass
1**	2390.000	52.48	-1.85	54.0	-1.52	AV	15.00	150	Vertical	Pass
2	2388.667	65.37	-1.79	74.0	-8.63	Peak	9.00	150	Vertical	Pass
2**	2388.667	52.07	-1.79	54.0	-1.93	AV	9.00	150	Vertical	Pass

802.11n-20 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.54	-1.85	74.0	-9.46	Peak	2.00	150	Vertical	Pass
1**	2390.000	53.00	-1.85	54.0	-1.00	AV	2.00	150	Vertical	Pass
2	2388.667	65.69	-1.79	74.0	-8.31	Peak	5.00	150	Vertical	Pass
2**	2388.667	52.72	-1.79	54.0	-1.28	AV	5.00	150	Vertical	Pass

802.11n-20 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.17	-1.85	74.0	-10.83	Peak	14.00	150	Vertical	Pass
1**	2390.000	51.14	-1.85	54.0	-2.86	AV	14.00	150	Vertical	Pass
2	2389.833	64.83	-1.84	74.0	-9.17	Peak	8.00	150	Vertical	Pass
2**	2389.833	51.46	-1.84	54.0	-2.54	AV	8.00	150	Vertical	Pass

802.11n-20 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.57	-1.28	74.0	-10.43	Peak	10.00	150	Vertical	Pass
1**	2483.500	52.20	-1.28	54.0	-1.80	AV	10.00	150	Vertical	Pass
2	2484.250	64.29	-1.29	74.0	-9.71	Peak	7.00	150	Vertical	Pass
2**	2484.250	51.82	-1.29	54.0	-2.18	AV	7.00	150	Vertical	Pass

802.11n-20 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.93	-1.28	74.0	-10.07	Peak	9.00	150	Vertical	Pass
1**	2483.500	52.88	-1.28	54.0	-1.12	AV	9.00	150	Vertical	Pass
2	2484.200	65.83	-1.28	74.0	-8.17	Peak	11.00	150	Vertical	Pass
2**	2484.200	52.69	-1.28	54.0	-1.31	AV	11.00	150	Vertical	Pass

802.11n-20 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.99	-1.28	74.0	-8.01	Peak	8.00	150	Vertical	Pass
1**	2483.500	52.64	-1.28	54.0	-1.36	AV	8.00	150	Vertical	Pass
2	2485.100	66.02	-1.32	74.0	-7.98	Peak	4.00	150	Vertical	Pass
2**	2485.100	51.59	-1.32	54.0	-2.41	AV	4.00	150	Vertical	Pass

802.11n-20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.80	-1.28	74.0	-10.20	Peak	1.00	150	Vertical	Pass
1**	2483.500	52.27	-1.28	54.0	-1.73	AV	1.00	150	Vertical	Pass
2	2484.000	64.05	-1.28	74.0	-9.95	Peak	8.00	150	Vertical	Pass
2**	2484.000	51.32	-1.28	54.0	-2.68	AV	8.00	150	Vertical	Pass

802.11n-20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.44	-1.28	74.0	-11.56	Peak	6.00	150	Vertical	Pass
1**	2483.500	52.09	-1.28	54.0	-1.91	AV	6.00	150	Vertical	Pass
2	2483.800	64.20	-1.28	74.0	-9.80	Peak	14.00	150	Vertical	Pass
2**	2483.800	51.68	-1.28	54.0	-2.32	AV	14.00	150	Vertical	Pass

802.11n-40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.31	-1.85	74.0	-10.69	Peak	15.00	150	Vertical	Pass
1**	2390.000	52.55	-1.85	54.0	-1.45	AV	15.00	150	Vertical	Pass
2	2389.333	63.99	-1.82	74.0	-10.01	Peak	15.00	150	Vertical	Pass
2**	2389.333	52.54	-1.82	54.0	-1.46	AV	15.00	150	Vertical	Pass

802.11n-40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2383.500	63.60	-1.63	74.0	-10.40	Peak	15.00	150	Vertical	Pass
1**	2383.500	52.38	-1.63	54.0	-1.62	AV	15.00	150	Vertical	Pass
2	2383.333	65.34	-1.61	74.0	-8.66	Peak	9.00	150	Vertical	Pass
2**	2383.333	52.23	-1.61	54.0	-1.77	AV	9.00	150	Vertical	Pass

802.11n-40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.27	-1.85	74.0	-8.73	Peak	9.00	150	Vertical	Pass
1**	2390.000	53.00	-1.85	54.0	-1.00	AV	9.00	150	Vertical	Pass
2	2388.833	65.83	-1.80	74.0	-8.17	Peak	12.00	150	Vertical	Pass
2**	2388.833	52.40	-1.80	54.0	-1.60	AV	12.00	150	Vertical	Pass

802.11n-40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.66	-1.85	74.0	-11.34	Peak	12.00	150	Vertical	Pass
1**	2390.000	51.78	-1.85	54.0	-2.22	AV	12.00	150	Vertical	Pass
2	2389.333	63.42	-1.82	74.0	-10.58	Peak	14.00	150	Vertical	Pass
2**	2389.333	51.06	-1.82	54.0	-2.94	AV	14.00	150	Vertical	Pass

802.11n-40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.98	-1.28	74.0	-10.02	Peak	15.00	150	Vertical	Pass
1**	2483.500	52.91	-1.28	54.0	-1.09	AV	15.00	150	Vertical	Pass
2	2483.700	64.99	-1.28	74.0	-9.01	Peak	8.00	150	Vertical	Pass
2**	2483.700	52.56	-1.28	54.0	-1.44	AV	8.00	150	Vertical	Pass

802.11n-40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.54	-1.28	74.0	-10.46	Peak	14.00	150	Vertical	Pass
1**	2483.500	52.24	-1.28	54.0	-1.76	AV	14.00	150	Vertical	Pass
2	2484.800	64.15	-1.31	74.0	-9.85	Peak	8.00	150	Vertical	Pass
2**	2484.800	51.52	-1.31	54.0	-2.48	AV	8.00	150	Vertical	Pass

802.11n-40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.26	-1.28	74.0	-10.74	Peak	15.00	150	Vertical	Pass
1**	2483.500	52.31	-1.28	54.0	-1.69	AV	15.00	150	Vertical	Pass
2	2484.050	65.15	-1.28	74.0	-8.85	Peak	14.00	150	Vertical	Pass
2**	2484.050	52.32	-1.28	54.0	-1.68	AV	14.00	150	Vertical	Pass

802.11n-40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.77	-1.28	74.0	-10.23	Peak	4.00	150	Vertical	Pass
1**	2483.500	52.65	-1.28	54.0	-1.35	AV	4.00	150	Vertical	Pass
2	2486.000	65.55	-1.35	74.0	-8.45	Peak	4.00	150	Vertical	Pass
2**	2486.000	52.52	-1.35	54.0	-1.48	AV	4.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.69	-1.85	74.0	-9.31	Peak	15.00	150	Vertical	Pass
1**	2390.000	52.37	-1.85	54.0	-1.63	AV	15.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.16	-1.85	74.0	-9.84	Peak	7.00	150	Vertical	Pass
1**	2390.000	52.89	-1.85	54.0	-1.11	AV	7.00	150	Vertical	Pass
2	2388.833	66.12	-1.80	74.0	-7.88	Peak	13.00	150	Vertical	Pass
2**	2388.833	52.26	-1.80	54.0	-1.74	AV	13.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.27	-1.85	74.0	-11.73	Peak	2.00	150	Vertical	Pass
1**	2390.000	52.30	-1.85	54.0	-1.70	AV	2.00	150	Vertical	Pass
2	2389.500	64.60	-1.83	74.0	-9.40	Peak	9.00	150	Vertical	Pass
2**	2389.500	52.03	-1.83	54.0	-1.97	AV	9.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.96	-1.85	74.0	-11.04	Peak	4.00	150	Vertical	Pass
1**	2390.000	51.79	-1.85	54.0	-2.21	AV	4.00	150	Vertical	Pass
2	2388.333	64.51	-1.76	74.0	-9.49	Peak	2.00	150	Vertical	Pass
2**	2388.333	50.93	-1.76	54.0	-3.07	AV	2.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.22	-1.85	74.0	-9.78	Peak	2.00	150	Vertical	Pass
1**	2390.000	51.76	-1.85	54.0	-2.24	AV	2.00	150	Vertical	Pass
2	2386.500	64.80	-1.57	74.0	-9.20	Peak	5.00	150	Vertical	Pass
2**	2386.500	49.90	-1.57	54.0	-4.10	AV	5.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.82	-1.28	74.0	-11.18	Peak	14.00	150	Vertical	Pass
1**	2483.500	52.20	-1.28	54.0	-1.80	AV	14.00	150	Vertical	Pass
2	2484.000	64.36	-1.28	74.0	-9.64	Peak	6.00	150	Vertical	Pass
2**	2484.000	51.80	-1.28	54.0	-2.20	AV	6.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.21	-1.28	74.0	-11.79	Peak	15.00	150	Vertical	Pass
1**	2483.500	51.39	-1.28	54.0	-2.61	AV	15.00	150	Vertical	Pass
2	2483.750	64.25	-1.28	74.0	-9.75	Peak	15.00	150	Vertical	Pass
2**	2483.750	51.21	-1.28	54.0	-2.79	AV	15.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.64	-1.28	74.0	-11.36	Peak	11.00	150	Vertical	Pass
1**	2483.500	51.84	-1.28	54.0	-2.16	AV	11.00	150	Vertical	Pass
2	2484.650	63.63	-1.30	74.0	-10.37	Peak	9.00	150	Vertical	Pass
2**	2484.650	50.57	-1.30	54.0	-3.43	AV	9.00	150	Vertical	Pass

802.11VHT-20 CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.63	-1.28	74.0	-10.37	Peak	13.00	150	Vertical	Pass
1**	2483.500	52.19	-1.28	54.0	-1.81	AV	13.00	150	Vertical	Pass
2	2484.550	63.77	-1.30	74.0	-10.23	Peak	15.00	150	Vertical	Pass
2**	2484.550	50.89	-1.30	54.0	-3.11	AV	15.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.36	-1.85	74.0	-11.64	Peak	0.00	150	Vertical	Pass
1**	2390.000	51.84	-1.85	54.0	-2.16	AV	0.00	150	Vertical	Pass
2	2389.667	63.47	-1.84	74.0	-10.53	Peak	11.00	150	Vertical	Pass
2**	2389.667	52.12	-1.84	54.0	-1.88	AV	11.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.60	-1.85	74.0	-8.40	Peak	7.00	150	Vertical	Pass
1**	2390.000	52.96	-1.85	54.0	-1.04	AV	7.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.55	-1.85	74.0	-8.45	Peak	15.00	150	Vertical	Pass
1**	2390.000	52.80	-1.85	54.0	-1.20	AV	15.00	150	Vertical	Pass
2	2389.667	65.79	-1.84	74.0	-8.21	Peak	2.00	150	Vertical	Pass
2**	2389.667	52.95	-1.84	54.0	-1.05	AV	2.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.91	-1.85	74.0	-10.09	Peak	6.00	150	Vertical	Pass
1**	2390.000	51.93	-1.85	54.0	-2.07	AV	6.00	150	Vertical	Pass
2	2389.500	64.45	-1.83	74.0	-9.55	Peak	3.00	150	Vertical	Pass
2**	2389.500	51.24	-1.83	54.0	-2.76	AV	3.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.75	-1.28	74.0	-8.25	Peak	14.00	150	Vertical	Pass
1**	2483.500	52.73	-1.28	54.0	-1.27	AV	14.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.16	-1.28	74.0	-10.84	Peak	13.00	150	Vertical	Pass
1**	2483.500	52.05	-1.28	54.0	-1.95	AV	13.00	150	Vertical	Pass
2	2484.900	64.94	-1.31	74.0	-9.06	Peak	15.00	150	Vertical	Pass
2**	2484.900	51.08	-1.31	54.0	-2.92	AV	15.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.88	-1.28	74.0	-10.12	Peak	7.00	150	Vertical	Pass
1**	2483.500	52.55	-1.28	54.0	-1.45	AV	7.00	150	Vertical	Pass
2	2483.650	65.16	-1.28	74.0	-8.84	Peak	6.00	150	Vertical	Pass
2**	2483.650	52.57	-1.28	54.0	-1.43	AV	6.00	150	Vertical	Pass

802.11VHT-40 CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.17	-1.28	74.0	-9.83	Peak	0.00	150	Vertical	Pass
1**	2483.500	52.99	-1.28	54.0	-1.01	AV	0.00	150	Vertical	Pass
2	2485.150	65.66	-1.32	74.0	-8.34	Peak	12.00	150	Vertical	Pass
2**	2485.150	53.00	-1.32	54.0	-1.00	AV	12.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.11	-1.85	74.0	-10.89	Peak	5.00	150	Vertical	Pass
1**	2390.000	52.49	-1.85	54.0	-1.51	AV	5.00	150	Vertical	Pass
2	2389.667	65.21	-1.84	74.0	-8.79	Peak	13.00	150	Vertical	Pass
2**	2389.667	52.34	-1.84	54.0	-1.66	AV	13.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.75	-1.85	74.0	-8.25	Peak	12.00	150	Vertical	Pass
1**	2390.000	52.45	-1.85	54.0	-1.55	AV	12.00	150	Vertical	Pass
2	2389.833	66.36	-1.84	74.0	-7.64	Peak	5.00	150	Vertical	Pass
2**	2389.833	51.72	-1.84	54.0	-2.28	AV	5.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.63	-1.85	74.0	-8.37	Peak	1.00	150	Vertical	Pass
1**	2390.000	51.98	-1.85	54.0	-2.02	AV	1.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.98	-1.85	74.0	-11.02	Peak	15.00	150	Vertical	Pass
1**	2390.000	52.13	-1.85	54.0	-1.87	AV	15.00	150	Vertical	Pass
2	2388.500	63.69	-1.78	74.0	-10.31	Peak	15.00	150	Vertical	Pass
2**	2388.500	51.51	-1.78	54.0	-2.49	AV	15.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.78	-1.28	74.0	-12.22	Peak	9.00	150	Vertical	Pass
1**	2483.500	51.30	-1.28	54.0	-2.70	AV	9.00	150	Vertical	Pass
2	2484.600	62.75	-1.30	74.0	-11.25	Peak	12.00	150	Vertical	Pass
2**	2484.600	50.37	-1.30	54.0	-3.63	AV	12.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.61	-1.28	74.0	-10.39	Peak	8.00	100	Vertical	Pass
1**	2483.500	52.08	-1.28	54.0	-1.92	AV	8.00	100	Vertical	Pass
2	2484.950	64.62	-1.31	74.0	-9.38	Peak	5.00	100	Vertical	Pass
2**	2484.950	51.06	-1.31	54.0	-2.94	AV	5.00	100	Vertical	Pass

802.11ax-20(SU) CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.41	-1.28	74.0	-8.59	Peak	2.00	150	Vertical	Pass
1**	2483.500	52.01	-1.28	54.0	-1.99	AV	2.00	150	Vertical	Pass
2	2483.650	66.52	-1.28	74.0	-7.48	Peak	5.00	150	Vertical	Pass
2**	2483.650	51.39	-1.28	54.0	-2.61	AV	5.00	150	Vertical	Pass

802.11ax-20(SU) CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.00	-1.28	74.0	-11.00	Peak	2.00	150	Vertical	Pass
1**	2483.500	52.40	-1.28	54.0	-1.60	AV	2.00	150	Vertical	Pass
2	2483.600	65.15	-1.28	74.0	-8.85	Peak	4.00	150	Vertical	Pass
2**	2483.600	52.48	-1.28	54.0	-1.52	AV	4.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.20	-1.85	74.0	-9.80	Peak	0.00	150	Vertical	Pass
1**	2390.000	51.47	-1.85	54.0	-2.53	AV	0.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.98	-1.85	74.0	-10.02	Peak	15.00	150	Vertical	Pass
1**	2390.000	52.33	-1.85	54.0	-1.67	AV	15.00	150	Vertical	Pass
2	2387.833	66.85	-1.71	74.0	-7.15	Peak	3.00	150	Vertical	Pass
2**	2387.833	51.33	-1.71	54.0	-2.67	AV	3.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.28	-1.85	74.0	-9.72	Peak	150	Vertical	150	Pass
1**	2390.000	51.59	-1.85	54.0	-2.41	AV	150	Vertical	150	Pass

802.11ax-40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.96	-1.85	74.0	-10.04	Peak	8.00	150	Vertical	Pass
1**	2390.000	52.90	-1.85	54.0	-1.10	AV	8.00	150	Vertical	Pass
2	2389.833	65.09	-1.84	74.0	-8.91	Peak	7.00	150	Vertical	Pass
2**	2389.833	52.87	-1.84	54.0	-1.13	AV	7.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.52	-1.28	74.0	-11.48	Peak	15.00	150	Vertical	Pass
1**	2483.500	52.03	-1.28	54.0	-1.97	AV	15.00	150	Vertical	Pass
2	2484.050	64.72	-1.28	74.0	-9.28	Peak	12.00	150	Vertical	Pass
2**	2484.050	51.56	-1.28	54.0	-2.44	AV	12.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.51	-1.28	74.0	-11.49	Peak	11.00	150	Vertical	Pass
1**	2483.500	51.81	-1.28	54.0	-2.19	AV	11.00	150	Vertical	Pass
2	2483.800	64.36	-1.28	74.0	-9.64	Peak	3.00	150	Vertical	Pass
2**	2483.800	51.67	-1.28	54.0	-2.33	AV	3.00	150	Vertical	Pass

802.11ax-40(SU) CHANNEL 8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.79	-1.28	74.0	-10.21	Peak	8.00	150	Vertical	Pass
1**	2483.500	52.27	-1.28	54.0	-1.73	AV	8.00	150	Vertical	Pass
2	2484.600	64.60	-1.30	74.0	-9.40	Peak	1.00	150	Vertical	Pass
2**	2484.600	52.13	-1.30	54.0	-1.87	AV	1.00	150	Vertical	Pass


802.11ax-40(SU) CHANNEL 9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.04	-1.28	74.0	-8.96	Peak	11.00	150	Vertical	Pass
1**	2483.500	52.88	-1.28	54.0	-1.12	AV	11.00	150	Vertical	Pass
2	2485.650	66.94	-1.34	74.0	-7.06	Peak	1.00	150	Vertical	Pass
2**	2485.650	52.84	-1.34	54.0	-1.16	AV	1.00	150	Vertical	Pass

MIMO

802.11b CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	57.83	-1.85	74.0	-16.17	Peak	10.00	150	Vertical	Pass
1**	2390.000	48.20	-1.85	54.0	-5.80	AV	10.00	150	Vertical	Pass
2	2382.500	59.84	-1.55	74.0	-14.16	Peak	5.00	150	Vertical	Pass
2**	2382.500	51.02	-1.55	54.0	-2.98	AV	5.00	150	Vertical	Pass

802.11b CHANNEL 9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.61	-1.28	74.0	-16.39	Peak	9.00	150	Vertical	Pass
1**	2483.500	48.37	-1.28	54.0	-5.63	AV	9.00	150	Vertical	Pass
2	2484.450	61.58	-1.29	74.0	-12.42	Peak	5.00	150	Vertical	Pass
2**	2484.450	49.65	-1.29	54.0	-4.35	AV	5.00	150	Vertical	Pass

802.11b CHANNEL 10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.53	-1.28	74.0	-13.47	Peak	7.00	150	Vertical	Pass
1**	2483.500	52.10	-1.28	54.0	-1.90	AV	7.00	150	Vertical	Pass
2	2484.700	60.27	-1.30	74.0	-13.73	Peak	10.00	150	Vertical	Pass
2**	2484.700	47.74	-1.30	54.0	-6.26	AV	10.00	150	Vertical	Pass

802.11b CHANNEL 11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.97	-1.28	74.0	-15.03	Peak	8.00	150	Vertical	Pass
1**	2483.500	49.42	-1.28	54.0	-4.58	AV	8.00	150	Vertical	Pass
2	2490.800	60.70	-1.37	74.0	-13.30	Peak	8.00	150	Vertical	Pass
2**	2490.800	51.94	-1.37	54.0	-2.06	AV	8.00	150	Vertical	Pass

802.11g CHANNEL 1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	67.52	-1.85	74.0	-6.48	Peak	3.00	150	Vertical	Pass
1**	2390.000	52.40	-1.85	54.0	-1.60	AV	3.00	150	Vertical	Pass

802.11g CHANNEL 2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.54	-1.85	74.0	-9.46	Peak	15.00	150	Vertical	Pass
1**	2390.000	52.89	-1.85	54.0	-1.11	AV	15.00	150	Vertical	Pass
2	2389.500	65.05	-1.83	74.0	-8.95	Peak	14.00	150	Vertical	Pass
2**	2389.500	52.46	-1.83	54.0	-1.54	AV	14.00	150	Vertical	Pass

802.11g CHANNEL 3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.58	-1.85	74.0	-10.42	Peak	15.00	150	Vertical	Pass
1**	2390.000	51.67	-1.85	54.0	-2.33	AV	15.00	150	Vertical	Pass
2	2389.500	65.22	-1.83	74.0	-8.78	Peak	4.00	150	Vertical	Pass
2**	2389.500	51.16	-1.83	54.0	-2.84	AV	4.00	150	Vertical	Pass

802.11g CHANNEL 4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.98	-1.85	74.0	-9.02	Peak	10.00	150	Vertical	Pass
1**	2390.000	52.29	-1.85	54.0	-1.71	AV	10.00	150	Vertical	Pass
2	2389.167	65.62	-1.81	74.0	-8.38	Peak	7.00	150	Vertical	Pass
2**	2389.167	51.72	-1.81	54.0	-2.28	AV	7.00	150	Vertical	Pass

802.11g CHANNEL 5



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	66.23	-1.85	74.0	-7.77	Peak	9.00	150	Vertical	Pass
1**	2390.000	52.57	-1.85	54.0	-1.43	AV	9.00	150	Vertical	Pass
2	2389.667	67.13	-1.84	74.0	-6.87	Peak	1.00	150	Vertical	Pass
2**	2389.667	52.33	-1.84	54.0	-1.67	AV	1.00	150	Vertical	Pass