

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 636 of 657

5500	/	/	20	102	5500.040	5470 to 5725	Pass	
				120	5500.060	5470 to 5725	Pass	
				138	5500.040	5470 to 5725	Pass	
				-30	120	5500.040	5470 to 5725	Pass
				-20	120	5500.000	5470 to 5725	Pass
				-10	120	5500.040	5470 to 5725	Pass
				0	120	5500.080	5470 to 5725	Pass
				10	120	5500.020	5470 to 5725	Pass
				30	120	5500.040	5470 to 5725	Pass
				40	120	5500.080	5470 to 5725	Pass
5580	/	/	20	102	5580.020	5470 to 5725	Pass	
				120	5580.000	5470 to 5725	Pass	
				138	5580.020	5470 to 5725	Pass	
				-30	120	5580.020	5470 to 5725	Pass
				-20	120	5580.020	5470 to 5725	Pass
				-10	120	5580.040	5470 to 5725	Pass
				0	120	5579.960	5470 to 5725	Pass
				10	120	5580.040	5470 to 5725	Pass
				30	120	5580.040	5470 to 5725	Pass
				40	120	5580.020	5470 to 5725	Pass
5700	/	/	20	102	5700.060	5470 to 5725	Pass	
				120	5699.960	5470 to 5725	Pass	
				138	5700.060	5470 to 5725	Pass	
				-30	120	5700.040	5470 to 5725	Pass
				-20	120	5700.040	5470 to 5725	Pass
				-10	120	5700.040	5470 to 5725	Pass
				0	120	5700.060	5470 to 5725	Pass
				10	120	5700.040	5470 to 5725	Pass
				30	120	5700.060	5470 to 5725	Pass
				40	120	5699.980	5470 to 5725	Pass
5745	/	/	20	102	5745.040	5725 to 5850	Pass	
				120	5744.980	5725 to 5850	Pass	
				138	5745.040	5725 to 5850	Pass	
				-30	120	5745.040	5725 to 5850	Pass
				-20	120	5745.020	5725 to 5850	Pass
				-10	120	5745.020	5725 to 5850	Pass
				0	120	5745.000	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 637 of 657

					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.040	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
					5785	/	20	102	5784.980
								120	5785.020
								138	5785.040
								-30	5785.060
								-20	5785.000
								-10	5785.000
								0	5785.060
								10	5784.980
								30	5785.020
								40	5785.060
								50	5785.000
802.11ac (VHT40)	MIMO				5825	/	20	102	5825.000
								120	5824.980
								138	5825.040
								-30	5825.020
								-20	5825.000
								-10	5824.980
								0	5825.000
								10	5825.000
								30	5824.960
								40	5825.000
								50	5825.000
					5190	/	20	102	5190.160
								120	5190.120
								138	5190.120
								-30	5190.080
								-20	5190.080
								-10	5190.080
								0	5190.080
								10	5190.080
					5230	/	20	30	5190.160
								40	5190.080
								50	5190.080
								102	5230.120
								120	5230.120
								138	5230.120

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 638 of 657

					-30	120	5230.120	5150 to 5250	Pass	
					-20	120	5230.040	5150 to 5250	Pass	
					-10	120	5230.120	5150 to 5250	Pass	
					0	120	5230.160	5150 to 5250	Pass	
					10	120	5230.120	5150 to 5250	Pass	
					30	120	5230.160	5150 to 5250	Pass	
					40	120	5230.160	5150 to 5250	Pass	
					50	120	5230.120	5150 to 5250	Pass	
							102	5270.120	5250 to 5350	Pass
						20	120	5270.120	5250 to 5350	Pass
							138	5270.080	5250 to 5350	Pass
							-30	5270.120	5250 to 5350	Pass
							-20	5270.120	5250 to 5350	Pass
							-10	5270.120	5250 to 5350	Pass
							0	5270.120	5250 to 5350	Pass
							10	5270.160	5250 to 5350	Pass
							30	5270.120	5250 to 5350	Pass
							40	5270.120	5250 to 5350	Pass
							50	5270.080	5250 to 5350	Pass
							102	5310.080	5250 to 5350	Pass
						20	120	5310.160	5250 to 5350	Pass
							138	5310.120	5250 to 5350	Pass
							-30	5310.080	5250 to 5350	Pass
							-20	5310.160	5250 to 5350	Pass
							-10	5310.120	5250 to 5350	Pass
							0	5310.120	5250 to 5350	Pass
							10	5310.120	5250 to 5350	Pass
							30	5310.080	5250 to 5350	Pass
							40	5310.080	5250 to 5350	Pass
							50	5310.120	5250 to 5350	Pass
							102	5510.120	5470 to 5725	Pass
						20	120	5510.120	5470 to 5725	Pass
							138	5510.160	5470 to 5725	Pass
							-30	5510.120	5470 to 5725	Pass
							-20	5510.200	5470 to 5725	Pass
							-10	5510.120	5470 to 5725	Pass
							0	5510.080	5470 to 5725	Pass
							10	5510.080	5470 to 5725	Pass
							30	5510.120	5470 to 5725	Pass
							40	5510.120	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 639 of 657

				50	120	5510.200	5470 to 5725	Pass
5550	/	/	/	20	102	5550.160	5470 to 5725	Pass
					120	5550.160	5470 to 5725	Pass
					138	5550.120	5470 to 5725	Pass
					-30	5550.080	5470 to 5725	Pass
				-20	120	5550.120	5470 to 5725	Pass
					-10	5550.080	5470 to 5725	Pass
					0	5550.120	5470 to 5725	Pass
					10	5550.120	5470 to 5725	Pass
					30	5550.120	5470 to 5725	Pass
					40	5550.080	5470 to 5725	Pass
					50	5550.160	5470 to 5725	Pass
5670	/	/	/	20	102	5670.160	5470 to 5725	Pass
					120	5670.120	5470 to 5725	Pass
					138	5670.200	5470 to 5725	Pass
					-30	5670.160	5470 to 5725	Pass
				-20	120	5670.120	5470 to 5725	Pass
					-10	5670.200	5470 to 5725	Pass
					0	5670.120	5470 to 5725	Pass
					10	5670.120	5470 to 5725	Pass
					30	5670.120	5470 to 5725	Pass
					40	5670.160	5470 to 5725	Pass
					50	5670.160	5470 to 5725	Pass
5755	/	/	/	20	102	5755.080	5725 to 5850	Pass
					120	5755.080	5725 to 5850	Pass
					138	5755.000	5725 to 5850	Pass
					-30	5755.160	5725 to 5850	Pass
				-20	120	5755.080	5725 to 5850	Pass
					-10	5755.120	5725 to 5850	Pass
					0	5755.120	5725 to 5850	Pass
					10	5755.120	5725 to 5850	Pass
					30	5755.080	5725 to 5850	Pass
					40	5755.080	5725 to 5850	Pass
					50	5755.120	5725 to 5850	Pass
5795	/	/	/	20	102	5795.040	5725 to 5850	Pass
					120	5795.160	5725 to 5850	Pass
					138	5795.160	5725 to 5850	Pass
					-30	5795.080	5725 to 5850	Pass
				-20	120	5795.160	5725 to 5850	Pass
					-10	5795.080	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 640 of 657

					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.080	5725 to 5850	Pass
					30	120	5795.160	5725 to 5850	Pass
					40	120	5795.120	5725 to 5850	Pass
					50	120	5795.080	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	102	5210.150	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.150	5150 to 5250	Pass
					-30	120	5210.225	5150 to 5250	Pass
					-20	120	5210.075	5150 to 5250	Pass
					-10	120	5210.150	5150 to 5250	Pass
					0	120	5210.225	5150 to 5250	Pass
					10	120	5210.150	5150 to 5250	Pass
					30	120	5210.075	5150 to 5250	Pass
					40	120	5210.225	5150 to 5250	Pass
					50	120	5210.225	5150 to 5250	Pass
					20	102	5290.075	5250 to 5350	Pass
						120	5290.225	5250 to 5350	Pass
						138	5290.075	5250 to 5350	Pass
					-30	120	5290.150	5250 to 5350	Pass
					-20	120	5290.075	5250 to 5350	Pass
					-10	120	5290.150	5250 to 5350	Pass
					0	120	5290.150	5250 to 5350	Pass
					10	120	5290.150	5250 to 5350	Pass
					30	120	5290.225	5250 to 5350	Pass
					40	120	5290.150	5250 to 5350	Pass
					50	120	5290.075	5250 to 5350	Pass
					20	102	5530.150	5470 to 5725	Pass
						120	5530.225	5470 to 5725	Pass
						138	5530.075	5470 to 5725	Pass
					-30	120	5530.150	5470 to 5725	Pass
					-20	120	5530.225	5470 to 5725	Pass
					-10	120	5530.075	5470 to 5725	Pass
					0	120	5530.075	5470 to 5725	Pass
					10	120	5530.075	5470 to 5725	Pass
					30	120	5530.150	5470 to 5725	Pass
					40	120	5530.075	5470 to 5725	Pass
					50	120	5530.150	5470 to 5725	Pass
					20	102	5610.075	5470 to 5725	Pass
						120	5610.075	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 641 of 657

						138	5610.075	5470 to 5725	Pass
						-30	5610.075	5470 to 5725	Pass
						-20	5610.000	5470 to 5725	Pass
						-10	5610.150	5470 to 5725	Pass
						0	5610.075	5470 to 5725	Pass
						10	5610.075	5470 to 5725	Pass
						30	5610.075	5470 to 5725	Pass
						40	5610.000	5470 to 5725	Pass
						50	5610.075	5470 to 5725	Pass
						102	5775.075	5725 to 5850	Pass
						20	5775.000	5725 to 5850	Pass
						138	5775.000	5725 to 5850	Pass
						-30	5775.075	5725 to 5850	Pass
						-20	5775.000	5725 to 5850	Pass
						-10	5775.075	5725 to 5850	Pass
						0	5775.000	5725 to 5850	Pass
						10	5775.075	5725 to 5850	Pass
						30	5775.000	5725 to 5850	Pass
						40	5775.000	5725 to 5850	Pass
						50	5775.075	5725 to 5850	Pass
						102	5570.150	5470 to 5725	Pass
						20	5570.000	5470 to 5725	Pass
						138	5570.000	5470 to 5725	Pass
						-30	5570.075	5470 to 5725	Pass
						-20	5570.075	5470 to 5725	Pass
						-10	5570.075	5470 to 5725	Pass
						0	5570.150	5470 to 5725	Pass
						10	5570.000	5470 to 5725	Pass
						30	5570.150	5470 to 5725	Pass
						40	5570.225	5470 to 5725	Pass
						50	5570.075	5470 to 5725	Pass
						102	5250.150	5150 to 5350	Pass
						20	5250.150	5150 to 5350	Pass
						138	5250.225	5150 to 5350	Pass
						-30	5250.075	5150 to 5350	Pass
						-20	5250.150	5150 to 5350	Pass
						-10	5250.150	5150 to 5350	Pass
						0	5250.150	5150 to 5350	Pass
						10	5250.150	5150 to 5350	Pass
						30	5250.150	5150 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 642 of 657

					40	120	5250.150	5150 to 5350	Pass
					50	120	5250.225	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	20	102	5180.040	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5180.060	5150 to 5250	Pass
					-30	120	5180.100	5150 to 5250	Pass
					-20	120	5180.080	5150 to 5250	Pass
					-10	120	5180.120	5150 to 5250	Pass
					0	120	5180.040	5150 to 5250	Pass
					10	120	5180.080	5150 to 5250	Pass
					30	120	5180.060	5150 to 5250	Pass
					40	120	5180.060	5150 to 5250	Pass
					50	120	5180.100	5150 to 5250	Pass
		5200	RU242	Left	20	102	5200.080	5150 to 5250	Pass
						120	5200.080	5150 to 5250	Pass
						138	5200.040	5150 to 5250	Pass
					-30	120	5200.060	5150 to 5250	Pass
					-20	120	5200.060	5150 to 5250	Pass
					-10	120	5200.120	5150 to 5250	Pass
					0	120	5200.060	5150 to 5250	Pass
					10	120	5200.080	5150 to 5250	Pass
					30	120	5200.040	5150 to 5250	Pass
					40	120	5200.040	5150 to 5250	Pass
					50	120	5200.120	5150 to 5250	Pass
		5240	RU242	Left	20	102	5240.140	5150 to 5250	Pass
						120	5240.100	5150 to 5250	Pass
						138	5240.100	5150 to 5250	Pass
					-30	120	5240.100	5150 to 5250	Pass
					-20	120	5240.040	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5240.120	5150 to 5250	Pass
					10	120	5240.080	5150 to 5250	Pass
					30	120	5240.080	5150 to 5250	Pass
					40	120	5240.100	5150 to 5250	Pass
					50	120	5240.060	5150 to 5250	Pass
		5260	RU242	Left	20	102	5260.080	5250 to 5350	Pass
						120	5260.040	5250 to 5350	Pass
						138	5260.100	5250 to 5350	Pass
					-30	120	5260.020	5250 to 5350	Pass
					-20	120	5260.120	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 643 of 657

				-10	120	5260.080	5250 to 5350	Pass
				0	120	5260.080	5250 to 5350	Pass
				10	120	5260.040	5250 to 5350	Pass
				30	120	5260.060	5250 to 5350	Pass
				40	120	5260.080	5250 to 5350	Pass
				50	120	5260.120	5250 to 5350	Pass
5300	RU242	Left	20	102	5300.080	5250 to 5350	Pass	
				120	5300.080	5250 to 5350	Pass	
				138	5300.100	5250 to 5350	Pass	
				-30	120	5300.080	5250 to 5350	Pass
				-20	120	5300.060	5250 to 5350	Pass
			-10	120	5299.960	5250 to 5350	Pass	
				0	120	5300.000	5250 to 5350	Pass
				10	120	5300.020	5250 to 5350	Pass
				30	120	5300.020	5250 to 5350	Pass
				40	120	5300.040	5250 to 5350	Pass
			0	120	5300.080	5250 to 5350	Pass	
				102	5319.960	5250 to 5350	Pass	
				120	5320.040	5250 to 5350	Pass	
				138	5320.100	5250 to 5350	Pass	
				-30	120	5320.100	5250 to 5350	Pass
				-20	120	5320.140	5250 to 5350	Pass
				-10	120	5320.120	5250 to 5350	Pass
				0	120	5320.060	5250 to 5350	Pass
				10	120	5320.060	5250 to 5350	Pass
				30	120	5320.000	5250 to 5350	Pass
5500	RU242	Left	20	40	120	5320.040	5250 to 5350	Pass
				50	120	5320.120	5250 to 5350	Pass
				102	5500.080	5470 to 5725	Pass	
				120	5500.140	5470 to 5725	Pass	
				138	5500.040	5470 to 5725	Pass	
			-30	120	5500.040	5470 to 5725	Pass	
				-20	120	5500.080	5470 to 5725	Pass
				-10	120	5500.100	5470 to 5725	Pass
				0	120	5500.060	5470 to 5725	Pass
				10	120	5500.140	5470 to 5725	Pass
			30	120	5500.080	5470 to 5725	Pass	
				40	120	5500.040	5470 to 5725	Pass
				50	120	5500.020	5470 to 5725	Pass
5580	RU242	Left	20	102	5580.060	5470 to 5725	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such

to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

For any questions of testing, inspection report & certificate, please contact us at telephone: (86-755)-3387-1446, or e-mail: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057
 电子邮箱: www.sgs-group.com.cn
 电子邮箱: sgs-china@sgs.com

SGS-CSTC Shenzhen Branch Technical Services Co., Ltd
Shenzhen Branch Testlin Center, IEC Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 644 of 657

						120	5580.020	5470 to 5725	Pass
						138	5580.120	5470 to 5725	Pass
						-30	5580.060	5470 to 5725	Pass
						-20	5580.000	5470 to 5725	Pass
						-10	5580.060	5470 to 5725	Pass
						0	5580.120	5470 to 5725	Pass
						10	5580.060	5470 to 5725	Pass
						30	5580.100	5470 to 5725	Pass
						40	5580.060	5470 to 5725	Pass
						50	5580.120	5470 to 5725	Pass
5700	RU242	Left	20	Left	102	5700.160	5470 to 5725	Pass	
					120	5700.080	5470 to 5725	Pass	
					138	5700.060	5470 to 5725	Pass	
			-30	Left	120	5700.040	5470 to 5725	Pass	
					120	5700.060	5470 to 5725	Pass	
					120	5700.000	5470 to 5725	Pass	
			-10	Left	120	5700.040	5470 to 5725	Pass	
					120	5700.060	5470 to 5725	Pass	
					120	5700.060	5470 to 5725	Pass	
5745	RU242	Left	20	Left	102	5745.100	5725 to 5850	Pass	
					120	5745.080	5725 to 5850	Pass	
					138	5745.060	5725 to 5850	Pass	
			-30	Left	120	5745.020	5725 to 5850	Pass	
					120	5745.040	5725 to 5850	Pass	
					120	5745.060	5725 to 5850	Pass	
			-10	Left	120	5745.080	5725 to 5850	Pass	
					120	5745.000	5725 to 5850	Pass	
					120	5745.060	5725 to 5850	Pass	
5785	RU242	Left	20	Left	102	5785.060	5725 to 5850	Pass	
					120	5785.060	5725 to 5850	Pass	
					138	5785.000	5725 to 5850	Pass	
			-30	Left	120	5785.000	5725 to 5850	Pass	
					120	5785.080	5725 to 5850	Pass	
					120	5785.080	5725 to 5850	Pass	
			-10	Left	120	5785.060	5725 to 5850	Pass	
					120	5785.080	5725 to 5850	Pass	
					120	5785.080	5725 to 5850	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 645 of 657

	5825	RU242	Left	30	120	5785.060	5725 to 5850	Pass	
				40	120	5785.080	5725 to 5850	Pass	
				50	120	5785.060	5725 to 5850	Pass	
				20	102	5825.080	5725 to 5850	Pass	
					120	5825.040	5725 to 5850	Pass	
					138	5825.060	5725 to 5850	Pass	
					-30	5825.020	5725 to 5850	Pass	
					-20	5824.960	5725 to 5850	Pass	
					-10	5825.020	5725 to 5850	Pass	
					0	5825.100	5725 to 5850	Pass	
					10	5825.000	5725 to 5850	Pass	
					30	5825.060	5725 to 5850	Pass	
					40	5825.020	5725 to 5850	Pass	
					50	5825.040	5725 to 5850	Pass	
802.11ax (HEW40)	MIMO	5190	RU484	Left	20	102	5190.160	5150 to 5250	Pass
						120	5190.080	5150 to 5250	Pass
						138	5190.160	5150 to 5250	Pass
						-30	5190.080	5150 to 5250	Pass
						-20	5190.120	5150 to 5250	Pass
					-10	120	5190.160	5150 to 5250	Pass
						0	5190.160	5150 to 5250	Pass
						10	5190.080	5150 to 5250	Pass
						30	5190.040	5150 to 5250	Pass
						40	5190.080	5150 to 5250	Pass
		5230	RU484	Left	20	102	5230.080	5150 to 5250	Pass
						120	5230.080	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
						-30	5230.160	5150 to 5250	Pass
						-20	5230.080	5150 to 5250	Pass
					-10	120	5230.120	5150 to 5250	Pass
						0	5230.120	5150 to 5250	Pass
						10	5230.120	5150 to 5250	Pass
						30	5230.120	5150 to 5250	Pass
						40	5230.160	5150 to 5250	Pass
		5270	RU484	Left	20	102	5230.080	5150 to 5250	Pass
						120	5270.200	5250 to 5350	Pass
						138	5270.120	5250 to 5350	Pass
						-30	5270.080	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 646 of 657

					-20	120	5270.080	5250 to 5350	Pass
					-10	120	5270.160	5250 to 5350	Pass
					0	120	5270.160	5250 to 5350	Pass
					10	120	5270.080	5250 to 5350	Pass
					30	120	5270.160	5250 to 5350	Pass
					40	120	5270.120	5250 to 5350	Pass
					50	120	5270.160	5250 to 5350	Pass
							102	5250 to 5350	Pass
							20	5310.120	Pass
							138	5250 to 5350	Pass
							-30	5250 to 5350	Pass
							-20	5310.120	Pass
							-10	5310.080	Pass
							0	5310.120	Pass
							10	5310.160	Pass
							30	5310.080	Pass
							40	5310.120	Pass
							50	5310.160	Pass
							102	5470 to 5725	Pass
							20	5470 to 5725	Pass
							138	5470 to 5725	Pass
							-30	5470 to 5725	Pass
							-20	5470 to 5725	Pass
							-10	5470 to 5725	Pass
							0	5470 to 5725	Pass
							10	5470 to 5725	Pass
							30	5470 to 5725	Pass
							40	5470 to 5725	Pass
							50	5470 to 5725	Pass
							102	5470 to 5725	Pass
							20	5470 to 5725	Pass
							138	5470 to 5725	Pass
							-30	5470 to 5725	Pass
							-20	5470 to 5725	Pass
							-10	5470 to 5725	Pass
							0	5470 to 5725	Pass
							10	5470 to 5725	Pass
							30	5470 to 5725	Pass
							40	5470 to 5725	Pass
							50	5470 to 5725	Pass
							102	5470 to 5725	Pass
							20	5470 to 5725	Pass
							138	5470 to 5725	Pass
							-30	5470 to 5725	Pass
							-20	5470 to 5725	Pass
							-10	5470 to 5725	Pass
							0	5470 to 5725	Pass
							10	5470 to 5725	Pass
							30	5470 to 5725	Pass
							40	5470 to 5725	Pass
							50	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 647 of 657

	5670	RU484	Left	20	102	5670.080	5470 to 5725	Pass		
					120	5670.160	5470 to 5725	Pass		
					138	5670.160	5470 to 5725	Pass		
					-30	120	5670.080	5470 to 5725	Pass	
					-20	120	5670.120	5470 to 5725	Pass	
					-10	120	5670.120	5470 to 5725	Pass	
					0	120	5670.040	5470 to 5725	Pass	
					10	120	5670.120	5470 to 5725	Pass	
					30	120	5670.080	5470 to 5725	Pass	
					40	120	5670.120	5470 to 5725	Pass	
	5755	RU484	Left	20	102	5755.080	5725 to 5850	Pass		
					120	5755.120	5725 to 5850	Pass		
					138	5755.120	5725 to 5850	Pass		
					-30	120	5755.080	5725 to 5850	Pass	
					-20	120	5755.080	5725 to 5850	Pass	
					-10	120	5755.120	5725 to 5850	Pass	
					0	120	5755.080	5725 to 5850	Pass	
					10	120	5755.120	5725 to 5850	Pass	
					30	120	5755.040	5725 to 5850	Pass	
					40	120	5755.080	5725 to 5850	Pass	
	5795	RU484	Left	20	102	5795.040	5725 to 5850	Pass		
					120	5795.040	5725 to 5850	Pass		
					138	5795.040	5725 to 5850	Pass		
					-30	120	5795.120	5725 to 5850	Pass	
					-20	120	5795.120	5725 to 5850	Pass	
					-10	120	5795.040	5725 to 5850	Pass	
					0	120	5795.080	5725 to 5850	Pass	
					10	120	5795.200	5725 to 5850	Pass	
					30	120	5795.120	5725 to 5850	Pass	
					40	120	5795.120	5725 to 5850	Pass	
	802.11ax (HEW80)	MIMO	5210	RU996	Left	102	5210.225	5150 to 5250	Pass	
						120	5210.150	5150 to 5250	Pass	
						138	5210.075	5150 to 5250	Pass	
						-30	120	5210.225	5150 to 5250	Pass
						-20	120	5210.075	5150 to 5250	Pass
						-10	120	5210.150	5150 to 5250	Pass
						0	120	5210.075	5150 to 5250	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 648 of 657

					10	120	5210.075	5150 to 5250	Pass	
					30	120	5210.000	5150 to 5250	Pass	
					40	120	5210.075	5150 to 5250	Pass	
					50	120	5210.225	5150 to 5250	Pass	
				5290	RU996	Left	102	5290.075	5250 to 5350	Pass
							120	5290.075	5250 to 5350	Pass
							138	5290.150	5250 to 5350	Pass
							-30	5290.225	5250 to 5350	Pass
							-20	5290.225	5250 to 5350	Pass
							-10	5290.150	5250 to 5350	Pass
							0	5290.225	5250 to 5350	Pass
							10	5290.075	5250 to 5350	Pass
							30	5290.075	5250 to 5350	Pass
							40	5290.075	5250 to 5350	Pass
							50	5290.075	5250 to 5350	Pass
				5530	RU996	Left	102	5530.150	5470 to 5725	Pass
							120	5530.150	5470 to 5725	Pass
							138	5530.225	5470 to 5725	Pass
							-30	5530.075	5470 to 5725	Pass
							-20	5530.225	5470 to 5725	Pass
							-10	5530.150	5470 to 5725	Pass
							0	5530.150	5470 to 5725	Pass
							10	5530.225	5470 to 5725	Pass
							30	5530.075	5470 to 5725	Pass
							40	5530.150	5470 to 5725	Pass
							50	5530.075	5470 to 5725	Pass
				5610	RU996	Left	102	5610.000	5470 to 5725	Pass
							120	5610.075	5470 to 5725	Pass
							138	5610.075	5470 to 5725	Pass
							-30	5610.150	5470 to 5725	Pass
							-20	5610.075	5470 to 5725	Pass
							-10	5610.150	5470 to 5725	Pass
							0	5610.075	5470 to 5725	Pass
							10	5610.075	5470 to 5725	Pass
							30	5610.000	5470 to 5725	Pass
							40	5610.075	5470 to 5725	Pass
							50	5610.150	5470 to 5725	Pass
				5775	RU996	Left	102	5775.150	5725 to 5850	Pass
							120	5775.150	5725 to 5850	Pass
							138	5775.075	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 649 of 657

					-30	120	5775.075	5725 to 5850	Pass
					-20	120	5775.150	5725 to 5850	Pass
					-10	120	5775.150	5725 to 5850	Pass
					0	120	5775.075	5725 to 5850	Pass
					10	120	5775.000	5725 to 5850	Pass
					30	120	5775.075	5725 to 5850	Pass
					40	120	5774.925	5725 to 5850	Pass
					50	120	5775.075	5725 to 5850	Pass
802.11ax (HEW160)	MIMO	5570	2xRU996	Left	20	102	5570.075	5470 to 5725	Pass
						120	5570.075	5470 to 5725	Pass
						138	5570.075	5470 to 5725	Pass
					-30	120	5570.075	5470 to 5725	Pass
					-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.075	5470 to 5725	Pass
					0	120	5570.150	5470 to 5725	Pass
					10	120	5570.075	5470 to 5725	Pass
					30	120	5570.075	5470 to 5725	Pass
					40	120	5570.075	5470 to 5725	Pass
					50	120	5570.075	5470 to 5725	Pass
					20	102	5250.300	5150 to 5350	Pass
						120	5250.075	5150 to 5350	Pass
						138	5250.150	5150 to 5350	Pass
					-30	120	5250.225	5150 to 5350	Pass
					-20	120	5250.150	5150 to 5350	Pass
					-10	120	5250.075	5150 to 5350	Pass
					0	120	5250.150	5150 to 5350	Pass
					10	120	5250.225	5150 to 5350	Pass
					30	120	5250.225	5150 to 5350	Pass
					40	120	5250.075	5150 to 5350	Pass
					50	120	5250.225	5150 to 5350	Pass
802.11be (EHT20)	MIMO	5180	RU242	Left	20	102	5180.100	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5180.100	5150 to 5250	Pass
					-20	120	5180.100	5150 to 5250	Pass
					-10	120	5180.120	5150 to 5250	Pass
					0	120	5180.100	5150 to 5250	Pass
					10	120	5180.060	5150 to 5250	Pass
					30	120	5180.120	5150 to 5250	Pass
					40	120	5180.080	5150 to 5250	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 650 of 657

				50	120	5180.120	5150 to 5250	Pass
5200	RU242	Left		20	102	5200.100	5150 to 5250	Pass
					120	5200.120	5150 to 5250	Pass
					138	5200.080	5150 to 5250	Pass
					-30	5200.100	5150 to 5250	Pass
				-20	120	5200.100	5150 to 5250	Pass
					-10	5200.080	5150 to 5250	Pass
					0	5200.100	5150 to 5250	Pass
					10	5200.080	5150 to 5250	Pass
					30	5200.080	5150 to 5250	Pass
					40	5200.040	5150 to 5250	Pass
					50	5200.020	5150 to 5250	Pass
5240	RU242	Left		20	102	5240.040	5150 to 5250	Pass
					120	5240.040	5150 to 5250	Pass
					138	5240.100	5150 to 5250	Pass
					-30	5240.060	5150 to 5250	Pass
				-20	120	5240.040	5150 to 5250	Pass
					-10	5240.040	5150 to 5250	Pass
					0	5240.100	5150 to 5250	Pass
					10	5240.080	5150 to 5250	Pass
					30	5240.120	5150 to 5250	Pass
					40	5240.060	5150 to 5250	Pass
					50	5240.100	5150 to 5250	Pass
5260	RU242	Left		20	102	5260.060	5250 to 5350	Pass
					120	5260.020	5250 to 5350	Pass
					138	5260.040	5250 to 5350	Pass
					-30	5260.020	5250 to 5350	Pass
				-20	120	5260.100	5250 to 5350	Pass
					-10	5260.080	5250 to 5350	Pass
					0	5260.080	5250 to 5350	Pass
					10	5260.060	5250 to 5350	Pass
					30	5260.060	5250 to 5350	Pass
					40	5260.060	5250 to 5350	Pass
					50	5260.100	5250 to 5350	Pass
5300	RU242	Left		20	102	5300.000	5250 to 5350	Pass
					120	5300.060	5250 to 5350	Pass
					138	5300.080	5250 to 5350	Pass
					-30	5300.020	5250 to 5350	Pass
				-20	120	5300.040	5250 to 5350	Pass
					-10	5300.080	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 651 of 657

	5320	RU242	Left	0	120	5300.140	5250 to 5350	Pass	
				10	120	5299.980	5250 to 5350	Pass	
				30	120	5300.080	5250 to 5350	Pass	
				40	120	5300.080	5250 to 5350	Pass	
				50	120	5300.020	5250 to 5350	Pass	
				20	102	5320.100	5250 to 5350	Pass	
					120	5320.040	5250 to 5350	Pass	
					138	5320.080	5250 to 5350	Pass	
					-30	5320.060	5250 to 5350	Pass	
					-20	5320.060	5250 to 5350	Pass	
				5500	-10	5320.020	5250 to 5350	Pass	
					0	5320.020	5250 to 5350	Pass	
					10	5320.100	5250 to 5350	Pass	
					30	5320.020	5250 to 5350	Pass	
					40	5320.060	5250 to 5350	Pass	
					50	5320.040	5250 to 5350	Pass	
				RU242	Left	102	5500.020	5470 to 5725	Pass
						120	5500.080	5470 to 5725	Pass
						138	5500.060	5470 to 5725	Pass
						-30	5500.040	5470 to 5725	Pass
						-20	5500.080	5470 to 5725	Pass
				5580	RU242	-10	5500.100	5470 to 5725	Pass
						0	5500.120	5470 to 5725	Pass
						10	5500.100	5470 to 5725	Pass
						30	5500.100	5470 to 5725	Pass
						40	5500.060	5470 to 5725	Pass
						50	5500.100	5470 to 5725	Pass
				RU242	Left	102	5580.080	5470 to 5725	Pass
						120	5580.080	5470 to 5725	Pass
						138	5580.040	5470 to 5725	Pass
						-30	5580.080	5470 to 5725	Pass
						-20	5580.080	5470 to 5725	Pass
				5700	RU242	-10	5580.000	5470 to 5725	Pass
						0	5580.000	5470 to 5725	Pass
						10	5580.040	5470 to 5725	Pass
						30	5580.120	5470 to 5725	Pass
				RU242	Left	40	5580.040	5470 to 5725	Pass
						50	5580.020	5470 to 5725	Pass
				20	102	5700.060	5470 to 5725	Pass	
					120	5700.060	5470 to 5725	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 652 of 657

					138	5700.040	5470 to 5725	Pass	
					-30	120	5700.060	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5700.060	5470 to 5725	Pass
					0	120	5700.040	5470 to 5725	Pass
					10	120	5700.100	5470 to 5725	Pass
					30	120	5700.080	5470 to 5725	Pass
					40	120	5700.060	5470 to 5725	Pass
					50	120	5700.060	5470 to 5725	Pass
5745	RU242	Left		20	102	5745.080	5725 to 5850	Pass	
					120	5745.040	5725 to 5850	Pass	
					138	5745.060	5725 to 5850	Pass	
				-30	120	5745.000	5725 to 5850	Pass	
				-20	120	5745.080	5725 to 5850	Pass	
				-10	120	5745.080	5725 to 5850	Pass	
				0	120	5745.020	5725 to 5850	Pass	
				10	120	5745.060	5725 to 5850	Pass	
				30	120	5745.100	5725 to 5850	Pass	
				40	120	5745.080	5725 to 5850	Pass	
				50	120	5745.020	5725 to 5850	Pass	
5785	RU242	Left	20	102	5785.100	5725 to 5850	Pass		
				120	5785.040	5725 to 5850	Pass		
				138	5785.020	5725 to 5850	Pass		
			-30	120	5784.960	5725 to 5850	Pass		
			-20	120	5785.040	5725 to 5850	Pass		
			-10	120	5785.080	5725 to 5850	Pass		
			0	120	5785.080	5725 to 5850	Pass		
			10	120	5784.980	5725 to 5850	Pass		
			30	120	5784.980	5725 to 5850	Pass		
			40	120	5785.060	5725 to 5850	Pass		
			50	120	5785.120	5725 to 5850	Pass		
5825	RU242	Left	20	102	5825.040	5725 to 5850	Pass		
				120	5825.120	5725 to 5850	Pass		
				138	5825.100	5725 to 5850	Pass		
			-30	120	5825.080	5725 to 5850	Pass		
			-20	120	5825.060	5725 to 5850	Pass		
			-10	120	5825.040	5725 to 5850	Pass		
			0	120	5825.000	5725 to 5850	Pass		
			10	120	5825.060	5725 to 5850	Pass		
			30	120	5825.120	5725 to 5850	Pass		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such

to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (867-735) 6367 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co.,Ltd
Shenzhen Branch Testing Center FPC Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 653 of 657

					40	120	5825.100	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
802.11be (EHT40)	MIMO	5190	RU484	Left	20	102	5190.040	5150 to 5250	Pass
						120	5190.120	5150 to 5250	Pass
						138	5190.120	5150 to 5250	Pass
					-30	120	5190.120	5150 to 5250	Pass
					-20	120	5190.120	5150 to 5250	Pass
					-10	120	5190.160	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.120	5150 to 5250	Pass
					30	120	5190.080	5150 to 5250	Pass
					40	120	5190.040	5150 to 5250	Pass
					50	120	5190.080	5150 to 5250	Pass
					20	102	5230.120	5150 to 5250	Pass
						120	5230.080	5150 to 5250	Pass
						138	5230.120	5150 to 5250	Pass
					-30	120	5230.080	5150 to 5250	Pass
					-20	120	5230.120	5150 to 5250	Pass
					-10	120	5230.120	5150 to 5250	Pass
					0	120	5230.120	5150 to 5250	Pass
					10	120	5230.080	5150 to 5250	Pass
					30	120	5230.120	5150 to 5250	Pass
					40	120	5230.120	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
					20	102	5270.120	5250 to 5350	Pass
						120	5270.200	5250 to 5350	Pass
						138	5270.120	5250 to 5350	Pass
					-30	120	5270.160	5250 to 5350	Pass
					-20	120	5270.160	5250 to 5350	Pass
					-10	120	5270.360	5250 to 5350	Pass
					0	120	5270.080	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.120	5250 to 5350	Pass
					50	120	5270.120	5250 to 5350	Pass
					20	102	5310.160	5250 to 5350	Pass
						120	5310.120	5250 to 5350	Pass
						138	5310.120	5250 to 5350	Pass
					-30	120	5310.160	5250 to 5350	Pass
					-20	120	5310.160	5250 to 5350	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group. SGS Group is a global leader in inspection, verification, testing and certification services.



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 654 of 657

				-10	120	5310.160	5250 to 5350	Pass
				0	120	5310.120	5250 to 5350	Pass
				10	120	5310.120	5250 to 5350	Pass
				30	120	5310.160	5250 to 5350	Pass
				40	120	5310.280	5250 to 5350	Pass
				50	120	5310.080	5250 to 5350	Pass
5510	RU484	Left	20	102	5510.080	5470 to 5725	Pass	
				120	5510.160	5470 to 5725	Pass	
				138	5510.040	5470 to 5725	Pass	
			-30	120	5510.080	5470 to 5725	Pass	
			-20	120	5510.160	5470 to 5725	Pass	
			-10	120	5510.120	5470 to 5725	Pass	
			0	120	5510.160	5470 to 5725	Pass	
			10	120	5510.120	5470 to 5725	Pass	
			30	120	5510.160	5470 to 5725	Pass	
			40	120	5510.160	5470 to 5725	Pass	
			50	120	5510.200	5470 to 5725	Pass	
5550	RU484	Left	20	102	5550.120	5470 to 5725	Pass	
				120	5550.080	5470 to 5725	Pass	
				138	5550.160	5470 to 5725	Pass	
			-30	120	5550.040	5470 to 5725	Pass	
			-20	120	5550.120	5470 to 5725	Pass	
			-10	120	5550.040	5470 to 5725	Pass	
			0	120	5550.120	5470 to 5725	Pass	
			10	120	5550.080	5470 to 5725	Pass	
			30	120	5550.160	5470 to 5725	Pass	
			40	120	5550.160	5470 to 5725	Pass	
			50	120	5550.080	5470 to 5725	Pass	
5670	RU484	Left	20	102	5670.120	5470 to 5725	Pass	
				120	5670.160	5470 to 5725	Pass	
				138	5670.160	5470 to 5725	Pass	
			-30	120	5670.080	5470 to 5725	Pass	
			-20	120	5670.120	5470 to 5725	Pass	
			-10	120	5670.080	5470 to 5725	Pass	
			0	120	5670.040	5470 to 5725	Pass	
			10	120	5670.120	5470 to 5725	Pass	
			30	120	5670.200	5470 to 5725	Pass	
			40	120	5670.080	5470 to 5725	Pass	
			50	120	5670.120	5470 to 5725	Pass	
5755	RU484	Left	20	102	5755.080	5725 to 5850	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such

to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd
Shenzhen Branch Test Center EEC Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 655 of 657

						120	5755.080	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
						-30	5755.120	5725 to 5850	Pass
						-20	5755.040	5725 to 5850	Pass
						-10	5755.080	5725 to 5850	Pass
						0	5755.160	5725 to 5850	Pass
						10	5755.200	5725 to 5850	Pass
						30	5755.080	5725 to 5850	Pass
						40	5755.080	5725 to 5850	Pass
						50	5755.080	5725 to 5850	Pass
		5795	RU484	Left	20	102	5795.120	5725 to 5850	Pass
						120	5795.080	5725 to 5850	Pass
						138	5795.120	5725 to 5850	Pass
					-30	5795.120	5725 to 5850	Pass	
					-20	5795.080	5725 to 5850	Pass	
					-10	5795.080	5725 to 5850	Pass	
					0	5795.120	5725 to 5850	Pass	
					10	5795.080	5725 to 5850	Pass	
					30	5795.080	5725 to 5850	Pass	
					40	5795.080	5725 to 5850	Pass	
					50	5795.080	5725 to 5850	Pass	
	802.11be (EHT80)	MIMO	RU996	Left	20	102	5210.075	5150 to 5250	Pass
						120	5210.075	5150 to 5250	Pass
						138	5210.150	5150 to 5250	Pass
					-30	5210.225	5150 to 5250	Pass	
					-20	5210.150	5150 to 5250	Pass	
					-10	5210.075	5150 to 5250	Pass	
					0	5210.150	5150 to 5250	Pass	
					10	5210.075	5150 to 5250	Pass	
					30	5210.225	5150 to 5250	Pass	
					40	5210.225	5150 to 5250	Pass	
					50	5210.075	5150 to 5250	Pass	
			RU996	Left	20	102	5290.150	5250 to 5350	Pass
						120	5290.225	5250 to 5350	Pass
						138	5290.150	5250 to 5350	Pass
					-30	5290.150	5250 to 5350	Pass	
					-20	5290.150	5250 to 5350	Pass	
					-10	5290.225	5250 to 5350	Pass	
					0	5290.150	5250 to 5350	Pass	
					10	5290.150	5250 to 5350	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 656 of 657

					30	120	5290.150	5250 to 5350	Pass	
					40	120	5290.150	5250 to 5350	Pass	
					50	120	5290.150	5250 to 5350	Pass	
				5530	RU996	Left	102	5530.225	5470 to 5725	Pass
							120	5530.075	5470 to 5725	Pass
							138	5530.075	5470 to 5725	Pass
							-30	5530.300	5470 to 5725	Pass
							-20	5530.150	5470 to 5725	Pass
							-10	5530.075	5470 to 5725	Pass
							0	5530.075	5470 to 5725	Pass
							10	5530.150	5470 to 5725	Pass
							30	5530.075	5470 to 5725	Pass
							40	5530.075	5470 to 5725	Pass
							50	5530.150	5470 to 5725	Pass
				5610	RU996	Left	102	5610.150	5470 to 5725	Pass
							120	5610.075	5470 to 5725	Pass
							138	5610.150	5470 to 5725	Pass
							-30	5610.075	5470 to 5725	Pass
							-20	5610.075	5470 to 5725	Pass
							-10	5610.000	5470 to 5725	Pass
							0	5610.075	5470 to 5725	Pass
							10	5610.150	5470 to 5725	Pass
							30	5610.075	5470 to 5725	Pass
							40	5610.075	5470 to 5725	Pass
							50	5610.075	5470 to 5725	Pass
				5775	RU996	Left	102	5775.150	5725 to 5850	Pass
							120	5775.075	5725 to 5850	Pass
							138	5775.150	5725 to 5850	Pass
							-30	5775.225	5725 to 5850	Pass
							-20	5775.075	5725 to 5850	Pass
							-10	5775.150	5725 to 5850	Pass
							0	5775.150	5725 to 5850	Pass
							10	5775.150	5725 to 5850	Pass
							30	5775.150	5725 to 5850	Pass
							40	5775.075	5725 to 5850	Pass
							50	5775.225	5725 to 5850	Pass
802.11be (EHT160)	MIMO	5570	2xRU996	Left	20	102	5570.075	5470 to 5725	Pass	
						120	5570.075	5470 to 5725	Pass	
						138	5570.075	5470 to 5725	Pass	
						-30	5570.150	5470 to 5725	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch is a member of SGS Group (SGS SA) Laboratory.

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250400160903

Page: 657 of 657

					-20	120	5570.075	5470 to 5725	Pass
					-10	120	5570.150	5470 to 5725	Pass
					0	120	5570.150	5470 to 5725	Pass
					10	120	5570.075	5470 to 5725	Pass
					30	120	5570.075	5470 to 5725	Pass
					40	120	5570.075	5470 to 5725	Pass
					50	120	5570.150	5470 to 5725	Pass
						102	5250.150	5150 to 5350	Pass
						20	5250.150	5150 to 5350	Pass
						138	5250.225	5150 to 5350	Pass
						-30	5250.300	5150 to 5350	Pass
						-20	5250.150	5150 to 5350	Pass
						-10	5250.150	5150 to 5350	Pass
						0	5250.225	5150 to 5350	Pass
						10	5250.150	5150 to 5350	Pass
						30	5250.225	5150 to 5350	Pass
						40	5250.225	5150 to 5350	Pass
						50	5250.225	5150 to 5350	Pass

- End of the Report -

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

