


R1 User Manual




Bluetooth Shutter Remote Control
Model: R1

Introduction

Thank you for purchasing our product. This portable Bluetooth Shutter Remote Control is a cute key-chain-shaped Bluetooth device. While connected with a smart phone (needs supporting Bluetooth HID and photo functions), it can remotely take pictures or videos by controlling the smart phone's shutter without installing any APPs.

Operation Guide



1. On Button / Off Button / Shutter Key

2. LED indicator light

(1) Switch on to Pair

To switch on, press and hold the button for approx. 3 seconds.

The indicator light will flash blue slowly. It will automatically connect the Bluetooth device previously paired. If it does not pair with a device within 4 seconds, it automatically enters the pairing mode and the blue indicator light will flash rapidly.

Press and hold the key for approx. 5 seconds when it is off, the indicator light will flash blue rapidly and it will be ready for pairing. Activate Bluetooth connection on your smart phone and set it to search for Bluetooth devices. Select R1 from the list of found devices and pair. When the R1 has been connected to the smart phone, the indicator light turns off and enters standby mode and is ready for use.

(2) Switch off

To switch off, press and hold the key for approx. 3 seconds.

The indicator light flashes blue 3 times.

(3) Standby Mode

When the R1 is not in use and is in standby mode, it will shut off automatically in 90 Seconds.


3. Adjustable key ring

Pull the ring and rotate 90 degrees, there is an opening for you

to insert your keys or attach to another key chain. Rotate 90 degrees again and the key ring will lock automatically. This device can hang on your belt, bag and or anywhere available. Please see diagram below.


4. Battery cover

To replace the battery (model CR2032), carefully pry open the battery cover. Replace old battery with new in the same direction. Then press the battery cover down until locked.



Taking Photos & Videos

While the camera on your smart phone is turned on and paired with the R1, you can control the shutter on your smart phone freely by using this remote controller within 30 feet. We recommend using a selfie stick, tripod or monopod for best results. It's better for photographing while the cell phone is put on a small tripod (see diagram below).



Specifications

Version: Bluetooth V3.0

Transmitting frequency: 2.402GHz-2.48GHz

Systems supported: Bluetooth HID, Devices with photo & video functions

Efficient distance: up to 30 feet

Battery Type: CR2032

Dimensions: 2.90 x 1.20 x 0.41 Inches

Weight: 29g (1oz)

Package Includes

1. R1 Bluetooth Shutter Remote Control
2. User Manual

Limited Warranty

12 months from the date of purchase, if the device is found defective by manufacture workmanship and or raw materials, we will repair or replace at no charge with the following conditions:

Provide the original invoice or receipt with the vendor's brand. Warranty will be void if device is disassembled and or repaired by any unauthorized technicians.

Any defective unit(s) or component is owned by the vendor.

The warranty does not cover any damage caused by the user by dropping, throwing, knocking, shaking or any inappropriate handling.

Product Model : -----

Purchase Date : -----

Owner's Name: -----

Dealer Name: -----

Phone No: -----

Phone No: -----

Address
& Post Code: -----

Address
& Post Code: -----

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.