



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: WIRELESS SPEAKER

Test Model: ZEALOT-S87

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng





A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant	0.944	N/A	Pass
NVNT	1-DH5	2441	Ant	1.017	N/A	Pass
NVNT	1-DH5	2480	Ant	1.019	N/A	Pass
NVNT	2-DH5	2402	Ant	1.285	N/A	Pass
NVNT	2-DH5	2441	Ant	1.287	N/A	Pass
NVNT	2-DH5	2480	Ant	1.317	N/A	Pass
NVNT	3-DH5	2402	Ant	1.301	N/A	Pass
NVNT	3-DH5	2441	Ant	1.302	N/A	Pass
NVNT	3-DH5	2480	Ant	1.296	N/A	Pass








Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 3-DH5 2402MHz Ant



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant	0.05	21	Pass
NVNT	1-DH5	2441	Ant	-0.29	21	Pass
NVNT	1-DH5	2480	Ant	-1	21	Pass
NVNT	2-DH5	2402	Ant	-0.09	21	Pass
NVNT	2-DH5	2441	Ant	-0.08	21	Pass
NVNT	2-DH5	2480	Ant	0.33	21	Pass
NVNT	3-DH5	2402	Ant	0.2	21	Pass
NVNT	3-DH5	2441	Ant	0.2	21	Pass
NVNT	3-DH5	2480	Ant	0.56	21	Pass








Test Graphs

Power NVNT 1-DH5 2402MHz Ant



Power NVNT 1-DH5 2441MHz Ant







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity







A.3 Carrier Frequencies Separation


Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant	2402.026	2402.976	0.95	0.679	Pass
NVNT	2-DH5	Ant	2402.012	2403.02	1.008	0.878	Pass
NVNT	3-DH5	Ant	2402	2403.03	1.03	0.868	Pass







Test Graphs

CFS NVNT 1-DH5 2402MHz Ant



CFS NVNT 2-DH5 2402MHz Ant







A.4 Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant	2.91	314.28	108	31600	400	Pass
NVNT	2-DH5	2402	Ant	2.898	289.8	100	31600	400	Pass
NVNT	3-DH5	2402	Ant	2.897	309.979	107	31600	400	Pass








Test Graphs



Dwell NVNT 1-DH5 2402MHz Ant One Burst



Dwell NVNT 1-DH5 2402MHz Ant Accumulated









A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant	79	15	Pass
NVNT	2-DH5	Ant	79	15	Pass
NVNT	3-DH5	Ant	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant



Hopping No. NVNT 2-DH5 2402MHz Ant




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.6 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	-55.47	-20	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	-53.16	-20	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	-50.68	-20	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	-51.32	-20	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	-52.45	-20	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	-54.12	-20	Pass






Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz Ant No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Ref



Band Edge NVNT 1-DH5 2480MHz Ant No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Ref



Band Edge NVNT 2-DH5 2402MHz Ant No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz Ant No-Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant No-Hopping Emission





(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	Hopping	-53.14	-20	Pass
NVNT	1-DH5	2480	Ant	Hopping	-52.98	-20	Pass
NVNT	2-DH5	2402	Ant	Hopping	-52.68	-20	Pass
NVNT	2-DH5	2480	Ant	Hopping	-53.13	-20	Pass
NVNT	3-DH5	2402	Ant	Hopping	-52.47	-20	Pass
NVNT	3-DH5	2480	Ant	Hopping	-53.68	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.7 Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant	-54.8	-20	Pass
NVNT	1-DH5	2441	Ant	-54.39	-20	Pass
NVNT	1-DH5	2480	Ant	-54.23	-20	Pass
NVNT	2-DH5	2402	Ant	-53.67	-20	Pass
NVNT	2-DH5	2441	Ant	-53.18	-20	Pass
NVNT	2-DH5	2480	Ant	-53.79	-20	Pass
NVNT	3-DH5	2402	Ant	-53.53	-20	Pass
NVNT	3-DH5	2441	Ant	-52.86	-20	Pass
NVNT	3-DH5	2480	Ant	-54.46	-20	Pass






Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 1-DH5 2480MHz Ant Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 2-DH5 2402MHz Ant Ref



Tx. Spurious NVNT 2-DH5 2402MHz Ant Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 2-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 2-DH5 2480MHz Ant Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 3-DH5 2402MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant Emission





A.8 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant	76.41	1.17	0.36
NVNT	2-DH5	2441	Ant	76.41	1.17	0.36
NVNT	2-DH5	2480	Ant	76.41	1.17	0.36
NVNT	3-DH5	2402	Ant	76.38	1.17	0.36
NVNT	3-DH5	2441	Ant	76.38	1.17	0.36
NVNT	3-DH5	2480	Ant	76.37	1.17	0.36






Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant




Duty Cycle NVNT 1-DH5 2441MHz Ant






Duty Cycle NVNT 1-DH5 2480MHz Ant



Duty Cycle NVNT 2-DH5 2402MHz Ant



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT 2-DH5 2441MHz Ant




Duty Cycle NVNT 2-DH5 2480MHz Ant







Duty Cycle NVNT 3-DH5 2402MHz Ant



Duty Cycle NVNT 3-DH5 2441MHz Ant







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-49.19	2	-	48.07	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2310	-58.44	2	1.1	39.92	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2372.4	-47.56	2	-	49.7	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2379.312	-57.68	2	1.1	40.68	Average	54	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-50.53	2	-	46.73	Peak	74	Pass
NVNT	1-DH5	2402	Ant	No-Hopping	2390	-58.51	2	1.1	39.85	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-49.12	2	-	48.14	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2483.5	-57.42	2	1.1	40.94	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2486.08	-45.97	2	-	51.29	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2492.872	-57.16	2	1.1	41.2	Average	54	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-51.44	2	-	45.82	Peak	74	Pass
NVNT	1-DH5	2480	Ant	No-Hopping	2500	-58.1	2	1.1	40.26	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-49.55	2	-	47.71	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2310	-58.64	2	1.17	39.79	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2329.392	-47.14	2	-	50.12	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2389.872	-57.7	2	1.17	40.73	Average	54	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-49.85	2	-	47.41	Peak	74	Pass
NVNT	2-DH5	2402	Ant	No-Hopping	2390	-57.75	2	1.17	40.68	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-45.85	2	-	51.41	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.5	-56.52	2	1.17	41.91	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2485.024	-45.28	2	-	51.98	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2483.512	-56.52	2	1.17	41.91	Average	54	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-50.15	2	-	47.11	Peak	74	Pass
NVNT	2-DH5	2480	Ant	No-Hopping	2500	-58.65	2	1.17	39.78	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-50.98	2	-	46.28	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2310	-58.64	2	1.17	39.79	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2347.92	-47.65	2	-	49.61	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2364.624	-57.53	2	1.17	40.9	Average	54	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-49.56	2	-	47.7	Peak	74	Pass
NVNT	3-DH5	2402	Ant	No-Hopping	2390	-58.65	2	1.17	39.78	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-46.28	2	-	50.98	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.5	-55.96	2	1.17	42.47	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.536	-45.27	2	-	51.99	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2483.512	-55.96	2	1.17	42.47	Average	54	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-50.17	2	-	47.09	Peak	74	Pass
NVNT	3-DH5	2480	Ant	No-Hopping	2500	-58.27	2	1.17	40.16	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant No-Hopping Average








Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Peak



Restrict Band NVNT 1-DH5 2480MHz Ant No-Hopping Average







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant No-Hopping Average

