

DEXIA

PTX003 & CP200 PAGER & PAGIN SYSTEM

INSTALLATION MANUAL

1. Pls plug-in the power adaptor of the PTX003 & CP200
2. The PTX003 will then display the logo and goes to stand-by mode
3. The CP200 will then on charging mode (green LED DISPLAY)
4. Under PTX003 stand-by mode, Press 1 – SEND to call Number 1 of CP200
Or, Press 2 – SEND to call Number 2 of CP200 and so on
5. The CP200 will then vibrates or LED flash when received signal from PTX003
6. Putting CP200 to the charging base, the CP200 will then goes to charging mode

FCC ID:2AFXLPTXCP

RF-Radiation-Exposure-Statement:¹⁾

1. This Transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.²⁾
2. This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. This³⁾ Equipment should be installed and operated with a minimum distance of 20 centimeters between the radiator and your⁴⁾ body.⁵⁾

This device complies with part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and**
- (2) this device must accept any interference received, including interference that may cause undesired operation.**

Notice:

Any changes or modifications not expressly approved by the party responsible for

compliance could void your authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class

B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to

provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not

installed and used in accordance with the instructions, may cause harmful

interference to radio communications. However, there is no guarantee that

interference will not occur in a particular installation. If this equipment does cause

harmful interference to radio or television reception, which can be determined by

turning the equipment off and on, the user is encouraged to try to correct the

interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.**
- Increase the separation between the equipment and receiver.**
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.**
- Consult the dealer or an experienced radio/ TV technician for help.**