ZHUHAI JIELI TECHNOLOGY CO., LTD


333 Kexing Road, Xiangxhou District, Zhuhai City, Guangdong Province, China

Inverted F Antenna Specification

Summary

ITEM	ANT SPEC					
Model Name	2.4G ANT					
	Horizontal			Vertical		
Center Frequency	2400MHz	2450MHz	2480MHz	2400MHz	2450MHz	2480MHz
requestey	-1.26	-0.76	-0.6	-5.25	-2.46	-1.86
MAX. Gain	-0.6dB					
Polarization	Horizontal and Vertical					
Azimuth Beam	Omni-directional					
Pattern						
Impedance	50 Ohm					
Antenna Length	38.0 mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2480 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency	Gain(dB)				
(MHz)	Max	Min	Avg		
2400	-1.26174	-30.0801	-7.18716		
2450	-0.765802	-36.5604	-7.48023		
2480	-0.585582	-22.0315	-6.59127		

Vertical: 2400 MHz 2450 MHz 2480 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency	Gain(dB)				
(MHz)	Max	Min	Avg		
2400	-5.2537	-22.1424	-12.4294		
2450	-2.4652	-24.5837	-10.4702		
2480	-1.86120	-29.5214	-9.20432		

ANT Test Labs: Attestation of Global Compliance Co., Ltd.