

MEASUREMENT 38

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	WCDMA850_RMC
Channels	Middle
Signal	Duty Cycle 1:1


B. SAR Measurement Results


Frequency (MHz)	836.600000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.456843
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-38.00, Y=-23.00

SAR 10g (W/Kg)	0.097313
SAR 1g (W/Kg)	0.126017



3D screen shot	Hot spot position
	

MEASUREMENT 39

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WCDMA850_RMC
Channels	Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.600000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	2.341234
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-6.00, Y=-47.00

SAR 10g (W/Kg)	0.234700
SAR 1g (W/Kg)	0.299091



MEASUREMENT 40

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	WCDMA850_RMC
Channels	Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.600000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	2.341221
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=0.00, Y=-47.00

SAR 10g (W/Kg)	0.191837
SAR 1g (W/Kg)	0.244064



MEASUREMENT 41

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA850_RMC
Channels	Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.600000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	1.452233
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-3.00, Y=7.00

SAR 10g (W/Kg)	0.102307
SAR 1g (W/Kg)	0.157240



MEASUREMENT 42

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Right side
Band	WCDMA850_RMC
Channels	Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	836.600000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	1.634634
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=0.00, Y=17.00

SAR 10g (W/Kg)	0.196634
SAR 1g (W/Kg)	0.274469



MEASUREMENT 43

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1712.400000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.342427
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-53.00, Y=-56.00

SAR 10g (W/Kg)	0.129383
SAR 1g (W/Kg)	0.209341



MEASUREMENT 44

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1712.400000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.452324
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-45.00, Y=-42.00

SAR 10g (W/Kg)	0.033527
SAR 1g (W/Kg)	0.050346



MEASUREMENT 45

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1712.400000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.734324
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-56.00, Y=-63.00

SAR 10g (W/Kg)	0.170763
SAR 1g (W/Kg)	0.276931



MEASUREMENT 46

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1712.400000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.456843
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-40.00, Y=-49.00

SAR 10g (W/Kg)	0.020144
SAR 1g (W/Kg)	0.029661



MEASUREMENT 47

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1712.400000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	2.341234
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=2.00, Y=6.00

SAR 10g (W/Kg)	0.475570
SAR 1g (W/Kg)	0.762409



MEASUREMENT 48

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1712.400000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	2.341221
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=16.00, Y=-16.00

SAR 10g (W/Kg)	0.532716
SAR 1g (W/Kg)	0.986538



MEASUREMENT 49

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	WCDMA1700_RMC
Channels	Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.600000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	2.312173
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=11.00, Y=-16.00

SAR 10g (W/Kg)	0.518638
SAR 1g (W/Kg)	0.967257



MEASUREMENT 50

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	WCDMA1700_RMC
Channels	High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1752.600000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	2.034215
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=11.00, Y=-16.00

SAR 10g (W/Kg)	0.518859
SAR 1g (W/Kg)	0.968640



MEASUREMENT 51

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1712.400000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	1.452233
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-1.00, Y=14.00

SAR 10g (W/Kg)	0.615089
SAR 1g (W/Kg)	1.162348



MEASUREMENT 52

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA1700_RMC
Channels	Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.600000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	1.452233
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-2.00, Y=14.00

SAR 10g (W/Kg)	0.592420
SAR 1g (W/Kg)	1.123683



MEASUREMENT 53

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	WCDMA1700_RMC
Channels	High
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	1752.600000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	1.452233
Ambient Temperature	21.1
Liquid Temperature	21.3




Maximum location: X=-2.00, Y=14.00

SAR 10g (W/Kg)	0.588829
SAR 1g (W/Kg)	1.118709

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0000	0.9164	0.5139	0.2917	0.1746



3D screen shot	Hot spot position
	

MEASUREMENT 54

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Right side
Band	WCDMA1700_RMC
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1712.400000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	1.634634
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=5.00, Y=-5.00

SAR 10g (W/Kg)	0.154281
SAR 1g (W/Kg)	0.268789



MEASUREMENT 55

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	LTE Band 2_RMC
Channels	QPSK, 5MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.743564
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-57.00, Y=-63.00

SAR 10g (W/Kg)	0.123178
SAR 1g (W/Kg)	0.204044



MEASUREMENT 56

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	LTE Band 2_RMC
Channels	QPSK, 5MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.034524
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-1.00, Y=-3.00

SAR 10g (W/Kg)	0.022826
SAR 1g (W/Kg)	0.040680



MEASUREMENT 57

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 2_RMC
Channels	QPSK, 5MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	2.325563
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-56.00, Y=-56.00

SAR 10g (W/Kg)	0.103532
SAR 1g (W/Kg)	0.176291



MEASUREMENT 58

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	LTE Band 2_RMC
Channels	QPSK, 5MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.734534
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-8.00, Y=3.00

SAR 10g (W/Kg)	0.018401
SAR 1g (W/Kg)	0.031842



MEASUREMENT 59

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 2_RMC
Channels	QPSK, 5MHz, Middle
Signal	Duty Cycle 1:1


B. SAR Measurement Results


Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.523573
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-3.00, Y=-1.00

SAR 10g (W/Kg)	0.241351
SAR 1g (W/Kg)	0.397368



3D screen shot	Hot spot position
	

MEASUREMENT 60

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	LTE Band 2_RMC
Channels	QPSK, 5MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	0.834515
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-12.00, Y=16.00

SAR 10g (W/Kg)	0.359209
SAR 1g (W/Kg)	0.695295



MEASUREMENT 61

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 2_RMC
Channels	QPSK, 5MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.482632
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-1.00, Y=11.00

SAR 10g (W/Kg)	0.347431
SAR 1g (W/Kg)	0.654677



MEASUREMENT 62

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Right side
Band	LTE Band 2_RMC
Channels	QPSK, 5MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.443922
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=7.00, Y=-8.00

SAR 10g (W/Kg)	0.100960
SAR 1g (W/Kg)	0.178305



MEASUREMENT 63

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1720.000000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.374628
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-56.00, Y=-57.00

SAR 10g (W/Kg)	0.185738
SAR 1g (W/Kg)	0.313734



MEASUREMENT 64

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1720.000000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.783475
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-8.00, Y=0.00

SAR 10g (W/Kg)	0.018053
SAR 1g (W/Kg)	0.030028



MEASUREMENT 65

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1720.000000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.635879
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-56.00, Y=-62.00

SAR 10g (W/Kg)	0.116369
SAR 1g (W/Kg)	0.189182



MEASUREMENT 66

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.84; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1720.000000
Relative Permittivity (real part)	39.024890
Conductivity (S/m)	1.371250
Power Variation (%)	1.582648
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-6.00, Y=0.00

SAR 10g (W/Kg)	0.015023
SAR 1g (W/Kg)	0.024260



MEASUREMENT 67

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1720.0000000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.858383
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-6.00, Y=-14.00

SAR 10g (W/Kg)	0.359092
SAR 1g (W/Kg)	0.576843



MEASUREMENT 68

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	1720.000000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.858690
Ambient Temperature	21.1
Liquid Temperature	21.2





Maximum location: X=-17.00, Y=11.00

SAR 10g (W/Kg)	0.428562
SAR 1g (W/Kg)	0.791782

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0000	0.8032	0.4676	0.2740	0.1662



3D screen shot	Hot spot position
	

MEASUREMENT 69

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	1720.000000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.693830
Ambient Temperature	21.1
Liquid Temperature	21.2





Maximum location: X=16.00, Y=25.00

SAR 10g (W/Kg)	0.448659
SAR 1g (W/Kg)	0.830451

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0000	0.8451	0.4917	0.2899	0.1790



3D screen shot	Hot spot position
	

MEASUREMENT 70

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, Middle
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1732.5000000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.654562
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=16.00, Y=25.00

SAR 10g (W/Kg)	0.423561
SAR 1g (W/Kg)	0.783970



MEASUREMENT 71

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	1745.0000000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.696347
Ambient Temperature	21.1
Liquid Temperature	21.2





Maximum location: X=16.00, Y=25.00

SAR 10g (W/Kg)	0.463943
SAR 1g (W/Kg)	0.860001

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0000	0.8730	0.5059	0.2969	0.1825



3D screen shot	Hot spot position
	

MEASUREMENT 72

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Right
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	1720.0000000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.576823
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=2.00, Y=-6.00

SAR 10g (W/Kg)	0.105463
SAR 1g (W/Kg)	0.181291



MEASUREMENT 73

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	LTE Band 5_RMC
Channels	QPSK, 10MHz,High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	844.000000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.422112
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-51.00, Y=-34.00

SAR 10g (W/Kg)	0.075894
SAR 1g (W/Kg)	0.086632



MEASUREMENT 74

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	LTE Band 5_RMC
Channels	QPSK, 10MHz,High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	844.000000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.363232
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-39.00, Y=-23.00

SAR 10g (W/Kg)	0.043341
SAR 1g (W/Kg)	0.050003



MEASUREMENT 75

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	LTE Band 5_RMC
Channels	QPSK, 10MHz,High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	844.000000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.945217
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-56.00, Y=-32.00

SAR 10g (W/Kg)	0.069700
SAR 1g (W/Kg)	0.076844



MEASUREMENT 76

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	LTE Band 5_RMC
Channels	QPSK, 10MHz,High
Signal	Duty Cycle 1:1


B. SAR Measurement Results


Frequency (MHz)	844.000000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.355883
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-38.00, Y=-22.00

SAR 10g (W/Kg)	0.042092
SAR 1g (W/Kg)	0.044749



3D screen shot	Hot spot position
	

MEASUREMENT 77

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 5_RMC
Channels	QPSK, 10MHz,High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	844.000000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	0.954431
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-1.00, Y=45.00

SAR 10g (W/Kg)	0.128496
SAR 1g (W/Kg)	0.156842



MEASUREMENT 78

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	LTE Band 5_RMC
Channels	QPSK, 10MHz,High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	844.000000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	1.754322
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-7.00, Y=43.00

SAR 10g (W/Kg)	0.105575
SAR 1g (W/Kg)	0.128083



MEASUREMENT 79

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 5_RMC
Channels	QPSK, 10MHz,High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	844.000000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	2.339113
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=-2.00, Y=11.00

SAR 10g (W/Kg)	0.026502
SAR 1g (W/Kg)	0.039740



MEASUREMENT 80

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Right side
Band	LTE Band 5_RMC
Channels	QPSK, 10MHz,High
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	844.000000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	2.384742
Ambient Temperature	21.1
Liquid Temperature	21.3



Maximum location: X=1.00, Y=-34.00

SAR 10g (W/Kg)	0.105535
SAR 1g (W/Kg)	0.140508



MEASUREMENT 81

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Cheek
Band	WiFi_802.11b
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2412.000000
Relative Permittivity (real part)	38.153660
Conductivity (S/m)	1.740236
Power Variation (%)	3.234772
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-15.00, Y=15.00

SAR 10g (W/Kg)	0.136582
SAR 1g (W/Kg)	0.294496



MEASUREMENT 82

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Right head
Device Position	Tilt
Band	WiFi_802.11b
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2412.000000
Relative Permittivity (real part)	38.153660
Conductivity (S/m)	1.740236
Power Variation (%)	0.241434
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-15.00, Y=19.00

SAR 10g (W/Kg)	0.082981
SAR 1g (W/Kg)	0.171120



MEASUREMENT 83

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Cheek
Band	WiFi_802.11b
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2412.000000
Relative Permittivity (real part)	38.153660
Conductivity (S/m)	1.740236
Power Variation (%)	0.384732
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-10.00, Y=5.00

SAR 10g (W/Kg)	0.055229
SAR 1g (W/Kg)	0.105371



MEASUREMENT 84

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.64; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Left head
Device Position	Tilt
Band	WiFi_802.11b
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2412.000000
Relative Permittivity (real part)	38.153660
Conductivity (S/m)	1.740236
Power Variation (%)	1.422243
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-7.00, Y=0.00

SAR 10g (W/Kg)	0.030172
SAR 1g (W/Kg)	0.054454



MEASUREMENT 85

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WiFi_802.11b
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2412.000000
Relative Permittivity (real part)	52.0102121
Conductivity (S/m)	1.910255
Power Variation (%)	2.492743
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-23.00, Y=8.00

SAR 10g (W/Kg)	0.046339
SAR 1g (W/Kg)	0.094780



MEASUREMENT 86

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	WiFi_802.11b
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2412.000000
Relative Permittivity (real part)	52.0102121
Conductivity (S/m)	1.910255
Power Variation (%)	2.521214
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=24.00, Y=8.00

SAR 10g (W/Kg)	0.043607
SAR 1g (W/Kg)	0.085245



MEASUREMENT 87

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Top Side
Band	WiFi_802.11b
Channels	Low
Signal	Duty Cycle 1:1



B. SAR Measurement Results

Frequency (MHz)	2412.000000
Relative Permittivity (real part)	52.010212
Conductivity (S/m)	1.910255
Power Variation (%)	3.244224
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=16.00, Y=16.00

SAR 10g (W/Kg)	0.024713
SAR 1g (W/Kg)	0.051512



MEASUREMENT 88

Type: Phone measurement (Complete)

Date of measurement: 09/28/2015

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 06/03/2015

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Right Side
Band	WiFi_802.11b
Channels	Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results


Frequency (MHz)	2412.000000
Relative Permittivity (real part)	52.010212
Conductivity (S/m)	1.910255
Power Variation (%)	3.053461
Ambient Temperature	21.1
Liquid Temperature	21.2





Maximum location: X=15.00, Y=15.00

SAR 10g (W/Kg)	0.022241
SAR 1g (W/Kg)	0.054266

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0000	0.0580	0.0176	0.0048	0.0019



3D screen shot	Hot spot position
	

Annex C. EUT Photos


EUT View Front



EUT View Back



Antenna View



Annex D. Test Setup Photos

Test View 1 (Right Head)

Cheek



Tilt




Test View 2 (Left Head)**Cheek****Tilt**

Test View 3


Front Side



Back Side



Right side**Top Side**

Bottom Side

Annex E. Calibration Certificate

Please refer to the exhibit for the calibration certificate

***** END OF REPORT *****