



FCC RF Test Report

APPLICANT : Xiaomi Communications Co., Ltd.
EQUIPMENT : Mobile Phone
BRAND NAME : MI
MODEL NAME : M1804D2SG
FCC ID : 2AFZZ-XMSD2SG
STANDARD : 47 CFR Part 2, 22(H), 24(E), 27(L), 27(M)
CLASSIFICATION : PCS Licensed Transmitter Held to Ear (PCE)

The product was received on Apr. 20, 2018 and completely tested on May 31, 2018. We, Sporton International (Kunshan) Inc., would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26-2015 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International (Kunshan) Inc., the test report shall not be reproduced except in full.

James Huang



Approved by: James Huang / Manager

Sporton International (Kunshan) Inc.

No.3-2 Ping-Xiang Rd, Kunshan Development Zone Kunshan City Jiangsu Province 215335 China



TABLE OF CONTENTS

REVISION HISTORY.....	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Applicant	5
1.2 Manufacturer	5
1.3 Product Feature of Equipment Under Test.....	5
1.4 Product Specification of Equipment Under Test.....	6
1.5 Modification of EUT	7
1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator	7
1.7 Testing Location	11
1.8 Applicable Standards.....	11
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	12
2.1 Test Mode	12
2.2 Connection Diagram of Test System.....	15
2.3 Support Unit used in test configuration and system	15
2.4 Measurement Results Explanation Example.....	15
2.5 Frequency List of Low/Middle/High Channels	16
3 CONDUCTED TEST ITEMS	20
3.1 Measuring Instruments	20
3.2 Test Setup	20
3.3 Test Result of Conducted Test	20
3.4 Conducted Output Power and ERP/EIRP	21
3.5 Peak-to-Average Ratio	22
3.6 Occupied Bandwidth	23
3.7 Conducted Band Edge	24
3.8 Conducted Spurious Emission	26
3.9 Frequency Stability	27
4 RADIATED TEST ITEMS	28
4.1 Measuring Instruments	28
4.2 Test Setup	28
4.3 Test Result of Radiated Test	28
4.4 Radiated Spurious Emission	29
5 LIST OF MEASURING EQUIPMENT	30
6 UNCERTAINTY OF EVALUATION	31
APPENDIX A. TEST RESULTS OF CONDUCTED TEST	
APPENDIX B. TEST RESULTS OF RADIATED TEST	
APPENDIX C. TEST SETUP PHOTOGRAPHS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG842008B	Rev. 01	Initial issue of report	Jun. 14, 2018

SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	Reporting Only	PASS	-
	§22.913(a)(5)	Effective Radiated Power (Band 5)	ERP < 7 Watt	PASS	-
	§24.232(c) §27.50(h)(2)	Equivalent Isotropic Radiated Power (Band 2) (Band 7) (Band 38)	EIRP < 2Watt	PASS	-
	§27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4)	EIRP < 1Watt	PASS	-
3.5	§24.232(d)	Peak-to-Average Ratio	<13 dB	PASS	-
3.6	§2.1049	Occupied Bandwidth	Reporting Only	PASS	-
3.7	§2.1051 §22.917(a) §24.238(a) §27.53(h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5)	< 43+10log ₁₀ (P[Watts])	PASS	-
	§27.53(m)(4)	Conducted Band Edge Measurement (Band 7) (Band 38)	§27.53(m)(4)		
3.8	§2.1051 §22.917(a) §24.238(a) §27.53(h)	Conducted Spurious Emission (Band 2) (Band 4) (Band 5)	< 43+10log ₁₀ (P[Watts])	PASS	-
	§2.1051 §27.53(m)(4)	Conducted Spurious Emission (Band 7) (Band 38)	< 55+10log ₁₀ (P[Watts])		
3.9	§2.1055 §22.355	Frequency Stability Temperature & Voltage	< 2.5 ppm for Part 22H	PASS	-
	§2.1055 §24.235 §27.54		Within Authorized Band		
4.4	§2.1053 §22.917(a) §24.238(a) §27.53(h)	Radiated Spurious Emission (Band 2) (Band 4) (Band 5)	< 43+10log ₁₀ (P[Watts])	PASS	Under limit 18.27 dB at 7713.000 MHz
	§2.1053 §27.53(m)(4)	Radiated Spurious Emission (Band 7) (Band 38)	< 55+10log ₁₀ (P[Watts])		



1 General Description

1.1 Applicant

Xiaomi Communications Co., Ltd.

The Rainbow City of China Resources, NO.68, Qinghe Middle Street, Haidian District, Beijing, China

1.2 Manufacturer

Xiaomi Communications Co., Ltd.

The Rainbow City of China Resources, NO.68, Qinghe Middle Street, Haidian District, Beijing, China

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Phone
Brand Name	MI
Model Name	M1804D2SG
FCC ID	2AFZZ-XMSD2SG
EUT supports Radios application	GSM/GPRS/EGPRS/WCDMA/HSPA/DC-HSDPA/ HSPA+(16QAM uplink is not supported)/LTE WLAN 2.4GHz 802.11b/g/n HT20/HT40/ WLAN 5GHz 802.11a/n HT20/HT40/ WLAN 5GHz 802.11ac VHT20/VHT40/VHT80/ Bluetooth v3.0 + EDR/Bluetooth v4.0 LE/ Bluetooth v4.2 LE/Bluetooth v5.0 LE
IMEI Code	Conducted: 868131030004059/868131030004067 for LTE B2/B5/B7/B7CA/B38CA 868131030003853/868131030003861 for LTE B4/B38 Radiation: 868131030003218/868131030003226 for for LTE B2/ B4/B5/B7/B38 868131030003614/868131030003622 for LTE B7CA/B38CA
HW Version	P2
SW Version	OPM1.171019.011 V9
EUT Stage	Identical Prototype

Note: There are three types of EUT, the differences between them is for memory, the sample 1 is 6+64GB capacity, the sample 2 is 4+64GB capacity and the sample 3 is 4+32GB capacity. According to the difference, we only choose the sample 1 to test.

1.4 Product Specification of Equipment Under Test

Standards-related Product Specification	
Tx Frequency	LTE Band 2 : 1850.7 MHz ~ 1909.3 MHz LTE Band 4 : 1710.7 MHz ~ 1754.3 MHz LTE Band 5 : 824.7 MHz ~ 848.3 MHz LTE Band 7 : 2502.5 MHz ~ 2567.5 MHz LTE Band 38 : 2572.5MHz ~ 2617.5MHz
Rx Frequency	LTE Band 2 : 1930.7 MHz ~ 1989.3 MHz LTE Band 4 : 2110.7 MHz ~ 2154.3 MHz LTE Band 5 : 869.7 MHz ~ 893.3 MHz LTE Band 7 : 2622.5MHz ~ 2687.5 MHz LTE Band 38 : 2572.5MHz ~ 2617.5MHz
Bandwidth	LTE Band 2 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 5 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 7 : 5MHz / 10MHz / 15MHz / 20MHz LTE Band 38 : 5MHz / 10MHz / 15MHz / 20MHz
Maximum Output Power to Antenna	LTE Band 2 : 23.20 dBm LTE Band 4 : 22.90 dBm LTE Band 5 : 22.42 dBm LTE Band 7 : 21.99 dBm/LTE Band 7_CA : 22.49 dBm LTE Band 38 : 21.93 dBm/LTE Band 38_CA : 21.91 dBm
Bottom Antenna Gain	LTE Band 2 : 3.70 dBi LTE Band 4 : 2.54 dBi LTE Band 5 : -1.16 dBi LTE Band 7 : 2.45 dBi LTE Band 38 : -1.76 dBi
Top Antenna Gain	LTE Band 2 : -0.29 dBi LTE Band 4 : -4.70 dBi LTE Band 5 : -3.45 dBi LTE Band 7 : 0.42 dBi LTE Band 38 : -5.05 dBi
Type of Modulation	QPSK / 16QAM / 64QAM



1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Maximum ERP/EIRP Power, Frequency Tolerance, and Emission Designator

LTE Band 2		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Top	Bottom			Top	Bottom
1.4	1850.7 ~ 1909.3	1M09G7D	-	0.1807	0.4529	1M09W7D	-	0.1528	0.3828
3	1851.5 ~ 1908.5	2M74G7D	-	0.1811	0.4539	2M73W7D	-	0.1545	0.3873
5	1852.5 ~ 1907.5	4M50G7D	-	0.1837	0.4603	4M50W7D	-	0.1578	0.3954
10	1855.0 ~ 1905.0	9M07G7D	0.0031	0.1932	0.4842	9M03W7D	-	0.1652	0.4140
15	1857.5 ~ 1902.5	13M5G7D	-	0.1888	0.4732	13M5W7D	-	0.1611	0.4036
20	1860.0 ~ 1900.0	18M5G7D	-	0.1954	0.4898	18M5W7D	-	0.1667	0.4178
LTE Band 2		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)					
				Top	Bottom				
1.4	1850.7 ~ 1909.3	1M09W7D	-	0.1208	0.3027				
3	1851.5 ~ 1908.5	2M72W7D	-	0.1213	0.3041				
5	1852.5 ~ 1907.5	4M54W7D	-	0.1242	0.3112				
10	1855.0 ~ 1905.0	9M13W7D	-	0.1312	0.3289				
15	1857.5 ~ 1902.5	13M5W7D	-	0.1259	0.3155				
20	1860.0 ~ 1900.0	18M5W7D	-	0.1312	0.3289				
LTE Band 4		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Top	Bottom			Top	Bottom
1.4	1710.7 ~ 1754.3	1M09G7D	-	0.0644	0.3412	1M09W7D	-	0.0538	0.2851
3	1711.5 ~ 1753.5	2M72G7D	-	0.0646	0.3420	2M74W7D	-	0.0543	0.2877
5	1712.5 ~ 1752.5	4M50G7D	-	0.0656	0.3475	4M52W7D	-	0.0551	0.2917
10	1715.0 ~ 1750.0	9M11G7D	0.0032	0.0655	0.3467	9M03W7D	-	0.0565	0.2992
15	1717.5 ~ 1747.5	13M5G7D	-	0.0656	0.3475	13M4W7D	-	0.0585	0.3097
20	1720.0 ~ 1745.0	18M3G7D	-	0.0661	0.3499	18M5W7D	-	0.0566	0.2999



LTE Band 4		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum EIRP(W)			
						Top		Bottom	
1.4	1710.7 ~ 1754.3	1M10W7D		-		0.0427		0.2259	
3	1711.5 ~ 1753.5	2M73W7D		-		0.0428		0.2265	
5	1712.5 ~ 1752.5	4M52W7D		-		0.0436		0.2307	
10	1715.0 ~ 1750.0	9M03W7D		-		0.0440		0.2328	
15	1717.5 ~ 1747.5	13M5W7D		-		0.0453		0.2399	
20	1720.0 ~ 1745.0	18M4W7D		-		0.0441		0.2333	
LTE Band 5		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum ERP(W)	
				Top	Bottom			Top	Bottom
1.4	824.7 ~ 848.3	1M09G7D	-	0.0475	0.0805	1M10W7D	-	0.0404	0.0684
3	825.5 ~ 847.5	2M72G7D	-	0.0478	0.0809	2M72W7D	-	0.0410	0.0695
5	826.5 ~ 846.5	4M51G7D	-	0.0479	0.0811	4M50W7D	-	0.0410	0.0695
10	829.0 ~ 844.0	9M03G7D	0.0056	0.0481	0.0815	9M03W7D	-	0.0410	0.0695
LTE Band 5		64QAM							
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)		Frequency Tolerance (ppm)		Maximum ERP(W)			
						Top		Bottom	
1.4	824.7 ~ 848.3	1M09W7D		-		0.0318		0.0538	
3	825.5 ~ 847.5	2M73W7D		-		0.0319		0.0541	
5	826.5 ~ 846.5	4M50W7D		-		0.0322		0.0546	
10	829.0 ~ 844.0	9M07W7D		-		0.0321		0.0543	
LTE Band 7		QPSK				16QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Top	Bottom			Top	Bottom
5	2502.5 ~ 2567.5	4M50G7D	-	0.1730	0.2761	4M52W7D	-	0.1479	0.2360
10	2505.0 ~ 2565.0	9M05G7D	0.0024	0.1734	0.2767	9M03W7D	-	0.1479	0.2360
15	2507.5 ~ 2562.5	13M5G7D	-	0.1738	0.2773	13M5W7D	-	0.1479	0.2360
20	2510.0 ~ 2560.0	18M3G7D	-	0.1742	0.2780	18M5W7D	-	0.1476	0.2355



LTE Band 7		64QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Top	Bottom
5	2502.5 ~ 2567.5	4M51W7D	-	0.1175	0.1875
10	2505.0 ~ 2565.0	9M05W7D	-	0.1175	0.1875
15	2507.5 ~ 2562.5	13M4W7D	-	0.1178	0.1879
20	2510.0 ~ 2560.0	18M4W7D	-	0.1159	0.1849
LTE Band 38		QPSK			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Top	Bottom
5	2572.5 ~ 2617.5	4M52G7D	-	0.0481	0.1026
10	2575.0 ~ 2615.0	9M05G7D	0.0018	0.0486	0.1038
15	2577.5 ~ 2612.5	13M5G7D	-	0.0485	0.1035
20	2580.0 ~ 2610.0	18M5G7D	-	0.0488	0.1040
LTE Band 38		64QAM			
BW (MHz)	Frequency Range (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
				Top	Bottom
5	2572.5 ~ 2617.5	4M50W7D	-	0.0294	0.0628
10	2575.0 ~ 2615.0	9M05W7D	-	0.0301	0.0641
15	2577.5 ~ 2612.5	13M4W7D	-	0.0301	0.0643
20	2580.0 ~ 2610.0	18M4W7D	-	0.0299	0.0637



LTE Band 7 CA		QPSK			16QAM			
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
			Top	Bottom			Top	Bottom
10MHz+20MHz	28M0G7D	-	0.1914	0.3055	28M1W7D	-	0.1702	0.2716
15MHz+15MHz	28M7G7D	-	0.1932	0.3083	28M6W7D	-	0.1706	0.2723
15MHz+20MHz	32M9G7D	-	0.1936	0.3090	32M9W7D	-	0.1698	0.2710
15MHz+10MHz	23M5G7D	-	0.1945	0.3105	23M6W7D	-	0.1694	0.2704
20MHz+10MHz	28M1G7D	-	0.1936	0.3090	28M1W7D	-	0.1702	0.2716
20MHz+15MHz	33M0G7D	-	0.1945	0.3105	32M9W7D	-	0.1710	0.2729
20MHz+20MHz	37M6G7D	-	0.1954	0.3119	37M9W7D	-	0.1600	0.2553
LTE Band 7 CA		64QAM						
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)					
			Top	Bottom				
10MHz+20MHz	27M9W7D	-	0.1054	0.1683				
15MHz+15MHz	28M7W7D	-	0.1062	0.1694				
15MHz+20MHz	32M9W7D	-	0.1062	0.1694				
15MHz+10MHz	23M5W7D	-	0.1067	0.1702				
20MHz+10MHz	28M1W7D	-	0.1069	0.1706				
20MHz+15MHz	32M8W7D	-	0.1074	0.1714				
20MHz+20MHz	37M6W7D	-	0.1560	0.2489				
LTE Band 38 CA		QPSK			16QAM			
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)		Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)	
			Top	Bottom			Top	Bottom
15MHz+15MHz	28M8G7D	-	0.0455	0.0971	28M7W7D	-	0.0398	0.0849
20MHz+20MHz	38M0G7D	-	0.0485	0.1035	38M0W7D	-	0.0413	0.0881
LTE Band 38 CA		64QAM						
BW (MHz)	Emission Designator (99%OBW)	Frequency Tolerance (ppm)	Maximum EIRP(W)					
			Top	Bottom				
15MHz+15MHz	28M7W7D	-	0.0247	0.0527				
20MHz+20MHz	37M8W7D	-	0.0292	0.0622				



1.7 Testing Location

Sporton International (Kunshan) Inc. is accredited to ISO 17025 by National Voluntary Laboratory Accreditation Program (NVLAP code: 600155-0) and the FCC designation No. is CN5013.

Test Site	Sporton International (Kunshan) Inc.		
Test Site Location	No.3-2 Ping-Xiang Rd, Kunshan Development Zone Kunshan City Jiangsu Province 215335 China TEL : +86-512-57900158 FAX : +86-512-57900958		
Test Site No.	Sporton Site No.		FCC Test Firm Registration No.
	TH01-KS	03CH03-KS	630927

Note: The test site complies with ANSI C63.4 2014 requirement.

1.8 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- 47 CFR Part 2, 22(H), 24(E), 27(L), 27(M)
- ANSI C63.26-2015
- FCC KDB 971168 D01 Power Meas License Digital Systems v03r01
- FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.



2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas License Digital Systems v03r01 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	2	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	5	v	v	v	v	-	-	v	v	v	v	v	v	v	v	v
	7	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
	38	-	-	v	v	v	v	v	v	v	v	v	v	v	v	v
Peak-to-Average Ratio	2						v	v	v	v	v		v	v	v	v
	4						v	v	v	v	v		v	v	v	v
	5				v	-	-	v	v	v	v		v	v	v	v
	7	-	-				v	v	v	v	v		v	v	v	v
	38	-	-				v	v	v	v	v		v	v	v	v
26dB and 99% Bandwidth	2	v	v	v	v	v	v	v	v	v			v	v	v	v
	4	v	v	v	v	v	v	v	v	v			v	v	v	v
	5	v	v	v	v	-	-	v	v	v			v	v	v	v
	7	-	-	v	v	v	v	v	v	v			v	v	v	v
	38	-	-	v	v	v	v	v	v	v			v	v	v	v
Conducted Band Edge	2	v	v	v	v	v	v	v	v	v	v		v	v		v
	4	v	v	v	v	v	v	v	v	v	v		v	v		v
	5	v	v	v	v	-	-	v	v	v	v		v	v		v
	7	-	-	v	v	v	v	v	v	v	v		v	v		v
	38	-	-	v	v	v	v	v	v	v	v		v	v		v




Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Conducted Spurious Emission	2	v	v	v	v	v	v	v	v	v	v			v	v	v
	4	v	v	v	v	v	v	v	v	v	v			v	v	v
	5	v	v	v	v	-	-	v	v	v	v			v	v	v
	7	-	-	v	v	v	v	v	v	v	v			v	v	v
	38	-	-	v	v	v	v	v	v	v	v			v	v	v
Frequency Stability	2				v			v					v		v	
	4				v			v					v		v	
	5				v	-	-	v					v		v	
	7	-	-		v			v					v		v	
	38	-	-		v			v					v		v	
E.R.P / E.I.R.P	2	v	v	v	v	v	v	v	v	v	v			v	v	v
	4	v	v	v	v	v	v	v	v	v	v			v	v	v
	5	v	v	v	v	-	-	v	v	v	v			v	v	v
	7	-	-	v	v	v	v	v	v	v	v			v	v	v
	38	-	-	v	v	v	v	v	v	v	v			v	v	v
Radiated Spurious Emission	2	Worst Case													v	
	4	Worst Case													v	
	5	Worst Case													v	
	7	Worst Case													v	
	38	Worst Case													v	
Note	1. The mark "v " means that this configuration is chosen for testing 2. The mark "- " means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.															



Test Items	Band	Bandwidth (MHz)										Modulation			RB #			Test Channel		
		20+20	20+15	15+20	20+10	10+20	20+5	5+20	15+15	15+10	10+15	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v	v	v	v	v	v
	38_CA	v	-	-	-	-	-	-	v	-	-	v	v	v	v	v	v	v	v	v
26dB and 99% Bandwidth	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v			v	v	v	v
	38_CA	v	-	-	-	-	-	-	v	-	-	v	v	v			v	v	v	v
Conducted Band Edge	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v		v	v		v
	38_CA	v	-	-	-	-	-	-	v	-	-	v	v	v	v		v	v		v
Conducted Spurious Emission	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v			v	v	v
	38_CA	v	-	-	-	-	-	-	v	-	-	v	v	v	v			v	v	v
E.I.R.P.	7_CA	v	v	v	v	v	-	-	v	v	-	v	v	v	v			v	v	v
	38_CA	v	-	-	-	-	-	-	v	-	-	v	v	v	v			v	v	v
Radiated Spurious Emission	7_CA	Worst Case																	v	
	38_CA	Worst Case																	v	
Note	1. The mark “v ” means that this configuration is chosen for testing 2. The mark “-” means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.																			

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	DC Power Supply	GW	GPS-3030D	N/A	N/A	Unshielded, 1.8 m
2.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m
3.	Earphone	Lenovo	SH100	N/A	Unshielded, 1.2 m	N/A

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss.

Offset = RF cable loss.

Following shows an offset computation example with cable loss 5.1 dB.

Example :

$$\begin{aligned} \text{Offset(dB)} &= \text{RF cable loss(dB)}. \\ &= 5.1 \text{ (dB)} \end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3



LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 7 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20850	21100	21350
	Frequency	2510	2535	2560
15	Channel	20825	21100	21375
	Frequency	2507.5	2535	2562.5
10	Channel	20800	21100	21400
	Frequency	2505	2535	2565
5	Channel	20775	21100	21425
	Frequency	2502.5	2535	2567.5

LTE Band 38 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	37850	38000	38150
	Frequency	2580	2595	2610
15	Channel	37825	38000	38175
	Frequency	2577.5	2595	2612.5
10	Channel	37800	38000	38200
	Frequency	2575	2595	2615
5	Channel	37775	38000	38225
	Frequency	2572.5	2595	2617.5



LTE Band 7 Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	20850	21001	21152
		Frequency	2510.0	2525.1	2540.2
	SCC	Channel	21048	21199	21350
		Frequency	2529.8	2544.9	2560.0
20 + 15	PCC	Channel	20850	21026	21201
		Frequency	2510.0	2527.6	2545.1
	SCC	Channel	21021	21197	21372
		Frequency	2527.1	2544.7	2562.2
15 + 20	PCC	Channel	20828	21003	21179
		Frequency	2507.8	2525.3	2542.9
	SCC	Channel	20999	21174	21350
		Frequency	2524.9	2542.4	2560.0
20 + 10	PCC	Channel	20850	21051	21251
		Frequency	2510.0	2530.1	2550.1
	SCC	Channel	20994	21195	21395
		Frequency	2524.4	2544.5	2564.5
10 + 20	PCC	Channel	20805	21006	21206
		Frequency	2505.5	2525.6	2545.6
	SCC	Channel	20949	21150	21350
		Frequency	2519.9	2540.0	2560.0
15 + 15	PCC	Channel	20825	21025	21225
		Frequency	2507.5	2527.5	2547.5
	SCC	Channel	20975	21175	21375
		Frequency	2522.5	2542.5	2562.5
15 + 10	PCC	Channel	20825	21051	21277
		Frequency	2507.5	2530.1	2552.7
	SCC	Channel	20945	21171	21397
		Frequency	2519.5	2542.1	2564.7



LTE Band 38 Channel and Frequency List_CA					
BW [MHz]	Channel/Frequency(MHz)		Lowest	Middle	Highest
20 + 20	PCC	Channel	37850	37901	37952
		Frequency	2580.0	2585.1	2590.2
	SCC	Channel	38048	38099	38150
		Frequency	2599.8	2604.9	2610.0
15+ 15	PCC	Channel	37825	37925	38025
		Frequency	2577.5	2587.5	2597.5
	SCC	Channel	37975	38075	38175
		Frequency	2592.5	2602.5	2612.5


3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.2 Test Setup


3.2.1 Conducted Output Power



3.2.2 Peak-to-Average Ratio, Occupied Bandwidth ,Conducted Band-Edge and Conducted Spurious Emission



3.2.3 Frequency Stability



3.3 Test Result of Conducted Test

Please refer to Appendix A.



3.4 Conducted Output Power and ERP/EIRP

3.4.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5.

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2 and Band 7 and Band 38.

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4.

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2
2. The transmitter output port was connected to the system simulator.
3. Set EUT at maximum power through the system simulator.
4. Select lowest, middle, and highest channels for each band and different modulation.
5. Measure and record the power level from the system simulator.

3.5 Peak-to-Average Ratio

3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.5.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2.3.4 (CCDF).
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
5. Record the deviation as Peak to Average Ratio.

3.6 Occupied Bandwidth

3.6.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.6.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.4
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

3.7 Conducted Band Edge

3.7.1 Description of Conducted Band Edge Measurement

22.917(a)

For operations in the 824 – 849 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100kHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

24.238 (a)

For operations in the 1850-1910 and 1930-1990 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53 (h)

For operations in the 1710 – 1755 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53(m)(4)

For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log (P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log (P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log (P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that $43 + 10 \log (P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log (P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

3.7.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured.
4. Set RBW $\geq$ 1% EBW in the 1MHz band immediately outside and adjacent to the band edge.
5. Beyond the 1 MHz band from the band edge, RBW=1MHz was used.
6. Set spectrum analyzer with RMS detector.
7. Offset has included the duty factor for LTE Band 38. Duty factor $= 10 \log (1/x)$, where x is the measured duty cycle
8. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
9. Checked that all the results comply with the emission limit line.

Example:

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

$$= P(W) - [43 + 10\log(P)] \text{ (dB)}$$

$$= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)} = -13\text{dBm}.$$

10. For LTE Band 7, 38, the other 40 dB, and 55 dB have additionally applied same calculation above.

3.8 Conducted Spurious Emission

3.8.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7,38:

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.8.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Offset has included the duty factor for LTE Band 38. Duty factor = $10 \log (1/x)$, where x is the measured duty cycle.
9. Taking the record of maximum spurious emission.
10. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
11. The limit line is derived from $43 + 10 \log (P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10 \log (P)]$ (dB)
 $= [30 + 10 \log (P)]$ (dBm) - $[43 + 10 \log (P)]$ (dB)
 $= -13$ dBm.
12. For Band 7, 38
The limit line is derived from $55 + 10 \log (P)$ dB below the transmitter power P(Watts)
 $= P(W) - [55 + 10 \log (P)]$ (dB)
 $= [30 + 10 \log (P)]$ (dBm) - $[55 + 10 \log (P)]$ (dB)
 $= -25$ dBm.

3.9 Frequency Stability

3.9.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

3.9.2 Test Procedures for Temperature Variation

1. The testing follows ANSI C63.26 section 5.6.4
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.9.3 Test Procedures for Voltage Variation

1. The testing follows ANSI C63.26 section 5.6.5
2. The EUT was placed in a temperature chamber at $20\pm 5^{\circ}\text{C}$ and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value for other than hand carried battery equipment.
4. For hand carried, battery powered equipment, reduce the primary ac or dc supply voltage to the battery operating end point, which shall be specified by the manufacturer.
5. The variation in frequency was measured for the worst case.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.2 Test Setup

4.2.1 For radiated test from 30MHz to 1GHz



4.2.2 For radiated test above 1GHz



4.3 Test Result of Radiated Test

Please refer to Appendix B.



4.4 Radiated Spurious Emission

4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI C63.26. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7, 38

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.5
2. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
6. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
7. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
8. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
9. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
10. $EIRP \text{ (dBm)} = S.G. \text{ Power} - Tx \text{ Cable Loss} + Tx \text{ Antenna Gain}$
11. $ERP \text{ (dBm)} = EIRP - 2.15$
12. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)] \text{ (dB)}$
 $= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$
 $= -13\text{dBm}.$

13. For Band 7, 38:

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)



5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Aug. 08, 2017	May 07, 2018~ May 31, 2018	Aug. 07, 2018	Conducted (TH01-KS)
Radio communication analyzer	Anritsu	MT8820C	6201300652	2G/3G/LTE_ full band	Aug. 08, 2017	May 07, 2018~ May 31, 2018	Aug. 07, 2018	Conducted (TH01-KS)
Thermal Chamber	Ten Billion	TTC-B3S	TBN-960502	-40~+150°C	Oct. 12, 2017	May 07, 2018~ May 31, 2018	Oct. 11, 2018	Conducted (TH01-KS)
EXA Spectrum Analyzer	Keysight	N9010A	MY55150244	10Hz~44GHz	Apr. 17, 2018	May 01, 2018~ May 08, 2018	Apr. 16, 2019	Radiation (03CH03-KS)
Bilog Antenna	TeseQ	CBL6112D	35406	25MHz~2GHz	Sep. 12, 2017	May 01, 2018~ May 08, 2018	Sep. 11, 2018	Radiation (03CH03-KS)
Double Ridge Horn Antenna	ETS-Lindgren	3117	75959	1GHz~18GHz	Jan. 21, 2018	May 01, 2018~ May 08, 2018	Jan. 20, 2019	Radiation (03CH03-KS)
SHF-EHF Horn	Schwarzbeck	BBHA 9170	BBHA170249	15GHz~40GHz	Feb. 07, 2018	May 01, 2018~ May 08, 2018	Feb. 06, 2019	Radiation (03CH03-KS)
Amplifier	com-power	PA-103A	161069	1MHz ~1000MHz / 32 dB	Apr. 17, 2018	May 01, 2018~ May 08, 2018	Apr. 16, 2019	Radiation (03CH03-KS)
high gain Amplifier	MITEQ	AMF-7D-00 101800-30-1 0P	2025788	1Ghz~18Ghz	Apr. 17, 2018	May 01, 2018~ May 08, 2018	Apr. 16, 2019	Radiation (03CH03-KS)
Amplifier	MITEQ	TTA1840-35 -HG	1887435	18~40GHz	Oct. 12, 2017	May 01, 2018~ May 08, 2018	Oct. 11, 2018	Radiation (03CH03-KS)
Amplifier	Agilent	8449B	3008A02370	1GHz~26.5GHz	Oct. 12, 2017	May 01, 2018~ May 08, 2018	Oct. 11, 2018	Radiation (03CH03-KS)
AC Power Source	Chroma	61601	F104090004	N/A	NCR	May 01, 2018~ May 08, 2018	NCR	Radiation (03CH03-KS)
Turn Table	ChamPro	EM 1000-T	060762-T	0~360 degree	NCR	May 01, 2018~ May 08, 2018	NCR	Radiation (03CH03-KS)
Antenna Mast	ChamPro	EM 1000-A	060762-A	1 m~4 m	NCR	May 01, 2018~ May 08, 2018	NCR	Radiation (03CH03-KS)

NCR: No Calibration Required



6 Uncertainty of Evaluation

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.3dB
---	-------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.8dB
---	-------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.0dB
---	-------



Appendix A. Test Results of Conducted Test

Conducted Output Power(Average power)

LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	23.20	23.17	22.90
20	1	49		22.86	22.81	22.73
20	1	99		22.97	22.88	22.66
20	50	0		22.01	21.99	21.85
20	50	24		21.93	21.91	21.82
20	50	50		21.89	21.83	21.76
20	100	0		21.96	21.92	21.78
20	1	0	16-QAM	22.51	22.50	22.24
20	1	49		22.26	22.15	22.06
20	1	99		22.25	22.22	21.92
20	50	0		21.14	21.07	20.98
20	50	24		21.05	21.02	20.88
20	50	50		21.00	20.92	20.83
20	100	0		21.05	20.97	20.90
20	1	0	64QAM	21.47	21.39	21.19
20	1	49		21.16	21.04	21.00
20	1	99		21.21	21.20	20.90
20	50	0		20.14	20.08	19.97
20	50	24		20.09	19.99	19.92
20	50	50		20.00	19.94	19.88
20	100	0		20.07	19.97	19.93
15	1	0	QPSK	23.05	23.01	22.88
15	1	37		22.89	22.81	22.71
15	1	74		22.88	22.78	22.66
15	36	0		21.98	21.97	21.85
15	36	20		21.95	21.90	21.76
15	36	39		21.89	21.83	21.72
15	75	0		21.94	21.91	21.80
15	1	0	16-QAM	22.36	22.32	22.27



15	1	37		22.24	22.15	22.02
15	1	74		22.19	22.11	21.97
15	36	0		21.10	21.02	20.94
15	36	20		21.04	21.02	20.89
15	36	39		21.03	20.96	20.85
15	75	0		21.02	20.97	20.86
15	1	0	64QAM	21.29	21.27	21.26
15	1	37		21.19	21.10	20.96
15	1	74		21.16	21.09	20.93
15	36	0		20.15	20.07	19.99
15	36	20		20.09	20.01	19.95
15	36	39		20.07	19.96	19.84
15	75	0		20.05	20.00	19.89



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	23.15	23.14	22.79
10	1	25		22.85	22.83	22.71
10	1	49		23.05	23.01	22.66
10	25	0		21.97	21.95	21.77
10	25	12		21.94	21.92	21.77
10	25	25		21.91	21.86	21.76
10	50	0		21.96	21.88	21.75
10	1	0	16-QAM	22.47	22.43	22.14
10	1	25		22.22	22.17	21.99
10	1	49		22.38	22.31	21.92
10	25	0		21.06	21.00	20.87
10	25	12		21.03	20.96	20.85
10	25	25		21.00	20.95	20.81
10	50	0		21.02	20.99	20.89
10	1	0	64QAM	21.47	21.38	21.06
10	1	25		21.15	21.11	20.95
10	1	49		21.28	21.21	20.90
10	25	0		20.08	20.03	19.91
10	25	12		20.07	20.00	19.90
10	25	25		20.02	19.95	19.85
10	50	0		20.04	20.02	19.86
5	1	0	QPSK	22.93	22.88	22.77
5	1	12		22.85	22.83	22.70
5	1	24		22.89	22.82	22.69
5	12	0		21.92	21.87	21.77
5	12	7		21.93	21.86	21.74
5	12	13		21.90	21.85	21.70
5	25	0		21.88	21.85	21.72
5	1	0	16-QAM	22.27	22.20	22.01
5	1	12		22.22	22.18	22.01
5	1	24		22.20	22.14	21.97
5	12	0		21.03	20.98	20.81
5	12	7		21.02	20.95	20.83



5	12	13		20.99	20.93	20.77
5	25	0		21.01	20.93	20.82
5	1	0	64QAM	21.23	21.19	21.03
5	1	12		21.15	21.11	20.94
5	1	24		21.16	21.06	20.93
5	12	0		20.11	20.05	19.91
5	12	7		20.09	20.04	19.87
5	12	13		20.05	19.98	19.85
5	25	0		20.01	19.96	19.83



LTE Band 2 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.87	22.80	22.67
3	1	8		22.81	22.81	22.65
3	1	14		22.80	22.77	22.62
3	8	0		21.88	21.85	21.70
3	8	4		21.92	21.87	21.71
3	8	7		21.93	21.82	21.66
3	15	0	16-QAM	21.85	21.81	21.70
3	1	0		22.17	22.10	21.99
3	1	8		22.12	22.09	21.94
3	1	14		22.18	22.11	21.87
3	8	0		21.01	20.94	20.77
3	8	4		21.02	20.96	20.81
3	8	7	64QAM	20.99	20.92	20.81
3	15	0		20.99	20.90	20.79
3	1	0		21.13	21.06	20.93
3	1	8		21.06	21.02	20.92
3	1	14		21.10	21.04	20.88
3	8	0		20.05	19.98	19.81
3	8	4	QPSK	20.03	20.00	19.85
3	8	7		20.01	19.94	19.78
3	15	0		19.98	19.94	19.78
1.4	1	0		22.77	22.71	22.56
1.4	1	3		22.82	22.80	22.66
1.4	1	5		22.74	22.68	22.57
1.4	3	0	16-QAM	22.83	22.78	22.62
1.4	3	1		22.86	22.81	22.66
1.4	3	3		22.84	22.77	22.61
1.4	6	0		21.82	21.76	21.62
1.4	1	0		22.08	22.04	21.85
1.4	1	3		22.13	22.11	21.91
1.4	1	5	16-QAM	22.06	22.02	21.80
1.4	3	0		21.89	21.80	21.69
1.4	3	1		21.93	21.87	21.70



1.4	3	3		21.86	21.81	21.66
1.4	6	0		20.99	20.94	20.75
1.4	1	0	64QAM	21.09	21.03	20.84
1.4	1	3		21.11	21.04	20.92
1.4	1	5		21.01	21.00	20.78
1.4	3	0		21.03	20.98	20.83
1.4	3	1		21.09	21.03	20.88
1.4	3	3		21.03	20.98	20.86
1.4	6	0		19.90	19.85	19.70



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	22.75	22.90	22.89
20	1	49		22.69	22.76	22.73
20	1	99		22.69	22.66	22.73
20	50	0		21.86	21.90	21.91
20	50	24		21.79	21.87	21.93
20	50	50		21.79	21.72	21.81
20	100	0		21.81	21.83	21.92
20	1	0	16-QAM	22.01	22.23	22.11
20	1	49		22.07	22.01	21.91
20	1	99		22.04	21.84	22.03
20	50	0		20.97	21.01	20.93
20	50	24		20.91	20.90	20.95
20	50	50		20.89	20.84	20.85
20	100	0		20.90	20.90	20.94
20	1	0	64QAM	21.00	21.14	21.06
20	1	49		21.03	20.98	20.84
20	1	99		20.98	20.87	20.94
20	50	0		19.99	20.04	19.95
20	50	24		19.91	19.92	19.98
20	50	50		19.90	19.83	19.90
20	100	0		19.92	19.91	19.97
15	1	0	QPSK	22.78	22.87	22.83
15	1	37		22.74	22.76	22.74
15	1	74		22.71	22.74	22.78
15	36	0		21.88	21.94	21.90
15	36	20		21.84	21.84	21.86
15	36	39		21.72	21.75	21.77
15	75	0		21.80	21.84	21.87
15	1	0	16-QAM	21.98	22.37	22.09
15	1	37		22.04	22.00	21.92
15	1	74		22.05	21.96	22.06
15	36	0		20.93	20.95	20.95
15	36	20		20.93	20.92	20.90



15	36	39		20.83	20.84	20.84
15	75	0		20.90	20.89	20.90
15	1	0	64QAM	20.98	21.26	21.10
15	1	37		21.01	20.97	20.94
15	1	74		20.93	20.90	21.03
15	36	0		20.02	20.03	20.03
15	36	20		19.98	19.92	19.97
15	36	39		19.92	19.84	19.92
15	75	0		19.92	19.92	19.92



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.62	22.86	22.84
10	1	25		22.52	22.75	22.82
10	1	49		22.57	22.68	22.73
10	25	0		21.64	21.86	21.90
10	25	12		21.70	21.82	21.85
10	25	25		21.69	21.79	21.88
10	50	0		21.71	21.84	21.85
10	1	0	16-QAM	21.85	22.22	22.01
10	1	25		21.85	22.02	22.04
10	1	49		21.95	21.87	22.02
10	25	0		20.75	20.94	20.93
10	25	12		20.81	20.93	20.89
10	25	25		20.78	20.83	20.90
10	50	0		20.82	20.88	20.90
10	1	0	64QAM	20.81	21.13	20.94
10	1	25		20.78	21.01	21.00
10	1	49		20.88	20.86	21.02
10	25	0		19.73	19.98	19.93
10	25	12		19.83	19.92	19.95
10	25	25		19.80	19.88	19.94
10	50	0		19.85	19.92	19.94
5	1	0	QPSK	22.57	22.81	22.87
5	1	12		22.52	22.73	22.77
5	1	24		22.51	22.75	22.77
5	12	0		21.60	21.82	21.89
5	12	7		21.59	21.85	21.87
5	12	13		21.58	21.78	21.84
5	25	0		21.58	21.78	21.89
5	1	0	16-QAM	21.80	22.11	22.06
5	1	12		21.81	22.06	22.06
5	1	24		21.83	22.00	22.06
5	12	0		20.68	20.93	20.96
5	12	7		20.70	20.87	20.97



5	12	13		20.68	20.83	20.95
5	25	0		20.64	20.89	20.94
5	1	0	64QAM	20.77	21.09	21.06
5	1	12		20.74	20.98	21.03
5	1	24		20.79	20.92	21.06
5	12	0		19.75	19.99	20.03
5	12	7		19.76	19.94	20.04
5	12	13		19.71	19.89	20.01
5	25	0		19.67	19.86	19.98



LTE Band 4 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.53	22.74	22.80
3	1	8		22.48	22.70	22.75
3	1	14		22.47	22.67	22.71
3	8	0		21.54	21.77	21.82
3	8	4		21.55	21.80	21.85
3	8	7		21.54	21.76	21.56
3	15	0	16-QAM	21.56	21.78	21.83
3	1	0		21.75	22.05	22.00
3	1	8		21.72	22.03	22.00
3	1	14		21.70	21.94	21.97
3	8	0		20.65	20.90	20.93
3	8	4		20.66	20.88	20.94
3	8	7	64QAM	20.63	20.85	20.90
3	15	0		20.63	20.88	20.70
3	1	0		20.75	20.98	21.01
3	1	8		20.74	20.94	20.99
3	1	14		20.74	20.91	21.00
3	8	0		19.66	19.91	19.94
3	8	4	QPSK	19.70	19.92	19.97
3	8	7		19.67	19.87	19.93
3	15	0		19.65	19.88	19.94
1.4	1	0		22.45	22.65	22.68
1.4	1	3		22.51	22.73	22.74
1.4	1	5		22.40	22.68	22.68
1.4	3	0	16-QAM	22.49	22.72	22.75
1.4	3	1		22.56	22.76	22.79
1.4	3	3		22.49	22.71	22.70
1.4	6	0		21.50	21.70	21.76
1.4	1	0		21.66	21.94	21.94
1.4	1	3		21.75	22.01	22.00
1.4	1	5	16-QAM	21.63	21.89	21.93
1.4	3	0		21.51	21.76	21.80
1.4	3	1		21.53	21.80	21.83



1.4	3	3		21.50	21.72	21.77
1.4	6	0		20.64	20.86	20.92
1.4	1	0	64QAM	20.60	20.94	20.97
1.4	1	3		20.68	20.93	20.98
1.4	1	5		20.63	20.91	20.89
1.4	3	0		20.64	20.92	20.91
1.4	3	1		20.69	20.98	21.00
1.4	3	3		20.66	20.87	20.92
1.4	6	0		19.58	19.78	19.87



LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	22.33	22.33	22.34
10	1	25		22.37	22.42	22.41
10	1	49		22.38	22.31	22.29
10	25	0		21.44	21.45	21.37
10	25	12		21.44	21.53	21.51
10	25	25		21.47	21.38	21.44
10	50	0		21.42	21.45	21.34
10	1	0	16-QAM	21.69	21.65	21.69
10	1	25		21.67	21.65	21.73
10	1	49		21.70	21.62	21.63
10	25	0		20.52	20.56	20.50
10	25	12		20.49	20.54	20.55
10	25	25		20.52	20.49	20.51
10	50	0		20.51	20.50	20.46
10	1	0	64QAM	20.59	20.65	20.58
10	1	25		20.66	20.64	20.66
10	1	49		20.64	20.54	20.53
10	25	0		19.53	19.54	19.47
10	25	12		19.53	19.56	19.60
10	25	25		19.57	19.46	19.53
10	50	0		19.52	19.56	19.47
5	1	0	QPSK	22.30	22.37	22.38
5	1	12		22.31	22.38	22.40
5	1	24		22.35	22.38	22.33
5	12	0		21.35	21.44	21.45
5	12	7		21.46	21.45	21.45
5	12	13		21.40	21.38	21.39
5	25	0		21.42	21.43	21.39
5	1	0	16-QAM	21.66	21.73	21.73
5	1	12		21.62	21.70	21.67
5	1	24		21.70	21.65	21.63
5	12	0		20.43	20.49	20.51
5	12	7		20.55	20.50	20.51



5	12	13		20.53	20.50	20.45
5	25	0		20.51	20.48	20.51
5	1	0	64QAM	20.62	20.66	20.68
5	1	12		20.55	20.60	20.62
5	1	24		20.61	20.55	20.61
5	12	0		19.50	19.58	19.59
5	12	7		19.62	19.58	19.59
5	12	13		19.58	19.52	19.56
5	25	0		19.52	19.52	19.53



LTE Band 5 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
3	1	0	QPSK	22.30	22.37	22.39
3	1	8		22.31	22.38	22.36
3	1	14		22.27	22.35	22.32
3	8	0		21.34	21.40	21.41
3	8	4		21.34	21.41	21.43
3	8	7		21.33	21.39	21.40
3	15	0	16-QAM	21.30	21.42	21.39
3	1	0		21.63	21.66	21.67
3	1	8		21.60	21.73	21.62
3	1	14		21.58	21.65	21.58
3	8	0		20.49	20.52	20.51
3	8	4		20.47	20.54	20.52
3	8	7	64QAM	20.43	20.53	20.49
3	15	0		20.42	20.49	20.50
3	1	0		20.58	20.64	20.63
3	1	8		20.56	20.60	20.60
3	1	14		20.57	20.59	20.56
3	8	0		19.49	19.52	19.55
3	8	4	QPSK	19.50	19.55	19.55
3	8	7		19.44	19.50	19.51
3	15	0		19.44	19.52	19.50
1.4	1	0		22.21	22.31	22.29
1.4	1	3		22.28	22.34	22.37
1.4	1	5		22.21	22.29	22.27
1.4	3	0	16-QAM	22.26	22.34	22.31
1.4	3	1		22.28	22.37	22.32
1.4	3	3		22.26	22.34	22.31
1.4	6	0		21.23	21.32	21.32
1.4	1	0		21.54	21.57	21.59
1.4	1	3		21.61	21.64	21.66
1.4	1	5	16-QAM	21.55	21.59	21.57
1.4	3	0		21.35	21.40	21.40
1.4	3	1		21.39	21.44	21.41



1.4	3	3		21.33	21.39	21.37
1.4	6	0		20.42	20.47	20.43
1.4	1	0	64QAM	20.51	20.53	20.49
1.4	1	3		20.53	20.62	20.55
1.4	1	5		20.42	20.55	20.49
1.4	3	0		20.48	20.53	20.51
1.4	3	1		20.52	20.58	20.56
1.4	3	3		20.48	20.53	20.49
1.4	6	0		19.36	19.40	19.42



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	21.93	21.61	21.45
20	1	49		21.99	21.66	21.63
20	1	99		21.80	21.64	21.58
20	50	0		21.05	20.73	20.59
20	50	24		21.09	20.78	20.65
20	50	50		20.95	20.73	20.65
20	100	0		20.93	20.72	20.61
20	1	0	16-QAM	21.17	20.94	20.67
20	1	49		21.27	20.97	20.97
20	1	99		21.11	20.85	20.89
20	50	0		20.12	19.83	19.65
20	50	24		20.16	19.85	19.75
20	50	50		20.01	19.81	19.76
20	100	0		20.00	19.82	19.66
20	1	0	64QAM	20.10	19.93	19.63
20	1	49		20.22	19.98	19.89
20	1	99		20.12	19.82	19.85
20	50	0		19.17	18.86	18.70
20	50	24		19.21	18.89	18.77
20	50	50		19.05	18.86	18.75
20	100	0		19.04	18.84	18.72
15	1	0	QPSK	21.98	21.66	21.49
15	1	37		21.98	21.72	21.62
15	1	74		21.97	21.65	21.59
15	36	0		21.07	20.72	20.58
15	36	20		21.12	20.78	20.68
15	36	39		21.05	20.74	20.64
15	75	0		21.03	20.73	20.61
15	1	0	16-QAM	21.24	20.95	20.79
15	1	37		21.28	20.98	20.93
15	1	74		21.24	20.91	20.87
15	36	0		20.11	19.82	19.70
15	36	20		20.18	19.84	19.73



15	36	39		20.14	19.84	19.73
15	75	0		20.11	19.80	19.69
15	1	0	64QAM	20.24	19.90	19.77
15	1	37		20.29	19.95	19.93
15	1	74		20.24	19.87	19.81
15	36	0		19.18	18.86	18.73
15	36	20		19.25	18.90	18.79
15	36	39		19.21	18.87	18.79
15	75	0		19.14	18.82	18.72



LTE Band 7 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	21.96	21.65	21.49
10	1	25		21.97	21.70	21.54
10	1	49		21.95	21.62	21.55
10	25	0		21.11	20.71	20.55
10	25	12		21.12	20.77	20.63
10	25	25		21.10	20.73	20.61
10	50	0		21.13	20.73	20.59
10	1	0	16-QAM	21.20	20.94	20.81
10	1	25		21.28	20.94	20.88
10	1	49		21.22	20.88	20.76
10	25	0		20.16	19.82	19.67
10	25	12		20.17	19.85	19.69
10	25	25		20.16	19.79	19.71
10	50	0		20.15	19.83	19.69
10	1	0	64QAM	20.20	19.92	19.83
10	1	25		20.28	19.94	19.93
10	1	49		20.19	19.85	19.83
10	25	0		19.15	18.83	18.69
10	25	12		19.22	18.85	18.73
10	25	25		19.15	18.81	18.71
10	50	0		19.18	18.84	18.71
5	1	0	QPSK	21.94	21.67	21.50
5	1	12		21.96	21.69	21.53
5	1	24		21.96	21.65	21.52
5	12	0		21.11	20.73	20.57
5	12	7		21.15	20.77	20.63
5	12	13		21.08	20.75	20.59
5	25	0		21.13	20.72	20.62
5	1	0	16-QAM	21.26	20.93	20.81
5	1	12		21.28	20.97	20.79
5	1	24		21.25	20.90	20.75
5	12	0		20.15	19.82	19.67
5	12	7		20.19	19.86	19.73



5	12	13		20.16	19.81	19.73
5	25	0		20.16	19.82	19.71
5	1	0	64QAM	20.23	19.91	19.77
5	1	12		20.28	19.90	19.80
5	1	24		20.25	19.89	19.78
5	12	0		19.23	18.88	18.73
5	12	7		19.27	18.91	18.79
5	12	13		19.23	18.91	18.77
5	25	0		19.18	18.85	18.72



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
20	1	0	QPSK	21.59	21.46	21.67
20	1	49		21.78	21.64	21.83
20	1	99		21.65	21.78	21.93
20	50	0		20.74	20.60	20.78
20	50	24		20.69	20.70	20.83
20	50	50		20.70	20.70	20.85
20	100	0		20.64	20.66	20.82
20	1	0	16-QAM	20.84	20.68	20.86
20	1	49		20.91	20.83	21.00
20	1	99		20.82	20.92	20.98
20	50	0		19.82	19.72	19.90
20	50	24		19.82	19.81	19.97
20	50	50		19.81	19.78	20.00
20	100	0		19.78	19.75	19.91
20	1	0	64QAM	19.57	19.42	19.63
20	1	49		19.61	19.62	19.79
20	1	99		19.53	19.65	19.80
20	50	0		18.83	18.74	18.92
20	50	24		18.83	18.79	19.00
20	50	50		18.81	18.82	18.99
20	100	0		18.77	18.80	18.94
15	1	0	QPSK	21.60	21.49	21.75
15	1	37		21.81	21.64	21.83
15	1	74		21.65	21.73	21.91
15	36	0		20.70	20.61	20.82
15	36	20		20.77	20.68	20.86
15	36	39		20.66	20.68	20.84
15	75	0		20.64	20.60	20.84
15	1	0	16-QAM	20.88	20.70	20.97
15	1	37		20.96	20.83	21.00
15	1	74		20.74	20.97	20.96
15	36	0		19.80	19.68	19.89
15	36	20		19.90	19.75	19.95



15	36	39		19.77	19.75	19.92
15	75	0		19.79	19.75	19.93
15	1	0	64QAM	19.54	19.42	19.66
15	1	37		19.64	19.54	19.79
15	1	74		19.58	19.70	19.84
15	36	0		18.85	18.74	18.91
15	36	20		18.92	18.84	19.00
15	36	39		18.85	18.80	18.99
15	75	0		18.79	18.76	18.96



LTE Band 38 Maximum Average Power [dBm]						
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0	QPSK	21.66	21.50	21.71
10	1	25		21.73	21.60	21.92
10	1	49		21.74	21.60	21.91
10	25	0		20.69	20.60	20.81
10	25	12		20.73	20.66	20.85
10	25	25		20.76	20.63	20.92
10	50	0		20.75	20.64	20.81
10	1	0	16-QAM	20.89	20.66	20.91
10	1	25		20.91	20.77	21.00
10	1	49		20.88	20.78	20.98
10	25	0		19.86	19.74	19.93
10	25	12		19.91	19.83	19.99
10	25	25		19.89	19.76	19.96
10	50	0		19.85	19.75	19.93
10	1	0	64QAM	19.54	19.41	19.69
10	1	25		19.63	19.50	19.83
10	1	49		19.62	19.49	19.75
10	25	0		18.90	18.79	18.98
10	25	12		18.93	18.84	19.00
10	25	25		18.91	18.84	18.98
10	50	0		18.86	18.76	18.97
5	1	0	QPSK	21.70	21.51	21.85
5	1	12		21.73	21.56	21.87
5	1	24		21.70	21.51	21.84
5	12	0		20.71	20.62	20.90
5	12	7		20.78	20.65	20.95
5	12	13		20.77	20.65	20.91
5	25	0		20.75	20.61	20.90
5	1	0	16-QAM	20.82	20.71	20.98
5	1	12		20.86	20.74	20.98
5	1	24		20.93	20.73	20.99
5	12	0		19.76	19.69	19.94
5	12	7		19.84	19.73	19.98



5	12	13		19.84	19.75	19.95
5	25	0		19.90	19.79	19.97
5	1	0	64QAM	19.59	19.46	19.71
5	1	12		19.65	19.51	19.73
5	1	24		19.68	19.54	19.74
5	12	0		18.88	18.77	18.99
5	12	7		18.94	18.83	18.98
5	12	13		18.89	18.81	18.97
5	25	0		18.89	18.79	18.96

**CA Power**

CA_7C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21048	QPSK	0	0	1	99	1	22.14
			1	0	0	0	1	22.04
			100	0	0	0	100	21.37
			100	0	100	0	200	20.48
			1	0	1	99	2	13.77
			1	0	1	0	2	17.83
			1	99	1	0	2	22.49
			100	0	1	99	101	18.77
		16QAM	0	0	1	99	1	21.42
			1	0	0	0	1	21.60
			100	0	0	0	100	20.35
			100	0	100	0	200	19.46
			1	0	1	99	2	14.27
			1	0	1	0	2	18.14
			1	99	1	0	2	21.62
			100	0	1	99	101	18.93
		64QAM	0	0	1	99	1	20.75
			1	0	0	0	1	21.51
			100	0	0	0	100	20.42
			100	0	100	0	200	19.49
			1	0	1	99	2	13.71
			1	0	1	0	2	18.15
			1	99	1	0	2	19.53
			100	0	1	99	101	18.91



21001	21199	QPSK	0	0	1	99	1	22.04
			1	0	0	0	1	21.98
			100	0	0	0	100	21.29
			100	0	100	0	200	20.42
			1	0	1	99	2	13.77
			1	0	1	0	2	17.80
			1	99	1	0	2	22.40
			100	0	1	99	101	18.73
		16QAM	0	0	1	99	1	21.42
			1	23	0	0	1	21.51
			100	0	0	0	100	20.26
			100	0	100	0	200	19.41
			1	0	1	99	2	14.22
			1	0	1	0	2	18.10
			1	99	1	0	2	21.60
			100	0	1	99	101	18.84
		64QAM	0	0	1	99	1	20.69
			1	0	0	0	1	21.50
			100	0	0	0	100	20.41
			100	0	100	0	200	19.46
			1	0	1	99	2	13.62
			1	0	1	0	2	18.10
			1	99	1	0	2	19.43
			100	0	1	99	101	18.85



21152	21350	QPSK	0	0	1	99	1	22.08
			1	0	0	0	1	22.04
			100	0	0	0	100	21.3
			100	0	100	0	200	20.4
			1	0	1	99	2	13.68
			1	0	1	0	2	17.74
			1	99	1	0	2	22.39
			100	0	1	99	101	18.77
		16QAM	0	0	1	99	1	21.32
			1	0	0	0	1	21.57
			100	0	0	0	100	20.33
			100	0	100	0	200	19.39
			1	0	1	99	2	14.26
			1	0	1	0	2	18.14
			1	99	1	0	2	21.61
			100	0	1	99	101	18.85
		64QAM	0	0	1	99	1	20.66
			1	0	0	0	1	21.48
			100	0	0	0	100	20.34
			100	0	100	0	200	19.47
			1	0	1	99	2	13.71
			1	0	1	0	2	18.06
			1	99	1	0	2	19.51
			100	0	1	99	101	18.88



CA_7C								
Combination 20MHz+15MHz (100RB+75RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20850	21021	QPSK	100	0	75	0	175	20.42
		QPSK	1	0	1	74	2	13.84
		QPSK	1	99	1	0	2	22.47
		16QAM	100	0	75	0	175	19.43
		16QAM	1	0	1	74	2	14.23
		16QAM	1	99	1	0	2	21.91
		64QAM	100	0	75	0	175	19.45
		64QAM	1	0	1	74	2	14.26
		64QAM	1	99	1	0	2	19.89
21026	21197	QPSK	100	0	75	0	175	20.37
		QPSK	1	0	1	74	2	13.74
		QPSK	1	99	1	0	2	22.38
		16QAM	100	0	75	0	175	19.42
		16QAM	1	0	1	74	2	14.13
		16QAM	1	99	1	0	2	21.89
		64QAM	100	0	75	0	175	19.42
		64QAM	1	0	1	74	2	14.19
		64QAM	1	99	1	0	2	19.85
21201	21372	QPSK	100	0	75	0	175	20.35
		QPSK	1	0	1	74	2	13.83
		QPSK	1	99	1	0	2	22.42
		16QAM	100	0	75	0	175	19.35
		16QAM	1	0	1	74	2	14.23
		16QAM	1	99	1	0	2	21.89
		64QAM	100	0	75	0	175	19.35
		64QAM	1	0	1	74	2	14.19
		64QAM	1	99	1	0	2	19.84



Combination 15MHz+20MHz (75RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
20828	20999	QPSK	75	0	100	0	175	20.39
		QPSK	1	0	1	99	2	13.84
		QPSK	1	74	1	0	2	22.45
		16QAM	75	0	100	0	175	19.41
		16QAM	1	0	1	99	2	14.17
		16QAM	1	74	1	0	2	21.88
		64QAM	75	0	100	0	175	19.39
		64QAM	1	0	1	99	2	14.16
		64QAM	1	74	1	0	2	19.83
21003	21174	QPSK	75	0	100	0	175	20.34
		QPSK	1	0	1	99	2	13.64
		QPSK	1	74	1	0	2	22.33
		16QAM	75	0	100	0	175	19.35
		16QAM	1	0	1	99	2	14.04
		16QAM	1	74	1	0	2	21.79
		64QAM	75	0	100	0	175	19.39
		64QAM	1	0	1	99	2	14.10
		64QAM	1	74	1	0	2	19.84
21179	21350	QPSK	75	0	100	0	175	20.31
		QPSK	1	0	1	99	2	13.74
		QPSK	1	74	1	0	2	22.37
		16QAM	75	0	100	0	175	19.35
		16QAM	1	0	1	99	2	14.19
		16QAM	1	74	1	0	2	21.80
		64QAM	75	0	100	0	175	19.28
		64QAM	1	0	1	99	2	14.13
		64QAM	1	74	1	0	2	19.76



Combination 20MHz+10MHz (100RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20850	20994	QPSK	100	0	50	0	150	20.38
		QPSK	1	0	1	49	2	13.80
		QPSK	1	99	1	0	2	22.45
		16QAM	100	0	50	0	150	19.42
		16QAM	1	0	1	49	2	14.18
		16QAM	1	99	1	0	2	21.82
		64QAM	100	0	50	0	150	19.45
		64QAM	1	0	1	49	2	14.22
		64QAM	1	99	1	0	2	19.87
21051	21195	QPSK	100	0	50	0	150	20.30
		QPSK	1	0	1	49	2	13.65
		QPSK	1	99	1	0	2	22.36
		16QAM	100	0	50	0	150	19.35
		16QAM	1	0	1	49	2	14.10
		16QAM	1	99	1	0	2	21.86
		64QAM	100	0	50	0	150	19.34
		64QAM	1	0	1	49	2	14.11
		64QAM	1	99	1	0	2	19.81
21251	21395	QPSK	100	0	50	0	150	20.27
		QPSK	1	0	1	49	2	13.81
		QPSK	1	99	1	0	2	22.39
		16QAM	100	0	50	0	150	19.32
		16QAM	1	0	1	49	2	14.13
		16QAM	1	99	1	0	2	21.89
		64QAM	100	0	50	0	150	19.35
		64QAM	1	0	1	49	2	14.18
		64QAM	1	99	1	0	2	19.82



Combination 10MHz+20MHz (50RB+100RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20805	20949	QPSK	50	0	100	0	150	20.35
		QPSK	1	0	1	99	2	13.83
		QPSK	1	49	1	0	2	22.37
		16QAM	50	0	100	0	150	19.39
		16QAM	1	0	1	99	2	14.23
		16QAM	1	49	1	0	2	21.86
		64QAM	50	0	100	0	150	19.37
		64QAM	1	0	1	99	2	14.24
		64QAM	1	49	1	0	2	19.80
21006	21150	QPSK	50	0	100	0	150	20.32
		QPSK	1	0	1	99	2	13.70
		QPSK	1	49	1	0	2	22.36
		16QAM	50	0	100	0	150	19.42
		16QAM	1	0	1	99	2	14.07
		16QAM	1	49	1	0	2	21.85
		64QAM	50	0	100	0	150	19.42
		64QAM	1	0	1	99	2	14.16
		64QAM	1	49	1	0	2	19.77
21206	21350	QPSK	50	0	100	0	150	20.33
		QPSK	1	0	1	99	2	13.82
		QPSK	1	49	1	0	2	22.40
		16QAM	50	0	100	0	150	19.28
		16QAM	1	0	1	99	2	14.17
		16QAM	1	49	1	0	2	21.89
		64QAM	50	0	100	0	150	19.26
		64QAM	1	0	1	99	2	14.13
		64QAM	1	49	1	0	2	19.81



Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20975	QPSK	75	0	75	0	150	20.37
		QPSK	1	0	1	74	2	13.76
		QPSK	1	74	1	0	2	22.44
		16QAM	75	0	75	0	150	19.35
		16QAM	1	0	1	74	2	14.16
		16QAM	1	74	1	0	2	21.90
		64QAM	75	0	75	0	150	19.42
		64QAM	1	0	1	74	2	14.21
		64QAM	1	74	1	0	2	19.80
21025	21175	QPSK	75	0	75	0	150	20.34
		QPSK	1	0	1	74	2	13.70
		QPSK	1	74	1	0	2	22.28
		16QAM	75	0	75	0	150	19.37
		16QAM	1	0	1	74	2	14.06
		16QAM	1	74	1	0	2	21.81
		64QAM	75	0	75	0	150	19.37
		64QAM	1	0	1	74	2	14.13
		64QAM	1	74	1	0	2	19.76
21225	21375	QPSK	75	0	75	0	150	20.32
		QPSK	1	0	1	74	2	13.76
		QPSK	1	74	1	0	2	22.34
		16QAM	75	0	75	0	150	19.34
		16QAM	1	0	1	74	2	14.19
		16QAM	1	74	1	0	2	21.79
		64QAM	75	0	75	0	150	19.27
		64QAM	1	0	1	74	2	14.11
		64QAM	1	74	1	0	2	19.84



Combination 15MHz+10MHz (75RB+50RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
20825	20945	QPSK	75	0	50	0	125	20.33
		QPSK	1	0	1	49	2	13.80
		QPSK	1	74	1	0	2	22.47
		16QAM	75	0	50	0	125	19.33
		16QAM	1	0	1	49	2	14.16
		16QAM	1	74	1	0	2	21.87
		64QAM	75	0	50	0	125	19.39
		64QAM	1	0	1	49	2	14.16
		64QAM	1	74	1	0	2	19.86
21051	21171	QPSK	75	0	50	0	125	20.35
		QPSK	1	0	1	49	2	13.68
		QPSK	1	74	1	0	2	22.32
		16QAM	75	0	50	0	125	19.41
		16QAM	1	0	1	49	2	14.03
		16QAM	1	74	1	0	2	21.82
		64QAM	75	0	50	0	125	19.42
		64QAM	1	0	1	49	2	14.10
		64QAM	1	74	1	0	2	19.76
21277	21397	QPSK	75	0	50	0	125	20.29
		QPSK	1	0	1	49	2	13.76
		QPSK	1	74	1	0	2	22.39
		16QAM	75	0	50	0	125	19.26
		16QAM	1	0	1	49	2	14.16
		16QAM	1	74	1	0	2	21.87
		64QAM	75	0	50	0	125	19.26
		64QAM	1	0	1	49	2	14.12
		64QAM	1	74	1	0	2	19.74



CA_38C								
Combination 20MHz+20MHz (100RB+100RB)								
PCC Channel	SCC Channel	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
			RB Size	RB offset	RB Size	RB offset		
37850	38048	QPSK	0	0	1	99	1	21.81
			1	0	0	0	1	21.91
			100	0	0	0	100	20.82
			100	0	100	0	200	19.73
			1	0	1	99	2	13.39
			1	0	1	0	2	17.40
			1	99	1	0	2	21.80
			100	0	1	99	101	18.23
		16QAM	0	0	1	99	1	20.97
			1	0	0	0	1	21.21
			100	0	0	0	100	19.84
			100	0	100	0	200	18.73
			1	0	1	99	2	13.44
			1	0	1	0	2	17.47
			1	99	1	0	2	20.69
			100	0	1	99	101	18.26
		64QAM	0	0	1	99	1	19.58
			1	0	0	0	1	19.70
			100	0	0	0	100	18.98
			100	0	100	0	200	18.93
			1	0	1	99	2	13.06
			1	0	1	0	2	17.04
			1	99	1	0	2	18.56
			100	0	1	99	101	18.24



37901	38099	QPSK	0	0	1	99	1	21.78
			1	0	0	0	1	21.82
			100	0	0	0	100	20.77
			100	0	100	0	200	19.67
			1	0	1	99	2	13.34
			1	0	1	0	2	17.38
			1	99	1	0	2	21.80
			100	0	1	99	101	18.20
		16QAM	0	0	1	99	1	20.97
			1	0	0	0	1	21.21
			100	0	0	0	100	19.83
			100	0	100	0	200	18.66
			1	0	1	99	2	13.44
			1	0	1	0	2	17.38
			1	99	1	0	2	20.66
			100	0	1	99	101	18.25
		64QAM	0	0	1	99	1	19.48
			1	0	0	0	1	19.70
			100	0	0	0	100	18.91
			100	0	100	0	200	18.85
			1	0	1	99	2	13.02
			1	0	1	0	2	16.94
			1	99	1	0	2	18.50
			100	0	1	99	101	18.16



37952	38150	QPSK	0	0	1	99	1	21.74
			1	0	0	0	1	21.81
			100	0	0	0	100	20.80
			100	0	100	0	200	19.68
			1	0	1	99	2	13.32
			1	0	1	0	2	17.30
			1	99	1	0	2	21.72
			100	0	1	99	101	18.20
		16QAM	0	0	1	99	1	20.88
			1	0	0	0	1	21.13
			100	0	0	0	100	19.79
			100	0	100	0	200	18.71
			1	0	1	99	2	13.42
			1	0	1	0	2	17.37
			1	99	1	0	2	20.60
			100	0	1	99	101	18.16
		64QAM	0	0	1	99	1	19.58
			1	0	0	0	1	19.65
			100	0	0	0	100	18.92
			100	0	100	0	200	18.87
			1	0	1	99	2	12.97
			1	0	1	0	2	17.04
			1	99	1	0	2	18.55
			100	0	1	99	101	18.17



CA_38C								
Combination 15MHz+15MHz (75RB+75RB)								
PCC	SCC	Modulation	PCC		SCC		Total RB Size	Measured Power (dBm)
Channel	Channel		RB Size	RB offset	RB Size	RB offset		
37825	37975	QPSK	75	0	75	0	150	19.80
		QPSK	1	0	1	74	2	13.34
		QPSK	1	74	1	0	2	21.63
		16QAM	75	0	75	0	150	18.93
		16QAM	1	0	1	74	2	13.48
		16QAM	1	74	1	0	2	21.05
		64QAM	75	0	75	0	150	18.98
		64QAM	1	0	1	74	2	13.07
		64QAM	1	74	1	0	2	18.45
37925	38075	QPSK	75	0	75	0	150	19.70
		QPSK	1	0	1	74	2	13.30
		QPSK	1	74	1	0	2	21.60
		16QAM	75	0	75	0	150	18.93
		16QAM	1	0	1	74	2	13.39
		16QAM	1	74	1	0	2	20.99
		64QAM	75	0	75	0	150	18.90
		64QAM	1	0	1	74	2	13.04
		64QAM	1	74	1	0	2	18.42
38025	38175	QPSK	75	0	75	0	150	19.71
		QPSK	1	0	1	74	2	13.29
		QPSK	1	74	1	0	2	21.61
		16QAM	75	0	75	0	150	18.88
		16QAM	1	0	1	74	2	13.45
		16QAM	1	74	1	0	2	21.03
		64QAM	75	0	75	0	150	18.98
		64QAM	1	0	1	74	2	12.98
		64QAM	1	74	1	0	2	18.44

**ERP/EIRP**

<Top Antenna>

LTE Band 2 (GT - LC = -0.29 dBi) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	22.86	22.81	22.66	22.87	22.80	22.67	22.93	22.88	22.77
Conducted Power (Watts)	0.1932	0.1910	0.1845	0.1936	0.1905	0.1849	0.1963	0.1941	0.1892
EIRP(dBm)	22.57	22.52	22.37	22.58	22.51	22.38	22.64	22.59	22.48
EIRP(Watts)	0.1807	0.1786	0.1726	0.1811	0.1782	0.1730	0.1837	0.1816	0.1770

LTE Band 2 (GT - LC = -0.29 dBi) QPSK									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	23.15	23.14	22.79	23.05	23.01	22.88	23.20	23.17	22.90
Conducted Power (Watts)	0.2065	0.2061	0.1901	0.2018	0.2000	0.1941	0.2089	0.2075	0.1950
EIRP(dBm)	22.86	22.85	22.50	22.76	22.72	22.59	22.91	22.88	22.61
EIRP(Watts)	0.1932	0.1928	0.1778	0.1888	0.1871	0.1816	0.1954	0.1941	0.1824



LTE Band 2 (GT - LC = -0.29 dBi) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
Conducted Power (dBm)	22.13	22.11	21.91	22.18	22.11	21.87	22.27	22.20	22.01
Conducted Power (Watts)	0.1633	0.1626	0.1552	0.1652	0.1626	0.1538	0.1687	0.1660	0.1589
EIRP(dBm)	21.84	21.82	21.62	21.89	21.82	21.58	21.98	21.91	21.72
EIRP(Watts)	0.1528	0.1521	0.1452	0.1545	0.1521	0.1439	0.1578	0.1552	0.1486

LTE Band 2 (GT - LC = -0.29 dBi) 16QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency (MHz)	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
Conducted Power (dBm)	22.47	22.43	22.14	22.36	22.32	22.27	22.51	22.50	22.24
Conducted Power (Watts)	0.1766	0.1750	0.1637	0.1722	0.1706	0.1687	0.1782	0.1778	0.1675
EIRP(dBm)	22.18	22.14	21.85	22.07	22.03	21.98	22.22	22.21	21.95
EIRP(Watts)	0.1652	0.1637	0.1531	0.1611	0.1596	0.1578	0.1667	0.1663	0.1567



LTE Band 2 ($G_T - L_C = -0.29$ dBi) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	21.11	21.04	20.92	21.13	21.06	20.93	21.23	21.19	21.03
Conducted Power (Watts)	0.1291	0.1271	0.1236	0.1297	0.1276	0.1239	0.1327	0.1315	0.1268
EIRP(dBm)	20.82	20.75	20.63	20.84	20.77	20.64	20.94	20.90	20.74
EIRP(Watts)	0.1208	0.1189	0.1156	0.1213	0.1194	0.1159	0.1242	0.1230	0.1186

LTE Band 2 ($G_T - L_C = -0.29$ dBi) 64QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	21.47	21.38	21.06	21.29	21.27	21.26	21.47	21.39	21.19
Conducted Power (Watts)	0.1403	0.1374	0.1276	0.1346	0.1340	0.1337	0.1403	0.1377	0.1315
EIRP(dBm)	21.18	21.09	20.77	21.00	20.98	20.97	21.18	21.10	20.90
EIRP(Watts)	0.1312	0.1285	0.1194	0.1259	0.1253	0.1250	0.1312	0.1288	0.1230



LTE Band 4 (GT - LC = -4.70 dBi) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	22.56	22.76	22.79	22.53	22.74	22.80	22.57	22.81	22.87
Conducted Power (Watts)	0.1803	0.1888	0.1901	0.1791	0.1879	0.1905	0.1807	0.1910	0.1936
EIRP(dBm)	17.86	18.06	18.09	17.83	18.04	18.10	17.87	18.11	18.17
EIRP(Watts)	0.0611	0.0640	0.0644	0.0607	0.0637	0.0646	0.0612	0.0647	0.0656

LTE Band 4 (GT - LC = -4.70 dBi) QPSK									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	22.62	22.86	22.84	22.78	22.87	22.83	22.75	22.90	22.89
Conducted Power (Watts)	0.1828	0.1932	0.1923	0.1897	0.1936	0.1919	0.1884	0.1950	0.1945
EIRP(dBm)	17.92	18.16	18.14	18.08	18.17	18.13	18.05	18.20	18.19
EIRP(Watts)	0.0619	0.0655	0.0652	0.0643	0.0656	0.0650	0.0638	0.0661	0.0659



LTE Band 4 (GT - LC = -4.70 dBi) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	21.75	22.01	22.00	21.75	22.05	22.00	21.80	22.11	22.06
Conducted Power (Watts)	0.1496	0.1589	0.1585	0.1496	0.1603	0.1585	0.1514	0.1626	0.1607
EIRP(dBm)	17.05	17.31	17.30	17.05	17.35	17.30	17.10	17.41	17.36
EIRP(Watts)	0.0507	0.0538	0.0537	0.0507	0.0543	0.0537	0.0513	0.0551	0.0545

LTE Band 4 (GT - LC = -4.70 dBi) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	21.85	22.22	22.01	21.98	22.37	22.09	22.01	22.23	22.11
Conducted Power (Watts)	0.1531	0.1667	0.1589	0.1578	0.1726	0.1618	0.1589	0.1671	0.1626
EIRP(dBm)	17.15	17.52	17.31	17.28	17.67	17.39	17.31	17.53	17.41
EIRP(Watts)	0.0519	0.0565	0.0538	0.0535	0.0585	0.0548	0.0538	0.0566	0.0551



LTE Band 4 ($G_T - L_C = -4.70$ dBi) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	20.69	20.98	21.00	20.75	20.98	21.01	20.77	21.09	21.06
Conducted Power (Watts)	0.1172	0.1253	0.1259	0.1189	0.1253	0.1262	0.1194	0.1285	0.1276
EIRP(dBm)	15.99	16.28	16.30	16.05	16.28	16.31	16.07	16.39	16.36
EIRP(Watts)	0.0397	0.0425	0.0427	0.0403	0.0425	0.0428	0.0405	0.0436	0.0433

LTE Band 4 ($G_T - L_C = -4.70$ dBi) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	20.81	21.13	20.94	20.98	21.26	21.10	21.00	21.14	21.06
Conducted Power (Watts)	0.1205	0.1297	0.1242	0.1253	0.1337	0.1288	0.1259	0.1300	0.1276
EIRP(dBm)	16.11	16.43	16.24	16.28	16.56	16.40	16.30	16.44	16.36
EIRP(Watts)	0.0408	0.0440	0.0421	0.0425	0.0453	0.0437	0.0427	0.0441	0.0433



LTE Band 5 (GT - LC = -3.45 dBi) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.28	22.34	22.37	22.30	22.37	22.39	22.31	22.38	22.40
Conducted Power (Watts)	0.1690	0.1714	0.1726	0.1698	0.1726	0.1734	0.1702	0.1730	0.1738
ERP(dBm)	16.68	16.74	16.77	16.70	16.77	16.79	16.71	16.78	16.80
ERP(Watts)	0.0466	0.0472	0.0475	0.0468	0.0475	0.0478	0.0469	0.0476	0.0479

LTE Band 5 (GT - LC = -3.45 dBi) QPSK			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	22.37	22.42	22.41
Conducted Power (Watts)	0.1726	0.1746	0.1742
ERP(dBm)	16.77	16.82	16.81
ERP(Watts)	0.0475	0.0481	0.0480



LTE Band 5 (GT - LC = -3.45 dBi) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	21.61	21.64	21.66	21.60	21.73	21.62	21.66	21.73	21.73
Conducted Power (Watts)	0.1449	0.1459	0.1466	0.1445	0.1489	0.1452	0.1466	0.1489	0.1489
ERP(dBm)	16.01	16.04	16.06	16.00	16.13	16.02	16.06	16.13	16.13
ERP(Watts)	0.0399	0.0402	0.0404	0.0398	0.0410	0.0400	0.0404	0.0410	0.0410

LTE Band 5 (GT - LC = -3.45 dBi) 16QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	21.67	21.65	21.73
Conducted Power (Watts)	0.1469	0.1462	0.1489
ERP(dBm)	16.07	16.05	16.13
ERP(Watts)	0.0405	0.0403	0.0410



LTE Band 5 ($G_T - L_C = -3.45$ dBi) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	20.53	20.62	20.55	20.58	20.64	20.63	20.62	20.66	20.68
Conducted Power (Watts)	0.1130	0.1153	0.1135	0.1143	0.1159	0.1156	0.1153	0.1164	0.1169
ERP(dBm)	14.93	15.02	14.95	14.98	15.04	15.03	15.02	15.06	15.08
ERP(Watts)	0.0311	0.0318	0.0313	0.0315	0.0319	0.0318	0.0318	0.0321	0.0322

LTE Band 5 ($G_T - L_C = -3.45$ dBi) 64QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	20.66	20.64	20.66
Conducted Power (Watts)	0.1164	0.1159	0.1164
ERP(dBm)	15.06	15.04	15.06
ERP(Watts)	0.0321	0.0319	0.0321



LTE Band 7 (GT - LC = 0.42 dBi) QPSK			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	21.96	21.69	21.53
Conducted Power (Watts)	0.1570	0.1476	0.1422
EIRP(dBm)	22.38	22.11	21.95
EIRP(Watts)	0.1730	0.1626	0.1567

LTE Band 7 (GT - LC = 0.42 dBi) QPSK									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	21.97	21.70	21.54	21.98	21.72	21.62	21.99	21.66	21.63
Conducted Power (Watts)	0.1574	0.1479	0.1426	0.1578	0.1486	0.1452	0.1581	0.1466	0.1455
EIRP(dBm)	22.39	22.12	21.96	22.40	22.14	22.04	22.41	22.08	22.05
EIRP(Watts)	0.1734	0.1629	0.1570	0.1738	0.1637	0.1600	0.1742	0.1614	0.1603



LTE Band 7 (GT - LC = 0.42 dBi) 16QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	21.28	20.97	20.79
Conducted Power (Watts)	0.1343	0.1250	0.1199
EIRP(dBm)	21.70	21.39	21.21
EIRP(Watts)	0.1479	0.1377	0.1321

LTE Band 7 (GT - LC = 0.42 dBi) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	21.28	20.94	20.88	21.28	20.98	20.93	21.27	20.97	20.97
Conducted Power (Watts)	0.1343	0.1242	0.1225	0.1343	0.1253	0.1239	0.1340	0.1250	0.1250
EIRP(dBm)	21.70	21.36	21.30	21.70	21.40	21.35	21.69	21.39	21.39
EIRP(Watts)	0.1479	0.1368	0.1349	0.1479	0.1380	0.1365	0.1476	0.1377	0.1377



LTE Band 7 ($G_T - L_C = 0.42$ dBi) 64QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	20.28	19.90	19.80
Conducted Power (Watts)	0.1067	0.0977	0.0955
EIRP(dBm)	20.70	20.32	20.22
EIRP(Watts)	0.1175	0.1076	0.1052

LTE Band 7 ($G_T - L_C = 0.42$ dBi) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	20.28	19.94	19.93	20.29	19.95	19.93	20.22	19.98	19.89
Conducted Power (Watts)	0.1067	0.0986	0.0984	0.1069	0.0989	0.0984	0.1052	0.0995	0.0975
EIRP(dBm)	20.70	20.36	20.35	20.71	20.37	20.35	20.64	20.40	20.31
EIRP(Watts)	0.1175	0.1086	0.1084	0.1178	0.1089	0.1084	0.1159	0.1096	0.1074



LTE Band 38 (GT - LC = -5.05 dBi) QPSK			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	21.73	21.56	21.87
Conducted Power (Watts)	0.1489	0.1432	0.1538
EIRP(dBm)	16.68	16.51	16.82
EIRP(Watts)	0.0466	0.0448	0.0481

LTE Band 38 (GT - LC = -5.05 dBi) QPSK									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	21.73	21.60	21.92	21.65	21.73	21.91	21.65	21.78	21.93
Conducted Power (Watts)	0.1489	0.1445	0.1556	0.1462	0.1489	0.1552	0.1462	0.1507	0.1560
EIRP(dBm)	16.68	16.55	16.87	16.60	16.68	16.86	16.60	16.73	16.88
EIRP(Watts)	0.0466	0.0452	0.0486	0.0457	0.0466	0.0485	0.0457	0.0471	0.0488



LTE Band 38 (GT - LC = -5.05 dBi) 16QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	20.93	20.73	20.99
Conducted Power (Watts)	0.1239	0.1183	0.1256
EIRP(dBm)	15.88	15.68	15.94
EIRP(Watts)	0.0387	0.0370	0.0393

LTE Band 38 (GT - LC = -5.05 dBi) 16QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	20.91	20.77	21.00	20.96	20.83	21.00	20.91	20.83	21.00
Conducted Power (Watts)	0.1233	0.1194	0.1259	0.1247	0.1211	0.1259	0.1233	0.1211	0.1259
EIRP(dBm)	15.86	15.72	15.95	15.91	15.78	15.95	15.86	15.78	15.95
EIRP(Watts)	0.0385	0.0373	0.0394	0.0390	0.0378	0.0394	0.0385	0.0378	0.0394



LTE Band 38 ($G_T - L_C = -5.05$ dBi) 64QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	19.68	19.54	19.74
Conducted Power (Watts)	0.0929	0.0899	0.0942
EIRP(dBm)	14.63	14.49	14.69
EIRP(Watts)	0.0290	0.0281	0.0294

LTE Band 38 ($G_T - L_C = -5.05$ dBi) 64QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	19.63	19.50	19.83	19.58	19.70	19.84	19.53	19.65	19.80
Conducted Power (Watts)	0.0918	0.0891	0.0962	0.0908	0.0933	0.0964	0.0897	0.0923	0.0955
EIRP(dBm)	14.58	14.45	14.78	14.53	14.65	14.79	14.48	14.60	14.75
EIRP(Watts)	0.0287	0.0279	0.0301	0.0284	0.0292	0.0301	0.0281	0.0288	0.0299



<Bottom Antenna>

LTE Band 2 (GT - LC = 3.70 dBi) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	22.86	22.81	22.66	22.87	22.80	22.67	22.93	22.88	22.77
Conducted Power (Watts)	0.1932	0.1910	0.1845	0.1936	0.1905	0.1849	0.1963	0.1941	0.1892
EIRP(dBm)	26.56	26.51	26.36	26.57	26.50	26.37	26.63	26.58	26.47
EIRP(Watts)	0.4529	0.4477	0.4325	0.4539	0.4467	0.4335	0.4603	0.4550	0.4436

LTE Band 2 (GT - LC = 3.70 dBi) QPSK									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	23.15	23.14	22.79	23.05	23.01	22.88	23.20	23.17	22.90
Conducted Power (Watts)	0.2065	0.2061	0.1901	0.2018	0.2000	0.1941	0.2089	0.2075	0.1950
EIRP(dBm)	26.85	26.84	26.49	26.75	26.71	26.58	26.90	26.87	26.60
EIRP(Watts)	0.4842	0.4831	0.4457	0.4732	0.4688	0.4550	0.4898	0.4864	0.4571



LTE Band 2 (GT - LC = 3.70 dBi) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	22.13	22.11	21.91	22.18	22.11	21.87	22.27	22.20	22.01
Conducted Power (Watts)	0.1633	0.1626	0.1552	0.1652	0.1626	0.1538	0.1687	0.1660	0.1589
EIRP(dBm)	25.83	25.81	25.61	25.88	25.81	25.57	25.97	25.90	25.71
EIRP(Watts)	0.3828	0.3811	0.3639	0.3873	0.3811	0.3606	0.3954	0.3890	0.3724

LTE Band 2 (GT - LC = 3.70 dBi) 16QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	22.47	22.43	22.14	22.36	22.32	22.27	22.51	22.50	22.24
Conducted Power (Watts)	0.1766	0.1750	0.1637	0.1722	0.1706	0.1687	0.1782	0.1778	0.1675
EIRP(dBm)	26.17	26.13	25.84	26.06	26.02	25.97	26.21	26.20	25.94
EIRP(Watts)	0.4140	0.4102	0.3837	0.4036	0.3999	0.3954	0.4178	0.4169	0.3926



LTE Band 2 ($G_T - L_C = 3.70$ dBi) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	18607	18900	19193	18615	18900	19185	18625	18900	19175
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1850.7	1880	1909.3	1851.5	1880	1908.5	1852.5	1880	1907.5
(MHz)									
Conducted Power (dBm)	21.11	21.04	20.92	21.13	21.06	20.93	21.23	21.19	21.03
Conducted Power (Watts)	0.1291	0.1271	0.1236	0.1297	0.1276	0.1239	0.1327	0.1315	0.1268
EIRP(dBm)	24.81	24.74	24.62	24.83	24.76	24.63	24.93	24.89	24.73
EIRP(Watts)	0.3027	0.2979	0.2897	0.3041	0.2992	0.2904	0.3112	0.3083	0.2972

LTE Band 2 ($G_T - L_C = 3.70$ dBi) 64QAM									
Bandwidth	10M			15M			20M		
Channel	18650	18900	19150	18675	18900	19125	18650	18900	19100
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1855	1880	1905	1857.5	1880	1902.5	1860	1880	1900
(MHz)									
Conducted Power (dBm)	21.47	21.38	21.06	21.29	21.27	21.26	21.47	21.39	21.19
Conducted Power (Watts)	0.1403	0.1374	0.1276	0.1346	0.1340	0.1337	0.1403	0.1377	0.1315
EIRP(dBm)	25.17	25.08	24.76	24.99	24.97	24.96	25.17	25.09	24.89
EIRP(Watts)	0.3289	0.3221	0.2992	0.3155	0.3141	0.3133	0.3289	0.3228	0.3083



LTE Band 4 (GT - LC = 2.54 dBi) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	22.56	22.76	22.79	22.53	22.74	22.80	22.57	22.81	22.87
Conducted Power (Watts)	0.1803	0.1888	0.1901	0.1791	0.1879	0.1905	0.1807	0.1910	0.1936
EIRP(dBm)	25.10	25.30	25.33	25.07	25.28	25.34	25.11	25.35	25.41
EIRP(Watts)	0.3236	0.3388	0.3412	0.3214	0.3373	0.3420	0.3243	0.3428	0.3475

LTE Band 4 (GT - LC = 2.54 dBi) QPSK									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	22.62	22.86	22.84	22.78	22.87	22.83	22.75	22.90	22.89
Conducted Power (Watts)	0.1828	0.1932	0.1923	0.1897	0.1936	0.1919	0.1884	0.1950	0.1945
EIRP(dBm)	25.16	25.40	25.38	25.32	25.41	25.37	25.29	25.44	25.43
EIRP(Watts)	0.3281	0.3467	0.3451	0.3404	0.3475	0.3443	0.3381	0.3499	0.3491



LTE Band 4 (GT - LC = 2.54 dBi) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	21.75	22.01	22.00	21.75	22.05	22.00	21.80	22.11	22.06
Conducted Power (Watts)	0.1496	0.1589	0.1585	0.1496	0.1603	0.1585	0.1514	0.1626	0.1607
EIRP(dBm)	24.29	24.55	24.54	24.29	24.59	24.54	24.34	24.65	24.60
EIRP(Watts)	0.2685	0.2851	0.2844	0.2685	0.2877	0.2844	0.2716	0.2917	0.2884

LTE Band 4 (GT - LC = 2.54 dBi) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	21.85	22.22	22.01	21.98	22.37	22.09	22.01	22.23	22.11
Conducted Power (Watts)	0.1531	0.1667	0.1589	0.1578	0.1726	0.1618	0.1589	0.1671	0.1626
EIRP(dBm)	24.39	24.76	24.55	24.52	24.91	24.63	24.55	24.77	24.65
EIRP(Watts)	0.2748	0.2992	0.2851	0.2831	0.3097	0.2904	0.2851	0.2999	0.2917



LTE Band 4 ($G_T - L_C = 2.54$ dBi) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	19957	20175	20393	19965	20175	20385	19975	20175	20375
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1710.7	1732.5	1754.3	1711.5	1732.5	1753.5	1712.5	1732.5	1752.5
(MHz)									
Conducted Power (dBm)	20.69	20.98	21.00	20.75	20.98	21.01	20.77	21.09	21.06
Conducted Power (Watts)	0.1172	0.1253	0.1259	0.1189	0.1253	0.1262	0.1194	0.1285	0.1276
EIRP(dBm)	23.23	23.52	23.54	23.29	23.52	23.55	23.31	23.63	23.60
EIRP(Watts)	0.2104	0.2249	0.2259	0.2133	0.2249	0.2265	0.2143	0.2307	0.2291

LTE Band 4 ($G_T - L_C = 2.54$ dBi) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20000	20175	20350	20025	20175	20325	20050	20175	20300
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	1715	1732.5	1750	1717.5	1732.5	1747.5	1720	1732.5	1745
(MHz)									
Conducted Power (dBm)	20.81	21.13	20.94	20.98	21.26	21.10	21.00	21.14	21.06
Conducted Power (Watts)	0.1205	0.1297	0.1242	0.1253	0.1337	0.1288	0.1259	0.1300	0.1276
EIRP(dBm)	23.35	23.67	23.48	23.52	23.80	23.64	23.54	23.68	23.60
EIRP(Watts)	0.2163	0.2328	0.2228	0.2249	0.2399	0.2312	0.2259	0.2333	0.2291



LTE Band 5 (GT - LC = -1.16 dBi) QPSK									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	22.28	22.34	22.37	22.30	22.37	22.39	22.31	22.38	22.40
Conducted Power (Watts)	0.1690	0.1714	0.1726	0.1698	0.1726	0.1734	0.1702	0.1730	0.1738
ERP(dBm)	18.97	19.03	19.06	18.99	19.06	19.08	19.00	19.07	19.09
ERP(Watts)	0.0789	0.0800	0.0805	0.0793	0.0805	0.0809	0.0794	0.0807	0.0811

LTE Band 5 (GT - LC = -1.16 dBi) QPSK			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	22.37	22.42	22.41
Conducted Power (Watts)	0.1726	0.1746	0.1742
ERP(dBm)	19.06	19.11	19.10
ERP(Watts)	0.0805	0.0815	0.0813



LTE Band 5 (GT - LC = -1.16 dBi) 16QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	21.61	21.64	21.66	21.60	21.73	21.62	21.66	21.73	21.73
Conducted Power (Watts)	0.1449	0.1459	0.1466	0.1445	0.1489	0.1452	0.1466	0.1489	0.1489
ERP(dBm)	18.30	18.33	18.35	18.29	18.42	18.31	18.35	18.42	18.42
ERP(Watts)	0.0676	0.0681	0.0684	0.0675	0.0695	0.0678	0.0684	0.0695	0.0695

LTE Band 5 (GT - LC = -1.16 dBi) 16QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	21.67	21.65	21.73
Conducted Power (Watts)	0.1469	0.1462	0.1489
ERP(dBm)	18.36	18.34	18.42
ERP(Watts)	0.0685	0.0682	0.0695



LTE Band 5 ($G_T - L_C = -1.16$ dBi) 64QAM									
Bandwidth	1.4M			3M			5M		
Channel	20407	20525	20643	20415	20525	20635	20425	20525	20625
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	824.7	836.5	848.3	825.5	836.5	847.5	826.5	836.5	846.5
(MHz)									
Conducted Power (dBm)	20.53	20.62	20.55	20.58	20.64	20.63	20.62	20.66	20.68
Conducted Power (Watts)	0.1130	0.1153	0.1135	0.1143	0.1159	0.1156	0.1153	0.1164	0.1169
ERP(dBm)	17.22	17.31	17.24	17.27	17.33	17.32	17.31	17.35	17.37
ERP(Watts)	0.0527	0.0538	0.0530	0.0533	0.0541	0.0540	0.0538	0.0543	0.0546

LTE Band 5 ($G_T - L_C = -1.16$ dBi) 64QAM			
Bandwidth	10M		
Channel	20450	20525	20600
	(Low)	(Mid)	(High)
Frequency	829	836.5	844
(MHz)			
Conducted Power (dBm)	20.66	20.64	20.66
Conducted Power (Watts)	0.1164	0.1159	0.1164
ERP(dBm)	17.35	17.33	17.35
ERP(Watts)	0.0543	0.0541	0.0543



LTE Band 7 (GT - LC = 2.45 dBi) QPSK			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	21.96	21.69	21.53
Conducted Power (Watts)	0.1570	0.1476	0.1422
EIRP(dBm)	24.41	24.14	23.98
EIRP(Watts)	0.2761	0.2594	0.2500

LTE Band 7 (GT - LC = 2.45 dBi) QPSK									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	21.97	21.70	21.54	21.98	21.72	21.62	21.99	21.66	21.63
Conducted Power (Watts)	0.1574	0.1479	0.1426	0.1578	0.1486	0.1452	0.1581	0.1466	0.1455
EIRP(dBm)	24.42	24.15	23.99	24.43	24.17	24.07	24.44	24.11	24.08
EIRP(Watts)	0.2767	0.2600	0.2506	0.2773	0.2612	0.2553	0.2780	0.2576	0.2559



LTE Band 7 (GT - LC = 2.45 dBi) 16QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	21.28	20.97	20.79
Conducted Power (Watts)	0.1343	0.1250	0.1199
EIRP(dBm)	23.73	23.42	23.24
EIRP(Watts)	0.2360	0.2198	0.2109

LTE Band 7 (GT - LC = 2.45 dBi) 16QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	21.28	20.94	20.88	21.28	20.98	20.93	21.27	20.97	20.97
Conducted Power (Watts)	0.1343	0.1242	0.1225	0.1343	0.1253	0.1239	0.1340	0.1250	0.1250
EIRP(dBm)	23.73	23.39	23.33	23.73	23.43	23.38	23.72	23.42	23.42
EIRP(Watts)	0.2360	0.2183	0.2153	0.2360	0.2203	0.2178	0.2355	0.2198	0.2198



LTE Band 7 ($G_T - L_C = 2.45$ dBi) 64QAM			
Bandwidth	5M		
Channel	20775	21100	21425
	(Low)	(Mid)	(High)
Frequency	2502.5	2535	2567.5
(MHz)			
Conducted Power (dBm)	20.28	19.90	19.80
Conducted Power (Watts)	0.1067	0.0977	0.0955
EIRP(dBm)	22.73	22.35	22.25
EIRP(Watts)	0.1875	0.1718	0.1679

LTE Band 7 ($G_T - L_C = 2.45$ dBi) 64QAM									
Bandwidth	10M			15M			20M		
Channel	20800	21100	21400	20825	21100	21375	20850	21100	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Frequency	2505	2535	2565	2507.5	2535	2562.5	2510	2535	2560
(MHz)									
Conducted Power (dBm)	20.28	19.94	19.93	20.29	19.95	19.93	20.22	19.98	19.89
Conducted Power (Watts)	0.1067	0.0986	0.0984	0.1069	0.0989	0.0984	0.1052	0.0995	0.0975
EIRP(dBm)	22.73	22.39	22.38	22.74	22.40	22.38	22.67	22.43	22.34
EIRP(Watts)	0.1875	0.1734	0.1730	0.1879	0.1738	0.1730	0.1849	0.1750	0.1714



LTE Band 38 (GT - LC = -1.76 dBi) QPSK			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	21.73	21.56	21.87
Conducted Power (Watts)	0.1489	0.1432	0.1538
EIRP(dBm)	19.97	19.80	20.11
EIRP(Watts)	0.0993	0.0955	0.1026

LTE Band 38 (GT - LC = -1.76 dBi) QPSK									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	21.73	21.60	21.92	21.65	21.73	21.91	21.65	21.78	21.93
Conducted Power (Watts)	0.1489	0.1445	0.1556	0.1462	0.1489	0.1552	0.1462	0.1507	0.1560
EIRP(dBm)	19.97	19.84	20.16	19.89	19.97	20.15	19.89	20.02	20.17
EIRP(Watts)	0.0993	0.0964	0.1038	0.0975	0.0993	0.1035	0.0975	0.1005	0.1040



LTE Band 38 (GT - LC = -1.76 dBi) 16QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	20.93	20.73	20.99
Conducted Power (Watts)	0.1239	0.1183	0.1256
EIRP(dBm)	19.17	18.97	19.23
EIRP(Watts)	0.0826	0.0789	0.0838

LTE Band 38 (GT - LC = -1.76 dBi) 16QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	20.91	20.77	21.00	20.96	20.83	21.00	20.91	20.83	21.00
Conducted Power (Watts)	0.1233	0.1194	0.1259	0.1247	0.1211	0.1259	0.1233	0.1211	0.1259
EIRP(dBm)	19.15	19.01	19.24	19.20	19.07	19.24	19.15	19.07	19.24
EIRP(Watts)	0.0822	0.0796	0.0839	0.0832	0.0807	0.0839	0.0822	0.0807	0.0839



LTE Band 38 ($G_T - L_C = -1.76$ dBi) 64QAM			
Bandwidth	5M		
Channel	37775	38000	38225
	(Low)	(Mid)	(High)
Frequency	2572.5	2595	2617.5
(MHz)			
Conducted Power (dBm)	19.68	19.54	19.74
Conducted Power (Watts)	0.0929	0.0899	0.0942
EIRP(dBm)	17.92	17.78	17.98
EIRP(Watts)	0.0619	0.0600	0.0628

LTE Band 38 ($G_T - L_C = -1.76$ dBi) 64QAM									
Bandwidth	10M			15M			20M		
Channel	37800	38000	38200	37825	38000	38175	37850	38000	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(Mid)
Frequency	2575	2595	2615	2577.5	2595	2612.5	2580	2595	2610
(MHz)									
Conducted Power (dBm)	19.63	19.50	19.83	19.58	19.70	19.84	19.53	19.65	19.80
Conducted Power (Watts)	0.0918	0.0891	0.0962	0.0908	0.0933	0.0964	0.0897	0.0923	0.0955
EIRP(dBm)	17.87	17.74	18.07	17.82	17.94	18.08	17.77	17.89	18.04
EIRP(Watts)	0.0612	0.0594	0.0641	0.0605	0.0622	0.0643	0.0598	0.0615	0.0637

CA EIRP

<Top Antenna>

LTE Band 7 CA (GT - LC = 0.42 dBi) QPSK									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.44	22.28	22.34	22.37	22.36	22.4	22.45	22.36	22.39
Conducted Power (Watts)	0.1754	0.1690	0.1714	0.1726	0.1722	0.1738	0.1758	0.1722	0.1734
EIRP(dBm)	22.86	22.70	22.76	22.79	22.78	22.82	22.87	22.78	22.81
EIRP(Watts)	0.1932	0.1862	0.1888	0.1901	0.1897	0.1914	0.1936	0.1897	0.1910

LTE Band 7 CA (GT - LC = 0.42 dBi) QPSK									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.45	22.33	22.37	22.47	22.38	22.42	22.49	22.40	22.39
Conducted Power (Watts)	0.1758	0.1710	0.1726	0.1766	0.1730	0.1746	0.1774	0.1738	0.1734
EIRP(dBm)	22.87	22.75	22.79	22.89	22.80	22.84	22.91	22.82	22.81
EIRP(Watts)	0.1936	0.1884	0.1901	0.1945	0.1905	0.1923	0.1954	0.1914	0.1910



LTE Band 7 CA (GT - LC = 0.42 dBi) 16QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.90	21.81	21.79	21.86	21.85	21.89	21.82	21.86	21.89
Conducted Power (Watts)	0.1549	0.1517	0.1510	0.1535	0.1531	0.1545	0.1521	0.1535	0.1545
EIRP(dBm)	22.32	22.23	22.21	22.28	22.27	22.31	22.24	22.28	22.31
EIRP(Watts)	0.1706	0.1671	0.1663	0.1690	0.1687	0.1702	0.1675	0.1690	0.1702

LTE Band 7 CA (GT - LC = 0.42 dBi) 16QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.88	21.79	21.8	21.91	21.89	21.89	21.62	21.60	21.61
Conducted Power (Watts)	0.1542	0.1510	0.1514	0.1552	0.1545	0.1545	0.1452	0.1445	0.1449
EIRP(dBm)	22.30	22.21	22.22	22.33	22.31	22.31	22.04	22.02	22.03
EIRP(Watts)	0.1698	0.1663	0.1667	0.1710	0.1702	0.1702	0.1600	0.1592	0.1596



LTE Band 7 CA (GT - LC = 0.42 dBi) 64QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.80	19.76	19.84	19.80	19.77	19.81	19.87	19.81	19.82
Conducted Power (Watts)	0.0955	0.0946	0.0964	0.0955	0.0948	0.0957	0.0971	0.0957	0.0959
EIRP(dBm)	20.22	20.18	20.26	20.22	20.19	20.23	20.29	20.23	20.24
EIRP(Watts)	0.1052	0.1042	0.1062	0.1052	0.1045	0.1054	0.1069	0.1054	0.1057

LTE Band 7 CA (GT - LC = 0.42 dBi) 64QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.83	19.84	19.76	19.89	19.85	19.84	21.51	21.50	21.48
Conducted Power (Watts)	0.0962	0.0964	0.0946	0.0975	0.0966	0.0964	0.1416	0.1413	0.1406
EIRP(dBm)	20.25	20.26	20.18	20.31	20.27	20.26	21.93	21.92	21.90
EIRP(Watts)	0.1059	0.1062	0.1042	0.1074	0.1064	0.1062	0.1560	0.1556	0.1549



LTE Band 7 CA (GT - LC = 0.42 dBi) QPSK			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.47	22.32	22.39
Conducted Power (Watts)	0.1766	0.1706	0.1734
EIRP(dBm)	22.89	22.74	22.81
EIRP(Watts)	0.1945	0.1879	0.1910

LTE Band 7 CA (GT - LC = 0.42 dBi) 16QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.87	21.82	21.87
Conducted Power (Watts)	0.1538	0.1521	0.1538
EIRP(dBm)	22.29	22.24	22.29
EIRP(Watts)	0.1694	0.1675	0.1694

LTE Band 7 CA (GT - LC = 0.42 dBi) 64QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.86	19.76	19.74
Conducted Power (Watts)	0.0968	0.0946	0.0942
EIRP(dBm)	20.28	20.18	20.16
EIRP(Watts)	0.1067	0.1042	0.1038



LTE Band 38 CA (GT - LC = -5.05 dBi) QPSK						
Bandwidth	15M + 15M			20M+20M		
Channel PCC	37825	37925	38025	37850	37901	37952
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	37975	38075	38175	38048	38099	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.63	21.60	21.61	21.91	21.82	21.81
Conducted Power (Watts)	0.1455	0.1445	0.1449	0.1552	0.1521	0.1517
EIRP(dBm)	16.58	16.55	16.56	16.86	16.77	16.76
EIRP(Watts)	0.0455	0.0452	0.0453	0.0485	0.0475	0.0474

LTE Band 38 CA (GT - LC = -5.05 dBi) 16QAM						
Bandwidth	15M + 15M			20M+20M		
Channel PCC	37825	37925	38025	37850	37901	37952
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	37975	38075	38175	38048	38099	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.05	20.99	21.03	21.21	21.21	21.13
Conducted Power (Watts)	0.1274	0.1256	0.1268	0.1321	0.1321	0.1297
EIRP(dBm)	16.00	15.94	15.98	16.16	16.16	16.08
EIRP(Watts)	0.0398	0.0393	0.0396	0.0413	0.0413	0.0406

LTE Band 38 CA (GT - LC = -5.05 dBi) 64QAM						
Bandwidth	15M + 15M			20M+20M		
Channel PCC	37825	37925	38025	37850	37901	37952
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	37975	38075	38175	38048	38099	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	18.98	18.90	18.98	19.70	19.7	19.65
Conducted Power (Watts)	0.0791	0.0776	0.0791	0.0933	0.0933	0.0923
EIRP(dBm)	13.93	13.85	13.93	14.65	14.65	14.60
EIRP(Watts)	0.0247	0.0243	0.0247	0.0292	0.0292	0.0288



<Bottom Antenna>

LTE Band 7 CA (GT - LC = 2.45 dBi) QPSK									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.44	22.28	22.34	22.37	22.36	22.4	22.45	22.36	22.39
Conducted Power (Watts)	0.1754	0.1690	0.1714	0.1726	0.1722	0.1738	0.1758	0.1722	0.1734
EIRP(dBm)	24.89	24.73	24.79	24.82	24.81	24.85	24.90	24.81	24.84
EIRP(Watts)	0.3083	0.2972	0.3013	0.3034	0.3027	0.3055	0.3090	0.3027	0.3048

LTE Band 7 CA (GT - LC = 2.45 dBi) QPSK									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.45	22.33	22.37	22.47	22.38	22.42	22.49	22.4	22.39
Conducted Power (Watts)	0.1758	0.1710	0.1726	0.1766	0.1730	0.1746	0.1774	0.1738	0.1734
EIRP(dBm)	24.90	24.78	24.82	24.92	24.83	24.87	24.94	24.85	24.84
EIRP(Watts)	0.3090	0.3006	0.3034	0.3105	0.3041	0.3069	0.3119	0.3055	0.3048



LTE Band 7 CA (GT - LC = 2.45 dBi) 16QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.90	21.81	21.79	21.86	21.85	21.89	21.82	21.86	21.89
Conducted Power (Watts)	0.1549	0.1517	0.1510	0.1535	0.1531	0.1545	0.1521	0.1535	0.1545
EIRP(dBm)	24.35	24.26	24.24	24.31	24.30	24.34	24.27	24.31	24.34
EIRP(Watts)	0.2723	0.2667	0.2655	0.2698	0.2692	0.2716	0.2673	0.2698	0.2716

LTE Band 7 CA (GT - LC = 2.45 dBi) 16QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.88	21.79	21.80	21.91	21.89	21.89	21.62	21.60	21.61
Conducted Power (Watts)	0.1542	0.1510	0.1514	0.1552	0.1545	0.1545	0.1452	0.1445	0.1449
EIRP(dBm)	24.33	24.24	24.25	24.36	24.34	24.34	24.07	24.05	24.06
EIRP(Watts)	0.2710	0.2655	0.2661	0.2729	0.2716	0.2716	0.2553	0.2541	0.2547



LTE Band 7 CA (GT - LC = 2.45 dBi) 64QAM									
Bandwidth	15M + 15M			10M + 20M			20M+10M		
Channel PCC	20825	21025	21225	20805	21006	21206	20850	21051	21251
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375	20949	21150	21350	20994	21195	21395
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.80	19.76	19.84	19.80	19.77	19.81	19.87	19.81	19.82
Conducted Power (Watts)	0.0955	0.0946	0.0964	0.0955	0.0948	0.0957	0.0971	0.0957	0.0959
EIRP(dBm)	22.25	22.21	22.29	22.25	22.22	22.26	22.32	22.26	22.27
EIRP(Watts)	0.1679	0.1663	0.1694	0.1679	0.1667	0.1683	0.1706	0.1683	0.1687

LTE Band 7 CA (GT - LC = 2.45 dBi) 64QAM									
Bandwidth	15M+20M			20M+15M			20M + 20M		
Channel PCC	20828	21003	21179	20850	21026	21201	20850	21001	21152
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	20999	21174	21350	21021	21197	21372	21048	21199	21350
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.83	19.84	19.76	19.89	19.85	19.84	21.51	21.50	21.48
Conducted Power (Watts)	0.0962	0.0964	0.0946	0.0975	0.0966	0.0964	0.1416	0.1413	0.1406
EIRP(dBm)	22.28	22.29	22.21	22.34	22.30	22.29	23.96	23.95	23.93
EIRP(Watts)	0.1690	0.1694	0.1663	0.1714	0.1698	0.1694	0.2489	0.2483	0.2472



LTE Band 7 CA (GT - LC = 2.45 dBi) QPSK			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	22.47	22.32	22.39
Conducted Power (Watts)	0.1766	0.1706	0.1734
EIRP(dBm)	24.92	24.77	24.84
EIRP(Watts)	0.3105	0.2999	0.3048

LTE Band 7 CA (GT - LC = 2.45 dBi) 16QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.87	21.82	21.87
Conducted Power (Watts)	0.1538	0.1521	0.1538
EIRP(dBm)	24.32	24.27	24.32
EIRP(Watts)	0.2704	0.2673	0.2704

LTE Band 7 CA (GT - LC = 2.45 dBi) 64QAM			
Bandwidth	15M + 10M		
Channel PCC	20825	21025	21225
	(Low)	(Mid)	(High)
Channel SCC	20975	21175	21375
	(Low)	(Mid)	(High)
Conducted Power (dBm)	19.86	19.76	19.74
Conducted Power (Watts)	0.0968	0.0946	0.0942
EIRP(dBm)	22.31	22.21	22.19
EIRP(Watts)	0.1702	0.1663	0.1656



LTE Band 38 CA (GT - LC = -1.76 dBi) QPSK						
Bandwidth	15M + 15M			20M+20M		
Channel PCC	37825	37925	38025	37850	37901	37952
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	37975	38075	38175	38048	38099	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.63	21.6	21.61	21.91	21.82	21.81
Conducted Power (Watts)	0.1455	0.1445	0.1449	0.1552	0.1521	0.1517
EIRP(dBm)	19.87	19.84	19.85	20.15	20.06	20.05
EIRP(Watts)	0.0971	0.0964	0.0966	0.1035	0.1014	0.1012

LTE Band 38 CA (GT - LC = -1.76 dBi) 16QAM						
Bandwidth	15M + 15M			20M+20M		
Channel PCC	37825	37925	38025	37850	37901	37952
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	37975	38075	38175	38048	38099	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	21.05	20.99	21.03	21.21	21.21	21.13
Conducted Power (Watts)	0.1274	0.1256	0.1268	0.1321	0.1321	0.1297
EIRP(dBm)	19.29	19.23	19.27	19.45	19.45	19.37
EIRP(Watts)	0.0849	0.0838	0.0845	0.0881	0.0881	0.0865

LTE Band 38 CA (GT - LC = -1.76 dBi) 64QAM						
Bandwidth	15M + 15M			20M+20M		
Channel PCC	37825	37925	38025	37850	37901	37952
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Channel SCC	37975	38075	38175	38048	38099	38150
	(Low)	(Mid)	(High)	(Low)	(Mid)	(High)
Conducted Power (dBm)	18.98	18.90	18.98	19.70	19.70	19.65
Conducted Power (Watts)	0.0791	0.0776	0.0791	0.0933	0.0933	0.0923
EIRP(dBm)	17.22	17.14	17.22	17.94	17.94	17.89
EIRP(Watts)	0.0527	0.0518	0.0527	0.0622	0.0622	0.0615

Peak-to-Average Ratio

Mode	LTE Band 2 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.39	4.43	4.81	5.71	PASS
Middle CH	3.36	4.43	5.01	5.71	
Highest CH	3.54	4.46	5.10	5.68	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	5.80	6.38	PASS		
Middle CH	6.14	6.35			
Highest CH	6.43	6.32			

Mode	LTE Band 4 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.42	4.58	4.93	5.88	PASS
Middle CH	3.65	4.29	4.96	5.51	
Highest CH	3.04	4.26	4.52	5.48	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	4.61	5.86	PASS		
Middle CH	4.99	5.48			
Highest CH	4.23	5.48			

Mode	LTE Band 5 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.59	4.61	5.01	5.83	PASS
Middle CH	3.51	4.43	5.22	5.59	
Highest CH	3.39	4.46	5.01	5.68	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	6.61	6.46	PASS		
Middle CH	6.41	6.20			
Highest CH	6.06	6.26			




Mode	LTE Band 7 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	2.93	4.12	3.91	5.30	PASS
Middle CH	3.19	3.94	4.70	5.25	
Highest CH	3.25	4.23	4.46	5.48	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	4.93	6.06	PASS		
Middle CH	5.62	5.91			
Highest CH	5.54	6.17			

Mode	LTE Band 38 / 20MHz				
Mod.	QPSK		16QAM		Limit: 13dB
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.68	6.49	5.62	6.81	PASS
Middle CH	5.68	5.62	5.71	6.46	
Highest CH	3.68	5.04	5.68	6.06	
Mod.	64QAM		Limit: 13dB		
RB Size	1RB	Full RB	Result		
Lowest CH	6.32	6.75	PASS		
Middle CH	6.61	6.70			
Highest CH	6.23	6.64			




LTE Band 2 / 20MHz / QPSK


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB



Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 2 / 20MHz / 16QAM

Lowest Channel / 1RB




Date: 7 MAY 2018 14:21:42

Lowest Channel / Full RB



Date: 7 MAY 2018 14:21:54

Middle Channel / 1RB




Date: 7 MAY 2018 14:22:06

Middle Channel / Full RB



Date: 7 MAY 2018 14:22:21

Highest Channel / 1RB



Date: 7 MAY 2018 14:22:32

Highest Channel / Full RB




Date: 7 MAY 2018 14:22:43




LTE Band 2 / 20MHz / 64QAM


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 4 / 20MHz / QPSK


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 4 / 20MHz / 16QAM


Lowest Channel / 1RB



Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 4 / 20MHz / 64QAM


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 5/ 20MHz / QPSK


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB




Highest Channel / 1RB




Highest Channel / Full RB




LTE Band 5 / 20MHz / 16QAM
Lowest Channel / 1RB



Date: 8 MAY 2018 10:10:47

Lowest Channel / Full RB


Date: 8 MAY 2018 10:10:57

Middle Channel / 1RB



Date: 8 MAY 2018 10:11:06

Middle Channel / Full RB



Date: 8 MAY 2018 10:11:17

Highest Channel / 1RB



Date: 8 MAY 2018 10:11:27

Highest Channel / Full RB



Date: 8 MAY 2018 10:11:37

LTE Band 5 / 20MHz / 64QAM
Lowest Channel / 1RB



Date: 8 MAY 2018 10:54:06

Lowest Channel / Full RB



Date: 8 MAY 2018 10:54:25

Middle Channel / 1RB


Date: 8 MAY 2018 10:54:55

Middle Channel / Full RB


Date: 8 MAY 2018 10:55:23

Highest Channel / 1RB


Date: 8 MAY 2018 10:55:43


Highest Channel / Full RB


Date: 8 MAY 2018 10:56:06




LTE Band 7 / 20MHz / QPSK


Lowest Channel / 1RB




Lowest Channel / Full RB




Middle Channel / 1RB




Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 7 / 20MHz / 16QAM


Lowest Channel / 1RB



Lowest Channel / Full RB



Middle Channel / 1RB



Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 7 / 20MHz / 64QAM


Lowest Channel / 1RB




Lowest Channel / Full RB



Middle Channel / 1RB



Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 38 / 20MHz / QPSK


Lowest Channel / 1RB



Lowest Channel / Full RB




Middle Channel / 1RB



Middle Channel / Full RB



Highest Channel / 1RB




Highest Channel / Full RB






LTE Band 38 / 20MHz / 16QAM

Lowest Channel / 1RB




Date: 8 MAY 2018 21:18:56

Lowest Channel / Full RB




Date: 8 MAY 2018 21:19:37

Middle Channel / 1RB




Date: 8 MAY 2018 21:18:14

Middle Channel / Full RB




Date: 8 MAY 2018 21:17:22

Highest Channel / 1RB



Date: 8 MAY 2018 21:14:22

Highest Channel / Full RB



Date: 8 MAY 2018 21:16:29