



N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM BPSK	24@0	see graph	PASS
77	30	10	647000	3705.0	DFT-s-OFDM QPSK	24@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM BPSK	1@23	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	1@23	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM BPSK	24@0	see graph	PASS
77	30	10	665000	3975.0	DFT-s-OFDM QPSK	24@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM BPSK	128@0	see graph	PASS
77	30	50	648334	3725.01	DFT-s-OFDM QPSK	128@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	1@132	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	1@132	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM BPSK	128@0	see graph	PASS
77	30	50	663666	3954.99	DFT-s-OFDM QPSK	128@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM BPSK	270@0	see graph	PASS
77	30	100	650000	3750.0	DFT-s-OFDM QPSK	270@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM BPSK	1@272	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM QPSK	1@272	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM BPSK	270@0	see graph	PASS
77	30	100	662000	3930.0	DFT-s-OFDM QPSK	270@0	see graph	PASS


N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N77(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N77(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N77(50M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N77(50M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N77(50M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(50M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N77(100M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N77(100M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N78– SCS 15kHz

Transmitter Conducted Output Power And EIRP, (GT - LC)=-1.47dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
78	15	10	647000	3705	DFT-s-OFDM PI/2 BPSK	25@12	27	25.53	0.3573
78	15	10	647000	3705	DFT-s-OFDM PI/2 BPSK	1@1	26.89	25.42	0.3483
78	15	10	647000	3705	DFT-s-OFDM PI/2 BPSK	1@50	26.89	25.42	0.3483
78	15	10	647000	3705	DFT-s-OFDM QPSK	25@12	27	25.53	0.3573
78	15	10	647000	3705	DFT-s-OFDM QPSK	1@1	26.94	25.47	0.3524
78	15	10	647000	3705	DFT-s-OFDM QPSK	1@50	26.93	25.46	0.3516
78	15	10	647000	3705	DFT-s-OFDM 16 QAM	25@12	26	24.53	0.2838
78	15	10	647000	3705	DFT-s-OFDM 16 QAM	1@1	25.98	24.51	0.2825
78	15	10	647000	3705	DFT-s-OFDM 16 QAM	1@50	25.97	24.5	0.2818
78	15	10	647000	3705	DFT-s-OFDM 64 QAM	25@12	24.57	23.1	0.2042
78	15	10	647000	3705	DFT-s-OFDM 64 QAM	1@1	24.49	23.02	0.2004
78	15	10	647000	3705	DFT-s-OFDM 64 QAM	1@50	24.52	23.05	0.2018
78	15	10	647000	3705	DFT-s-OFDM 256 QAM	25@12	22.45	20.98	0.1253
78	15	10	647000	3705	DFT-s-OFDM 256 QAM	1@1	22.36	20.89	0.1227
78	15	10	647000	3705	DFT-s-OFDM 256 QAM	1@50	22.35	20.88	0.1225
78	15	10	647000	3705	CP-OFDM QPSK	26@13	25.45	23.98	0.2500
78	15	10	647000	3705	CP-OFDM QPSK	1@1	25.43	23.96	0.2489
78	15	10	647000	3705	CP-OFDM QPSK	1@50	25.41	23.94	0.2477
78	15	10	650000	3750	DFT-s-OFDM PI/2 BPSK	25@12	26.93	25.46	0.3516
78	15	10	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.8	25.33	0.3412
78	15	10	650000	3750	DFT-s-OFDM PI/2 BPSK	1@50	26.82	25.35	0.3428
78	15	10	650000	3750	DFT-s-OFDM QPSK	25@12	26.93	25.46	0.3516
78	15	10	650000	3750	DFT-s-OFDM QPSK	1@1	26.87	25.4	0.3467
78	15	10	650000	3750	DFT-s-OFDM QPSK	1@50	26.9	25.43	0.3491
78	15	10	650000	3750	DFT-s-OFDM 16 QAM	25@12	25.96	24.49	0.2812
78	15	10	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.88	24.41	0.2761

78	15	10	650000	3750	DFT-s-OFDM 16 QAM	1@50	25.9	24.43	0.2773
78	15	10	650000	3750	DFT-s-OFDM 64 QAM	25@12	24.5	23.03	0.2009
78	15	10	650000	3750	DFT-s-OFDM 64 QAM	1@1	24.46	22.99	0.1991
78	15	10	650000	3750	DFT-s-OFDM 64 QAM	1@50	24.55	23.08	0.2032
78	15	10	650000	3750	DFT-s-OFDM 256 QAM	25@12	22.37	20.9	0.1230
78	15	10	650000	3750	DFT-s-OFDM 256 QAM	1@1	22.24	20.77	0.1194
78	15	10	650000	3750	DFT-s-OFDM 256 QAM	1@50	22.24	20.77	0.1194
78	15	10	650000	3750	CP-OFDM QPSK	26@13	25.36	23.89	0.2449
78	15	10	650000	3750	CP-OFDM QPSK	1@1	25.35	23.88	0.2443
78	15	10	650000	3750	CP-OFDM QPSK	1@50	25.37	23.9	0.2455
78	15	10	653000	3795	DFT-s-OFDM PI/2 BPSK	25@12	26.89	25.42	0.3483
78	15	10	653000	3795	DFT-s-OFDM PI/2 BPSK	1@1	26.77	25.3	0.3388
78	15	10	653000	3795	DFT-s-OFDM PI/2 BPSK	1@50	26.78	25.31	0.3396
78	15	10	653000	3795	DFT-s-OFDM QPSK	25@12	26.94	25.47	0.3524
78	15	10	653000	3795	DFT-s-OFDM QPSK	1@1	26.83	25.36	0.3436
78	15	10	653000	3795	DFT-s-OFDM QPSK	1@50	26.84	25.37	0.3443
78	15	10	653000	3795	DFT-s-OFDM 16 QAM	25@12	25.94	24.47	0.2799
78	15	10	653000	3795	DFT-s-OFDM 16 QAM	1@1	25.87	24.4	0.2754
78	15	10	653000	3795	DFT-s-OFDM 16 QAM	1@50	25.88	24.41	0.2761
78	15	10	653000	3795	DFT-s-OFDM 64 QAM	25@12	24.5	23.03	0.2009
78	15	10	653000	3795	DFT-s-OFDM 64 QAM	1@1	24.39	22.92	0.1959
78	15	10	653000	3795	DFT-s-OFDM 64 QAM	1@50	24.39	22.92	0.1959
78	15	10	653000	3795	DFT-s-OFDM 256 QAM	25@12	22.37	20.9	0.1230
78	15	10	653000	3795	DFT-s-OFDM 256 QAM	1@1	22.25	20.78	0.1197
78	15	10	653000	3795	DFT-s-OFDM 256 QAM	1@50	22.25	20.78	0.1197
78	15	10	653000	3795	CP-OFDM QPSK	26@13	25.37	23.9	0.2455
78	15	10	653000	3795	CP-OFDM QPSK	1@1	25.35	23.88	0.2443
78	15	10	653000	3795	CP-OFDM QPSK	1@50	25.39	23.92	0.2466
78	15	15	647167	3707.505	DFT-s-OFDM PI/2 BPSK	36@18	27.14	25.67	0.3690
78	15	15	647167	3707.505	DFT-s-OFDM PI/2 BPSK	1@1	26.97	25.5	0.3548
78	15	15	647167	3707.505	DFT-s-OFDM PI/2 BPSK	1@77	26.99	25.52	0.3565

78	15	15	647167	3707.505	DFT-s-OFDM QPSK	36@18	27.16	25.69	0.3707
78	15	15	647167	3707.505	DFT-s-OFDM QPSK	1@1	27	25.53	0.3573
78	15	15	647167	3707.505	DFT-s-OFDM QPSK	1@77	27.01	25.54	0.3581
78	15	15	647167	3707.505	DFT-s-OFDM 16 QAM	36@18	26.14	24.67	0.2931
78	15	15	647167	3707.505	DFT-s-OFDM 16 QAM	1@1	26.04	24.57	0.2864
78	15	15	647167	3707.505	DFT-s-OFDM 16 QAM	1@77	26.06	24.59	0.2877
78	15	15	647167	3707.505	DFT-s-OFDM 64 QAM	36@18	24.57	23.1	0.2042
78	15	15	647167	3707.505	DFT-s-OFDM 64 QAM	1@1	24.61	23.14	0.2061
78	15	15	647167	3707.505	DFT-s-OFDM 64 QAM	1@77	24.62	23.15	0.2065
78	15	15	647167	3707.505	DFT-s-OFDM 256 QAM	36@18	22.62	21.15	0.1303
78	15	15	647167	3707.505	DFT-s-OFDM 256 QAM	1@1	22.4	20.93	0.1239
78	15	15	647167	3707.505	DFT-s-OFDM 256 QAM	1@77	22.43	20.96	0.1247
78	15	15	647167	3707.505	CP-OFDM QPSK	39@19	25.66	24.19	0.2624
78	15	15	647167	3707.505	CP-OFDM QPSK	1@1	25.54	24.07	0.2553
78	15	15	647167	3707.505	CP-OFDM QPSK	1@77	25.61	24.14	0.2594
78	15	15	650000	3750	DFT-s-OFDM PI/2 BPSK	36@18	27.09	25.62	0.3648
78	15	15	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.9	25.43	0.3491
78	15	15	650000	3750	DFT-s-OFDM PI/2 BPSK	1@77	26.91	25.44	0.3499
78	15	15	650000	3750	DFT-s-OFDM QPSK	36@18	27.11	25.64	0.3664
78	15	15	650000	3750	DFT-s-OFDM QPSK	1@1	26.94	25.47	0.3524
78	15	15	650000	3750	DFT-s-OFDM QPSK	1@77	26.94	25.47	0.3524
78	15	15	650000	3750	DFT-s-OFDM 16 QAM	36@18	26.1	24.63	0.2904
78	15	15	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.98	24.51	0.2825
78	15	15	650000	3750	DFT-s-OFDM 16 QAM	1@77	25.98	24.51	0.2825
78	15	15	650000	3750	DFT-s-OFDM 64 QAM	36@18	24.57	23.1	0.2042
78	15	15	650000	3750	DFT-s-OFDM 64 QAM	1@1	24.56	23.09	0.2037
78	15	15	650000	3750	DFT-s-OFDM 64 QAM	1@77	24.54	23.07	0.2028
78	15	15	650000	3750	DFT-s-OFDM 256 QAM	36@18	22.59	21.12	0.1294
78	15	15	650000	3750	DFT-s-OFDM 256 QAM	1@1	22.34	20.87	0.1222
78	15	15	650000	3750	DFT-s-OFDM 256 QAM	1@77	22.35	20.88	0.1225
78	15	15	650000	3750	CP-OFDM QPSK	39@19	25.6	24.13	0.2588

78	15	15	650000	3750	CP-OFDM QPSK	1@1	25.45	23.98	0.2500
78	15	15	650000	3750	CP-OFDM QPSK	1@77	25.48	24.01	0.2518
78	15	15	652833	3792.495	DFT-s-OFDM PI/2 BPSK	36@18	26.99	25.52	0.3565
78	15	15	652833	3792.495	DFT-s-OFDM PI/2 BPSK	1@1	26.87	25.4	0.3467
78	15	15	652833	3792.495	DFT-s-OFDM PI/2 BPSK	1@77	26.88	25.41	0.3475
78	15	15	652833	3792.495	DFT-s-OFDM QPSK	36@18	27.02	25.55	0.3589
78	15	15	652833	3792.495	DFT-s-OFDM QPSK	1@1	26.84	25.37	0.3443
78	15	15	652833	3792.495	DFT-s-OFDM QPSK	1@77	26.89	25.42	0.3483
78	15	15	652833	3792.495	DFT-s-OFDM 16 QAM	36@18	26.05	24.58	0.2871
78	15	15	652833	3792.495	DFT-s-OFDM 16 QAM	1@1	26.07	24.6	0.2884
78	15	15	652833	3792.495	DFT-s-OFDM 16 QAM	1@77	26.07	24.6	0.2884
78	15	15	652833	3792.495	DFT-s-OFDM 64 QAM	36@18	24.45	22.98	0.1986
78	15	15	652833	3792.495	DFT-s-OFDM 64 QAM	1@1	24.53	23.06	0.2023
78	15	15	652833	3792.495	DFT-s-OFDM 64 QAM	1@77	24.57	23.1	0.2042
78	15	15	652833	3792.495	DFT-s-OFDM 256 QAM	36@18	22.52	21.05	0.1274
78	15	15	652833	3792.495	DFT-s-OFDM 256 QAM	1@1	22.27	20.8	0.1202
78	15	15	652833	3792.495	DFT-s-OFDM 256 QAM	1@77	22.3	20.83	0.1211
78	15	15	652833	3792.495	CP-OFDM QPSK	39@19	25.56	24.09	0.2564
78	15	15	652833	3792.495	CP-OFDM QPSK	1@1	25.38	23.91	0.2460
78	15	15	652833	3792.495	CP-OFDM QPSK	1@77	25.46	23.99	0.2506
78	15	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	50@25	27.19	25.72	0.3733
78	15	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@1	26.92	25.45	0.3508
78	15	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@104	26.93	25.46	0.3516
78	15	20	647334	3710.01	DFT-s-OFDM QPSK	50@25	27.17	25.7	0.3715
78	15	20	647334	3710.01	DFT-s-OFDM QPSK	1@1	27	25.53	0.3573
78	15	20	647334	3710.01	DFT-s-OFDM QPSK	1@104	26.96	25.49	0.3540
78	15	20	647334	3710.01	DFT-s-OFDM 16 QAM	50@25	26.21	24.74	0.2979
78	15	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@1	26.02	24.55	0.2851
78	15	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@104	25.98	24.51	0.2825
78	15	20	647334	3710.01	DFT-s-OFDM 64 QAM	50@25	24.63	23.16	0.2070
78	15	20	647334	3710.01	DFT-s-OFDM 64 QAM	1@1	24.56	23.09	0.2037

78	15	20	647334	3710.01	DFT-s-OFDM 64 QAM	1@104	24.55	23.08	0.2032
78	15	20	647334	3710.01	DFT-s-OFDM 256 QAM	50@25	22.59	21.12	0.1294
78	15	20	647334	3710.01	DFT-s-OFDM 256 QAM	1@1	22.42	20.95	0.1245
78	15	20	647334	3710.01	DFT-s-OFDM 256 QAM	1@104	22.41	20.94	0.1242
78	15	20	647334	3710.01	CP-OFDM QPSK	53@26	25.64	24.17	0.2612
78	15	20	647334	3710.01	CP-OFDM QPSK	1@1	25.47	24	0.2512
78	15	20	647334	3710.01	CP-OFDM QPSK	1@104	25.48	24.01	0.2518
78	15	20	650000	3750	DFT-s-OFDM PI/2 BPSK	50@25	27.1	25.63	0.3656
78	15	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.9	25.43	0.3491
78	15	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@104	26.9	25.43	0.3491
78	15	20	650000	3750	DFT-s-OFDM QPSK	50@25	27.12	25.65	0.3673
78	15	20	650000	3750	DFT-s-OFDM QPSK	1@1	26.93	25.46	0.3516
78	15	20	650000	3750	DFT-s-OFDM QPSK	1@104	26.97	25.5	0.3548
78	15	20	650000	3750	DFT-s-OFDM 16 QAM	50@25	26.18	24.71	0.2958
78	15	20	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.98	24.51	0.2825
78	15	20	650000	3750	DFT-s-OFDM 16 QAM	1@104	25.97	24.5	0.2818
78	15	20	650000	3750	DFT-s-OFDM 64 QAM	50@25	24.61	23.14	0.2061
78	15	20	650000	3750	DFT-s-OFDM 64 QAM	1@1	24.54	23.07	0.2028
78	15	20	650000	3750	DFT-s-OFDM 64 QAM	1@104	24.54	23.07	0.2028
78	15	20	650000	3750	DFT-s-OFDM 256 QAM	50@25	22.54	21.07	0.1279
78	15	20	650000	3750	DFT-s-OFDM 256 QAM	1@1	22.36	20.89	0.1227
78	15	20	650000	3750	DFT-s-OFDM 256 QAM	1@104	22.39	20.92	0.1236
78	15	20	650000	3750	CP-OFDM QPSK	53@26	25.58	24.11	0.2576
78	15	20	650000	3750	CP-OFDM QPSK	1@1	25.38	23.91	0.2460
78	15	20	650000	3750	CP-OFDM QPSK	1@104	25.42	23.95	0.2483
78	15	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	50@25	27.04	25.57	0.3606
78	15	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@1	26.88	25.41	0.3475
78	15	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@104	26.89	25.42	0.3483
78	15	20	652666	3789.99	DFT-s-OFDM QPSK	50@25	27.08	25.61	0.3639
78	15	20	652666	3789.99	DFT-s-OFDM QPSK	1@1	26.92	25.45	0.3508
78	15	20	652666	3789.99	DFT-s-OFDM QPSK	1@104	26.92	25.45	0.3508

78	15	20	652666	3789.99	DFT-s-OFDM 16 QAM	50@25	26.1	24.63	0.2904
78	15	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@1	26	24.53	0.2838
78	15	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@104	25.95	24.48	0.2805
78	15	20	652666	3789.99	DFT-s-OFDM 64 QAM	50@25	24.52	23.05	0.2018
78	15	20	652666	3789.99	DFT-s-OFDM 64 QAM	1@1	24.56	23.09	0.2037
78	15	20	652666	3789.99	DFT-s-OFDM 64 QAM	1@104	24.56	23.09	0.2037
78	15	20	652666	3789.99	DFT-s-OFDM 256 QAM	50@25	22.48	21.01	0.1262
78	15	20	652666	3789.99	DFT-s-OFDM 256 QAM	1@1	22.32	20.85	0.1216
78	15	20	652666	3789.99	DFT-s-OFDM 256 QAM	1@104	22.35	20.88	0.1225
78	15	20	652666	3789.99	CP-OFDM QPSK	53@26	25.51	24.04	0.2535
78	15	20	652666	3789.99	CP-OFDM QPSK	1@1	25.41	23.94	0.2477
78	15	20	652666	3789.99	CP-OFDM QPSK	1@104	25.39	23.92	0.2466
78	15	40	648000	3720	DFT-s-OFDM PI/2 BPSK	108@54	27.14	25.67	0.3690
78	15	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@1	26.49	25.02	0.3177
78	15	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@214	26.57	25.1	0.3236
78	15	40	648000	3720	DFT-s-OFDM QPSK	108@54	27.16	25.69	0.3707
78	15	40	648000	3720	DFT-s-OFDM QPSK	1@1	26.5	25.03	0.3184
78	15	40	648000	3720	DFT-s-OFDM QPSK	1@214	26.61	25.14	0.3266
78	15	40	648000	3720	DFT-s-OFDM 16 QAM	108@54	26.17	24.7	0.2951
78	15	40	648000	3720	DFT-s-OFDM 16 QAM	1@1	25.54	24.07	0.2553
78	15	40	648000	3720	DFT-s-OFDM 16 QAM	1@214	25.66	24.19	0.2624
78	15	40	648000	3720	DFT-s-OFDM 64 QAM	108@54	24.68	23.21	0.2094
78	15	40	648000	3720	DFT-s-OFDM 64 QAM	1@1	24.14	22.67	0.1849
78	15	40	648000	3720	DFT-s-OFDM 64 QAM	1@214	24.25	22.78	0.1897
78	15	40	648000	3720	DFT-s-OFDM 256 QAM	108@54	22.65	21.18	0.1312
78	15	40	648000	3720	DFT-s-OFDM 256 QAM	1@1	21.96	20.49	0.1119
78	15	40	648000	3720	DFT-s-OFDM 256 QAM	1@214	22.03	20.56	0.1138
78	15	40	648000	3720	CP-OFDM QPSK	108@54	25.59	24.12	0.2582
78	15	40	648000	3720	CP-OFDM QPSK	1@1	24.98	23.51	0.2244
78	15	40	648000	3720	CP-OFDM QPSK	1@214	25.01	23.54	0.2259
78	15	40	650000	3750	DFT-s-OFDM PI/2 BPSK	108@54	27.03	25.56	0.3597

78	15	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.4	24.93	0.3112
78	15	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@214	26.38	24.91	0.3097
78	15	40	650000	3750	DFT-s-OFDM QPSK	108@54	27.06	25.59	0.3622
78	15	40	650000	3750	DFT-s-OFDM QPSK	1@1	26.45	24.98	0.3148
78	15	40	650000	3750	DFT-s-OFDM QPSK	1@214	26.42	24.95	0.3126
78	15	40	650000	3750	DFT-s-OFDM 16 QAM	108@54	26.04	24.57	0.2864
78	15	40	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.5	24.03	0.2529
78	15	40	650000	3750	DFT-s-OFDM 16 QAM	1@214	25.45	23.98	0.2500
78	15	40	650000	3750	DFT-s-OFDM 64 QAM	108@54	24.54	23.07	0.2028
78	15	40	650000	3750	DFT-s-OFDM 64 QAM	1@1	24.06	22.59	0.1816
78	15	40	650000	3750	DFT-s-OFDM 64 QAM	1@214	24.06	22.59	0.1816
78	15	40	650000	3750	DFT-s-OFDM 256 QAM	108@54	22.54	21.07	0.1279
78	15	40	650000	3750	DFT-s-OFDM 256 QAM	1@1	21.88	20.41	0.1099
78	15	40	650000	3750	DFT-s-OFDM 256 QAM	1@214	21.88	20.41	0.1099
78	15	40	650000	3750	CP-OFDM QPSK	108@54	25.48	24.01	0.2518
78	15	40	650000	3750	CP-OFDM QPSK	1@1	24.95	23.48	0.2228
78	15	40	650000	3750	CP-OFDM QPSK	1@214	24.87	23.4	0.2188
78	15	40	652000	3780	DFT-s-OFDM PI/2 BPSK	108@54	26.98	25.51	0.3556
78	15	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@1	26.37	24.9	0.3090
78	15	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@214	26.39	24.92	0.3105
78	15	40	652000	3780	DFT-s-OFDM QPSK	108@54	26.99	25.52	0.3565
78	15	40	652000	3780	DFT-s-OFDM QPSK	1@1	26.41	24.94	0.3119
78	15	40	652000	3780	DFT-s-OFDM QPSK	1@214	26.44	24.97	0.3141
78	15	40	652000	3780	DFT-s-OFDM 16 QAM	108@54	26.01	24.54	0.2844
78	15	40	652000	3780	DFT-s-OFDM 16 QAM	1@1	25.45	23.98	0.2500
78	15	40	652000	3780	DFT-s-OFDM 16 QAM	1@214	25.49	24.02	0.2523
78	15	40	652000	3780	DFT-s-OFDM 64 QAM	108@54	24.52	23.05	0.2018
78	15	40	652000	3780	DFT-s-OFDM 64 QAM	1@1	24.04	22.57	0.1807
78	15	40	652000	3780	DFT-s-OFDM 64 QAM	1@214	24.05	22.58	0.1811
78	15	40	652000	3780	DFT-s-OFDM 256 QAM	108@54	22.51	21.04	0.1271
78	15	40	652000	3780	DFT-s-OFDM 256 QAM	1@1	21.84	20.37	0.1089

78	15	40	652000	3780	DFT-s-OFDM 256 QAM	1@214	21.86	20.39	0.1094
78	15	40	652000	3780	CP-OFDM QPSK	108@54	25.43	23.96	0.2489
78	15	40	652000	3780	CP-OFDM QPSK	1@1	24.89	23.42	0.2198
78	15	40	652000	3780	CP-OFDM QPSK	1@214	24.84	23.37	0.2173
78	15	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	135@67	27.08	25.61	0.3639
78	15	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@1	26.73	25.26	0.3357
78	15	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@268	26.83	25.36	0.3436
78	15	50	648334	3725.01	DFT-s-OFDM QPSK	135@67	27.07	25.6	0.3631
78	15	50	648334	3725.01	DFT-s-OFDM QPSK	1@1	26.75	25.28	0.3373
78	15	50	648334	3725.01	DFT-s-OFDM QPSK	1@268	26.85	25.38	0.3451
78	15	50	648334	3725.01	DFT-s-OFDM 16 QAM	135@67	26.09	24.62	0.2897
78	15	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@1	25.81	24.34	0.2716
78	15	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@268	25.92	24.45	0.2786
78	15	50	648334	3725.01	DFT-s-OFDM 64 QAM	135@67	24.63	23.16	0.2070
78	15	50	648334	3725.01	DFT-s-OFDM 64 QAM	1@1	24.38	22.91	0.1954
78	15	50	648334	3725.01	DFT-s-OFDM 64 QAM	1@268	24.49	23.02	0.2004
78	15	50	648334	3725.01	DFT-s-OFDM 256 QAM	135@67	22.57	21.1	0.1288
78	15	50	648334	3725.01	DFT-s-OFDM 256 QAM	1@1	22.19	20.72	0.1180
78	15	50	648334	3725.01	DFT-s-OFDM 256 QAM	1@268	22.29	20.82	0.1208
78	15	50	648334	3725.01	CP-OFDM QPSK	135@67	25.57	24.1	0.2570
78	15	50	648334	3725.01	CP-OFDM QPSK	1@1	25.25	23.78	0.2388
78	15	50	648334	3725.01	CP-OFDM QPSK	1@268	25.39	23.92	0.2466
78	15	50	650000	3750	DFT-s-OFDM PI/2 BPSK	135@67	27	25.53	0.3573
78	15	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.67	25.2	0.3311
78	15	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@268	26.69	25.22	0.3327
78	15	50	650000	3750	DFT-s-OFDM QPSK	135@67	27.02	25.55	0.3589
78	15	50	650000	3750	DFT-s-OFDM QPSK	1@1	26.71	25.24	0.3342
78	15	50	650000	3750	DFT-s-OFDM QPSK	1@268	26.7	25.23	0.3334
78	15	50	650000	3750	DFT-s-OFDM 16 QAM	135@67	26.01	24.54	0.2844
78	15	50	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.76	24.29	0.2685
78	15	50	650000	3750	DFT-s-OFDM 16 QAM	1@268	25.76	24.29	0.2685

78	15	50	650000	3750	DFT-s-OFDM 64 QAM	135@67	24.53	23.06	0.2023
78	15	50	650000	3750	DFT-s-OFDM 64 QAM	1@1	24.33	22.86	0.1932
78	15	50	650000	3750	DFT-s-OFDM 64 QAM	1@268	24.32	22.85	0.1928
78	15	50	650000	3750	DFT-s-OFDM 256 QAM	135@67	22.5	21.03	0.1268
78	15	50	650000	3750	DFT-s-OFDM 256 QAM	1@1	22.18	20.71	0.1178
78	15	50	650000	3750	DFT-s-OFDM 256 QAM	1@268	22.14	20.67	0.1167
78	15	50	650000	3750	CP-OFDM QPSK	135@67	25.51	24.04	0.2535
78	15	50	650000	3750	CP-OFDM QPSK	1@1	25.22	23.75	0.2371
78	15	50	650000	3750	CP-OFDM QPSK	1@268	25.27	23.8	0.2399
78	15	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	135@67	26.95	25.48	0.3532
78	15	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@1	26.68	25.21	0.3319
78	15	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@268	26.65	25.18	0.3296
78	15	50	651666	3774.99	DFT-s-OFDM QPSK	135@67	26.97	25.5	0.3548
78	15	50	651666	3774.99	DFT-s-OFDM QPSK	1@1	26.72	25.25	0.3350
78	15	50	651666	3774.99	DFT-s-OFDM QPSK	1@268	26.7	25.23	0.3334
78	15	50	651666	3774.99	DFT-s-OFDM 16 QAM	135@67	26	24.53	0.2838
78	15	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@1	25.78	24.31	0.2698
78	15	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@268	25.75	24.28	0.2679
78	15	50	651666	3774.99	DFT-s-OFDM 64 QAM	135@67	24.5	23.03	0.2009
78	15	50	651666	3774.99	DFT-s-OFDM 64 QAM	1@1	24.36	22.89	0.1945
78	15	50	651666	3774.99	DFT-s-OFDM 64 QAM	1@268	24.31	22.84	0.1923
78	15	50	651666	3774.99	DFT-s-OFDM 256 QAM	135@67	22.45	20.98	0.1253
78	15	50	651666	3774.99	DFT-s-OFDM 256 QAM	1@1	22.16	20.69	0.1172
78	15	50	651666	3774.99	DFT-s-OFDM 256 QAM	1@268	22.15	20.68	0.1169
78	15	50	651666	3774.99	CP-OFDM QPSK	135@67	25.45	23.98	0.2500
78	15	50	651666	3774.99	CP-OFDM QPSK	1@1	25.26	23.79	0.2393
78	15	50	651666	3774.99	CP-OFDM QPSK	1@268	25.3	23.83	0.2415

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00391	PASS	NV
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00552	PASS	LV
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00413	PASS	HV
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00037	PASS	-30°C
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00606	PASS	-20°C
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00536	PASS	-10°C
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00613	PASS	0°C
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00617	PASS	10°C
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00505	PASS	20°C
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00349	PASS	30°C
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00506	PASS	40°C
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	0.00642	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
78	15	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	100@0	4.35	13	PASS
78	15	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@0	4.74	13	PASS
78	15	20	647334	3710.01	DFT-s-OFDM QPSK	100@0	5.33	13	PASS
78	15	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	5.91	13	PASS
78	15	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	100@0	4.3	13	PASS
78	15	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	1@0	4.63	13	PASS
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	5.25	13	PASS
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	6.72	13	PASS
78	15	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	100@0	4.11	13	PASS
78	15	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@0	4.77	13	PASS
78	15	20	652666	3789.99	DFT-s-OFDM QPSK	100@0	5.04	13	PASS
78	15	20	652666	3789.99	DFT-s-OFDM QPSK	1@0	6.1	13	PASS

N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH



N78(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
78	15	10	650000	3750.0	DFT-s-OFDM PI/2 BPSK	50@0	8.903	9.446
78	15	10	650000	3750.0	DFT-s-OFDM QPSK	50@0	8.9121	9.593
78	15	10	650000	3750.0	CP-OFDM QPSK	52@0	9.2776	9.859
78	15	10	650000	3750.0	CP-OFDM 16 QAM	52@0	9.284	9.942
78	15	10	650000	3750.0	CP-OFDM 64 QAM	52@0	9.2944	10.07
78	15	10	650000	3750.0	CP-OFDM 256 QAM	52@0	9.2903	9.813
78	15	15	650000	3750.0	DFT-s-OFDM PI/2 BPSK	75@0	13.416	14.12
78	15	15	650000	3750.0	DFT-s-OFDM QPSK	75@0	13.381	14.01
78	15	15	650000	3750.0	CP-OFDM QPSK	79@0	14.11	14.68
78	15	15	650000	3750.0	CP-OFDM 16 QAM	79@0	14.098	14.73
78	15	15	650000	3750.0	CP-OFDM 64 QAM	79@0	14.108	14.76
78	15	15	650000	3750.0	CP-OFDM 256 QAM	79@0	14.074	14.71
78	15	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	100@0	17.866	18.85
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	100@0	17.791	18.76
78	15	20	650000	3750.0	CP-OFDM QPSK	106@0	18.913	19.85
78	15	20	650000	3750.0	CP-OFDM 16 QAM	106@0	18.912	19.75
78	15	20	650000	3750.0	CP-OFDM 64 QAM	106@0	18.93	20.0
78	15	20	650000	3750.0	CP-OFDM 256 QAM	106@0	18.884	19.78
78	15	40	650000	3750.0	DFT-s-OFDM PI/2 BPSK	216@0	38.589	39.88
78	15	40	650000	3750.0	DFT-s-OFDM QPSK	216@0	38.525	40.03
78	15	40	650000	3750.0	CP-OFDM QPSK	216@0	38.578	40.04
78	15	40	650000	3750.0	CP-OFDM 16 QAM	216@0	38.583	39.96
78	15	40	650000	3750.0	CP-OFDM 64 QAM	216@0	38.571	40.0
78	15	40	650000	3750.0	CP-OFDM 256 QAM	216@0	38.574	39.9

78	15	50	650000	3750.0	DFT-s-OFDM PI/2 BPSK	270@0	48.152	49.89
78	15	50	650000	3750.0	DFT-s-OFDM QPSK	270@0	48.118	49.72
78	15	50	650000	3750.0	CP-OFDM QPSK	270@0	48.152	49.83
78	15	50	650000	3750.0	CP-OFDM 16 QAM	270@0	48.191	49.81
78	15	50	650000	3750.0	CP-OFDM 64 QAM	270@0	48.137	49.8
78	15	50	650000	3750.0	CP-OFDM 256 QAM	270@0	48.247	49.75

N78(10M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N78(10M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



N78(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(10M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(10M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N78(10M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH



N78(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N78(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N78(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N78(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N78(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N78(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N78(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH



N78(40M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(40M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N78(40M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N78(40M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N78(50M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N78(50M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N78(50M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N78(50M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N78(50M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N78(50M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
78	15	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	15	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	10	647000	3705.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	15	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	10	647000	3705.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	10	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	15	10	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	10	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	10	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	15	10	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	10	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	10	653000	3795.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	15	10	653000	3795.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	10	653000	3795.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	10	653000	3795.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	15	10	653000	3795.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	10	653000	3795.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	---
78	15	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	20	647334	3710.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	---
78	15	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	20	647334	3710.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	20	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---

78	15	20	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	20	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	---
78	15	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	---
78	15	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	50	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	---
78	15	50	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	50	650000	3750.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	50	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	---
78	15	50	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	50	650000	3750.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	50	651666	3774.99	DFT-s-OFDM BPSK	1@0	see graph	---
78	15	50	651666	3774.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	50	651666	3774.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
78	15	50	651666	3774.99	DFT-s-OFDM QPSK	1@0	see graph	---
78	15	50	651666	3774.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
78	15	50	651666	3774.99	DFT-s-OFDM QPSK	1@0	see graph	PASS


N78(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N78(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N78(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N78(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N78(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N78(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N78(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N78(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N78(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N78(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N78(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N78(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N78(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N78(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N78(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N78(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH

