



29.2 DC_7A_n5A BW20(LTE)+BW20(NR), QPSK, High Channel

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.571	-49.66	4.65	-25.0	-24.66	129.00	Horizontal	Horizontal	N/A
890.536	-42.38	5.23	-25.0	-17.38	73.00	Horizontal	Horizontal	N/A
2551.700	-40.50	10.19	-25.0	-15.50	104.00	Horizontal	Horizontal	N/A
2678.900	-32.08	9.18	-25.0	-7.08	128.00	Horizontal	Horizontal	N/A
7810.000	-39.82	16.27	-25.0	-14.82	257.00	Horizontal	Horizontal	Pass
13397.588	-39.31	16.99	-25.0	-14.31	278.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.522	-53.41	4.65	-25.0	-28.41	13.00	Horizontal	Vertical	N/A
880.496	-42.38	4.87	-25.0	-17.38	302.00	Horizontal	Vertical	N/A
2552.300	-43.24	10.20	-25.0	-18.24	107.00	Horizontal	Vertical	N/A
2678.700	-30.33	9.21	-25.0	-5.33	120.00	Horizontal	Vertical	N/A
7874.750	-39.58	15.03	-25.0	-14.58	119.00	Horizontal	Vertical	Pass
13401.263	-39.59	16.98	-25.0	-14.59	360.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.522	-51.06	4.65	-25.0	-26.06	65.00	Vertical	Vertical	N/A
892.476	-45.59	5.28	-25.0	-20.59	295.00	Vertical	Vertical	N/A
2551.800	-41.19	10.19	-25.0	-16.19	233.00	Vertical	Vertical	N/A
2672.200	-41.80	9.09	-25.0	-16.80	308.00	Vertical	Vertical	N/A
7779.250	-40.55	15.32	-25.0	-15.55	136.00	Vertical	Vertical	Pass
13393.388	-39.83	16.95	-25.0	-14.83	211.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
829.571	-53.75	4.65	-25.0	-28.75	28.00	Vertical	Horizontal	N/A
875.500	-43.94	4.83	-25.0	-18.94	296.00	Vertical	Horizontal	N/A
2497.500	-42.00	10.41	-25.0	-17.00	144.00	Vertical	Horizontal	Pass
2682.800	-43.51	9.15	-25.0	-18.51	52.00	Vertical	Horizontal	N/A
6691.750	-39.33	14.86	-25.0	-14.33	131.00	Vertical	Horizontal	Pass
13413.599	-39.81	16.71	-25.0	-14.81	360.00	Vertical	Horizontal	Pass

30 DC_7A_n78A (3450-3550MHz)


30.1 DC_7A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.465	-75.39	-19.46	-25.0	-50.39	265.00	Horizontal	Horizontal	Pass
2622.800	-34.99	9.22	-25.0	-9.99	132.00	Horizontal	Horizontal	N/A
3451.500	-30.84	15.30	-25.0	-5.84	148.00	Horizontal	Horizontal	N/A
4402.000	-28.68	15.28	-25.0	-3.68	148.00	Horizontal	Horizontal	Pass
7952.000	-31.01	24.24	-25.0	-6.01	128.00	Horizontal	Horizontal	Pass
10353.625	-38.50	9.15	-25.0	-13.50	47.00	Horizontal	Horizontal	Pass


RSE-H&V DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2623.200	-34.40	9.31	-25.0	-9.40	116.00	Horizontal	Vertical	N/A
3451.750	-35.04	15.30	-25.0	-10.04	198.00	Horizontal	Vertical	N/A
4402.250	-23.14	15.25	-25.0	1.86	135.00	Horizontal	Vertical	N/A
4402.250*	-28.238	15.25	-25.0	-3.238	135.00	Horizontal	Vertical	Pass
7799.250	-31.05	25.36	-25.0	-6.05	218.00	Horizontal	Vertical	Pass
10001.887	-33.51	10.87	-25.0	-8.51	198.00	Horizontal	Vertical	Pass
10353.625	-35.91	9.15	-25.0	-10.91	222.00	Horizontal	Vertical	Pass


Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

RSE-V&V DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
3451.500	-35.87	15.30	-25.0	-10.87	9.00	Vertical	Vertical	N/A
4402.500	-29.18	15.29	-25.0	-4.18	28.00	Vertical	Vertical	Pass
10002.362	-36.56	10.90	-25.0	-11.56	257.00	Vertical	Vertical	Pass
10353.863	-32.49	9.15	-25.0	-7.49	225.00	Vertical	Vertical	Pass
13387.088	-38.38	16.89	-25.0	-13.38	273.00	Vertical	Vertical	Pass
19752.301	-42.99	12.94	-25.0	-17.99	345.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.881	-69.16	-21.22	-25.0	-44.16	250.00	Vertical	Horizontal	Pass
2624.300	-41.67	9.38	-25.0	-16.67	269.00	Vertical	Horizontal	N/A
3451.750	-39.34	15.30	-25.0	-14.34	54.00	Vertical	Horizontal	N/A
4402.250	-31.68	15.25	-25.0	-6.68	54.00	Vertical	Horizontal	Pass
7826.750	-31.28	24.12	-25.0	-6.28	186.00	Vertical	Horizontal	Pass
10353.625	-35.29	9.15	-25.0	-10.29	69.00	Vertical	Horizontal	Pass

30.2 DC_7A_n78A BW20(LTE)+BW100(NR), QPSK, High Channel


RSE-H&H DC_7A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2552.000	-42.59	9.25	-25.0	-17.59	99.00	Horizontal	Horizontal	N/A
2684.600	-29.93	10.14	-25.0	-4.93	125.00	Horizontal	Horizontal	N/A
3451.750	-31.86	15.30	-25.0	-6.86	360.00	Horizontal	Horizontal	N/A
4351.500	-25.06	15.33	-25.0	-0.06	146.00	Horizontal	Horizontal	N/A
4351.500*	-30.788	15.33	-25.0	-5.788	146.00	Horizontal	Horizontal	Pass
7961.000	-30.99	25.06	-25.0	-5.99	360.00	Horizontal	Horizontal	Pass
13369.763	-39.81	16.73	-25.0	-14.81	166.00	Horizontal	Horizontal	Pass

Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.


RSE-H&V DC_7A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
183.212	-77.39	-17.39	-25.0	-52.39	258.00	Horizontal	Vertical	Pass
2672.800	-36.57	10.02	-25.0	-11.57	144.00	Horizontal	Vertical	N/A
3451.750	-34.24	15.30	-25.0	-9.24	157.00	Horizontal	Vertical	N/A
4351.250	-26.25	15.32	-25.0	-1.25	125.00	Horizontal	Vertical	N/A
4351.250*	-31.055	15.32	-25.0	-6.055	125.00	Horizontal	Vertical	Pass
6711.500	-31.50	23.92	-25.0	-6.50	251.00	Horizontal	Vertical	Pass
13385.250	-39.72	16.87	-25.0	-14.72	45.00	Horizontal	Vertical	Pass


Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

RSE-V&V DC_7A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2486.600	-37.91	9.47	-25.0	-12.91	0.00	Vertical	Vertical	Pass
2581.700	-38.36	9.63	-25.0	-13.36	14.00	Vertical	Vertical	N/A
3451.500	-35.75	15.30	-25.0	-10.75	335.00	Vertical	Vertical	N/A
4351.500	-29.46	15.33	-25.0	-4.46	137.00	Vertical	Vertical	Pass
7779.750	-31.23	23.76	-25.0	-6.23	284.00	Vertical	Vertical	Pass
10353.625	-39.72	9.15	-25.0	-14.72	220.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.393	-73.25	-16.11	-25.0	-48.25	193.00	Vertical	Horizontal	Pass
2672.500	-41.43	10.06	-25.0	-16.43	125.00	Vertical	Horizontal	N/A
3451.750	-34.92	15.30	-25.0	-9.92	131.00	Vertical	Horizontal	N/A
4351.500	-26.70	15.33	-25.0	-1.70	45.00	Vertical	Horizontal	N/A
4351.500*	-34.013	15.33	-25.0	-9.013	45.00	Vertical	Horizontal	Pass
7295.500	-31.41	23.04	-25.0	-6.41	0.00	Vertical	Horizontal	Pass
13404.412	-39.81	16.91	-25.0	-14.81	228.00	Vertical	Horizontal	Pass

Note: The initial sweep time from 3GHz to 8GHz was previously set to 200ms, which was insufficient for RMS detection. When there are frequency points out of standard or insufficient margin, the final scan time needs to be increased to determine its compliance.

31 DC_7A_n78A (3700-3800MHz)


31.1 DC_7A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_7A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
200.768	-73.49	-16.04	-25.0	-48.49	266.00	Horizontal	Horizontal	Pass
2624.000	-32.28	9.37	-25.0	-7.28	123.00	Horizontal	Horizontal	N/A
2965.000	-40.25	14.95	-25.0	-15.25	151.00	Horizontal	Horizontal	Pass
3701.750	-40.49	14.74	-25.0	-15.49	109.00	Horizontal	Horizontal	N/A
7944.250	-31.34	23.80	-25.0	-6.34	246.00	Horizontal	Horizontal	Pass
13384.724	-39.31	16.87	-25.0	-14.31	27.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2497.200	-43.77	9.54	-25.0	-18.77	238.00	Horizontal	Vertical	Pass
2624.500	-33.06	9.38	-25.0	-8.06	303.00	Horizontal	Vertical	N/A
3701.500	-40.55	14.74	-25.0	-15.55	129.00	Horizontal	Vertical	N/A
4902.250	-30.22	17.58	-25.0	-5.22	145.00	Horizontal	Vertical	Pass
10001.887	-33.84	10.87	-25.0	-8.84	116.00	Horizontal	Vertical	Pass
13393.651	-39.15	16.95	-25.0	-14.15	158.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2501.100	-42.15	9.56	-25.0	-17.15	205.00	Vertical	Vertical	N/A
4902.250	-35.53	17.58	-25.0	-10.53	138.00	Vertical	Vertical	Pass
7963.000	-31.64	24.31	-25.0	-6.64	138.00	Vertical	Vertical	Pass
10001.887	-35.36	10.87	-25.0	-10.36	218.00	Vertical	Vertical	Pass
11103.651	-39.57	9.76	-25.0	-14.57	170.00	Vertical	Vertical	Pass
17797.876	-42.24	13.07	-25.0	-17.24	70.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.026	-68.72	-21.26	-25.0	-43.72	269.00	Vertical	Horizontal	Pass
2625.200	-42.98	9.40	-25.0	-17.98	121.00	Vertical	Horizontal	N/A
4420.000	-39.16	16.20	-25.0	-14.16	12.00	Vertical	Horizontal	Pass
7912.500	-31.48	23.35	-25.0	-6.48	330.00	Vertical	Horizontal	Pass
13356.900	-38.78	16.60	-25.0	-13.78	302.00	Vertical	Horizontal	Pass
17962.725	-42.40	13.77	-25.0	-17.40	0.00	Vertical	Horizontal	Pass


31.2 DC_7A_n78A BW20(LTE)+BW100(NR), QPSK, High Channel

RSE-H&H DC_7A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2552.400	-42.44	9.26	-25.0	-17.44	329.00	Horizontal	Horizontal	N/A
2677.500	-39.01	10.14	-25.0	-14.01	126.00	Horizontal	Horizontal	N/A
4004.000	-40.23	15.27	-25.0	-15.23	0.00	Horizontal	Horizontal	Pass
6708.250	-32.20	23.69	-25.0	-7.20	0.00	Horizontal	Horizontal	Pass
11932.763	-40.01	13.99	-25.0	-15.01	243.00	Horizontal	Horizontal	Pass
17950.124	-42.79	14.09	-25.0	-17.79	34.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
791.305	-70.80	-1.30	-25.0	-45.80	63.00	Horizontal	Vertical	Pass
2678.600	-39.17	10.06	-25.0	-14.17	196.00	Horizontal	Vertical	N/A
4128.500	-40.68	15.08	-25.0	-15.68	315.00	Horizontal	Vertical	Pass
7953.000	-31.42	23.78	-25.0	-6.42	1.00	Horizontal	Vertical	Pass
12642.650	-40.22	14.26	-25.0	-15.22	34.00	Horizontal	Vertical	Pass
17927.025	-41.67	13.54	-25.0	-16.67	237.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.411	-73.27	-16.91	-25.0	-48.27	191.00	Vertical	Vertical	Pass
2971.900	-39.72	15.51	-25.0	-14.72	293.00	Vertical	Vertical	Pass
3733.500	-40.72	15.12	-25.0	-15.72	117.00	Vertical	Vertical	N/A
6704.250	-31.43	23.46	-25.0	-6.43	360.00	Vertical	Vertical	Pass
13827.037	-39.38	16.38	-25.0	-14.38	169.00	Vertical	Vertical	Pass
17924.661	-42.32	13.48	-25.0	-17.32	183.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
76.511	-71.52	-21.26	-25.0	-46.52	291.00	Vertical	Horizontal	Pass
2946.900	-39.35	13.77	-25.0	-14.35	240.00	Vertical	Horizontal	Pass
3759.750	-41.38	15.24	-25.0	-16.38	332.00	Vertical	Horizontal	N/A
6644.000	-31.13	23.27	-25.0	-6.13	332.00	Vertical	Horizontal	Pass
13407.563	-39.03	16.84	-25.0	-14.03	69.00	Vertical	Horizontal	Pass
19679.850	-42.56	12.94	-25.0	-17.56	129.00	Vertical	Horizontal	Pass

32 DC_38A_n78A (3450-3550MHz)


32.1 DC_38A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_38A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
966.972	-67.80	1.80	-25.0	42.80	125.00	Horizontal	Horizontal	Pass
2563.200	-25.86	10.45	-25.0	0.86	354.00	Horizontal	Horizontal	N/A
2627.000	-36.70	10.77	-25.0	11.70	7.00	Horizontal	Horizontal	N/A
3469.250	-38.00	15.13	-25.0	13.00	204.00	Horizontal	Horizontal	N/A
7953.000	-31.29	24.48	-25.0	6.29	3.00	Horizontal	Horizontal	Pass
12672.575	-39.74	14.50	-25.0	14.74	295.00	Horizontal	Horizontal	Pass

RSE-H&V DC_38A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
196.016	-75.01	-15.88	-25.0	50.01	112.00	Horizontal	Vertical	Pass
2558.800	-31.97	9.73	-25.0	6.97	116.00	Horizontal	Vertical	N/A
2976.400	-39.96	15.13	-25.0	14.96	-1.00	Horizontal	Vertical	Pass
3469.250	-31.02	15.13	-25.0	6.02	204.00	Horizontal	Vertical	N/A
6631.750	-31.35	23.35	-25.0	6.35	301.00	Horizontal	Vertical	Pass
13393.388	-39.54	16.95	-25.0	14.54	29.00	Horizontal	Vertical	Pass

RSE-V&V DC_38A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.950	-67.90	-18.24	-25.0	42.90	219.00	Vertical	Vertical	Pass
2562.100	-27.79	10.43	-25.0	2.79	203.00	Vertical	Vertical	N/A
2628.000	-38.89	10.77	-25.0	13.89	168.00	Vertical	Vertical	N/A
3469.750	-36.08	15.12	-25.0	11.08	237.00	Vertical	Vertical	N/A
7798.500	-31.17	25.33	-25.0	6.17	361.00	Vertical	Vertical	Pass
13382.362	-39.62	16.84	-25.0	14.62	226.00	Vertical	Vertical	Pass


RSE-V&H DC_38A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.047	-69.74	-18.20	-25.0	44.74	43.00	Vertical	Horizontal	Pass
2562.100	-36.08	10.43	-25.0	11.08	177.00	Vertical	Horizontal	N/A
3395.250	-41.15	15.57	-25.0	16.15	361.00	Vertical	Horizontal	Pass
6713.250	-31.65	23.93	-25.0	6.65	51.00	Vertical	Horizontal	Pass
13368.450	-38.61	16.71	-25.0	13.61	130.00	Vertical	Horizontal	Pass
17987.138	-41.20	13.17	-25.0	16.20	166.00	Vertical	Horizontal	Pass


32.2 DC_38A_n78A BW20(LTE)+BW100(NR), QPSK, High Channel

RSE-H&H DC_38A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
183.066	-73.93	-17.41	-25.0	48.93	294.00	Horizontal	Horizontal	Pass
2556.800	-33.58	9.04	-25.0	8.58	171.00	Horizontal	Horizontal	Pass
2626.000	-17.31	10.78	-25.0	-7.69	154.00	Horizontal	Horizontal	N/A
3549.250	-38.45	14.65	-25.0	13.45	143.00	Horizontal	Horizontal	N/A
6915.750	-31.09	22.22	-25.0	6.09	75.00	Horizontal	Horizontal	Pass
13403.099	-39.78	16.94	-25.0	14.78	277.00	Horizontal	Horizontal	Pass

RSE-H&V DC_38A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
963.528	-68.10	1.82	-25.0	43.10	333.00	Horizontal	Vertical	Pass
2633.300	-27.51	10.24	-25.0	2.51	92.00	Horizontal	Vertical	N/A
2970.600	-40.37	15.16	-25.0	15.37	209.00	Horizontal	Vertical	Pass
3549.750	-40.54	14.65	-25.0	15.54	156.00	Horizontal	Vertical	N/A
7961.500	-31.03	25.02	-25.0	6.03	361.00	Horizontal	Vertical	Pass
13346.925	-39.81	16.42	-25.0	14.81	342.00	Horizontal	Vertical	Pass

RSE-V&V DC_38A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.192	-71.85	-18.09	-25.0	46.85	181.00	Vertical	Vertical	Pass
2629.900	-20.91	10.48	-25.0	-4.09	165.00	Vertical	Vertical	N/A
3549.000	-39.32	14.65	-25.0	14.32	193.00	Vertical	Vertical	N/A
7965.000	-31.05	24.94	-25.0	6.05	193.00	Vertical	Vertical	Pass
10647.175	-40.08	10.07	-25.0	15.08	54.00	Vertical	Vertical	Pass
17937.000	-42.37	13.78	-25.0	17.37	303.00	Vertical	Vertical	Pass

RSE-V&H DC_38A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.386	-72.00	-17.95	-25.0	47.00	179.00	Vertical	Horizontal	Pass
2630.800	-25.32	10.34	-25.0	0.32	12.00	Vertical	Horizontal	N/A
2952.500	-40.02	14.17	-25.0	15.02	253.00	Vertical	Horizontal	Pass
3549.250	-39.76	14.65	-25.0	14.76	0.00	Vertical	Horizontal	N/A
7049.750	-31.20	23.32	-25.0	6.20	42.00	Vertical	Horizontal	Pass
13795.276	-39.20	16.69	-25.0	14.20	96.00	Vertical	Horizontal	Pass

33 DC_38A_n78A (3700-3800MHz)


33.1 DC_38A_n78A BW20(LTE)+BW100(NR), QPSK, Low Channel

RSE-H&H DC_38A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
941.121	-67.75	1.49	-25.0	42.75	17.00	Horizontal	Horizontal	Pass
2562.200	-24.39	10.44	-25.0	-0.61	173.00	Horizontal	Horizontal	N/A
2635.700	-28.69	10.26	-25.0	3.69	155.00	Horizontal	Horizontal	N/A
4263.500	-40.05	15.55	-25.0	15.05	361.00	Horizontal	Horizontal	Pass
7785.750	-31.49	24.40	-25.0	6.49	361.00	Horizontal	Horizontal	Pass
13785.562	-39.79	16.05	-25.0	14.79	111.00	Horizontal	Horizontal	Pass

RSE-H&V DC_38A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
933.652	-68.50	1.17	-25.0	43.50	108.00	Horizontal	Vertical	Pass
2560.800	-33.73	10.33	-25.0	8.73	122.00	Horizontal	Vertical	N/A
2637.700	-38.44	10.45	-25.0	13.44	139.00	Horizontal	Vertical	N/A
3734.500	-40.97	15.13	-25.0	15.97	165.00	Horizontal	Vertical	Pass
6719.750	-31.93	24.10	-25.0	6.93	320.00	Horizontal	Vertical	Pass
13409.138	-40.00	16.81	-25.0	15.00	207.00	Horizontal	Vertical	Pass

RSE-V&V DC_38A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.144	-71.29	-18.13	-25.0	46.29	229.00	Vertical	Vertical	Pass
2563.200	-32.35	10.45	-25.0	7.35	153.00	Vertical	Vertical	N/A
2636.500	-31.83	10.29	-25.0	6.83	279.00	Vertical	Vertical	N/A
3741.000	-41.32	15.21	-25.0	16.32	234.00	Vertical	Vertical	Pass
6848.000	-31.36	22.20	-25.0	6.36	273.00	Vertical	Vertical	Pass
13375.799	-39.58	16.78	-25.0	14.58	347.00	Vertical	Vertical	Pass


RSE-V&H DC_38A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.998	-68.53	-0.10	-25.0	43.53	26.00	Vertical	Horizontal	Pass
2557.800	-35.91	9.40	-25.0	10.91	138.00	Vertical	Horizontal	N/A
2628.000	-39.27	10.77	-25.0	14.27	173.00	Vertical	Horizontal	N/A
3799.750	-40.26	14.94	-25.0	15.26	147.00	Vertical	Horizontal	Pass
7346.000	-31.22	22.53	-25.0	6.22	271.00	Vertical	Horizontal	Pass
13366.088	-38.89	16.69	-25.0	13.89	133.00	Vertical	Horizontal	Pass


33.2 DC_38A_n78A BW5(LTE)+BW20(NR), QPSK, High Channel

RSE-H&H DC_38A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
803.235	-69.99	-1.17	-25.0	44.99	273.00	Horizontal	Horizontal	Pass
2559.000	-35.32	9.80	-25.0	10.32	168.00	Horizontal	Horizontal	N/A
2628.200	-17.95	10.77	-25.0	-7.05	342.00	Horizontal	Horizontal	N/A
3799.250	-38.12	14.94	-25.0	13.12	199.00	Horizontal	Horizontal	N/A
6637.750	-31.23	23.27	-25.0	6.23	133.00	Horizontal	Horizontal	Pass
13808.925	-39.57	16.80	-25.0	14.57	0.00	Horizontal	Horizontal	Pass

RSE-H&V DC_38A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
958.630	-68.71	1.73	-25.0	43.71	263.00	Horizontal	Vertical	Pass
2626.100	-28.49	10.78	-25.0	3.49	-1.00	Horizontal	Vertical	N/A
2953.900	-39.17	14.25	-25.0	14.17	50.00	Horizontal	Vertical	Pass
3789.000	-40.81	15.02	-25.0	15.81	43.00	Horizontal	Vertical	Pass
7821.000	-31.19	24.28	-25.0	6.19	186.00	Horizontal	Vertical	Pass
13368.188	-39.68	16.71	-25.0	14.68	330.00	Horizontal	Vertical	Pass

RSE-V&V DC_38A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.677	-70.46	-17.71	-25.0	45.46	230.00	Vertical	Vertical	Pass
2561.400	-38.08	10.43	-25.0	13.08	228.00	Vertical	Vertical	N/A
2628.500	-18.67	10.69	-25.0	-6.33	271.00	Vertical	Vertical	N/A
3734.250	-40.84	15.13	-25.0	15.84	53.00	Vertical	Vertical	Pass
7807.750	-31.09	24.52	-25.0	6.09	361.00	Vertical	Vertical	Pass
12655.475	-39.32	14.33	-25.0	14.32	93.00	Vertical	Vertical	Pass

RSE-V&H DC_38A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
857.507	-69.12	-0.15	-25.0	44.12	173.00	Vertical	Horizontal	Pass
2630.000	-24.61	10.47	-25.0	-0.39	63.00	Vertical	Horizontal	N/A
2955.600	-40.37	14.49	-25.0	15.37	219.00	Vertical	Horizontal	Pass
3643.000	-41.61	14.22	-25.0	16.61	173.00	Vertical	Horizontal	Pass
7799.750	-31.33	24.76	-25.0	6.33	184.00	Vertical	Horizontal	Pass
13370.025	-39.97	16.73	-25.0	14.97	187.00	Vertical	Horizontal	Pass

34 DC_41A_n78A (3450-3550MHz)


34.1 DC_41A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_41A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.514	-78.49	-15.72	-25.0	-53.49	254.00	Horizontal	Horizontal	Pass
2485.500	-25.78	9.46	-25.0	-0.78	0.00	Horizontal	Horizontal	N/A
2594.100	-40.13	9.56	-25.0	-15.13	348.00	Horizontal	Horizontal	N/A
3451.750	-31.65	15.30	-25.0	-6.65	333.00	Horizontal	Horizontal	N/A
6650.000	-31.71	23.22	-25.0	-6.71	177.00	Horizontal	Horizontal	Pass
13795.800	-39.58	16.73	-25.0	-14.58	16.00	Horizontal	Horizontal	Pass

RSE-H&V DC_41A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
196.258	-78.71	-15.90	-25.0	-53.71	78.00	Horizontal	Vertical	Pass
2489.700	-27.06	9.49	-25.0	-2.06	360.00	Horizontal	Vertical	N/A
2595.100	-42.40	9.46	-25.0	-17.40	116.00	Horizontal	Vertical	N/A
3451.250	-36.01	15.31	-25.0	-11.01	193.00	Horizontal	Vertical	N/A
7053.750	-31.62	23.01	-25.0	-6.62	278.00	Horizontal	Vertical	Pass
12666.875	-40.14	14.45	-25.0	-15.14	187.00	Horizontal	Vertical	Pass

RSE-V&V DC_41A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.718	-73.83	-18.91	-25.0	-48.83	131.00	Vertical	Vertical	Pass
2488.700	-25.98	9.48	-25.0	-0.98	82.00	Vertical	Vertical	N/A
2588.400	-40.11	9.74	-25.0	-15.11	107.00	Vertical	Vertical	N/A
3451.500	-35.76	15.30	-25.0	-10.76	0.00	Vertical	Vertical	N/A
7198.500	-31.25	23.38	-25.0	-6.25	228.00	Vertical	Vertical	Pass
10353.863	-37.42	9.15	-25.0	-12.42	222.00	Vertical	Vertical	Pass


RSE-V&H DC_41A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.525	-72.82	-19.05	-25.0	-47.82	138.00	Vertical	Horizontal	Pass
2485.500	-31.32	9.46	-25.0	-6.32	37.00	Vertical	Horizontal	N/A
3451.750	-39.51	15.30	-25.0	-14.51	105.00	Vertical	Horizontal	N/A
6718.500	-31.52	23.76	-25.0	-6.52	247.00	Vertical	Horizontal	Pass
11967.200	-39.75	13.94	-25.0	-14.75	75.00	Vertical	Horizontal	Pass
17958.001	-41.35	13.89	-25.0	-16.35	250.00	Vertical	Horizontal	Pass


34.2 DC_41A_n78A BW20(LTE)+BW100(NR), QPSK, Low Channel

RSE-H&H DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
275.604	-76.46	-13.96	-25.0	-51.46	182.00	Horizontal	Horizontal	Pass
2487.200	-29.78	9.47	-25.0	-4.78	325.00	Horizontal	Horizontal	N/A
3451.750	-30.38	15.30	-25.0	-5.38	351.00	Horizontal	Horizontal	N/A
7880.500	-31.21	24.19	-25.0	-6.21	330.00	Horizontal	Horizontal	Pass
13374.750	-39.24	16.77	-25.0	-14.24	309.00	Horizontal	Horizontal	Pass
17800.499	-41.18	13.19	-25.0	-16.18	196.00	Horizontal	Horizontal	Pass

RSE-H&V DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
196.404	-78.41	-15.91	-25.0	-53.41	262.00	Horizontal	Vertical	Pass
2486.300	-28.44	9.46	-25.0	-3.44	43.00	Horizontal	Vertical	N/A
3451.750	-32.17	15.30	-25.0	-7.17	170.00	Horizontal	Vertical	N/A
6672.000	-31.52	22.63	-25.0	-6.52	256.00	Horizontal	Vertical	Pass
13802.362	-38.94	16.95	-25.0	-13.94	360.00	Horizontal	Vertical	Pass
17790.261	-42.56	12.60	-25.0	-17.56	122.00	Horizontal	Vertical	Pass

RSE-V&V DC_41A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.428	-73.82	-19.12	-25.0	-48.82	208.00	Vertical	Vertical	Pass
2491.200	-28.41	9.50	-25.0	-3.41	117.00	Vertical	Vertical	N/A
3451.750	-35.55	15.30	-25.0	-10.55	360.00	Vertical	Vertical	N/A
7890.250	-31.11	24.02	-25.0	-6.11	308.00	Vertical	Vertical	Pass
11916.375	-40.44	13.96	-25.0	-15.44	312.00	Vertical	Vertical	Pass
17958.787	-42.76	13.87	-25.0	-17.76	20.00	Vertical	Vertical	Pass

RSE-V&H DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.095	-73.53	-18.16	-25.0	-48.53	331.00	Vertical	Horizontal	Pass
2490.400	-37.21	9.49	-25.0	-12.21	285.00	Vertical	Horizontal	N/A
3451.500	-37.79	15.30	-25.0	-12.79	49.00	Vertical	Horizontal	N/A
4226.000	-40.23	14.88	-25.0	-15.23	27.00	Vertical	Horizontal	Pass
7785.250	-31.30	24.30	-25.0	-6.30	0.00	Vertical	Horizontal	Pass
13371.600	-39.55	16.74	-25.0	-14.55	0.00	Vertical	Horizontal	Pass

35 DC_41A_n78A (3700-3800MHz)


35.1 DC_41A_n78A BW5(LTE)+BW20(NR), QPSK, Low Channel

RSE-H&H DC_41A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
202.514	-78.15	-15.72	-25.0	-53.15	73.00	Horizontal	Horizontal	Pass
2489.600	-26.88	9.49	-25.0	-1.88	0.00	Horizontal	Horizontal	N/A
3693.250	-40.31	14.66	-25.0	-15.31	76.00	Horizontal	Horizontal	Pass
6940.250	-31.66	22.12	-25.0	-6.66	203.00	Horizontal	Horizontal	Pass
13797.112	-38.93	16.82	-25.0	-13.93	274.00	Horizontal	Horizontal	Pass
19729.349	-42.69	12.94	-25.0	-17.69	357.00	Horizontal	Horizontal	Pass

RSE-H&V DC_41A_n78A BW5(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2492.600	-32.06	9.51	-25.0	-7.06	337.00	Horizontal	Vertical	N/A
2587.300	-39.87	9.70	-25.0	-14.87	112.00	Horizontal	Vertical	N/A
3701.500	-40.07	14.74	-25.0	-15.07	147.00	Horizontal	Vertical	N/A
7286.750	-31.68	23.19	-25.0	-6.68	127.00	Horizontal	Vertical	Pass
13390.763	-39.05	16.92	-25.0	-14.05	217.00	Horizontal	Vertical	Pass
17986.613	-42.42	13.18	-25.0	-17.42	186.00	Horizontal	Vertical	Pass

RSE-V&V DC_41A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.621	-73.54	-18.98	-25.0	-48.54	68.00	Vertical	Vertical	Pass
2489.600	-25.30	9.49	-25.0	-0.30	105.00	Vertical	Vertical	N/A
2583.600	-41.46	9.66	-25.0	-16.46	96.00	Vertical	Vertical	N/A
3733.250	-40.79	15.12	-25.0	-15.79	196.00	Vertical	Vertical	N/A
6689.500	-31.46	22.83	-25.0	-6.46	112.00	Vertical	Vertical	Pass
12508.225	-39.76	14.59	-25.0	-14.76	60.00	Vertical	Vertical	Pass


RSE-V&H DC_41A_n78A BW5(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.155	-73.60	-18.66	-25.0	-48.60	196.00	Vertical	Horizontal	Pass
2486.300	-36.74	9.46	-25.0	-11.74	251.00	Vertical	Horizontal	N/A
3665.250	-41.24	14.42	-25.0	-16.24	0.00	Vertical	Horizontal	Pass
6724.000	-31.88	24.10	-25.0	-6.88	132.00	Vertical	Horizontal	Pass
13398.375	-39.55	16.99	-25.0	-14.55	226.00	Vertical	Horizontal	Pass
17946.712	-42.50	14.01	-25.0	-17.50	240.00	Vertical	Horizontal	Pass


35.2 DC_41A_n78A BW20(LTE)+BW100(NR), QPSK, Low Channel

RSE-H&H DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2487.600	-20.77	9.47	-25.0	4.23	360.00	Horizontal	Horizontal	N/A
2585.300	-38.32	9.68	-25.0	-13.32	360.00	Horizontal	Horizontal	N/A
3897.500	-37.41	15.59	-25.0	-12.41	106.00	Horizontal	Horizontal	Pass
6719.500	-31.00	24.13	-25.0	-6.00	138.00	Horizontal	Horizontal	Pass
12516.062	-39.52	14.46	-25.0	-14.52	30.00	Horizontal	Horizontal	Pass
17969.025	-42.33	13.62	-25.0	-17.33	50.00	Horizontal	Horizontal	Pass

RSE-H&V DC_41A_n78A BW20(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
2490.300	-25.13	9.49	-25.0	-0.13	109.00	Horizontal	Vertical	N/A
2586.000	-36.87	9.69	-25.0	-11.87	277.00	Horizontal	Vertical	N/A
3701.750	-38.97	14.74	-25.0	-13.97	125.00	Horizontal	Vertical	N/A
6864.750	-31.67	22.47	-25.0	-6.67	0.00	Horizontal	Vertical	Pass
13394.175	-39.31	16.96	-25.0	-14.31	337.00	Horizontal	Vertical	Pass
17951.699	-41.70	14.05	-25.0	-16.70	47.00	Horizontal	Vertical	Pass

RSE-V&V DC_41A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.203	-73.80	-18.65	-25.0	-48.80	162.00	Vertical	Vertical	Pass
2485.300	-31.24	9.33	-25.0	-6.24	147.00	Vertical	Vertical	N/A
3897.500	-40.34	15.59	-25.0	-15.34	53.00	Vertical	Vertical	Pass
7799.500	-31.42	24.77	-25.0	-6.42	169.00	Vertical	Vertical	Pass
12493.500	-39.11	14.66	-25.0	-14.11	173.00	Vertical	Vertical	Pass
17890.537	-42.40	12.69	-25.0	-17.40	172.00	Vertical	Vertical	Pass

RSE-V&H DC_41A_n78A BW20(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.331	-73.41	-19.20	-25.0	-48.41	123.00	Vertical	Horizontal	Pass
2489.300	-31.08	9.49	-25.0	-6.08	14.00	Vertical	Horizontal	N/A
3733.500	-41.21	15.12	-25.0	-16.21	103.00	Vertical	Horizontal	N/A
6627.750	-31.46	23.07	-25.0	-6.46	150.00	Vertical	Horizontal	Pass
13379.474	-39.48	16.82	-25.0	-14.48	273.00	Vertical	Horizontal	Pass
17800.761	-41.63	13.18	-25.0	-16.63	126.00	Vertical	Horizontal	Pass