




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-LINE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.167	46.28	-18.84	65.12	35.80	0.05	10.43	QP
2	0.167	32.08	-33.04	65.12	21.60	0.05	10.43	Average
3	0.181	40.96	-23.50	64.46	30.50	0.04	10.42	QP
4	0.181	27.06	-37.40	64.46	16.60	0.04	10.42	Average
5	0.229	36.03	-26.45	62.48	25.60	0.03	10.40	QP
6	0.229	22.63	-39.85	62.48	12.20	0.03	10.40	Average
7	0.303	33.90	-26.25	60.15	23.49	0.06	10.35	QP
8	0.303	21.60	-38.55	60.15	11.19	0.06	10.35	Average
9	0.499	31.28	-24.73	56.01	21.10	-0.03	10.21	QP
10	0.499	22.38	-33.63	56.01	12.20	-0.03	10.21	Average
11	0.668	32.59	-23.41	56.00	22.50	-0.08	10.17	QP
12	0.668	20.59	-35.41	56.00	10.50	-0.08	10.17	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.158	50.66	-14.90	65.56	40.20	0.03	10.43	QP
2	0.158	31.66	-33.90	65.56	21.20	0.03	10.43	Average
3	0.174	42.97	-21.80	64.77	32.51	0.04	10.42	QP
4	0.174	25.97	-38.80	64.77	15.51	0.04	10.42	Average
5	0.200	40.97	-22.65	63.62	30.50	0.05	10.42	QP
6	0.200	27.07	-36.55	63.62	16.60	0.05	10.42	Average
7	0.238	37.20	-24.97	62.17	26.80	0.01	10.39	QP
8	0.238	23.20	-38.97	62.17	12.80	0.01	10.39	Average
9	0.310	38.79	-21.18	59.97	28.50	-0.05	10.34	QP
10	0.310	21.89	-38.08	59.97	11.60	-0.05	10.34	Average
11	0.415	32.82	-24.73	57.55	22.61	-0.07	10.28	QP
12	0.415	23.52	-34.03	57.55	13.31	-0.07	10.28	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Carry Xu	Temperature :	22~23°C
		Relative Humidity :	41~42%



<UNII-1, 2A, 2C>

UNII-1 - 5150~5250MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 36 5180MHz		5147.2	53.78	-20.22	74	45.69	34.22	10.6	36.73	101	240	P	H
		5147.2	43.15	-10.85	54	35.06	34.22	10.6	36.73	101	240	A	H
	*	5176	107.5	-	-	99.28	34.27	10.64	36.69	101	240	P	H
		5176	100.44	-----	-----	92.22	34.27	10.64	36.69	101	240	A	H
		5150	54.62	-19.38	74	46.53	34.22	10.6	36.73	351	275	P	V
		5150	42.26	-11.74	54	34.17	34.22	10.6	36.73	351	275	A	V
	*	5182	105.89	-	-	97.67	34.27	10.64	36.69	351	275	P	V
		5182	98.92	-----	-----	90.7	34.27	10.64	36.69	351	275	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include data for channels 36, 44, and 48 at frequencies 10355, 10443, and 10476 MHz.

Remark
1. No other spurious found.
2. All results are PASS against Peak and Average limit line.



UNII-1 5150~5250MHz
WIFI 802.11be EHT20 Full (Band Edge @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include data for 802.11be EHT20 Full and CH 36 5180MHz.

Remark
1. No other spurious found.
2. All results are PASS against Peak and Average limit line.



UNII-1 5150~5250MHz
WIFI 802.11be EHT20 Full (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include data for channels 36, 44, and 48 at frequencies 10355, 10443, and 10476 MHz.



UNII-1 5150~5250MHz
WIFI 802.11be EHT20 Partial 52/37 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 52/37 CH 36 5180MHz		5123.68	53.7	-20.3	74	41.62	34.1	9.77	31.79	100	123	P	H
		5125.12	43.06	-10.94	54	30.98	34.1	9.77	31.79	100	123	A	H
		5170	107.7	-	-	95.62	34.1	9.8	31.82	100	123	P	H
		5170	100.69	-----	-----	88.61	34.1	9.8	31.82	100	123	A	H
		5132.16	52.41	-21.59	74	40.33	34.1	9.77	31.79	327	88	P	V
		5104.8	42.11	-11.89	54	30.05	34.1	9.74	31.78	327	88	A	V
		5170	103.1	-	-	91.02	34.1	9.8	31.82	327	88	P	V
		5170	96.02	-----	-----	83.94	34.1	9.8	31.82	327	88	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT20_Small RU Index 53+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU Index 53+4 CH 36 5180MHz		5128.96	53.67	-20.33	74	41.59	34.1	9.77	31.79	100	124	P	H
		5149.6	43.48	-10.52	54	31.41	34.1	9.78	31.81	100	124	A	H
		5170	109.17	-	-	97.09	34.1	9.8	31.82	100	124	P	H
		5170	100.15	-----	-----	88.07	34.1	9.8	31.82	100	124	A	H
		5119.2	52.8	-21.2	74	40.73	34.1	9.76	31.79	309	83	P	V
		5149.28	42.87	-11.13	54	30.8	34.1	9.78	31.81	309	83	A	V
		5170	106.63	-	-	94.55	34.1	9.8	31.82	309	83	P	V
		5170	98.82	-----	-----	86.74	34.1	9.8	31.82	309	83	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 38 5190MHz		5137.76	59.77	-14.23	74	51.71	34.2	10.6	36.74	104	114	P	H
		5150	49.38	-4.62	54	41.29	34.22	10.6	36.73	104	114	A	H
	*	5200	105.3	-	-	97.02	34.3	10.66	36.68	104	114	P	H
		5200	97.91	-----	-----	89.63	34.3	10.66	36.68	104	114	A	H
		5353.38	48.03	-25.97	74	39.28	34.52	10.75	36.52	104	114	P	H
		5350.86	37.94	-16.06	54	29.19	34.52	10.75	36.52	104	114	A	H
		5145.92	58.41	-15.59	74	50.32	34.22	10.6	36.73	100	94	P	V
		5150	48.22	-5.78	54	40.13	34.22	10.6	36.73	100	94	A	V
	*	5176	105.57	-	-	97.35	34.27	10.64	36.69	100	94	P	V
		5176	95.77	-----	-----	87.55	34.27	10.64	36.69	100	94	A	V
		5392.08	47.32	-26.68	74	38.47	34.57	10.77	36.49	100	94	P	V
	5352.84	37.48	-16.52	54	28.73	34.52	10.75	36.52	100	94	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz
WIFI 802.11be EHT40 Full (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include data for 802.11be EHT40 Full CH 38 5190MHz and CH 46 5230MHz, plus a Remark section.



UNII-1 5150~5250MHz
WIFI 802.11be EHT80 Full (Band Edge @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include data for 802.11be EHT80 Full CH 42 5210MHz and a Remark section.



UNII-1 5150~5250MHz
WIFI 802.11be EHT80 Full (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include 802.11be EHT80 Full and CH 42 5210MHz, and a Remark section.



UNII-1 5150~5250MHz

WIFI 802.11be EHT80_ Puncturing 20M- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 42 5210MHz		5134.88	61.65	-12.35	74	49.57	34.1	9.77	31.79	100	108	P	H
		5137.28	50.37	-3.63	54	38.29	34.1	9.77	31.79	100	108	A	H
		5200	102.51	-	-	90.42	34.1	9.83	31.84	100	108	P	H
		5200	94.24	-----	-----	82.15	34.1	9.83	31.84	100	108	A	H
		5135.84	57.88	-16.12	74	45.8	34.1	9.77	31.79	307	57	P	V
		5137.6	48.06	-5.94	54	35.98	34.1	9.77	31.79	307	57	A	V
		5236	100.54	-	-	88.31	34.23	9.85	31.85	307	57	P	V
		5236	92.27	-----	-----	80.04	34.23	9.85	31.85	307	57	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT80_ Large RU 484+242- ④ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 42 5210MHz		5135.52	60.68	-13.32	74	48.6	34.1	9.77	31.79	100	122	P	H
		5137.28	50.09	-3.91	54	38.01	34.1	9.77	31.79	100	122	A	H
		5176	102.73	-	-	90.64	34.1	9.81	31.82	100	122	P	H
		5176	94.23	-----	-----	82.14	34.1	9.81	31.82	100	122	A	H
		5377.68	51.68	-22.32	74	38.95	34.75	9.93	31.95	100	122	P	H
		5392.08	43.42	-10.58	54	30.69	34.75	9.93	31.95	100	122	A	H
		5135.2	58.68	-15.32	74	46.6	34.1	9.77	31.79	308	87	P	V
		5138.24	48.55	-5.45	54	36.47	34.1	9.77	31.79	308	87	A	V
		5218	100.55	-	-	88.38	34.17	9.84	31.84	308	87	P	V
		5218	92.05	-----	-----	79.88	34.17	9.84	31.84	308	87	A	V
	5354.1	52.04	-21.96	74	39.41	34.65	9.91	31.93	308	87	P	V	
	5386.14	42.96	-11.04	54	30.23	34.75	9.93	31.95	308	87	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz
WIFI 802.11be EHT160 Full (Band Edge @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include test data for frequencies like 5117.28, 5142.08, 5326, etc., and a Remark section at the bottom.



UNII-1 5150~5250MHz
WIFI 802.11be EHT160 Full (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include test data for 802.11be EHT160 Full CH 50 5250MHz and a Remark section.



UNII-1 5150~5250MHz
WIFI 802.11be EHT160 Puncturing 40M- ② (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M CH 50 5250MHz		5140.48	60.51	-13.49	74	48.42	34.1	9.78	31.79	103	123	P	H
		5143.2	48.29	-5.71	54	36.2	34.1	9.78	31.79	103	123	A	H
	*	5176	99.4	-	-	87.31	34.1	9.81	31.82	103	123	P	H
		5176	90.49	-----	-----	78.4	34.1	9.81	31.82	103	123	A	H
		5384.34	61.6	-12.4	74	48.87	34.75	9.93	31.95	103	123	P	H
		5384.88	50.12	-3.88	54	37.39	34.75	9.93	31.95	103	123	A	H
		5115.36	58.69	-15.31	74	46.61	34.1	9.76	31.78	324	79	P	V
		5143.68	46.31	-7.69	54	34.22	34.1	9.78	31.79	324	79	A	V
	*	5320	97.26	-	-	84.72	34.55	9.89	31.9	324	79	P	V
		5320	88.23	-----	-----	75.69	34.55	9.89	31.9	324	79	A	V
	5378.04	57.27	-16.73	74	44.54	34.75	9.93	31.95	324	79	P	V	
	5383.08	47.19	-6.81	54	34.46	34.75	9.93	31.95	324	79	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz
WIFI 802.11be EHT160 Puncturing 40M- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M CH 50 5250MHz		5128.8	57.87	-16.13	74	45.79	34.1	9.77	31.79	108	230	P	H
		5117.44	48.05	-5.95	54	35.97	34.1	9.76	31.78	108	230	A	H
	*	5302	95.97	-	-	83.48	34.5	9.89	31.9	108	230	P	H
		5302	88.44	-----	-----	75.95	34.5	9.89	31.9	108	230	A	H
		5394.7	60.48	-13.52	74	47.69	34.8	9.94	31.95	108	230	P	H
		5381.5	48.39	-5.61	54	35.66	34.75	9.93	31.95	108	230	A	H
		5120.96	58.15	-15.85	74	46.08	34.1	9.76	31.79	324	83	P	V
		5117.6	47.74	-6.26	54	35.66	34.1	9.76	31.78	324	83	A	V
	*	5200	96.2	-	-	84.11	34.1	9.83	31.84	324	83	P	V
		5200	87.88	-----	-----	75.79	34.1	9.83	31.84	324	83	A	V
	5354.7	59.73	-14.27	74	47.1	34.65	9.91	31.93	324	83	P	V	
	5357.6	48.58	-5.42	54	35.95	34.65	9.91	31.93	324	83	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz
WIFI 802.11be EHT160 Puncturing 20M- ① (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 20M CH 50 5250MHz		5140.32	58.89	-15.11	74	46.8	34.1	9.78	31.79	100	122	P	H
		5137.44	48.46	-5.54	54	36.38	34.1	9.77	31.79	100	122	A	H
	*	5284	98.69	-	-	86.26	34.43	9.88	31.88	100	122	P	H
		5284	90.08	-----	-----	77.65	34.43	9.88	31.88	100	122	A	H
		5391.9	64.97	-9.03	74	52.24	34.75	9.93	31.95	100	122	P	H
		5356.08	50.52	-3.48	54	37.89	34.65	9.91	31.93	100	122	A	H
		5119.36	56.34	-17.66	74	44.27	34.1	9.76	31.79	283	85	P	V
		5137.44	45.98	-8.02	54	33.9	34.1	9.77	31.79	283	85	A	V
	*	5278	96.49	-	-	84.06	34.43	9.88	31.88	283	85	P	V
		5278	87.44	-----	-----	75.01	34.43	9.88	31.88	283	85	A	V
	5392.26	58.2	-15.8	74	45.47	34.75	9.93	31.95	283	85	P	V	
	5378.76	47.16	-6.84	54	34.43	34.75	9.93	31.95	283	85	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz
WIFI 802.11be EHT160 Puncturing 20M- 8 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 20M CH 50 5250MHz		5136.32	60.76	-13.24	74	48.68	34.1	9.77	31.79	100	124	P	H
		5136.96	49.21	-4.79	54	37.13	34.1	9.77	31.79	100	124	A	H
	*	5260	99.9	-	-	87.53	34.37	9.87	31.87	100	124	P	H
		5260	90.44	-----	-----	78.07	34.37	9.87	31.87	100	124	A	H
		5371.92	61.98	-12.02	74	49.29	34.7	9.92	31.93	100	124	P	H
		5358.42	50.2	-3.8	54	37.57	34.65	9.91	31.93	100	124	A	H
		5136	57.69	-16.31	74	45.61	34.1	9.77	31.79	282	88	P	V
		5137.44	47.36	-6.64	54	35.28	34.1	9.77	31.79	282	88	A	V
	*	5302	96.15	-	-	83.66	34.5	9.89	31.9	282	88	P	V
		5302	88.12	-----	-----	75.63	34.5	9.89	31.9	282	88	A	V
	5382.72	58.31	-15.69	74	45.58	34.75	9.93	31.95	282	88	P	V	
	5378.4	46.79	-7.21	54	34.06	34.75	9.93	31.95	282	88	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz

WIFI 802.11be EHT160 Large RU 996+484- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996+484 CH 50 5250MHz		5146.56	61.84	-12.16	74	49.77	34.1	9.78	31.81	100	121	P	H
		5138.08	50.17	-3.83	54	38.09	34.1	9.77	31.79	100	121	A	H
	*	5224	99.92	-	-	87.76	34.17	9.84	31.85	100	121	P	H
		5224	90.08	-----	-----	77.92	34.17	9.84	31.85	100	121	A	H
		5354.64	61.49	-12.51	74	48.86	34.65	9.91	31.93	100	121	P	H
		5358.42	49.89	-4.11	54	37.26	34.65	9.91	31.93	100	121	A	H
		5146.08	60.45	-13.55	74	48.38	34.1	9.78	31.81	322	79	P	V
		5137.92	48.9	-5.1	54	36.82	34.1	9.77	31.79	322	79	A	V
	*	5242	97.3	-	-	84.99	34.3	9.86	31.85	322	79	P	V
		5242	88.45	-----	-----	76.14	34.3	9.86	31.85	322	79	A	V
	5356.08	59.47	-14.53	74	46.84	34.65	9.91	31.93	322	79	P	V	
	5358.78	47.94	-6.06	54	35.31	34.65	9.91	31.93	322	79	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-1 5150~5250MHz
WIFI 802.11be EHT160 Large RU 996*2- 9 (Band Edge @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include test results for frequencies like 5134.72, 5138.08, 5278, 5396.94, 5358.78, 5138.56, 5140, 5176, 5392.8, 5378.76.

Remark

- 1. No other spurious found.
2. All results are PASS against Peak and Average limit line.



UNII-2A - 5250~5350MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 64 5320MHz	*	5320	108.02	-	-	99.38	34.47	10.73	36.56	101	242	P	H
		5320	101.16	-----	-----	92.52	34.47	10.73	36.56	101	242	A	H
		5351.7	52.66	-21.34	74	43.91	34.52	10.75	36.52	101	242	P	H
		5352.5	43.14	-10.86	54	34.39	34.52	10.75	36.52	101	242	A	H
	*	5326	106.28	-	-	97.63	34.47	10.74	36.56	163	360	P	V
		5326	99.26	-----	-----	90.61	34.47	10.74	36.56	163	360	A	V
		5350.3	51.35	-22.65	74	42.6	34.52	10.75	36.52	163	360	P	V
		5353.2	41.96	-12.04	54	33.21	34.52	10.75	36.52	163	360	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 52 5260MHz		10520	44.63	-23.67	68.3	58.39	37.57	15.6	66.93	300	0	P	H
		10520	45.14	-23.16	68.3	58.9	37.57	15.6	66.93	100	0	P	V
802.11a CH 60 5300MHz		10600.01	43.91	-30.09	74	57.46	37.63	15.67	66.85	300	0	P	H
		10600.01	43.83	-30.17	74	57.38	37.63	15.67	66.85	100	0	P	V
802.11a CH 64 5320MHz		10641	44.16	-29.84	74	57.63	37.65	15.7	66.82	300	0	P	H
		10641	44.26	-29.74	74	57.73	37.65	15.7	66.82	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full	*	5326	108.5	-	-	99.85	34.47	10.74	36.56	100	114	P	H
		5326	101.17	-----	-----	92.52	34.47	10.74	36.56	100	114	A	H
		5350.5	54.71	-19.29	74	45.96	34.52	10.75	36.52	100	114	P	H
		5350	46.17	-7.83	54	37.42	34.52	10.75	36.52	100	114	A	H
CH 64 5320MHz	*	5326	107.12	-	-	98.47	34.47	10.74	36.56	111	81	P	V
		5326	98.25	-----	-----	89.6	34.47	10.74	36.56	111	81	A	V
		5358.2	52.28	-21.72	74	43.53	34.52	10.75	36.52	111	81	P	V
		5350	43.32	-10.68	54	34.57	34.52	10.75	36.52	111	81	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full		10520	46.2	-22.1	68.3	55.87	37.71	14.24	61.62	300	0	P	H
CH 52 5260MHz		10520	46.61	-21.69	68.3	56.28	37.71	14.24	61.62	100	0	P	V
802.11be EHT20 Full		10600.01	46.46	-27.54	74	56.05	37.76	14.29	61.64	300	0	P	H
CH 60 5300MHz		10600.01	46.64	-27.36	74	56.23	37.76	14.29	61.64	100	0	P	V
802.11be EHT20 Full		10641	44.58	-29.42	74	58.05	37.65	15.7	66.82	300	0	P	H
CH 64 5320MHz		10641	44.34	-29.66	74	57.81	37.65	15.7	66.82	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT20 Partial 26/8 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 26/8 CH 64 5320MHz		5390.46	53.07	-20.93	74	40.34	34.75	9.93	31.95	100	129	P	H
		5373.54	42.67	-11.33	54	30	34.7	9.92	31.95	100	129	A	H
		5326	109.95	-	-	97.42	34.55	9.89	31.91	100	129	P	H
		5326	102.78	-----	-----	90.25	34.55	9.89	31.91	100	129	A	H
		5389.56	50.92	-23.08	74	38.19	34.75	9.93	31.95	291	85	P	V
		5395.86	41.8	-12.2	54	29.01	34.8	9.94	31.95	291	85	A	V
		5326	106.6	-	-	94.07	34.55	9.89	31.91	291	85	P	V
		5326	99.18	-----	-----	86.65	34.55	9.89	31.91	291	85	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT20 Small RU Index 54+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU Index 54+4 CH 64 5320MHz		5357.6	53.29	-20.71	74	40.66	34.65	9.91	31.93	100	121	P	H
		5350.4	43.17	-10.83	54	30.54	34.65	9.91	31.93	100	121	A	H
		5332	107.61	-	-	95.02	34.6	9.9	31.91	100	121	P	H
		5332	100.6	-----	-----	88.01	34.6	9.9	31.91	100	121	A	H
		5397	51.82	-22.18	74	39.03	34.8	9.94	31.95	327	81	P	V
		5350	42.54	-11.46	54	29.91	34.65	9.91	31.93	327	81	A	V
		5326	109.06	-	-	96.53	34.55	9.89	31.91	327	81	P	V
		5326	99.43	-----	-----	86.9	34.55	9.89	31.91	327	81	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 62 5310MHz		5129.6	53.7	-20.3	74	41.62	34.1	9.77	31.79	100	122	P	H
		5140.96	43.09	-10.91	54	31	34.1	9.78	31.79	100	122	A	H
	*	5326	106.36	-	-	93.83	34.55	9.89	31.91	100	122	P	H
		5326	97.34	-----	-----	84.81	34.55	9.89	31.91	100	122	A	H
		5351.3	59.99	-14.01	74	47.36	34.65	9.91	31.93	100	122	P	H
		5350	47.64	-6.36	54	35.01	34.65	9.91	31.93	100	122	A	H
		5143.2	53.43	-20.57	74	41.34	34.1	9.78	31.79	331	84	P	V
		5120.48	42.81	-11.19	54	30.74	34.1	9.76	31.79	331	84	A	V
	*	5302	102.44	-	-	89.95	34.5	9.89	31.9	331	84	P	V
		5302	94.29	-----	-----	81.8	34.5	9.89	31.9	331	84	A	V
	5350.3	53.92	-20.08	74	41.29	34.65	9.91	31.93	331	84	P	V	
	5350	44.18	-9.82	54	31.55	34.65	9.91	31.93	331	84	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full		10542	45.99	-22.31	68.3	55.64	37.72	14.25	61.62	300	0	P	H
CH 54 5270MHz		10542	45.87	-22.43	68.3	55.52	37.72	14.25	61.62	100	0	P	V
802.11be EHT40 Full		10619	45.21	-28.79	74	54.77	37.77	14.31	61.64	300	0	P	H
CH 62 5310MHz		10619	44.8	-29.2	74	54.36	37.77	14.31	61.64	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 58 5290MHz		5143.36	53.95	-20.05	74	41.86	34.1	9.78	31.79	100	121	P	H
		5142.72	43.76	-10.24	54	31.67	34.1	9.78	31.79	100	121	A	H
	*	5284	102.71	-	-	90.28	34.43	9.88	31.88	100	121	P	H
		5284	93.9	-----	-----	81.47	34.43	9.88	31.88	100	121	A	H
		5358.6	58.44	-15.56	74	45.81	34.65	9.91	31.93	100	121	P	H
		5350.3	48.08	-5.92	54	35.45	34.65	9.91	31.93	100	121	A	H
		5122.72	55.04	-18.96	74	42.96	34.1	9.77	31.79	317	83	P	V
		5140.96	43.02	-10.98	54	30.93	34.1	9.78	31.79	317	83	A	V
	*	5260	99.43	-	-	87.06	34.37	9.87	31.87	317	83	P	V
		5260	91.03	-----	-----	78.66	34.37	9.87	31.87	317	83	A	V
	5360.7	54.48	-19.52	74	41.79	34.7	9.92	31.93	317	83	P	V	
	5350.3	44.99	-9.01	54	32.36	34.65	9.91	31.93	317	83	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full		10575	44.1	-24.2	68.3	53.72	37.74	14.27	61.63	300	0	P	H
CH 58 5290MHz		10575	44.56	-23.74	68.3	54.18	37.74	14.27	61.63	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT80 Puncturing 20M- ② (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 58 5290MHz		5130.4	54.99	-19.01	74	42.91	34.1	9.77	31.79	100	123	P	H
		5140.48	43.58	-10.42	54	31.49	34.1	9.78	31.79	100	123	A	H
		5302	101.85	-	-	89.36	34.5	9.89	31.9	100	123	P	H
		5302	93.1	-----	-----	80.61	34.5	9.89	31.9	100	123	A	H
		5360.3	61.28	-12.72	74	48.65	34.65	9.91	31.93	100	123	P	H
		5357.9	50.54	-3.46	54	37.91	34.65	9.91	31.93	100	123	A	H
		5137.12	53.66	-20.34	74	41.58	34.1	9.77	31.79	293	86	P	V
		5138.72	42.92	-11.08	54	30.84	34.1	9.77	31.79	293	86	A	V
		5302	100.81	-	-	88.32	34.5	9.89	31.9	293	86	P	V
		5302	91.74	-----	-----	79.25	34.5	9.89	31.9	293	86	A	V
		5357.6	57.38	-16.62	74	44.75	34.65	9.91	31.93	293	86	P	V
		5356.3	47.32	-6.68	54	34.69	34.65	9.91	31.93	293	86	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2A 5250~5350MHz

WIFI 802.11be EHT80 Large RU 484+242- ② (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 58 5290MHz		5116	54.2	-19.8	74	42.12	34.1	9.76	31.78	100	119	P	H
		5135.52	44.04	-9.96	54	31.96	34.1	9.77	31.79	100	119	A	H
		5296	101.56	-	-	89.05	34.5	9.89	31.88	100	119	P	H
		5296	92.96	-----	-----	80.45	34.5	9.89	31.88	100	119	A	H
		5358.1	59.85	-14.15	74	47.22	34.65	9.91	31.93	100	119	P	H
		5358.1	50.59	-3.41	54	37.96	34.65	9.91	31.93	100	119	A	H
		5119.2	53.07	-20.93	74	41	34.1	9.76	31.79	310	79	P	V
		5136.32	43.46	-10.54	54	31.38	34.1	9.77	31.79	310	79	A	V
		5320	99.02	-	-	86.48	34.55	9.89	31.9	310	79	P	V
		5320	91.21	-----	-----	78.67	34.55	9.89	31.9	310	79	A	V
	5361.4	57.33	-16.67	74	44.64	34.7	9.92	31.93	310	79	P	V	
	5358.1	48.05	-5.95	54	35.42	34.65	9.91	31.93	310	79	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - 5470~5725MHz
WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 100 5500MHz		5457.36	49.95	-24.05	74	40.94	34.58	10.85	36.42	239	301	P	H
		5469.52	55.66	-12.64	68.3	46.64	34.57	10.85	36.4	239	301	P	H
		5460	40.91	-13.09	54	31.9	34.58	10.85	36.42	239	301	A	H
	*	5506	108.48	-	-	99.4	34.56	10.89	36.37	239	301	P	H
		5506	101.75	-----	-----	92.67	34.56	10.89	36.37	239	301	A	H
		5458.32	48.88	-25.12	74	39.87	34.58	10.85	36.42	121	0	P	V
		5469.84	53.23	-15.07	68.3	44.21	34.57	10.85	36.4	121	0	P	V
		5458.64	39.96	-14.04	54	30.95	34.58	10.85	36.42	121	0	A	V
	*	5500	107.73	-	-	98.65	34.56	10.89	36.37	121	0	P	V
		5500	100.18	-----	-----	91.1	34.56	10.89	36.37	121	0	A	V
802.11a CH 140 5700MHz	*	5704	104.05	-	-	94.83	34.64	11.16	36.58	107	355	P	H
		5704	97.79	-----	-----	88.57	34.64	11.16	36.58	107	355	A	H
		5727.8	53.3	-15	68.3	44.04	34.68	11.18	36.6	107	355	P	H
	*	5710	106.24	-	-	97.02	34.64	11.16	36.58	296	289	P	V
		5710	99.31	-----	-----	90.09	34.64	11.16	36.58	296	289	A	V
		5727.08	56.19	-12.11	68.3	46.93	34.68	11.18	36.6	296	289	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - 5470~5725MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 100 5500MHz		11004	45.07	-28.93	74	57.61	37.9	16.05	66.49	300	0	P	H
		11004	45.68	-28.32	74	58.22	37.9	16.05	66.49	100	0	P	V
802.11a CH 116 5580MHz		11158	45.23	-28.77	74	57.53	38.04	16.15	66.49	300	0	P	H
		11158	45.5	-28.5	74	57.8	38.04	16.15	66.49	100	0	P	V
802.11a CH 140 5700MHz		11400	45.5	-28.5	74	57.46	38.23	16.29	66.48	300	0	P	H
		11400	44.54	-29.46	74	56.5	38.23	16.29	66.48	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - 5470~5725MHz

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Full CH 100 5500MHz		5436.56	49.85	-24.15	74	40.88	34.59	10.82	36.44	100	114	P	H
		5468.72	55.48	-12.82	68.3	46.46	34.57	10.85	36.4	100	114	P	H
		5452.56	40.54	-13.46	54	31.56	34.58	10.82	36.42	100	114	A	H
	*	5506	109.76	-	-	100.68	34.56	10.89	36.37	100	114	P	H
		5506	101.45	-----	-----	92.37	34.56	10.89	36.37	100	114	A	H
		5455.44	49.65	-24.35	74	40.67	34.58	10.82	36.42	105	2	P	V
		5470	53.33	-14.97	68.3	44.31	34.57	10.85	36.4	105	2	P	V
		5455.6	40.39	-13.61	54	31.38	34.58	10.85	36.42	105	2	A	V
	*	5494	108.56	-	-	99.49	34.57	10.89	36.39	105	2	P	V
	5494	100.39	-----	-----	91.32	34.57	10.89	36.39	105	2	A	V	
802.11be EHT20 Full CH 140 5700MHz	*	5710	108.5	-	-	99.28	34.64	11.16	36.58	100	112	P	H
		5710	100.18	-----	-----	90.96	34.64	11.16	36.58	100	112	A	H
		5725.24	65.27	-3.03	68.3	57.04	34.68	11.18	37.63	100	112	P	H
	*	5692	106.65	-	-	97.49	34.59	11.13	36.56	100	16	P	V
		5692	98.41	-----	-----	89.25	34.59	11.13	36.56	100	16	A	V
		5725	58.49	-9.81	68.3	49.23	34.68	11.18	36.6	100	16	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz
WIFI 802.11be EHT20 (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include data for channels 100, 116, and 140.



UNII-2C 5470~5725MHz

WIFI 802.11be EHT20 Partial 26/8 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 26/8 CH 140 5700MHz		5763.24	54.25	-14.05	68.3	41.3	34.57	10.37	31.99	100	120	P	H
		5710	108.31	-	-	95.5	34.52	10.33	32.04	100	120	P	H
		5710	100.69	-----	-----	87.88	34.52	10.33	32.04	100	120	A	H
		5738.44	53.51	-14.79	68.3	40.61	34.55	10.36	32.01	300	80	P	V
		5710	104.04	-	-	91.23	34.52	10.33	32.04	300	80	P	V
		5710	96.34	-----	-----	83.53	34.52	10.33	32.04	300	80	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT20 Partial 52/37 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 52/37 CH 100 5500MHz		5384.24	52.25	-21.75	74	39.52	34.75	9.93	31.95	100	123	P	H
		5469.68	52.57	-15.73	68.3	39.72	34.8	10.04	31.99	100	123	P	H
		5457.2	42.92	-11.08	54	30.09	34.8	10.02	31.99	100	123	A	H
		5488	109.83	-	-	96.97	34.8	10.07	32.01	100	123	P	H
		5488	101.94	-----	-----	89.08	34.8	10.07	32.01	100	123	A	H
		5364.72	52.35	-21.65	74	39.66	34.7	9.92	31.93	102	121	P	V
		5460.4	52.25	-16.05	68.3	39.42	34.8	10.02	31.99	102	121	P	V
		5452.56	42.72	-11.28	54	29.89	34.8	10.02	31.99	102	121	A	V
		5494	97.23	-	-	84.37	34.8	10.07	32.01	102	121	P	V
	5494	89.32	-----	-----	76.46	34.8	10.07	32.01	102	121	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT20 Small RU- Index 37+2 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU- Index 37+2 CH 100 5500MHz		5453.36	52.39	-21.61	74	39.56	34.8	10.02	31.99	100	121	P	H
		5465.04	52.16	-16.14	68.3	39.31	34.8	10.04	31.99	100	121	P	H
		5456.72	43.07	-10.93	54	30.24	34.8	10.02	31.99	100	121	A	H
		5494	110.68	-	-	97.82	34.8	10.07	32.01	100	121	P	H
		5494	102.61	-----	-----	89.75	34.8	10.07	32.01	100	121	A	H
		5384.24	52.4	-21.6	74	39.67	34.75	9.93	31.95	307	80	P	V
		5466	51.74	-16.56	68.3	38.89	34.8	10.04	31.99	307	80	P	V
		5450	42.75	-11.25	54	29.92	34.8	10.02	31.99	307	80	A	V
		5494	108.59	-	-	95.73	34.8	10.07	32.01	307	80	P	V
	5494	100.15	-----	-----	87.29	34.8	10.07	32.01	307	80	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT20 Small RU- Index 53+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		5750.76	53.51	-14.79	68.3	40.61	34.55	10.36	32.01	100	118	P	H
EHT20		5710	108.91	-	-	96.1	34.52	10.33	32.04	100	118	P	H
Small RU-		5710	99.47	-----	-----	86.66	34.52	10.33	32.04	100	118	A	H
Index 53+4		5762.76	53.43	-14.87	68.3	40.48	34.57	10.37	31.99	324	109	P	V
CH 140		5710	105.64	-	-	92.83	34.52	10.33	32.04	324	109	P	V
5700MHz		5710	97.53	-----	-----	84.72	34.52	10.33	32.04	324	109	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 102 5510MHz		5458	57.83	-16.17	74	48.82	34.58	10.85	36.42	100	112	P	H
		5469.52	57.87	-10.43	68.3	48.85	34.57	10.85	36.4	100	112	P	H
		5460	47.69	-6.31	54	38.68	34.58	10.85	36.42	100	112	A	H
	*	5500	106.67	-	-	97.59	34.56	10.89	36.37	100	112	P	H
		5500	97.98	-----	-----	88.9	34.56	10.89	36.37	100	112	A	H
		5748.36	48.63	-19.67	68.3	39.31	34.73	11.21	36.62	100	112	P	H
		5459.76	55.89	-18.11	74	46.88	34.58	10.85	36.42	135	350	P	V
		5461.52	58.66	-9.64	68.3	49.65	34.58	10.85	36.42	135	350	P	V
		5460	46.22	-7.78	54	37.21	34.58	10.85	36.42	135	350	A	V
	*	5530	103.06	-	-	93.99	34.55	10.91	36.39	135	350	P	V
		5530	95.77	-----	-----	86.7	34.55	10.91	36.39	135	350	A	V
		5761.72	48.29	-20.01	68.3	38.91	34.77	11.24	36.63	135	350	P	V
802.11be EHT40 Full CH 134 5670MHz		5402.48	47.59	-26.41	74	38.68	34.6	10.78	36.47	100	119	P	H
		5467.12	46.6	-21.7	68.3	37.58	34.57	10.85	36.4	100	119	P	H
		5460	37.5	-16.5	54	28.49	34.58	10.85	36.42	100	119	A	H
	*	5662	105.23	-	-	96.18	34.5	11.08	36.53	100	119	P	H
		5662	97.25	-----	-----	88.2	34.5	11.08	36.53	100	119	A	H
		5725.56	55.93	-12.37	68.3	46.67	34.68	11.18	36.6	100	119	P	H
		5447.12	46.94	-27.06	74	37.96	34.58	10.82	36.42	100	17	P	V
		5460.08	46.21	-22.09	68.3	37.2	34.58	10.85	36.42	100	17	P	V
		5459.92	37.18	-16.82	54	28.17	34.58	10.85	36.42	100	17	A	V
	*	5668	102.92	-	-	93.81	34.55	11.11	36.55	100	17	P	V
	5668	94.7	-----	-----	85.59	34.55	11.11	36.55	100	17	A	V	
	5726.04	51.86	-16.44	68.3	42.6	34.68	11.18	36.6	100	17	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full		11015	44.54	-29.46	74	57.07	37.91	16.05	66.49	300	0	P	H
CH 102 5510MHz		11015	44.09	-29.91	74	56.62	37.91	16.05	66.49	100	0	P	V
802.11be EHT40 Full		11103	44.98	-29.02	74	53.96	38.06	14.63	61.67	300	0	P	H
CH 110 5550MHz		11103	45.37	-28.63	74	54.35	38.06	14.63	61.67	100	0	P	V
802.11be EHT40 Full		11345	44.61	-29.39	74	56.65	38.18	16.26	66.48	300	0	P	H
CH 134 5670MHz		11345	44.32	-29.68	74	56.36	38.18	16.26	66.48	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 106 5530MHz		5459.76	60.37	-13.63	74	47.54	34.8	10.02	31.99	100	120	P	H
		5462.96	59.64	-8.66	68.3	46.79	34.8	10.04	31.99	100	120	P	H
		5459.6	50.51	-3.49	54	37.68	34.8	10.02	31.99	100	120	A	H
	*	5506	104.29	-	-	91.42	34.8	10.09	32.02	100	120	P	H
		5506	94.91	-----	-----	82.04	34.8	10.09	32.02	100	120	A	H
		5725.08	54.64	-13.66	68.3	41.8	34.53	10.35	32.04	100	120	P	H
		5457.04	57.68	-16.32	74	44.85	34.8	10.02	31.99	306	83	P	V
		5460.24	58.06	-10.24	68.3	45.23	34.8	10.02	31.99	306	83	P	V
		5460	47.99	-6.01	54	35.16	34.8	10.02	31.99	306	83	A	V
	*	5500	101.03	-	-	88.15	34.8	10.09	32.01	306	83	P	V
		5500	92.28	-----	-----	79.4	34.8	10.09	32.01	306	83	A	V
		5750.92	54.35	-13.95	68.3	41.45	34.55	10.36	32.01	306	83	P	V
802.11be EHT80 Full CH 122 5610MHz		5459.92	50.73	-23.27	74	41.72	34.58	10.85	36.42	100	118	P	H
		5461.68	48.26	-20.04	68.3	39.25	34.58	10.85	36.42	100	118	P	H
		5458.48	40.33	-13.67	54	31.32	34.58	10.85	36.42	100	118	A	H
	*	5644	104.22	-	-	95.17	34.51	11.05	36.51	100	118	P	H
		5644	93.92	-----	-----	84.87	34.51	11.05	36.51	100	118	A	H
		5725.48	51.81	-16.49	68.3	42.55	34.68	11.18	36.6	100	118	P	H
		5446.32	48.78	-25.22	74	39.8	34.58	10.82	36.42	113	1	P	V
		5462	48.94	-19.36	68.3	39.93	34.58	10.85	36.42	113	1	P	V
		5459.92	39.39	-14.61	54	30.38	34.58	10.85	36.42	113	1	A	V
	*	5602	101.51	-	-	92.47	34.52	11	36.48	113	1	P	V
	5602	91.91	-----	-----	82.87	34.52	11	36.48	113	1	A	V	
	5758.68	48.98	-19.32	68.3	39.63	34.77	11.21	36.63	113	1	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 106 5530MHz		8848	48.1	-20.2	68.3	60.84	36.2	12.98	61.92	300	0	P	H
		11059	45.5	-28.5	74	54.54	38.04	14.61	61.69	300	0	P	H
		8848	48.67	-19.63	68.3	61.41	36.2	12.98	61.92	100	0	P	V
		11059	44.59	-29.41	74	53.63	38.04	14.61	61.69	100	0	P	V
802.11be EHT80 Full CH 122 5610MHz		11224	45.04	-28.96	74	57.27	38.08	16.18	66.49	300	0	P	H
		11224	45.24	-28.76	74	57.47	38.08	16.18	66.49	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT80 Puncturing 20M- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 106 5530MHz		5459.6	59.43	-14.57	74	46.6	34.8	10.02	31.99	109	122	P	H
		5462.48	59.9	-8.4	68.3	47.07	34.8	10.02	31.99	109	122	P	H
		5459.28	50.86	-3.14	54	38.03	34.8	10.02	31.99	109	122	A	H
		5560	103.63	-	-	90.81	34.7	10.17	32.05	109	122	P	H
		5560	94.38	-----	-----	81.56	34.7	10.17	32.05	109	122	A	H
		5737.48	53.42	-14.88	68.3	40.52	34.55	10.36	32.01	109	122	P	H
		5448.4	58.56	-15.44	74	45.72	34.8	10.02	31.98	100	125	P	V
		5468.88	57.57	-10.73	68.3	44.72	34.8	10.04	31.99	100	125	P	V
		5451.92	47.99	-6.01	54	35.16	34.8	10.02	31.99	100	125	A	V
		5494	101.83	-	-	88.97	34.8	10.07	32.01	100	125	P	V
	5494	91.64	-----	-----	78.78	34.8	10.07	32.01	100	125	A	V	
	5762.6	53.83	-14.47	68.3	40.88	34.57	10.37	31.99	100	125	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT80 Large RU 484+242- 4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 106 5530MHz		5459.12	61.02	-12.98	74	48.19	34.8	10.02	31.99	100	116	P	H
		5461.84	58.54	-9.76	68.3	45.71	34.8	10.02	31.99	100	116	P	H
		5459.6	49.94	-4.06	54	37.11	34.8	10.02	31.99	100	116	A	H
		5524	103.67	-	-	90.8	34.77	10.12	32.02	100	116	P	H
		5524	94.37	-----	-----	81.5	34.77	10.12	32.02	100	116	A	H
		5740.76	53.84	-14.46	68.3	40.94	34.55	10.36	32.01	100	116	P	H
		5449.68	54.17	-19.83	74	41.33	34.8	10.02	31.98	108	124	P	V
		5465.04	55.95	-12.35	68.3	43.1	34.8	10.04	31.99	108	124	P	V
		5450.96	46.01	-7.99	54	33.18	34.8	10.02	31.99	108	124	A	V
		5512	99.15	-	-	86.28	34.8	10.09	32.02	108	124	P	V
	5512	91.02	-----	-----	78.15	34.8	10.09	32.02	108	124	A	V	
	5731.48	53.02	-15.28	68.3	40.15	34.53	10.35	32.01	108	124	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Full CH 114 5570MHz		5459.76	59.17	-14.83	74	46.34	34.8	10.02	31.99	100	119	P	H
		5462.64	59.79	-8.51	68.3	46.94	34.8	10.04	31.99	100	119	P	H
		5460	49.12	-4.88	54	36.29	34.8	10.02	31.99	100	119	A	H
	*	5524	100.55	-	-	87.68	34.77	10.12	32.02	100	119	P	H
		5524	91.17	-----	-----	78.3	34.77	10.12	32.02	100	119	A	H
		5728.36	63.94	-4.36	68.3	51.1	34.53	10.35	32.04	100	119	P	H
		5458.8	56.99	-17.01	74	44.16	34.8	10.02	31.99	308	80	P	V
		5463.6	56.13	-12.17	68.3	43.28	34.8	10.04	31.99	308	80	P	V
		5459.92	47.04	-6.96	54	34.21	34.8	10.02	31.99	308	80	A	V
	*	5500	96.57	-	-	83.69	34.8	10.09	32.01	308	80	P	V
		5500	88.99	-----	-----	76.11	34.8	10.09	32.01	308	80	A	V
		5757.32	56.99	-11.31	68.3	44.04	34.57	10.37	31.99	308	80	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		8914	48.21	-20.09	68.3	60.92	36.2	13.01	61.92	300	0	P	H
EHT160		11136	45.51	-28.49	74	54.43	38.08	14.66	61.66	300	0	P	H
Full		8914	47.17	-21.13	68.3	59.88	36.2	13.01	61.92	100	0	P	V
CH 114		11136	44.56	-29.44	74	53.48	38.08	14.66	61.66	100	0	P	V
5570MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Puncturing 40M - ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 40M CH 114 5570MHz		5452.56	59.78	-14.22	74	46.95	34.8	10.02	31.99	100	120	P	H
		5460.88	58.57	-9.73	68.3	45.74	34.8	10.02	31.99	100	120	P	H
		5457.36	48.94	-5.06	54	36.11	34.8	10.02	31.99	100	120	A	H
	*	5542	100.31	-	-	87.47	34.73	10.15	32.04	100	120	P	H
		5542	91.78	-----	-----	78.94	34.73	10.15	32.04	100	120	A	H
		5760.36	62.05	-6.25	68.3	49.1	34.57	10.37	31.99	100	120	P	H
		5402.16	56.53	-17.47	74	43.75	34.8	9.94	31.96	299	88	P	V
		5465.52	56.1	-12.2	68.3	43.25	34.8	10.04	31.99	299	88	P	V
		5417.68	46.26	-7.74	54	33.45	34.8	9.97	31.96	299	88	A	V
	*	5542	96.45	-	-	83.61	34.73	10.15	32.04	299	88	P	V
		5542	88.05	-----	-----	75.21	34.73	10.15	32.04	299	88	A	V
		5760.92	56.66	-11.64	68.3	43.71	34.57	10.37	31.99	299	88	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Puncturing 20M- 8 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Puncturing 20M CH 114 5570MHz		5458.16	59.36	-14.64	74	46.53	34.8	10.02	31.99	100	122	P	H
		5467.6	62.03	-6.27	68.3	49.18	34.8	10.04	31.99	100	122	P	H
		5456.88	49.91	-4.09	54	37.08	34.8	10.02	31.99	100	122	A	H
	*	5518	100.61	-	-	87.74	34.77	10.12	32.02	100	122	P	H
		5518	91.19	-----	-----	78.32	34.77	10.12	32.02	100	122	A	H
		5738.28	60.86	-7.44	68.3	47.96	34.55	10.36	32.01	100	122	P	H
		5459.12	56.1	-17.9	74	43.27	34.8	10.02	31.99	302	88	P	V
		5469.68	54.42	-13.88	68.3	41.57	34.8	10.04	31.99	302	88	P	V
		5456.56	45.92	-8.08	54	33.09	34.8	10.02	31.99	302	88	A	V
	*	5542	97.04	-	-	84.2	34.73	10.15	32.04	302	88	P	V
		5542	88.19	-----	-----	75.35	34.73	10.15	32.04	302	88	A	V
		5733.08	54.31	-13.99	68.3	41.44	34.53	10.35	32.01	302	88	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Large RU 996+484- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996+484 CH 114 5570MHz		5446.8	58.66	-15.34	74	45.82	34.8	10.02	31.98	100	116	P	H
		5461.84	58.93	-9.37	68.3	46.1	34.8	10.02	31.99	100	116	P	H
		5458	49.36	-4.64	54	36.53	34.8	10.02	31.99	100	116	A	H
	*	5560	101.76	-	-	88.94	34.7	10.17	32.05	100	116	P	H
		5560	93.07	-----	-----	80.25	34.7	10.17	32.05	100	116	A	H
		5742.04	62.12	-6.18	68.3	49.22	34.55	10.36	32.01	100	116	P	H
		5426.8	56.39	-17.61	74	43.6	34.8	9.97	31.98	300	85	P	V
		5468.56	58.24	-10.06	68.3	45.39	34.8	10.04	31.99	300	85	P	V
		5417.52	46.37	-7.63	54	33.56	34.8	9.97	31.96	300	85	A	V
	*	5500	96.28	-	-	83.4	34.8	10.09	32.01	300	85	P	V
	5500	86.96	-----	-----	74.08	34.8	10.09	32.01	300	85	A	V	
	5760.2	55.68	-12.62	68.3	42.73	34.57	10.37	31.99	300	85	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C 5470~5725MHz

WIFI 802.11be EHT160 Large RU 996*2- 9 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT160 Large RU 996*2 CH 114 5570MHz		5436.72	61.95	-12.05	74	49.14	34.8	9.99	31.98	100	119	P	H
		5467.12	61.8	-6.5	68.3	48.95	34.8	10.04	31.99	100	119	P	H
		5459.92	49.93	-4.07	54	37.1	34.8	10.02	31.99	100	119	A	H
	*	5500	101.22	-	-	88.34	34.8	10.09	32.01	100	119	P	H
		5500	90.26	-----	-----	77.38	34.8	10.09	32.01	100	119	A	H
		5727.24	61.51	-6.79	68.3	48.67	34.53	10.35	32.04	100	119	P	H
		5456.56	56.34	-17.66	74	43.51	34.8	10.02	31.99	299	82	P	V
		5460.56	53.65	-14.65	68.3	40.82	34.8	10.02	31.99	299	82	P	V
		5436.24	46.82	-7.18	54	34.01	34.8	9.99	31.98	299	82	A	V
	*	5518	95.56	-	-	82.69	34.77	10.12	32.02	299	82	P	V
	5518	86.46	-----	-----	73.59	34.77	10.12	32.02	299	82	A	V	
	5733.32	55.94	-12.36	68.3	43.07	34.53	10.35	32.01	299	82	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - Straddle Channel

WIFI 802.11a (Band Edge @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 144 5720MHz	*	5716	104.2	-	-	94.98	34.64	11.16	36.58	400	0	P	H
		5716	95.4	-----	-----	86.18	34.64	11.16	36.58	400	0	A	H
	*	5710	105.73	-	-	96.51	34.64	11.16	36.58	100	0	P	V
		5710	97.95	-----	-----	88.73	34.64	11.16	36.58	100	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

UNII-2C - Straddle Channel

WIFI 802.11a (Harmonic @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 144 5720MHz		11444	45.23	-28.77	74	57.13	38.25	16.33	66.48	300	0	P	H
		11444	45.9	-28.1	74	57.8	38.25	16.33	66.48	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - Straddle Channel

WIFI 802.11be EHT20 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be	*	5710	105.68	-	-	96.46	34.64	11.16	36.58	400	0	P	H
EHT20 Full		5710	97.73	-----	-----	88.51	34.64	11.16	36.58	400	0	A	H
CH 144	*	5710	107.84	-	-	98.62	34.64	11.16	36.58	100	0	P	V
5720MHz		5710	99.33	-----	-----	90.11	34.64	11.16	36.58	100	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

UNII-2C - Straddle Channel

WIFI 802.11be EHT20 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11444	44.51	-29.49	74	56.41	38.25	16.33	66.48	300	0	P	H
EHT20 Full													
CH 144		11444	45.05	-28.95	74	56.95	38.25	16.33	66.48	100	0	P	V
5720MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C - Straddle Channel

WIFI 802.11be EHT40 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be	*	5722	103.15	-	-	93.89	34.68	11.18	36.6	400	0	P	H
EHT40 Full		5722	95.79	-----	-----	86.53	34.68	11.18	36.6	400	0	A	H
CH 142	*	5704	104.19	-	-	94.97	34.64	11.16	36.58	100	0	P	V
5710MHz		5704	95.46	-----	-----	86.24	34.64	11.16	36.58	100	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

UNII-2C - Straddle Channel

WIFI 802.11be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11422	44.46	-29.54	74	56.38	38.24	16.32	66.48	300	0	P	H
EHT40 Full													
CH 142		11422	44.81	-29.19	74	56.73	38.24	16.32	66.48	100	0	P	V
5710MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-2C Straddle Channel

WIFI 802.11be EHT80 Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be	*	5656	100.55	-----	-----	91.50	34.50	11.08	36.53	400	0	P	H
EHT80 Full		5656	92.26	-----	-----	83.21	34.50	11.08	36.53	400	0	A	H
CH 138	*	5656	103.20	-----	-----	94.15	34.50	11.08	36.53	100	0	P	V
5690MHz		5656	95.78	-----	-----	86.73	34.50	11.08	36.53	100	0	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

UNII-2C - Straddle Channel

WIFI 802.11be EHT80 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		11378	45.15	-28.85	74	57.15	38.2	16.28	66.48	300	0	P	H
EHT80 Full													
CH 138		11378	44.96	-29.04	74	56.96	38.2	16.28	66.48	100	0	P	V
5690MHz													
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Emission below 1GHz

WIFI 802.11be EHT20 Full- (LF @ 3m)

WIFI	Note	Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.				Limit	Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT20 Full LF		31.94	21.32	-18.68	40	28.72	24.04	0.76	32.2	-	-	P	H
		168.71	28.75	-14.75	43.5	43.18	15.78	1.89	32.1	-	-	P	H
		325.85	20.5	-25.5	46	30.22	19.77	2.66	32.15	-	-	P	H
		538.28	24.42	-21.58	46	28.49	25.07	3.18	32.32	-	-	P	H
		630.43	26.3	-19.7	46	28.62	26.23	3.69	32.24	-	-	P	H
		758.47	29.29	-16.71	46	29.29	28.2	4.1	32.3	-	-	P	H
		30	21.87	-18.13	40	28.21	25.1	0.76	32.2	-	-	P	V
		94.99	15.49	-28.01	43.5	30.87	15.45	1.37	32.2	-	-	P	V
		143.49	28.53	-14.97	43.5	41.53	17.35	1.76	32.11	-	-	P	V
		171.62	28.99	-14.51	43.5	43.59	15.59	1.91	32.1	-	-	P	V
		250.19	19.99	-26.01	46	31.07	19.02	2.1	32.2	-	-	P	V
	353.01	19.83	-26.17	46	28.68	20.59	2.77	32.21	-	-	P	V	
Remark	1. No other spurious found. 2. All results are PASS against limit line.												



<UNII-3>

UNII-3 - 5725~5850MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 149 5745MHz		5640.8	48.59	-19.71	68.3	39.54	34.51	11.05	36.51	112	2	P	H
		5683.2	50.08	-42.82	92.9	40.97	34.55	11.11	36.55	112	2	P	H
		5712.8	53.57	-55.32	108.89	44.35	34.64	11.16	36.58	112	2	P	H
		5723.6	65.8	-53.31	119.11	56.54	34.68	11.18	36.6	112	2	P	H
		5740	106.42	-----	-----	97.13	34.73	11.18	36.62	112	2	P	H
		5740	99.88	-----	-----	90.59	34.73	11.18	36.62	112	2	A	H
		5614	49.01	-19.29	68.3	39.94	34.52	11.03	36.48	303	268	P	V
		5679.2	50.81	-39.14	89.95	41.7	34.55	11.11	36.55	303	268	P	V
		5717.2	56	-54.12	110.12	46.78	34.64	11.16	36.58	303	268	P	V
		5722.8	69.29	-47.99	117.28	60.03	34.68	11.18	36.6	303	268	P	V
		5740	107.21	-----	-----	97.92	34.73	11.18	36.62	303	268	P	V
		5740	100.05	-----	-----	90.76	34.73	11.18	36.62	303	268	A	V



802.11a CH 165 5825MHz		5824	106.28	-----	-----	96.72	34.95	11.31	36.7	115	2	P	H
		5824	100.33	-----	-----	90.77	34.95	11.31	36.7	115	2	A	H
		5854	54.45	-58.73	113.18	44.83	35.03	11.33	36.74	115	2	P	H
		5859.2	51.97	-57.75	109.72	42.34	35.03	11.34	36.74	115	2	P	H
		5877.2	51.27	-52.4	103.67	41.61	35.06	11.36	36.76	115	2	P	H
		5935.2	48.95	-19.35	68.3	39.2	35.14	11.42	36.81	115	2	P	H
		5818	108.63	-----	-----	99.1	34.91	11.31	36.69	303	268	P	V
		5818	101.29	-----	-----	91.76	34.91	11.31	36.69	303	268	A	V
		5852.4	56.68	-60.15	116.83	47.07	35	11.33	36.72	303	268	P	V
		5857.2	52.72	-57.56	110.28	43.09	35.03	11.34	36.74	303	268	P	V
		5908.8	50.53	-29.72	80.25	40.83	35.11	11.38	36.79	303	268	P	V
		5939.6	49.52	-18.78	68.3	39.76	35.17	11.42	36.83	303	268	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz
WIFI 802.11a (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include data for channels 149, 157, and 165 at various frequencies and antenna positions.

Remark
1. No other spurious found.
2. All results are PASS against Peak and Average limit line.



UNII-3 5725~5850MHz
WIFI 802.11be EHT20_Partial 26/0 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Partial 26/0 CH 149 5745MHz		5604	52.69	-15.61	68.3	39.92	34.6	10.25	32.08	100	117	P	H
		5687.6	53.61	-42.54	96.15	40.85	34.5	10.32	32.06	100	117	P	H
		5707.6	53.78	-53.65	107.43	40.97	34.52	10.33	32.04	100	117	P	H
		5723.2	53.64	-64.56	118.2	40.8	34.53	10.35	32.04	100	117	P	H
		5734	111.02	-----	-----	98.15	34.53	10.35	32.01	100	117	P	H
		5734	103.24	-----	-----	90.37	34.53	10.35	32.01	100	117	A	H
		5628	52.99	-15.31	68.3	40.23	34.58	10.26	32.08	305	92	P	V
		5692.4	52.26	-47.44	99.7	39.5	34.5	10.32	32.06	305	92	P	V
		5700.4	52.71	-52.7	105.41	39.95	34.5	10.32	32.06	305	92	P	V
		5724.4	52.94	-67.99	120.93	40.1	34.53	10.35	32.04	305	92	P	V
		5734	106.23	-----	-----	93.36	34.53	10.35	32.01	305	92	P	V
		5734	99.56	-----	-----	86.69	34.53	10.35	32.01	305	92	A	V



802.11be EHT20 Partial 26/8 CH 165 5825MHz		5853.6	52.1	-61.99	114.09	38.7	34.87	10.46	31.93	102	116	P	H
		5874.4	53.49	-51.98	105.47	40.04	34.93	10.47	31.95	102	116	P	H
		5904.4	53.59	-29.92	83.51	40.07	35	10.49	31.97	102	116	P	H
		5936.8	54.36	-13.94	68.3	40.72	35.13	10.52	32.01	102	116	P	H
		5836	110.24	-----	-----	97.01	34.73	10.43	31.93	102	116	P	H
		5836	102.79	-----	-----	89.56	34.73	10.43	31.93	102	116	A	H
		5851.6	52.91	-65.74	118.65	39.6	34.8	10.44	31.93	300	85	P	V
		5874.4	53.71	-51.76	105.47	40.26	34.93	10.47	31.95	300	85	P	V
		5884.4	53.6	-44.72	98.32	40.17	34.93	10.47	31.97	300	85	P	V
		5966.8	54	-14.3	68.3	40.21	35.27	10.55	32.03	300	85	P	V
		5836	106.38	-----	-----	93.15	34.73	10.43	31.93	300	85	P	V
		5836	97.79	-----	-----	84.56	34.73	10.43	31.93	300	85	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz

WIFI 802.11be EHT20_Small RU Index 53+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU Index 53+4 CH 149 5745MHz		5624	52.14	-16.16	68.3	39.38	34.58	10.26	32.08	102	124	P	H
		5674.4	53.68	-32.72	86.4	40.94	34.52	10.3	32.08	102	124	P	H
		5715.6	54.41	-55.26	109.67	41.6	34.52	10.33	32.04	102	124	P	H
		5724.8	62.39	-59.45	121.84	49.55	34.53	10.35	32.04	102	124	P	H
		5734	110.31	-----	-----	97.44	34.53	10.35	32.01	102	124	P	H
		5734	101.84	-----	-----	88.97	34.53	10.35	32.01	102	124	A	H
		5626.4	51.54	-16.76	68.3	38.78	34.58	10.26	32.08	326	99	P	V
		5660	52.97	-22.76	75.73	40.22	34.54	10.29	32.08	326	99	P	V
		5712	52.2	-56.46	108.66	39.39	34.52	10.33	32.04	326	99	P	V
		5722.4	53.38	-62.99	116.37	40.54	34.53	10.35	32.04	326	99	P	V
	5740	106.08	-----	-----	93.18	34.55	10.36	32.01	326	99	P	V	
	5740	98.42	-----	-----	85.52	34.55	10.36	32.01	326	99	A	V	



UNII-3 5725~5850MHz

WIFI 802.11be EHT20_Small RU Index 53+4 (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT20 Small RU Index 53+4 CH 165 5825MHz		5851.6	53.67	-64.98	118.65	40.36	34.8	10.44	31.93	102	115	P	H
		5855.6	54.78	-55.95	110.73	41.38	34.87	10.46	31.93	102	115	P	H
		5909.2	53.61	-26.35	79.96	40.02	35.07	10.51	31.99	102	115	P	H
		5934.8	53.35	-14.95	68.3	39.71	35.13	10.52	32.01	102	115	P	H
		5836	108.82	-----	-----	95.59	34.73	10.43	31.93	102	115	P	H
		5836	100.87	-----	-----	87.64	34.73	10.43	31.93	102	115	A	H
		5850.8	51.98	-68.5	120.48	38.67	34.8	10.44	31.93	325	110	P	V
		5870.8	53.08	-53.39	106.47	39.63	34.93	10.47	31.95	325	110	P	V
		5886	53.68	-43.45	97.13	40.25	34.93	10.47	31.97	325	110	P	V
		5926.4	53.76	-14.54	68.3	40.1	35.13	10.52	31.99	325	110	P	V
	5836	104.55	-----	-----	91.32	34.73	10.43	31.93	325	110	P	V	
	5836	97.04	-----	-----	83.81	34.73	10.43	31.93	325	110	A	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz
WIFI 802.11be EHT40_Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 151 5755MHz		5645.6	49.85	-18.45	68.3	40.77	34.51	11.08	36.51	234	356	P	H
		5699.6	51.89	-53.12	105.01	42.73	34.59	11.13	36.56	234	356	P	H
		5718.8	68.54	-42.02	110.56	59.3	34.68	11.16	36.6	234	356	P	H
		5722.4	70.55	-45.82	116.37	61.29	34.68	11.18	36.6	234	356	P	H
		5764	106.03	-----	-----	96.65	34.77	11.24	36.63	234	356	P	H
		5764	96.69	-----	-----	87.31	34.77	11.24	36.63	234	356	A	H
		5852	50.69	-67.05	117.74	41.08	35	11.33	36.72	234	356	P	H
		5864.4	50.58	-57.69	108.27	40.95	35.03	11.34	36.74	234	356	P	H
		5905.2	50.33	-32.58	82.91	40.63	35.11	11.38	36.79	234	356	P	H
		5952	49.15	-19.15	68.3	39.38	35.17	11.43	36.83	234	356	P	H
		5644	50.48	-17.82	68.3	41.43	34.51	11.05	36.51	272	286	P	V
		5700	56.07	-49.23	105.3	46.91	34.59	11.13	36.56	272	286	P	V
		5720	71.39	-39.51	110.9	62.15	34.68	11.16	36.6	272	286	P	V
		5721.2	72.99	-40.65	113.64	63.75	34.68	11.16	36.6	272	286	P	V
		5746	106.48	-----	-----	97.16	34.73	11.21	36.62	272	286	P	V
		5746	96.87	-----	-----	87.55	34.73	11.21	36.62	272	286	A	V
		5852.8	50.18	-65.74	115.92	40.57	35	11.33	36.72	272	286	P	V
		5857.2	51.16	-59.12	110.28	41.53	35.03	11.34	36.74	272	286	P	V
		5904.8	50.96	-32.25	83.21	41.26	35.11	11.38	36.79	272	286	P	V
	5973.6	50.6	-17.7	68.3	40.78	35.23	11.45	36.86	272	286	P	V	



WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 159 5795MHz		5630.4	48.88	-19.42	68.3	39.81	34.51	11.05	36.49	205	357	P	H
		5677.2	49.64	-38.83	88.47	40.53	34.55	11.11	36.55	205	357	P	H
		5702.8	50.03	-56.06	106.09	40.81	34.64	11.16	36.58	205	357	P	H
		5724.4	52.54	-68.39	120.93	43.28	34.68	11.18	36.6	205	357	P	H
		5806	106.23	-----	-----	96.72	34.91	11.29	36.69	205	357	P	H
		5806	97.22	-----	-----	87.71	34.91	11.29	36.69	205	357	A	H
		5850.4	55.63	-65.76	121.39	46.02	35	11.33	36.72	205	357	P	H
		5866.8	53.67	-53.92	107.59	44.04	35.03	11.34	36.74	205	357	P	H
		5884.4	51.29	-47.03	98.32	41.63	35.06	11.36	36.76	205	357	P	H
		5930.8	50.18	-18.12	68.3	40.43	35.14	11.42	36.81	205	357	P	H
		5632	50.24	-18.06	68.3	41.17	34.51	11.05	36.49	272	286	P	V
		5700	50.69	-54.61	105.3	41.53	34.59	11.13	36.56	272	286	P	V
		5713.2	51.49	-57.51	109	42.27	34.64	11.16	36.58	272	286	P	V
		5724.4	53.24	-67.69	120.93	43.98	34.68	11.18	36.6	272	286	P	V
		5782	106.82	-----	-----	97.39	34.82	11.26	36.65	272	286	P	V
		5782	97.62	-----	-----	88.19	34.82	11.26	36.65	272	286	A	V
		5850.8	57.43	-63.05	120.48	47.82	35	11.33	36.72	272	286	P	V
		5859.2	53.76	-55.96	109.72	44.13	35.03	11.34	36.74	272	286	P	V
		5906	53.04	-29.28	82.32	43.34	35.11	11.38	36.79	272	286	P	V
	5925.6	50.47	-17.83	68.3	40.74	35.14	11.4	36.81	272	286	P	V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



UNII-3 5725~5850MHz
WIFI 802.11be EHT40_Full (Harmonic @ 3m)

Table with 14 columns: WIFI Ant. 1+2, Note, Frequency (MHz), Level (dBµV/m), Over Limit (dB), Limit Line (dBµV/m), Read Level (dBµV), Antenna Factor (dB/m), Path Loss (dB), Preamp Factor (dB), Ant Pos (cm), Table Pos (deg), Peak Avg. (P/A), Pol. (H/V). Rows include 802.11be EHT40 Full CH 151 5755MHz and CH 159 5795MHz.

Remark

- 1. No other spurious found.
2. All results are PASS against Peak and Average limit line.



UNII-3 5725~5850MHz
WIFI 802.11be EHT80_Full (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full CH 155 5775MHz		5629.2	51.13	-17.17	68.3	42.06	34.51	11.05	36.49	185	21	P	H
		5684.8	60.31	-33.78	94.09	51.15	34.59	11.13	36.56	185	21	P	H
		5705.6	62.63	-44.24	106.87	53.41	34.64	11.16	36.58	185	21	P	H
		5724.4	64.56	-56.37	120.93	55.3	34.68	11.18	36.6	185	21	P	H
		5788	102.84	-----	-----	93.39	34.86	11.26	36.67	185	21	P	H
		5788	93.31	-----	-----	83.86	34.86	11.26	36.67	185	21	A	H
		5850.4	68.26	-53.13	121.39	58.65	35	11.33	36.72	185	21	P	H
		5867.2	65.27	-42.21	107.48	55.64	35.03	11.34	36.74	185	21	P	H
		5875.2	60.69	-44.46	105.15	51.03	35.06	11.36	36.76	185	21	P	H
		5952	50.67	-17.63	68.3	40.9	35.17	11.43	36.83	185	21	P	H
		5648	52.57	-15.73	68.3	43.49	34.51	11.08	36.51	310	288	P	V
		5698.8	64.23	-40.19	104.42	55.07	34.59	11.13	36.56	310	288	P	V
		5719.6	67.67	-43.12	110.79	58.43	34.68	11.16	36.6	310	288	P	V
		5723.6	69.39	-49.72	119.11	60.13	34.68	11.18	36.6	310	288	P	V
		5740	103.21	-----	-----	93.92	34.73	11.18	36.62	310	288	P	V
		5740	93.3	-----	-----	84.01	34.73	11.18	36.62	310	288	A	V
		5852	65.03	-52.71	117.74	55.42	35	11.33	36.72	310	288	P	V
		5862.8	68.2	-40.51	108.71	58.57	35.03	11.34	36.74	310	288	P	V
		5879.2	60.45	-41.73	102.18	50.79	35.06	11.36	36.76	310	288	P	V
	5974	50.13	-18.17	68.3	40.31	35.23	11.45	36.86	310	288	P	V	

Remark

- No other spurious found.
- All results are PASS against Peak and Average limit line.



UNII-3 5725~5850MHz

WIFI 802.11be EHT80_Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Full		11554	44.82	-29.18	74	56.51	38.35	16.39	66.43	300	0	P	H
CH 155 5775MHz		11554	44.62	-29.38	74	56.31	38.35	16.39	66.43	100	0	P	V
Remark	<ol style="list-style-type: none"> No other spurious found. All results are PASS against Peak and Average limit line. 												



UNII-3 5725~5850MHz
WIFI 802.11be EHT80_ Puncturing 20M- ③ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Puncturing 20M CH 155 5775MHz		5646.8	54.65	-13.65	68.3	41.91	34.56	10.28	32.1	100	121	P	H
		5697.2	62.92	-40.32	103.24	50.16	34.5	10.32	32.06	100	121	P	H
		5707.2	65.2	-42.12	107.32	52.39	34.52	10.33	32.04	100	121	P	H
		5724.8	65.7	-56.14	121.84	52.86	34.53	10.35	32.04	100	121	P	H
		5854.4	65.71	-46.56	112.27	52.31	34.87	10.46	31.93	100	121	P	H
		5868.4	66.78	-40.37	107.15	53.4	34.87	10.46	31.95	100	121	P	H
		5881.6	61.99	-38.41	100.4	48.54	34.93	10.47	31.95	100	121	P	H
		5926.8	53.67	-14.63	68.3	40.01	35.13	10.52	31.99	100	121	P	H
		5746	103.6	-----	-----	90.7	34.55	10.36	32.01	100	121	P	H
		5746	94.1	-----	-----	81.2	34.55	10.36	32.01	100	121	A	H
		5612.8	53.3	-15	68.3	40.53	34.6	10.25	32.08	367	101	P	V
		5686.8	58.69	-36.87	95.56	45.93	34.5	10.32	32.06	367	101	P	V
		5707.2	60.57	-46.75	107.32	47.76	34.52	10.33	32.04	367	101	P	V
		5723.6	59.33	-59.78	119.11	46.49	34.53	10.35	32.04	367	101	P	V
		5852.4	59.73	-57.1	116.83	46.42	34.8	10.44	31.93	367	101	P	V
		5864	60.47	-47.91	108.38	47.09	34.87	10.46	31.95	367	101	P	V
		5875.6	57.77	-47.08	104.85	44.32	34.93	10.47	31.95	367	101	P	V
		5956.8	54.41	-13.89	68.3	40.6	35.27	10.55	32.01	367	101	P	V
	5806	99.89	-----	-----	86.78	34.67	10.41	31.97	367	101	P	V	
	5806	91.15	-----	-----	78.04	34.67	10.41	31.97	367	101	A	V	

Remark

- No other spurious found.
- All results are PASS against Peak and Average limit line.



UNII-3 5725~5850MHz

WIFI 802.11be EHT80_ Large RU 484+242- ④ (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT80 Large RU 484+242 CH 155 5775MHz		5640.4	53.82	-14.48	68.3	41.08	34.56	10.28	32.1	100	110	P	H
		5697.6	59.63	-43.9	103.53	46.87	34.5	10.32	32.06	100	110	P	H
		5714.8	65.01	-44.44	109.45	52.2	34.52	10.33	32.04	100	110	P	H
		5724	66.95	-53.07	120.02	54.11	34.53	10.35	32.04	100	110	P	H
		5850	55.01	-67.29	122.3	41.7	34.8	10.44	31.93	100	110	P	H
		5865.2	54.17	-53.87	108.04	40.79	34.87	10.46	31.95	100	110	P	H
		5876.8	54.94	-49.02	103.96	41.49	34.93	10.47	31.95	100	110	P	H
		5947.6	54.94	-13.36	68.3	41.22	35.2	10.53	32.01	100	110	P	H
		5746	103.36	-----	-----	90.46	34.55	10.36	32.01	100	110	P	H
		5746	94.32	-----	-----	81.42	34.55	10.36	32.01	100	110	A	H
		5610.8	52.16	-16.14	68.3	39.39	34.6	10.25	32.08	318	91	P	V
		5699.2	55.68	-49.03	104.71	42.92	34.5	10.32	32.06	318	91	P	V
		5716.8	59.51	-50.5	110.01	46.7	34.52	10.33	32.04	318	91	P	V
		5724	59.88	-60.14	120.02	47.04	34.53	10.35	32.04	318	91	P	V
		5850	55.16	-67.14	122.3	41.85	34.8	10.44	31.93	318	91	P	V
		5867.2	53.24	-54.24	107.48	39.86	34.87	10.46	31.95	318	91	P	V
		5913.2	53.28	-23.72	77	39.69	35.07	10.51	31.99	318	91	P	V
		5982	53.97	-14.33	68.3	40.11	35.33	10.56	32.03	318	91	P	V
	5788	100.21	-----	-----	87.18	34.6	10.4	31.97	318	91	P	V	
	5788	91.25	-----	-----	78.22	34.6	10.4	31.97	318	91	A	V	

Remark 3. No other spurious found.
4. All results are PASS against Peak and Average limit line.



<CO-Location >

WLAN 5G 802.11be EHT160 CH50 Tx + WLAN 5G 802.11be EHT20 CH140 Tx + BLE(2Mbps)
Ch39 Tx + LTE Band 48 Link (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT160 Full CH 50 5250MHz	*	5145.28	61.49	-12.51	74	49.42	34.1	9.78	31.81	100	118	P	H
	*	5142.08	50.94	-3.06	54	38.85	34.1	9.78	31.79	100	118	A	H
		5692	107.16	-----	-----	94.4	34.5	10.32	32.06	100	118	P	H
		5692	98.7	-----	-----	85.94	34.5	10.32	32.06	100	118	A	H
		5355.5	63.43	-10.57	74	50.8	34.65	9.91	31.93	100	118	P	H
		5350.1	51	-3	54	38.37	34.65	9.91	31.93	100	118	A	H
	*	5124.8	58.66	-15.34	74	46.58	34.1	9.77	31.79	307	84	P	V
	*	5122.24	44.87	-9.13	54	32.8	34.1	9.76	31.79	307	84	A	V
		5692	101.87	-----	-----	89.11	34.5	10.32	32.06	307	84	P	V
		5692	92.68	-----	-----	79.92	34.5	10.32	32.06	307	84	A	V
		5358.9	57.05	-16.95	74	44.42	34.65	9.91	31.93	307	84	P	V
		5361.6	44.46	-9.54	54	31.77	34.7	9.92	31.93	307	84	A	V
802.11be EHT20 Full CH 140 5700MHz	*	5692	105.54	-----	-----	92.78	34.5	10.32	32.06	100	118	P	H
	*	5692	97.9	-----	-----	85.14	34.5	10.32	32.06	100	118	A	H
		5726.04	60.78	-7.52	68.3	47.94	34.53	10.35	32.04	100	118	P	H
	*	5698	101.14	-----	-----	88.38	34.5	10.32	32.06	307	84	P	V
	*	5698	93.13	-----	-----	80.37	34.5	10.32	32.06	307	84	A	V
		5725.8	59.05	-9.25	68.3	46.21	34.53	10.35	32.04	307	84	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11 be EHT20 & WIFI 802.11 be EHT160 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be		7979	47.82	-20.48	68.3	61.46	35.88	12.41	61.93	300	0	P	H
EHT160 Full		10498	44.49	-23.81	68.3	54.18	37.7	14.23	61.62	300	0	P	H
CH 50		7979	49.31	-18.99	68.3	62.95	35.88	12.41	61.93	100	0	P	V
5250MHz		10498	43.88	-24.42	68.3	53.57	37.7	14.23	61.62	100	0	P	V
802.11be		7979	47.31	-20.99	68.3	60.95	35.88	12.41	61.93	300	0	P	H
EHT20 Full		11400	45.84	-28.16	74	54.3	38.24	14.85	61.55	300	0	P	H
CH 140		7979	47.68	-20.62	68.3	61.32	35.88	12.41	61.93	100	0	P	V
5700MHz		11400	46.21	-27.79	74	54.67	38.24	14.85	61.55	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



BLE 2Mbps (Band Edge @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE 2M CH39 2480MHZ	*	2483.5	55.86	-18.14	74	49.34	32.43	6.73	32.64	100	118	P	H
	*	2495.08	45.45	-8.55	54	38.77	32.5	6.75	32.57	100	118	A	H
		2480	94.86	-	-	88.34	32.43	6.73	32.64	100	118	P	H
		2480	93.01	-	-	86.49	32.43	6.73	32.64	100	118	A	H
	*	2498.5	55.15	-18.85	74	48.47	32.5	6.75	32.57	307	84	P	V
	*	2491.66	45.41	-8.59	54	38.8	32.5	6.75	32.64	307	84	A	V
		2480	89.31	-	-	82.79	32.43	6.73	32.64	307	84	P	V
		2480	87.43	-	-	80.91	32.43	6.73	32.64	307	84	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

BLE 2Mbps (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
BLE 2M CH39 2480MHZ		4965	40.96	-33.04	74	58.96	34.1	9.61	61.71	300	0	P	H
		7440	43.83	-30.17	74	58.42	35.7	11.78	62.07	300	0	P	H
		4965	41.14	-32.86	74	59.14	34.1	9.61	61.71	300	360	P	V
		7440	44.04	-29.96	74	58.63	35.7	11.78	62.07	300	360	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



<CO-Location>

WLAN 5G 802.11be EHT20 CH140 Tx + WLAN 2.4G 802.11be EHT40 Ch03 Tx + LTE Band 48
Link (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Over Limit	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
1+2		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11be EHT40 Full CH 03 2422MHz	*	2389.43	66.39	-7.61	74	60.36	32.3	6.61	32.88	100	303	P	H
	*	2389.95	50.98	-3.02	54	44.91	32.3	6.61	32.84	100	303	A	H
		2487.16	55.36	-18.64	74	48.84	32.43	6.73	32.64	100	303	P	H
		2483.5	44.17	-9.83	54	37.65	32.43	6.73	32.64	100	303	A	H
		2412	108.02	-----	-----	101.93	32.3	6.63	32.84	100	303	P	H
		2412	97.72	-----	-----	91.63	32.3	6.63	32.84	100	303	A	H
	*	2385.92	62.92	-11.08	74	56.89	32.3	6.61	32.88	395	96	P	V
	*	2385.79	48.75	-5.25	54	42.72	32.3	6.61	32.88	395	96	A	V
		2483.62	55.28	-18.72	74	48.76	32.43	6.73	32.64	395	96	P	V
		2483.5	44.82	-9.18	54	38.3	32.43	6.73	32.64	395	96	A	V
		2420	105.72	-----	-----	99.53	32.3	6.66	32.77	395	96	P	V
		2420	96.07	-----	-----	89.88	32.3	6.66	32.77	395	96	A	V
802.11be EHT20 Full CH 140 5700MHz	*	5725.32	64.64	-3.66	68.3	51.8	34.53	10.35	32.04	102	120	P	H
	*	5692	111.26	-----	-----	98.5	34.5	10.32	32.06	102	120	P	H
		5692	103.07	-----	-----	90.31	34.5	10.32	32.06	102	120	A	H
	*	5726.76	59.27	-9.03	68.3	46.43	34.53	10.35	32.04	104	74	P	V
	*	5704	106.44	-----	-----	93.65	34.52	10.33	32.06	104	74	P	V
		5704	98.21	-----	-----	85.42	34.52	10.33	32.06	104	74	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11 be EHT20 & WIFI 802.11 be EHT40 Full (Harmonic @ 3m)

WIFI Ant. 1+2	Note	Frequency (MHz)	Level (dBμV/m)	Over Limit (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11be EHT40 Full CH 03 2422MHz		4845	41.98	-32.02	74	60.06	34.22	9.49	61.79	300	0	P	H
		7260	43.75	-30.25	74	58.43	35.7	11.67	62.05	300	0	P	H
		4845	41.46	-32.54	74	59.54	34.22	9.49	61.79	100	0	P	V
		7260	42.95	-31.05	74	57.63	35.7	11.67	62.05	100	0	P	V
802.11be EHT20 Full CH 140 5700MHz		11400	45.67	-28.33	74	54.13	38.24	14.85	61.55	300	0	P	H
		11400	45.85	-28.15	74	54.31	38.24	14.85	61.55	100	0	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Note symbol

*	Fundamental Frequency which can be ignored. However, tEHT level of any unwanted emissions shall not exceed tEHT level of tEHT fundamental frequency.
!	Test result is over limit line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

Frequency	Level	Over	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
2390	55.45	-18.55	74	54.51	32.22	4.58	35.86	103	308	P	H
2390	43.54	-10.46	54	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
= 55.45 (dBμV/m)
2. Over Limit(dB)
= Level(dBμV/m) – Limit Line(dBμV/m)
= 55.45(dBμV/m) – 74(dBμV/m)
= -18.55(dB)

For Average Limit @ 2390MHz:

1. Level(dBμV/m)
= Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
= 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
= 43.54 (dBμV/m)
2. Over Limit(dB) = Level(dBμV/m) – Limit Line(dBμV/m)
= 43.54(dBμV/m) – 54(dBμV/m)
= -10.46(dB)

Both peak and average measured complies with tEHT limit line, so test result is “PASS”.




Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	98.97	-	-	10Hz
1+2	802.11be EHT20	100	-	-	10Hz
1+2	802.11be EHT20- Single RU26	96.17	5.1014	0.1960	0.2kHz
1+2	802.11be EHT20- Single RU52	96.17	5.1014	0.1960	0.2kHz
1+2	802.11be EHT20- Single RU106	95.35	4.7536	0.2104	0.22kHz
1+2	802.11be EHT20- Small RU52+26	95.15	4.5507	0.2197	0.22kHz
1+2	802.11be EHT20- Small RU106+26	96.77	4.3478	0.2300	0.24kHz
1+2	802.11be EHT40	100	-	-	10Hz
1+2	802.11be EHT80	100	-	-	10Hz
1+2	802.11be EHT80- Large RU484+242	96.84	1.1087	0.9020	1kHz
1+2	802.11be EHT80 Puncturing 20M	100	-	-	10Hz
1+2	802.11be EHT160	100	-	-	10Hz
1+2	802.11be EHT160- Large RU996+484	94.12	0.9275	1.0781	1.1kHz
1+2	802.11be EHT160- Large RU996+996	95.51	2.1594	0.4631	0.51kHz
1+2	802.11be EHT160 Puncturing 40M	100	-	-	10Hz



802.11a




802.11be EHT20






802.11be EHT20-Single RU26




802.11be EHT20-Single RU52






802.11be EHT20-Single RU106




802.11be EHT20-Small RU52+26






802.11be EHT20-Small RU106+26




802.11be EHT40






802.11be EHT80




802.11be EHT80-Large RU484+242






802.11be EHT160-Large RU996+484



802.11be EHT160-Large RU996+996





802.11be EHT160-Puncturing 40M

