

TEST REPORT

Applicant: Xiaomi Communications Co., Ltd.
Address: #019, 9th Floor, Building 6, 33 Xi'erqi Middle Road,
Haidian District, Beijing, China, 100085
Equipment Type: Mobile Phone
Model Name: 22071219CG
Brand Name: POCO
FCC ID: 2AFZZ19CG
Test Standard: 47 CFR Part 15 Subpart E
(refer section 3.1)
Test Date: Jun. 13, 2022 - Jul. 11, 2022
Date of Issue: Jul. 11, 2022

ISSUED BY:

Shenzhen BALUN Technology Co., Ltd.

Tested by: Yu Yingyuan

Checked by: Ye Hongji

Approved by: Liao Jianming
(Technical Director)

Yu Ying Yuan

Ye Hongji

Liao Jianming

Revision History		
Version	Issue Date	Revisions
<u>Rev. 01</u>	<u>Jul. 11, 2022</u>	<u>Initial Issue</u>

TABLE OF CONTENTS

1	GENERAL INFORMATION.....	4
1.1	Identification of the Testing Laboratory	4
1.2	Identification of the Responsible Testing Location	4
2	PRODUCT INFORMATION	5
2.1	Applicant Information	5
2.2	Manufacturer Information.....	5
2.3	Factory Information.....	5
2.4	General Description for Equipment under Test (EUT).....	5
2.5	Technical Information	6
2.6	Additional Instructions.....	8
2.7	Channel List	9
3	SUMMARY OF TEST RESULTS	12
3.1	Test Standards	12
3.2	Test Verdict	12
4	GENERAL TEST CONFIGURATIONS	13
4.1	Test Environments.....	13
4.2	Test Equipment List.....	13
4.3	Test Software List.....	14
4.4	Measurement Uncertainty.....	14
4.5	Description of Test Setup	15
5	TEST ITEMS	18
5.1	RF Output Power.....	18
5.2	Emission Bandwidth and 6 dB Bandwidth.....	19
5.3	Power Spectral density (PSD)	20

5.4	Conducted Emission.....	21
5.5	Radiated Spurious Emissions and Band Edge (Restricted-band).....	22
ANNEX A	TEST RESULT	27
A.1	RF Output Power.....	27
A.2	Emission Bandwidth & 99% Bandwidth	31
A.3	6 dB Bandwidth	34
A.4	Power Spectral Density	35
A.5	Conducted Emissions	38
A.6	Radiated Spurious Emissions and Band Edge (Restricted-band).....	40
ANNEX B	TEST SETUP PHOTOS	160
ANNEX C	EUT EXTERNAL PHOTOS.....	160
ANNEX D	EUT INTERNAL PHOTOS.....	160

1 GENERAL INFORMATION

1.1 Identification of the Testing Laboratory

Company Name	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1/F, Baisha Science and Technology Park, Shahe West Road, Nanshan District, ShenZhen, GuangDong Province, China
Phone Number	+86 755 6685 0100

1.2 Identification of the Responsible Testing Location

Test Location	Shenzhen BALUN Technology Co., Ltd.
Address	Block B, 1/F, Baisha Science and Technology Park, Shahe West Road, Nanshan District, ShenZhen, GuangDong Province, China
Accreditation Certificate	The laboratory is a testing organization accredited by FCC as a accredited testing laboratory. The designation number is CN1196.
Description	All measurement facilities used to collect the measurement data are located at Block B, 1/F, Baisha Science and Technology Park, Shahe West Road, Nanshan District, ShenZhen, GuangDong Province, China

2 PRODUCT INFORMATION

2.1 Applicant Information

Applicant	Xiaomi Communications Co., Ltd.
Address	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

2.2 Manufacturer Information

Manufacturer	Xiaomi Communications Co., Ltd.
Address	#019, 9th Floor, Building 6, 33 Xi'erqi Middle Road, Haidian District, Beijing, China, 100085

2.3 Factory Information

Factory	N/A
Address	N/A

2.4 General Description for Equipment under Test (EUT)

EUT Name	Mobile Phone
Model Name Under Test	22071219CG
Series Model Name	N/A
Description of Model name differentiation	N/A
Hardware Version	P1.1
Software Version	MIUI 13
Dimensions (Approx.)	N/A
Weight (Approx.)	N/A

2.5 Technical Information

Network and Wireless connectivity	<p>2G Network GSM/GPRS/EDGE 850/900/1800/1900 MHz</p> <p>3G Network WCDMA/HSDPA/HSUPA/DC-HSDPA Band 1/2/4/5/8</p> <p>4G Network LTE FDD Band 1/2/3/4/5/7/8/20/28 LTE TDD Band 38/40/41</p> <p>LTE CA Uplink (UL): CA_3C, CA_7C, CA_38C, CA_40C, CA_41C</p> <p>Bluetooth (BR+EDR+BLE)</p> <p>2.4G WIFI 802.11b, 802.11g, 802.11n(HT20)</p> <p>5G WIFI 802.11a, 802.11n(HT20/40) and 802.11ac(VHT20/40/80)</p> <p>U-NII-1/2A/2C/3, GPS, GLONASS, Galileo, BDS, FM receiver, NFC</p>
IMEI	<p>S13: IMEI1#: 867655060071647; IMEI2#: 867655060071654</p> <p>S14: IMEI1#: 867655060078667; IMEI2#: 867655060078675</p> <p>S31: IMEI1#: 867655060070847; IMEI2#: 867655060070854</p> <p>S32: IMEI1#: 867655060071084; IMEI2#: 867655060071092</p>

The requirement for the following technical information of the EUT was tested in this report:

Frequency Range	<p>U-NII-1: 5150 MHz to 5250 MHz, U-NII-2A: 5250 MHz to 5350 MHz, U-NII-2C: 5470 MHz to 5725 MHz, U-NII-3: 5725 MHz to 5850 MHz</p>
Product Type	<p><input type="checkbox"/> Mobile <input checked="" type="checkbox"/> Portable <input type="checkbox"/> Fix Location</p>
Modulation technology	OFDM
Modulation Type	256QAM, 64QAM, 16QAM, BPSK, QPSK
Product Type	Portable for FCC standard
Transfer Rate (Mbps) (Single RF path)	<p>802.11a: 54/ 48/ 36/ 24/ 18/ 12/ 9/ 6 Mbps</p> <p>802.11n: up to 150 Mbps</p> <p>802.11ac: up to VHT-MCS9</p>
Channel Bandwidth	<p>802.11a: 20 MHz</p> <p>802.11n: 20 MHz, 40 MHz</p> <p>802.11ac: 20 MHz, 40 MHz, 80 MHz</p>
Maximum Output Power	<p>U-NII-1: 17.80 dBm</p> <p>U-NII-2A: 18.02 dBm</p> <p>U-NII-2C: 17.96 dBm</p> <p>U-NII-3: 14.07 dBm</p>
Antenna System (eg., MIMO, Smart Antenna)	N/A

Categorization as Correlated or Completely Uncorrelated		N/A
Antenna Type	Main Antenna	PIFA Antenna
	Aux. Antenna	
Antenna Gain		U-NII-1: 5150 MHz to 5250 MHz: -1.72 dBi U-NII-2A: 5250 MHz to 5350 MHz: -2.42 dBi U-NII-2C: 5470 MHz to 5725 MHz: -1.87 dBi U-NII-3: 5725 MHz to 5850 MHz: -1.64 dBi (In test items related to antenna gain, the final results reflect this figure. This value is provided by the applicant.)
About the Product		The equipment is Mobile Phone, intended for used with information technology equipment.

2.6 Additional Instructions

EUT Software Settings:

Mode	<input checked="" type="checkbox"/> Special software is used. The software provided by client to enable the EUT under transmission condition continuously at specific channel frequencies individually.
------	--

During testing, Channel and Power Controlling Software provided by the customer was used to control the operating channel as well as the output power level. The RF output power selection is for the setting of RF output power expected by the customer and is going to be fixed on the firmware of the final end product.

2.7 Channel List

20 MHz		40 MHz		80 MHz	
Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)	Channel Number	Frequency (MHz)
36	5180	38	5190	42	5210
40	5200	46	5230	58	5290
44	5220	54	5270	106	5530
48	5240	62	5310	122	5610
52	5260	102	5510	155	5775
56	5280	110	5550		
60	5300	118	5590		
64	5320	126	5630		
100	5500	134	5670		
104	5520	151	5755		
108	5540	159	5795		
112	5560				
116	5580				
120	5600				
124	5620				
128	5640				
132	5660				
136	5680				
140	5700				
144	5720				
149	5745				
153	5765				
157	5785				
161	5805				
165	5825				

The Lowest frequency, the middle frequency and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11a/n(HT20)/ac(VHT20)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
36	Low	5180	52	Low	5260
44	Mid	5220	60	Mid	5300
48	High	5240	64	High	5320

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
100	Low	5500	144	--	5720
116	Mid	5580	149	Low	5745
140	High	5700	157	Mid	5785
144	--	5720	165	High	5825

For 802.11n(HT40)/ac(VHT40)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
38	Low	5190	54	Low	5270
46	High	5230	62	High	5310

U-NII-2C (5150 - 5250 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
102	Low	5510	151	Low	5755
118	Mid	5590	159	High	5795
134	High	5670			

For 802.11ac(VHT80)

U-NII-1 (5150 - 5250 MHz)			U-NII-2A (5250 - 5350 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
42	Mid	5210	58	Mid	5290

U-NII-2C (5470 - 5725 MHz)			U-NII-3 (5725 - 5850 MHz)		
Channel Number	Channel	Frequency (MHz)	Channel Number	Channel	Frequency (MHz)
106	Low	5530	155	Mid	5775
122	High	5610			

Note: Preliminary tests were performed in different data rate in above table to find the worst radiated emission. The data rate shown in the table below is the worst-case rate with respect to the specific test item. Investigation has been done on all the possible configurations for searching the worst cases. The following table is a list of the test modes shown in this test report.

Test Items	Mode	Data Rate	Modulation Type	U-NII-1	U-NII-2A	U-NII-2C	U-NII-3
				Channel	Channel	Channel	Channel
RF Output Power	11a	6	BPSK	48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Emission Bandwidth & 99% Occupied Bandwidth	11a	6	BPSK	48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
6 dB bandwidth	11a	6	BPSK	N/A	N/A	N/A	144/165/157/149
	11n(20 MHz)	6.5		N/A	N/A	N/A	144/165/157/149
	11n(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(20 MHz)	6.5		N/A	N/A	N/A	144/165/157/149
	11ac(40 MHz)	13.5		N/A	N/A	N/A	159/151
	11ac(80 MHz)	29.3		N/A	N/A	N/A	155
Power Spectral Density	11a	6	BPSK	48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Radiated Spurious Emissions	11a	6	BPSK	48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11n(20 MHz)	6.5		48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11n(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(20 MHz)	6.5		48/44/36	64/60/52	140/116/100/144	144/165/157/149
	11ac(40 MHz)	13.5		46/38	62/54	134/118/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155
Band Edge (Restricted -band)	11a	6	BPSK	48/36	64/52	140/100/144	144/165/149
	11n(20 MHz)	6.5		48/36	64/52	140/100/144	144/165/149
	11n(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(20 MHz)	6.5		48/36	64/52	140/100/144	144/165/149
	11ac(40 MHz)	13.5		46/38	62/54	134/102	159/151
	11ac(80 MHz)	29.3		42	58	122/106	155

3 SUMMARY OF TEST RESULTS

3.1 Test Standards

No.	Identity	Document Title
1	47 CFR Part 15 Subpart E	Unlicensed National Information Infrastructure Devices
2	KDB Publication 789033 D02v02r01	Guidelines for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices Part 15, Subpart E
3	ANSI C63.10-2013	American National Standard for Testing Unlicensed Wireless Devices

3.2 Test Verdict

No.	Description	FCC Part No.	Test Result	Verdict
1	Antenna Requirement	15.203	--	Pass ^{Note1}
2	RF Output Power	15.407(a)	ANNEX A.1	Pass
3	Emission Bandwidth & 99% Occupied Bandwidth	15.407(a)	ANNEX A.2	Pass
4	6 dB bandwidth	15.407(e)	ANNEX A.3	Pass
5	Power Spectral Density	15.407(a)	ANNEX A.4	Pass
6	Conducted Emission	15.207	ANNEX A.5	Pass
7	Radiated Spurious Emissions and Band Edge (Restricted-band)	15.407(b)	ANNEX A.6	Pass
8	Receiver Spurious Emissions	--	--	N/A ^{Note2}

Note ¹: The EUT has a permanently and irreplaceable attached antenna, which complies with the requirement FCC 15.203.

Note ²: Only radio communication receivers operating in stand-alone mode within the U-NII-30-960 MHz, as well as scanner receivers, are subject to Industry Canada requirements, so this test is not applicable.

Note ³: Under all normal operating conditions specified in the user manual, frequency stability can keep radiation within the operating frequency band.

4 GENERAL TEST CONFIGURATIONS

4.1 Test Environments

During the measurement, the normal environmental conditions were within the listed ranges:

Relative Humidity	40% to 70%	
Atmospheric Pressure	100 kPa to 102 kPa	
Temperature	NT (Normal Temperature)	+20°C to +23.5°C
	LT (Low Temperature)	-30°C
	HT (High Temperature)	+50°C
Working Voltage of the EUT	NV (Normal Voltage)	3.87 V
	LV (Low Voltage)	3.65 V
	HV (High Voltage)	4.40 V

4.2 Test Equipment List

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-40	101544	2022.01.04	2023.01.03
Spectrum Analyzer	KEYSIGHT	N9020A	MY50330200	2022.05.19	2023.05.18
Signaling Unit	ROHDE&SCHWARZ	CMW500	142028	2022.05.19	2023.05.18
Spectrum Analyzer	ROHDE&SCHWARZ	FSV-30	103118	2022.05.19	2023.05.18
Vector Signal Generator	ROHDE&SCHWARZ	SMBV100A	260592	2022.02.09	2023.02.08
Signal Generator	ROHDE&SCHWARZ	SMB100A	177746	2022.05.19	2023.05.18
Switch Unit with OSP-B157	ROHDE&SCHWARZ	OSP120	101270	2022.05.19	2023.05.18
Power Sensor	ROHDE&SCHWARZ	NRP18S	102521	2022.03.09	2023.03.08
EMI Receiver	KEYSIGHT	N9038A	MY53220118	2021.09.13	2022.09.12
EMI Receiver	ROHDE&SCHWARZ	ESRP	101036	2021.10.10	2022.10.09
LISN	SCHWARZBECK	NSLK 8127	8127-687	2022.06.01	2023.05.31
Amplifier	KMW	ZT30-1000MHz	N/A	2022.06.16	2023.06.15
Amplifier	KMW	LSCX-LNA1-12G-01	N/A	2022.06.16	2023.06.15
Amplifier	KMW	XKu_LNA7-18G-01	N/A	2022.06.16	2023.06.15
Amplifier	KMW	DLAN-18000-40000-02	N/A	2022.06.16	2023.06.15
Test Antenna-Loop(9 kHz-30 MHz)	SCHWARZBECK	FMZB 1519	1519-037	2021.04.16	2024.04.15
Test Antenna-	SCHWARZBECK	VULB 9163	9163-624	2021.08.20	2024.08.19

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
Bi-Log(30 MHz-3 GHz)					
Test Antenna-Horn(1-18 GHz)	SCHWARZBECK	BBHA 9120D	01917	2022.06.09	2025.06.08
Test Antenna-Horn (18-40 GHz)	A-INFO	LB-180400KF	J211060273	2021.07.02	2024.07.01
Anechoic Chamber	RAINFORD	9m*6m*6m	N/A	2022.02.19	2024.09.03
Anechoic Chamber	EMC Electronic Co., Ltd	20.10*11.60*7.35m	N/A	2021.08.15	2024.08.14
Shielded Enclosure	ChangNing	CN-130701	130703	--	--

4.3 Test Software List

Description	Manufacturer	Software Version	Serial No.	Applicable test Setup
BL410R	BALUN	V2.1.1.488	N/A	The section 4.5.1
BL410E	BALUN	V19.8.28.435	N/A	The section 4.5.2&4.5.3&4.5.4&4.5.5

4.4 Measurement Uncertainty

The following measurement uncertainty levels have been estimated for tests performed on the EUT as specified in CISPR 16-4-2.

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Parameters	Uncertainty
Occupied Channel Bandwidth	2.8%
RF output power, conducted	1.28 dB
Power Spectral Density, conducted	1.30 dB
Unwanted Emissions, conducted	1.84 dB
All emissions, radiated	5.36 dB
Temperature	0.82°C
Humidity	4.1%


4.5 Description of Test Setup

4.5.1 For Antenna Port Test

Conducted value (dBm) = Measurement value (dBm) + cable loss (dB)


For example: the measurement value is 10 dBm and the cable 0.5dBm used, then the final result of EUT:

Conducted value (dBm) = 10 dBm + 0.5 dB = 10.5 dBm




(Diagram 1)

4.5.2 For AC Power Supply Port Test




(Diagram 2)

4.5.3 For Radiated Test (Below 30 MHz)




(Diagram 3)

4.5.4 For Radiated Test (30 MHz-1 GHz)



(Diagram 4)

4.5.5 For Radiated Test (Above 1 GHz)



(Diagram 5)

5 TEST ITEMS

5.1 RF Output Power

5.1.1 Test Limit

FCC §15.407(a)

The maximum conducted output power should not exceed:

Frequency Band (MHz)	Limit
5150-5250	250 mW
5250-5350	250 mW or 11 dBm + 10log B, whichever is less.
5470-5725	250 mW or 11 dBm + 10log B, whichever is less.
5725-5850	1 W
Note: Where "B" is the 26 dB emissions bandwidth in MHz.	

5.1.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.1.3 Test Procedure

The maximum peak conducted output power may be measured using a broadband Average RF power meter. The power meter shall have a video bandwidth that is greater than or equal to the emission bandwidth and utilize a fast-responding diode detector.

The E.I.R.P used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.1.4 Test Result

Please refer to ANNEX A.1.

5.2 Emission Bandwidth and 6 dB Bandwidth

5.2.1 Limit

FCC §15.407(a)

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

5.2.2 Test Setup

The test setup photo please refer to 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.2.3 Test Procedure

Emission bandwidth

1. Set RBW = approximately 1% of the emission bandwidth.
2. Set VBW $\geq 3 \times$ RBW,
3. Detector = Peak.
4. Trace mode = Max hold.
5. Measure the maximum width of the emission that is 26 dB down from the peak of the emission.

Occupied Bandwidth

1. Set Span = 1.5 times to 5.0 times the OBW
2. Set RBW = 1% to 5% of the OBW.
3. Set VBW $\geq 3 \times$ RBW, Detector = Peak.
4. Trace mode = Max hold.
5. Use the 99% power bandwidth function of the instrument.

6 dB bandwidth

1. Set RBW = 100 kHz, VBW = 300 kHz.
2. Detector = Peak. Trace mode = Max hold.
3. Allow the trace to stabilize.
4. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

5.2.4 Test Result

Please refer to ANNEX A.2 and ANNEX A.3.

5.3 Power Spectral density (PSD)

5.3.1 Limit

FCC §15.407(a)

The maximum power spectral density should not exceed:

Frequency Band (MHz)	Limit
5150-5250	11 dBm/MHz
5250-5350	11 dBm/MHz
5470-5725	11 dBm/MHz
5725-5850	30 dBm/500kHz

5.3.2 Test Setup

The section 4.5.1 (Diagram 1) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.3.3 Test Procedure

Set the spectrum analyzer or EMI receiver span to view the entire emission bandwidth.

1. Set RBW = 510 kHz/1 MHz, VBW \geq 3*RBW, Sweep time = Auto, Detector = RMS.
2. Allow the sweeps to continue until the trace stabilizes.
3. Use the peak marker function to determine the maximum amplitude level.
4. The E.I.R.P spectral density used radiated test method. At a test site that has been validated using the procedures of ANSI C63.4 or the latest CISPR 16-1-4 for measurements above 1 GHz, so as to simulate a near free-space environment.

5.3.4 Test Result

Please refer to ANNEX A.4.

5.4 Conducted Emission

5.4.1 Limit

FCC §15.207

For an intentional radiator that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency within the U-NII-150 kHz to 30 MHz shall not exceed the limits in the following table, as measured using a 50 μ H/50 Ω line impedance stabilization network (LISN).

Frequency range (MHz)	Conducted Limit (dB μ V)	
	Quai-peak	Average
0.15 - 0.50	66 to 56	56 to 46
0.50 - 5	56	46
0.50 - 30	60	50

5.4.2 Test Setup

The section 4.5.2 (Diagram 2) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.4.3 Test Procedure

The maximum conducted interference is searched using Peak (PK), if the emission levels more than the AV and QP limits, and that have narrow margins from the AV and QP limits will be re-measured with AV and QP detectors. Tests for both L phase and N phase lines of the power mains connected to the EUT are performed. Refer to recorded points and plots below.

5.4.4 Test Result

Please refer to ANNEX A.5.

5.5 Radiated Spurious Emissions and Band Edge (Restricted-band)

5.5.1 Limit

FCC §15.209 & 15.407(b)

Frequency (MHz)	Field Strength (μV/m)	Measurement Distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 - 30.0	30	30
30 - 88	100	3
88 - 216	150	3
216 - 960	200	3
Above 960	500	3

Note¹: The Limit for radiated test was performed according to FCC Part 15C

Note²: The tighter limit applies at the band edge.

Un-restricted band emissions	
Out Operating Band (MHz)	Limit
5150 - 5250	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5250 - 5350	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5470 - 5725	e.i.r.p. -27 dBm (68.2 dBuV/m@3m)
5725 - 5850	<p>All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.</p>

Note: The following formula is used to convert the equipment isotropic radiated power (eirp) to field strength.

5.5.2 Test Setup

The section 4.5.3-4.5.5 (Diagram 3 - Diagram 5) test setup description was used for this test. The photo of test setup please refer to ANNEX B.

5.5.3 Test Procedure

Since the emission limits are specified in terms of radiated field strength levels, measurements performed to demonstrate compliance have traditionally relied on a radiated test configuration. Radiated measurements remain the principal method for demonstrating compliance to the specified limits; however antenna-port conducted measurements are also now acceptable to demonstrate compliance (see below for details). When radiated measurements are utilized, test site requirements and procedures for maximizing and measuring radiated emissions that are described in ANSI C63.10 shall be followed.

Antenna-port conducted measurements may also be used as an alternative to radiated measurements for demonstrating compliance in the restricted frequency bands. If conducted measurements are performed, then proper impedance matching must be ensured and an additional radiated test for cabinet/case spurious emissions is required.

General Procedure for conducted measurements in restricted bands

a) Measure the conducted output power (in dBm) using the detector specified (see guidance regarding measurement procedures for determining quasi-peak, peak, and average conducted output power, respectively).

b) Add the maximum transmit antenna gain (in dBi) to the measured output power level to determine the EIRP level (see guidance on determining the applicable antenna gain)

c) Add the appropriate maximum ground reflection factor to the EIRP level (6 dB for frequencies ≤ 30 MHz, 4.7 dB for frequencies between 30 MHz and 1000 MHz, inclusive and 0 dB for frequencies > 1000 MHz).

d) For devices with multiple antenna-ports, measure the power of each individual chain and sum the EIRP of all chains in linear terms (e.g., Watts, mW).

e) Convert the resultant EIRP level to an equivalent electric field strength using the following relationship:

$$E = \text{EIRP} - 20\log D + 104.8$$

where:

E = electric field strength in dB μ V/m,

EIRP = equivalent isotropic radiated power in dBm

D = specified measurement distance in meters.

f) Compare the resultant electric field strength level to the applicable limit.

g) Perform radiated spurious emission test.

Quasi-Peak measurement procedure

The specifications for measurements using the CISPR quasi-peak detector can be found in Publication 16 of the International Special Committee on Radio Frequency Interference (CISPR) of the International

Electrotechnical Commission.

As an alternative to CISPR quasi-peak measurement, compliance can be demonstrated to the applicable emission limits using a peak detector.

Peak power measurement procedure

Peak emission levels are measured by setting the instrument as follows:

- a) RBW = as specified in Table 1.
- b) VBW $\geq 3 \times$ RBW.
- c) Detector = Peak.
- d) Sweep time = auto.
- e) Trace mode = max hold.
- f) Allow sweeps to continue until the trace stabilizes. (Note that the required measurement time may be longer for low duty cycle applications).

Table 1—RBW as a function of frequency

Frequency	RBW
9-150 kHz	200-300 Hz
0.15-30 MHz	9-10 kHz
30-1000 MHz	100-120 kHz
> 1000 MHz	1 MHz

If the peak-detected amplitude can be shown to comply with the average limit, then it is not necessary to perform a separate average measurement.

Trace averaging across on and off times of the EUT transmissions followed by duty cycle correction

If continuous transmission of the EUT (i.e., duty cycle ≥ 98 percent) cannot be achieved and the duty cycle is constant (i.e., duty cycle variations are less than ± 2 percent), then the following procedure shall be used:

- a) The EUT shall be configured to operate at the maximum achievable duty cycle.
- b) Measure the duty cycle, x , of the transmitter output signal as described in section 6.0.
- c) RBW = 1 MHz (unless otherwise specified).
- d) VBW $\geq 3 \times$ RBW.
- e) Detector = RMS, if $\text{span}/(\# \text{ of points in sweep}) \leq (\text{RBW}/2)$. Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
- f) Averaging type = power (i.e., RMS).
 - 1) As an alternative, the detector and averaging type may be set for linear voltage averaging.
 - 2) Some instruments require linear display mode in order to use linear voltage averaging. Log or dB

averaging shall not be used.

g) Sweep time = auto.

h) Perform a trace average of at least 100 traces.

i) A correction factor shall be added to the measurement results prior to comparing to the emission limit in order to compute the emission level that would have been measured had the test been performed at 100 percent duty cycle. The correction factor is computed as follows:

1) If power averaging (RMS) mode was used in step f), then the applicable correction factor is $10 \log(1/x)$, where x is the duty cycle.

2) If linear voltage averaging mode was used in step f), then the applicable correction factor is $20 \log(1/x)$, where x is the duty cycle.

3) If a specific emission is demonstrated to be continuous (≥ 98 percent duty cycle) rather than turning on and off with the transmit cycle, then no duty cycle correction is required for that emission.

NOTE: Reduction of the measured emission amplitude levels to account for operational duty factor is not permitted. Compliance is based on emission levels occurring during transmission - not on an average across on and off times of the transmitter.

Determining the applicable transmit antenna gain

A conducted power measurement will determine the maximum output power associated with a restricted band emission; however, in order to determine the associated EIRP level, the gain of the transmitting antenna (in dBi) must be added to the measured output power (in dBm).

Since the out-of-band characteristics of the EUT transmit antenna will often be unknown, the use of a conservative antenna gain value is necessary. Thus, when determining the EIRP based on the measured conducted power, the upper bound on antenna gain for a device with a single RF output shall be selected as the maximum in-band gain of the antenna across all operating bands, or 2 dBi, whichever is greater. However, for devices that operate in multiple frequency bands while using the same transmit antenna, the highest gain of the antenna within the operating band nearest in frequency to the restricted band emission being measured may be used in lieu of the overall highest gain when the emission is at a frequency that is within 20 percent of the nearest band edge frequency, but in no case shall a value less than 2 dBi be used.

See KDB 662911 for guidance on calculating the additional array gain term when determining the effective antenna gain for a EUT with multiple outputs occupying the same or overlapping frequency ranges in the same band.

Radiated spurious emission test

An additional consideration when performing conducted measurements of restricted band emissions is that unwanted emissions radiating from the EUT cabinet, control circuits, power leads, or intermediate circuit elements will likely go undetected in a conducted measurement configuration. To address this concern, a radiated test shall be performed to ensure that emissions emanating from the EUT cabinet (rather than the antenna port) also comply with the applicable limits.

For these cabinet radiated spurious emission measurements the EUT transmit antenna may be replaced with a termination matching the nominal impedance of the antenna. Procedures for performing radiated measurements are specified in ANSI C63.10. All detected emissions shall comply with the applicable limits.

The measurement frequency range is from 30 MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The power of the EUT transmitting frequency should be ignored.

All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Use the following spectrum analyzer settings:

Span = wide enough to fully capture the emission being measured

RBW = 1 MHz for $f \geq 1$ GHz, 100 kHz for $f < 1$ GHz

VBW \geq RBW

Sweep = auto

Detector function = peak

Trace = max hold

5.5.4 Test Result

Please refer to ANNEX A.6.

ANNEX A TEST RESULT

A.1 RF Output Power

Note 1: For FCC standard, if transmitting antennas of directional gain greater than 6 dBi are used, all band maximum conducted output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

Duty Cycle

Test Mode	On Time (ms)	On+Off time (ms)	Duty Cycle
11a	1.39	1.43	97.34%
11n (HT20)/11ac (VHT20)	1.31	1.35	97.18%
11n (HT40)/11ac (VHT40)	0.65	0.69	95.01%
11ac (VHT80)	0.32	0.36	90.55%

Test Data

Conducted Power

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH36	15.75	37.58	250	Pass
11a	CH44	17.80	60.26	250	Pass
11a	CH48	17.75	59.57	250	Pass
11n (HT20)	CH36	14.73	29.72	250	Pass
11n (HT20)	CH44	16.75	47.32	250	Pass
11n (HT20)	CH48	16.80	47.86	250	Pass
11n (HT40)	CH38	13.33	21.53	250	Pass
11n (HT40)	CH46	15.79	37.93	250	Pass
11ac (VHT20)	CH36	15.15	32.73	250	Pass
11ac (VHT20)	CH44	17.19	52.36	250	Pass
11ac (VHT20)	CH48	17.26	53.21	250	Pass
11ac (VHT40)	CH38	13.34	21.58	250	Pass
11ac (VHT40)	CH46	15.82	38.19	250	Pass
11ac (VHT80)	CH42	11.85	15.31	250	Pass

U-NII-2A (5250 - 5350 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH52	17.88	61.38	250	Pass
11a	CH60	18.02	63.39	250	Pass
11a	CH64	16.23	41.98	250	Pass
11n (HT20)	CH52	17.03	50.47	250	Pass
11n (HT20)	CH60	17.18	52.24	250	Pass
11n (HT20)	CH64	15.27	33.65	250	Pass
11n (HT40)	CH54	15.83	38.28	250	Pass
11n (HT40)	CH62	13.28	21.28	250	Pass
11ac (VHT20)	CH52	17.51	56.36	250	Pass
11ac (VHT20)	CH60	17.53	56.62	250	Pass
11ac (VHT20)	CH64	15.64	36.64	250	Pass
11ac (VHT40)	CH54	15.98	39.63	250	Pass
11ac (VHT40)	CH62	13.30	21.38	250	Pass
11ac (VHT80)	CH58	11.62	14.52	250	Pass

U-NII-2C (5470 - 5725 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH100	16.01	39.90	250	Pass
11a	CH116	17.96	62.52	250	Pass
11a	CH140	14.18	26.18	250	Pass
11n (HT20)	CH100	15.90	38.90	250	Pass
11n (HT20)	CH116	17.05	50.70	250	Pass
11n (HT20)	CH140	14.08	25.59	250	Pass
11n (HT40)	CH102	12.39	17.34	250	Pass
11n (HT40)	CH118	16.05	40.27	250	Pass
11n (HT40)	CH134	15.63	36.56	250	Pass
11ac (VHT20)	CH100	16.35	43.15	250	Pass
11ac (VHT20)	CH116	17.51	56.36	250	Pass
11ac (VHT20)	CH140	14.05	25.41	250	Pass
11ac (VHT40)	CH102	13.42	21.98	250	Pass
11ac (VHT40)	CH118	16.16	41.30	250	Pass
11ac (VHT40)	CH134	15.11	32.43	250	Pass
11ac (VHT80)	CH106	12.31	17.02	250	Pass
11ac (VHT80)	CH122	15.08	32.21	250	Pass

U-NII-2C straddle channel					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH144	17.10	51.29	249	Pass
11n (HT20)	CH144	16.04	40.18	224	Pass
11ac (VHT20)	CH144	16.47	44.36	235	Pass

U-NII-3 (5725 - 5850 MHz)					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH149	14.07	25.53	1000	Pass
11a	CH157	13.99	25.06	1000	Pass
11a	CH165	13.88	24.43	1000	Pass
11n (HT20)	CH149	13.93	24.72	1000	Pass
11n (HT20)	CH157	13.89	24.49	1000	Pass
11n (HT20)	CH165	13.75	23.71	1000	Pass
11n (HT40)	CH151	13.99	25.06	1000	Pass
11n (HT40)	CH159	13.92	24.66	1000	Pass
11ac (VHT20)	CH149	13.92	24.66	1000	Pass
11ac (VHT20)	CH157	13.86	24.32	1000	Pass
11ac (VHT20)	CH165	13.76	23.77	1000	Pass
11ac (VHT40)	CH151	14.06	25.47	1000	Pass
11ac (VHT40)	CH159	13.95	24.83	1000	Pass
11ac (VHT80)	CH155	13.84	24.21	1000	Pass

U-NII-3 straddle channel					
Mode	Channel	Conducted Power (dBm)	Conducted Power (mW)	FCC Limit (mW)	Verdict
11a	CH144	17.10	51.29	1000	Pass
11n (HT20)	CH144	16.04	40.18	1000	Pass
11ac (VHT20)	CH144	16.47	44.36	1000	Pass

A.2 Emission Bandwidth & 99% Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ2260422-604 Data Part 1.pdf".

Test Data

U-NII-1 (5150 - 5250 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH36	29.82	16.69
11a	CH44	36.90	17.44
11a	CH48	38.19	17.28
11n (HT20)	CH36	21.97	17.69
11n (HT20)	CH44	35.79	17.89
11n (HT20)	CH48	37.56	17.86
11n (HT40)	CH38	40.85	36.17
11n (HT40)	CH46	65.64	36.33
11ac (VHT20)	CH36	27.42	17.72
11ac (VHT20)	CH44	39.06	18.00
11ac (VHT20)	CH48	39.20	18.18
11ac (VHT40)	CH38	41.26	36.08
11ac (VHT40)	CH46	66.78	36.29
11ac (VHT80)	CH42	81.19	75.20

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH52	37.60	17.53
11a	CH60	37.62	17.80
11a	CH64	30.59	16.78
11n (HT20)	CH52	35.27	18.00
11n (HT20)	CH60	36.26	17.97
11n (HT20)	CH64	26.39	17.74
11n (HT40)	CH54	68.11	36.31
11n (HT40)	CH62	42.36	36.12
11ac (VHT20)	CH52	37.99	18.04
11ac (VHT20)	CH60	38.51	18.15
11ac (VHT20)	CH64	29.61	17.75
11ac (VHT40)	CH54	74.58	36.35
11ac (VHT40)	CH62	41.00	36.06
11ac (VHT80)	CH58	81.21	75.18

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH100	26.87	16.63
11a	CH116	36.59	17.02
11a	CH140	21.02	16.51
11n (HT20)	CH100	29.39	17.73
11n (HT20)	CH116	32.67	17.79
11n (HT20)	CH140	20.34	17.64
11n (HT40)	CH102	40.70	36.11
11n (HT40)	CH118	64.43	36.25
11n (HT40)	CH134	42.68	36.21
11ac (VHT20)	CH100	24.89	17.76
11ac (VHT20)	CH116	34.69	17.87
11ac (VHT20)	CH140	20.39	17.61
11ac (VHT40)	CH102	40.77	36.03
11ac (VHT40)	CH118	58.41	36.13
11ac (VHT40)	CH134	42.35	36.07
11ac (VHT80)	CH106	81.44	75.36
11ac (VHT80)	CH122	105.40	75.64

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH149	20.13	16.50
11a	CH157	21.31	16.58
11a	CH165	20.45	16.51
11n (HT20)	CH149	20.35	17.62
11n (HT20)	CH157	20.42	17.67
11n (HT20)	CH165	20.42	17.62
11n (HT40)	CH151	40.65	36.08
11n (HT40)	CH159	40.92	36.19
11ac (VHT20)	CH149	20.64	17.63
11ac (VHT20)	CH157	20.37	17.60
11ac (VHT20)	CH165	20.29	17.58
11ac (VHT40)	CH151	40.67	35.96
11ac (VHT40)	CH159	40.79	36.06
11ac (VHT80)	CH155	81.62	75.43

U-NII-2C straddle channel			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH144	19.80	13.40
11n (HT20)	CH144	17.80	13.80
11ac (VHT20)	CH144	18.70	13.90

U-NII-3 straddle channel			
Mode	Channel	26 dB Bandwidth (MHz)	99% Bandwidth (MHz)
11a	CH144	9.60	3.50
11n (HT20)	CH144	8.10	3.80
11ac (VHT20)	CH144	9.30	3.90

A.3 6 dB Bandwidth

Note: Test plots please refer to the document "Annex No.: BL-SZ2260422-604 Data Part 2.pdf".

Test Data

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH149	15.20	500.00	Pass
11a	CH157	15.25	500.00	Pass
11a	CH165	15.25	500.00	Pass
11n (HT20)	CH149	15.25	500.00	Pass
11n (HT20)	CH157	15.20	500.00	Pass
11n (HT20)	CH165	15.25	500.00	Pass
11n (HT40)	CH151	35.20	500.00	Pass
11n (HT40)	CH159	35.25	500.00	Pass
11ac (VHT20)	CH149	15.25	500.00	Pass
11ac (VHT20)	CH157	15.25	500.00	Pass
11ac (VHT20)	CH165	15.25	500.00	Pass
11ac (VHT40)	CH151	35.20	500.00	Pass
11ac (VHT40)	CH159	35.25	500.00	Pass
11ac (VHT80)	CH155	75.20	500.00	Pass

U-NII-3 straddle channel				
Mode	Channel	6 dB Bandwidth (MHz)	Limit (kHz)	Verdict
11a	CH144	2.60	500.00	Pass
11n (HT20)	CH144	2.75	500.00	Pass
11ac (VHT20)	CH144	2.60	500.00	Pass

A.4 Power Spectral Density

Note¹: Test plots please refer to the document "Annex No.: BL-SZ2260422-604 Data Part 3.pdf".

Note²: The RBW used in U-NII-3 is 1 MHz, and the PSD factor is: $10 \cdot \log(500 \text{ kHz/RBW}) = -3 \text{ dBm}$.

Test Data

U-NII-1 (5150 - 5250 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH36	4.78	11.00	Pass
11a	CH44	6.78	11.00	Pass
11a	CH48	6.84	11.00	Pass
11n (HT20)	CH36	3.57	11.00	Pass
11n (HT20)	CH44	6.10	11.00	Pass
11n (HT20)	CH48	5.53	11.00	Pass
11n (HT40)	CH38	-0.70	11.00	Pass
11n (HT40)	CH46	1.81	11.00	Pass
11ac (VHT20)	CH36	3.99	11.00	Pass
11ac (VHT20)	CH44	6.19	11.00	Pass
11ac (VHT20)	CH48	6.25	11.00	Pass
11ac (VHT40)	CH38	-0.65	11.00	Pass
11ac (VHT40)	CH46	2.10	11.00	Pass
11ac (VHT80)	CH42	-5.46	11.00	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH52	6.75	11.00	Pass
11a	CH60	7.58	11.00	Pass
11a	CH64	5.88	11.00	Pass
11n (HT20)	CH52	6.09	11.00	Pass
11n (HT20)	CH60	6.68	11.00	Pass
11n (HT20)	CH64	4.84	11.00	Pass
11n (HT40)	CH54	2.09	11.00	Pass
11n (HT40)	CH62	-0.03	11.00	Pass
11ac (VHT20)	CH52	6.11	11.00	Pass
11ac (VHT20)	CH60	7.05	11.00	Pass
11ac (VHT20)	CH64	5.12	11.00	Pass
11ac (VHT40)	CH54	2.38	11.00	Pass
11ac (VHT40)	CH62	-0.04	11.00	Pass
11ac (VHT80)	CH58	-5.54	11.00	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH100	4.76	11.00	Pass
11a	CH116	7.54	11.00	Pass
11a	CH140	3.17	11.00	Pass
11n (HT20)	CH100	4.53	11.00	Pass
11n (HT20)	CH116	6.34	11.00	Pass
11n (HT20)	CH140	2.31	11.00	Pass
11n (HT40)	CH102	-1.55	11.00	Pass
11n (HT40)	CH118	2.45	11.00	Pass
11n (HT40)	CH134	1.84	11.00	Pass
11ac (VHT20)	CH100	5.34	11.00	Pass
11ac (VHT20)	CH116	6.74	11.00	Pass
11ac (VHT20)	CH140	2.72	11.00	Pass
11ac (VHT40)	CH102	-1.09	11.00	Pass
11ac (VHT40)	CH118	2.43	11.00	Pass
11ac (VHT40)	CH134	1.30	11.00	Pass
11ac (VHT80)	CH106	-5.28	11.00	Pass
11ac (VHT80)	CH122	-2.31	11.00	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH149	-0.17	30.00	Pass
11a	CH157	-0.77	30.00	Pass
11a	CH165	0.12	30.00	Pass
11n (HT20)	CH149	-0.42	30.00	Pass
11n (HT20)	CH157	-1.05	30.00	Pass
11n (HT20)	CH165	-0.14	30.00	Pass
11n (HT40)	CH151	-3.52	30.00	Pass
11n (HT40)	CH159	-4.00	30.00	Pass
11ac (VHT20)	CH149	-0.02	30.00	Pass
11ac (VHT20)	CH157	-1.17	30.00	Pass
11ac (VHT20)	CH165	-0.32	30.00	Pass
11ac (VHT40)	CH151	-2.99	30.00	Pass
11ac (VHT40)	CH159	-4.03	30.00	Pass
11ac (VHT80)	CH155	-7.23	30.00	Pass

U-NII-2C straddle channel				
Mode	Channel	PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
11a	CH144	5.86	11.00	Pass
11n (HT20)	CH144	4.68	11.00	Pass
11ac (VHT20)	CH144	5.19	11.00	Pass

U-NII-3 straddle channel				
Mode	Channel	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
11a	CH144	3.19	30.00	Pass
11n (HT20)	CH144	1.91	30.00	Pass
11ac (VHT20)	CH144	2.49	30.00	Pass

A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.182	39.66	10.13	64.39	-24.73	Peak	L	Pass
1**	0.182	26.78	10.13	54.39	-27.61	AV	L	Pass
2	0.268	40.46	10.08	61.18	-20.72	Peak	L	Pass
2**	0.268	27.18	10.08	51.18	-24.00	AV	L	Pass
3	0.478	40.63	10.11	56.37	-15.74	Peak	L	Pass
3**	0.478	29.67	10.11	46.37	-16.70	AV	L	Pass
4	1.468	47.51	9.95	56.00	-8.49	Peak	L	Pass
4**	1.468	38.79	9.95	46.00	-7.21	AV	L	Pass
5	5.354	39.02	9.98	60.00	-20.98	Peak	L	Pass
5**	5.354	26.90	9.98	50.00	-23.10	AV	L	Pass
6	17.756	45.67	10.19	60.00	-14.33	Peak	L	Pass
6**	17.756	35.26	10.19	50.00	-14.74	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.154	38.50	10.18	65.78	-27.28	Peak	N	Pass
1**	0.154	26.58	10.18	55.78	-29.20	AV	N	Pass
2	0.276	38.91	10.07	60.94	-22.03	Peak	N	Pass
2**	0.276	27.55	10.07	50.94	-23.39	AV	N	Pass
3	0.480	38.55	10.11	56.34	-17.79	Peak	N	Pass
3**	0.480	24.89	10.11	46.34	-21.45	AV	N	Pass
4	1.468	40.54	9.95	56.00	-15.46	Peak	N	Pass
4**	1.468	31.19	9.95	46.00	-14.81	AV	N	Pass
5	6.104	31.75	10.05	60.00	-28.25	Peak	N	Pass
5**	6.104	18.89	10.05	50.00	-31.11	AV	N	Pass
6	16.750	41.61	10.18	60.00	-18.39	Peak	N	Pass
6**	16.750	22.61	10.18	50.00	-27.39	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Test Data

Note 1: The symbol of "--" in the table which means not application.


Note 2: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	49.788	18.61	-25.56	40.0	-21.39	Peak	115.00	100	Horizontal	Pass
2	94.505	17.95	-27.63	43.5	-25.55	Peak	261.00	200	Horizontal	Pass
3	148.874	22.31	-30.05	43.5	-21.19	Peak	17.00	200	Horizontal	Pass
4	169.146	25.08	-29.27	43.5	-18.42	Peak	91.00	200	Horizontal	Pass
5	193.106	28.27	-27.07	43.5	-15.23	Peak	263.00	100	Horizontal	Pass
6	316.295	30.26	-23.16	46.0	-15.74	Peak	316.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	49.352	25.80	-25.50	40.0	-14.20	Peak	325.00	100	Vertical	Pass
2	96.542	26.87	-27.28	43.5	-16.63	Peak	187.00	100	Vertical	Pass
3	149.213	27.82	-30.05	43.5	-15.68	Peak	303.00	100	Vertical	Pass
4	194.948	30.04	-26.85	43.5	-13.46	Peak	335.00	100	Vertical	Pass
5	316.392	31.82	-23.16	46.0	-14.18	Peak	197.00	100	Vertical	Pass
6	992.774	30.58	-8.41	54.0	-23.42	Peak	2.00	100	Vertical	Pass

Note 1: The marked "N/A" spikes near 5150MHz-5850MHz MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious from 18GHz to 40GHz is noise only, do not show on the report.

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.500	38.14	-17.66	74.0	-35.86	Peak	315.00	300	Horizontal	Pass
1**	1461.500	28.34	-17.66	54.0	-25.66	AV	315.00	300	Horizontal	Pass
2	4307.750	47.69	-4.18	74.0	-26.31	Peak	179.00	150	Horizontal	Pass
2**	4307.750	38.97	-4.18	54.0	-15.03	AV	179.00	150	Horizontal	Pass
3	5178.750	107.60	-2.25	--	--	Peak	31.00	150	Horizontal	N/A
3**	5178.750	100.57	-2.25	--	--	AV	31.00	150	Horizontal	N/A
4	7462.750	52.66	1.09	74.0	-21.34	Peak	92.00	150	Horizontal	Pass
4**	7462.750	44.64	1.09	54.0	-9.36	AV	92.00	150	Horizontal	Pass
5	11208.863	49.41	-4.08	74.0	-24.59	Peak	261.00	150	Horizontal	Pass
5**	11208.863	40.15	-4.08	54.0	-13.85	AV	261.00	150	Horizontal	Pass
6	16150.950	52.42	-0.47	74.0	-21.58	Peak	261.00	150	Horizontal	Pass
6**	16150.950	43.21	-0.47	54.0	-10.79	AV	261.00	150	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.700	37.64	-17.28	74.0	-36.36	Peak	209.00	150	Vertical	Pass
1**	1440.700	28.72	-17.28	54.0	-25.28	AV	209.00	150	Vertical	Pass
2	4306.500	48.55	-4.17	74.0	-25.45	Peak	74.00	150	Vertical	Pass
2**	4306.500	39.45	-4.17	54.0	-14.55	AV	74.00	150	Vertical	Pass
3	5182.500	100.65	-2.10	--	--	Peak	252.00	150	Vertical	N/A
3**	5182.500	93.35	-2.10	--	--	AV	252.00	150	Vertical	N/A
4	7518.750	52.63	0.87	74.0	-21.37	Peak	287.00	150	Vertical	Pass
4**	7518.750	43.83	0.87	54.0	-10.17	AV	287.00	150	Vertical	Pass
5	11788.838	49.87	-3.63	74.0	-24.13	Peak	336.00	150	Vertical	Pass
5**	11788.838	40.88	-3.63	54.0	-13.12	AV	336.00	150	Vertical	Pass
6	16155.675	52.53	-0.46	74.0	-21.47	Peak	332.00	150	Vertical	Pass
6**	16155.675	43.92	-0.46	54.0	-10.08	AV	332.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.500	37.41	-17.33	74.0	-36.59	Peak	320.00	150	Horizontal	Pass
1**	1483.500	28.89	-17.33	54.0	-25.11	AV	320.00	150	Horizontal	Pass
2	4280.750	48.81	-4.79	74.0	-25.19	Peak	233.00	150	Horizontal	Pass
2**	4280.750	39.18	-4.79	54.0	-14.82	AV	233.00	150	Horizontal	Pass
3	5219.000	107.36	-3.47	--	--	Peak	153.00	150	Horizontal	N/A
3**	5219.000	99.90	-3.47	--	--	AV	153.00	150	Horizontal	N/A
4	7701.250	52.94	1.71	74.0	-21.06	Peak	82.00	150	Horizontal	Pass
4**	7701.250	43.08	1.71	54.0	-10.92	AV	82.00	150	Horizontal	Pass
5	11222.638	49.59	-4.13	74.0	-24.41	Peak	130.00	200	Horizontal	Pass
5**	11222.638	39.78	-4.13	54.0	-14.22	AV	130.00	200	Horizontal	Pass
6	16158.300	51.16	-0.46	74.0	-22.84	Peak	360.00	200	Horizontal	Pass
6**	16158.300	43.21	-0.46	54.0	-10.79	AV	360.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.800	38.41	-17.27	74.0	-35.59	Peak	231.00	150	Vertical	Pass
1**	1440.800	29.38	-17.27	54.0	-24.62	AV	231.00	150	Vertical	Pass
2	4311.750	47.95	-4.27	74.0	-26.05	Peak	75.00	100	Vertical	Pass
2**	4311.750	38.55	-4.27	54.0	-15.45	AV	75.00	100	Vertical	Pass
3	5218.000	100.29	-3.47	--	--	Peak	312.00	150	Vertical	N/A
3**	5218.000	91.75	-3.47	--	--	AV	312.00	150	Vertical	N/A
4	7460.750	52.85	1.14	74.0	-21.15	Peak	75.00	150	Vertical	Pass
4**	7460.750	44.93	1.14	54.0	-9.07	AV	75.00	150	Vertical	Pass
5	12035.599	49.70	-3.40	74.0	-24.30	Peak	268.00	200	Vertical	Pass
5**	12035.599	39.20	-3.40	54.0	-14.80	AV	268.00	200	Vertical	Pass
6	16190.850	51.87	-0.44	74.0	-22.13	Peak	229.00	150	Vertical	Pass
6**	16190.850	42.57	-0.44	54.0	-11.43	AV	229.00	150	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.800	37.73	-17.48	74.0	-36.27	Peak	281.00	150	Horizontal	Pass
1**	1585.800	27.85	-17.48	54.0	-26.15	AV	281.00	150	Horizontal	Pass
2	4247.250	47.65	-5.21	74.0	-26.35	Peak	260.00	100	Horizontal	Pass
2**	4247.250	37.94	-5.21	54.0	-16.06	AV	260.00	100	Horizontal	Pass
3	5238.500	107.43	-3.22	--	--	Peak	155.00	150	Horizontal	N/A
3**	5238.500	100.00	-3.22	--	--	AV	155.00	150	Horizontal	N/A
4	7458.500	52.89	1.15	74.0	-21.11	Peak	329.00	150	Horizontal	Pass
4**	7458.500	44.33	1.15	54.0	-9.67	AV	329.00	150	Horizontal	Pass
5	11446.600	49.81	-3.90	74.0	-24.19	Peak	106.00	150	Horizontal	Pass
5**	11446.600	39.97	-3.90	54.0	-14.03	AV	106.00	150	Horizontal	Pass
6	16027.050	51.17	-0.12	74.0	-22.83	Peak	351.00	200	Horizontal	Pass
6**	16027.050	40.90	-0.12	54.0	-13.10	AV	351.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.100	37.80	-17.54	74.0	-36.20	Peak	73.00	150	Vertical	Pass
1**	1570.100	28.49	-17.54	54.0	-25.51	AV	73.00	150	Vertical	Pass
2	4345.250	47.57	-4.88	74.0	-26.43	Peak	219.00	200	Vertical	Pass
2**	4345.250	38.60	-4.88	54.0	-15.40	AV	219.00	200	Vertical	Pass
3	5238.000	99.84	-3.23	--	--	Peak	53.00	150	Vertical	N/A
3**	5238.000	93.31	-3.23	--	--	AV	53.00	150	Vertical	N/A
4	7455.500	53.26	1.16	74.0	-20.74	Peak	156.00	150	Vertical	Pass
4**	7455.500	43.74	1.16	54.0	-10.26	AV	156.00	150	Vertical	Pass
5	12208.263	49.45	-2.98	74.0	-24.55	Peak	105.00	150	Vertical	Pass
5**	12208.263	39.63	-2.98	54.0	-14.37	AV	105.00	150	Vertical	Pass
6	16170.900	51.38	-0.46	74.0	-22.62	Peak	351.00	150	Vertical	Pass
6**	16170.900	42.77	-0.46	54.0	-11.23	AV	351.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.200	37.93	-17.76	74.0	-36.07	Peak	295.00	150	Horizontal	Pass
1**	1559.200	27.46	-17.76	54.0	-26.54	AV	295.00	150	Horizontal	Pass
2	4285.250	48.10	-4.66	74.0	-25.90	Peak	41.00	200	Horizontal	Pass
2**	4285.250	38.64	-4.66	54.0	-15.36	AV	41.00	200	Horizontal	Pass
3	5179.000	106.41	-2.24	--	--	Peak	180.00	150	Horizontal	N/A
3**	5179.000	99.97	-2.24	--	--	AV	180.00	150	Horizontal	N/A
4	7508.250	53.07	0.38	74.0	-20.93	Peak	102.00	150	Horizontal	Pass
4**	7508.250	44.05	0.38	54.0	-9.95	AV	102.00	150	Horizontal	Pass
5	11787.650	49.91	-3.64	74.0	-24.09	Peak	33.00	150	Horizontal	Pass
5**	11787.650	40.29	-3.64	54.0	-13.71	AV	33.00	150	Horizontal	Pass
6	16163.025	52.38	-0.46	74.0	-21.62	Peak	348.00	200	Horizontal	Pass
6**	16163.025	42.40	-0.46	54.0	-11.60	AV	348.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.000	37.58	-17.39	74.0	-36.42	Peak	100.00	150	Vertical	Pass
1**	1492.000	27.85	-17.39	54.0	-26.15	AV	100.00	150	Vertical	Pass
2	4306.250	49.01	-4.18	74.0	-24.99	Peak	0.00	150	Vertical	Pass
2**	4306.250	39.61	-4.18	54.0	-14.39	AV	0.00	150	Vertical	Pass
3	5183.000	99.60	-2.08	--	--	Peak	56.00	150	Vertical	N/A
3**	5183.000	92.35	-2.08	--	--	AV	56.00	150	Vertical	N/A
4	7520.000	53.12	0.81	74.0	-20.88	Peak	197.00	150	Vertical	Pass
4**	7520.000	43.47	0.81	54.0	-10.53	AV	197.00	150	Vertical	Pass
5	11804.276	49.38	-3.51	74.0	-24.62	Peak	287.00	150	Vertical	Pass
5**	11804.276	40.30	-3.51	54.0	-13.70	AV	287.00	150	Vertical	Pass
6	16168.013	51.41	-0.46	74.0	-22.59	Peak	360.00	300	Vertical	Pass
6**	16168.013	42.41	-0.46	54.0	-11.59	AV	360.00	300	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.300	37.81	-17.48	74.0	-36.19	Peak	48.00	150	Horizontal	Pass
1**	1614.300	29.12	-17.48	54.0	-24.88	AV	48.00	150	Horizontal	Pass
2	4319.000	48.47	-4.59	74.0	-25.53	Peak	73.00	200	Horizontal	Pass
2**	4319.000	39.24	-4.59	54.0	-14.76	AV	73.00	200	Horizontal	Pass
3	5221.250	106.36	-3.37	--	--	Peak	145.00	150	Horizontal	N/A
3**	5221.250	98.64	-3.37	--	--	AV	145.00	150	Horizontal	N/A
4	7459.250	52.72	1.14	74.0	-21.28	Peak	322.00	150	Horizontal	Pass
4**	7459.250	44.53	1.14	54.0	-9.47	AV	322.00	150	Horizontal	Pass
5	11700.725	49.17	-4.19	74.0	-24.83	Peak	155.00	200	Horizontal	Pass
5**	11700.725	40.28	-4.19	54.0	-13.72	AV	155.00	200	Horizontal	Pass
6	16023.113	52.12	-0.13	74.0	-21.88	Peak	360.00	150	Horizontal	Pass
6**	16023.113	40.88	-0.13	54.0	-13.12	AV	360.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.900	37.99	-17.67	74.0	-36.01	Peak	195.00	200	Vertical	Pass
1**	1547.900	27.86	-17.67	54.0	-26.14	AV	195.00	200	Vertical	Pass
2	4361.250	48.74	-4.29	74.0	-25.26	Peak	170.00	200	Vertical	Pass
2**	4361.250	38.62	-4.29	54.0	-15.38	AV	170.00	200	Vertical	Pass
3	5222.000	98.59	-3.42	--	--	Peak	319.00	150	Vertical	N/A
3**	5222.000	91.96	-3.42	--	--	AV	319.00	150	Vertical	N/A
4	7471.500	53.48	0.79	74.0	-20.52	Peak	82.00	150	Vertical	Pass
4**	7471.500	44.62	0.79	54.0	-9.38	AV	82.00	150	Vertical	Pass
5	11396.487	49.97	-4.23	74.0	-24.03	Peak	19.00	150	Vertical	Pass
5**	11396.487	38.79	-4.23	54.0	-15.21	AV	19.00	150	Vertical	Pass
6	16159.088	51.94	-0.46	74.0	-22.06	Peak	332.00	150	Vertical	Pass
6**	16159.088	41.60	-0.46	54.0	-12.40	AV	332.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.500	37.37	-17.52	74.0	-36.63	Peak	87.00	150	Horizontal	Pass
1**	1570.500	28.66	-17.52	54.0	-25.34	AV	87.00	150	Horizontal	Pass
2	4312.750	48.24	-4.31	74.0	-25.76	Peak	84.00	200	Horizontal	Pass
2**	4312.750	38.21	-4.31	54.0	-15.79	AV	84.00	200	Horizontal	Pass
3	5238.500	106.04	-3.22	--	--	Peak	189.00	150	Horizontal	N/A
3**	5238.500	99.26	-3.22	--	--	AV	189.00	150	Horizontal	N/A
4	7513.250	52.99	0.65	74.0	-21.01	Peak	65.00	150	Horizontal	Pass
4**	7513.250	45.81	0.65	54.0	-8.19	AV	65.00	150	Horizontal	Pass
5	12651.675	50.17	-2.30	74.0	-23.83	Peak	181.00	150	Horizontal	Pass
5**	12651.675	40.70	-2.30	54.0	-13.30	AV	181.00	150	Horizontal	Pass
6	16166.438	52.93	-0.46	74.0	-21.07	Peak	231.00	150	Horizontal	Pass
6**	16166.438	43.06	-0.46	54.0	-10.94	AV	231.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.000	38.07	-17.51	74.0	-35.93	Peak	284.00	100	Vertical	Pass
1**	1574.000	29.30	-17.51	54.0	-24.70	AV	284.00	100	Vertical	Pass
2	4301.750	47.61	-4.47	74.0	-26.39	Peak	118.00	200	Vertical	Pass
2**	4301.750	38.69	-4.47	54.0	-15.31	AV	118.00	200	Vertical	Pass
3	5239.000	99.12	-3.22	--	--	Peak	47.00	150	Vertical	N/A
3**	5239.000	92.12	-3.22	--	--	AV	47.00	150	Vertical	N/A
4	7518.750	53.14	0.87	74.0	-20.86	Peak	268.00	150	Vertical	Pass
4**	7518.750	43.47	0.87	54.0	-10.53	AV	268.00	150	Vertical	Pass
5	12298.512	50.37	-2.45	74.0	-23.63	Peak	360.00	150	Vertical	Pass
5**	12298.512	40.76	-2.45	54.0	-13.24	AV	360.00	150	Vertical	Pass
6	15812.062	51.67	-0.73	74.0	-22.33	Peak	2.00	150	Vertical	Pass
6**	15812.062	41.48	-0.73	54.0	-12.52	AV	2.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.400	37.73	-17.38	74.0	-36.27	Peak	53.00	150	Horizontal	Pass
1**	1491.400	28.59	-17.38	54.0	-25.41	AV	53.00	150	Horizontal	Pass
2	4328.750	48.22	-4.96	74.0	-25.78	Peak	155.00	100	Horizontal	Pass
2**	4328.750	38.11	-4.96	54.0	-15.89	AV	155.00	100	Horizontal	Pass
3	5187.250	103.89	-2.46	--	--	Peak	155.00	150	Horizontal	N/A
3**	5187.250	96.45	-2.46	--	--	AV	155.00	150	Horizontal	N/A
4	7516.250	53.18	0.94	74.0	-20.82	Peak	92.00	100	Horizontal	Pass
4**	7516.250	43.99	0.94	54.0	-10.01	AV	92.00	100	Horizontal	Pass
5	12617.475	49.81	-2.51	74.0	-24.19	Peak	58.00	150	Horizontal	Pass
5**	12617.475	40.19	-2.51	54.0	-13.81	AV	58.00	150	Horizontal	Pass
6	15948.562	52.03	-0.26	74.0	-21.97	Peak	282.00	350	Horizontal	Pass
6**	15948.562	41.80	-0.26	54.0	-12.20	AV	282.00	350	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.800	37.52	-17.60	74.0	-36.48	Peak	121.00	200	Vertical	Pass
1**	1572.800	27.93	-17.60	54.0	-26.07	AV	121.00	200	Vertical	Pass
2	4381.250	47.90	-3.96	74.0	-26.10	Peak	126.00	150	Vertical	Pass
2**	4381.250	38.11	-3.96	54.0	-15.89	AV	126.00	150	Vertical	Pass
3	5187.250	97.23	-2.46	--	--	Peak	55.00	150	Vertical	N/A
3**	5187.250	90.62	-2.46	--	--	AV	55.00	150	Vertical	N/A
4	7703.250	53.36	1.94	74.0	-20.64	Peak	188.00	300	Vertical	Pass
4**	7703.250	44.13	1.94	54.0	-9.87	AV	188.00	300	Vertical	Pass
5	12697.275	49.34	-2.33	74.0	-24.66	Peak	119.00	150	Vertical	Pass
5**	12697.275	39.89	-2.33	54.0	-14.11	AV	119.00	150	Vertical	Pass
6	16176.675	52.05	-0.45	74.0	-21.95	Peak	249.00	150	Vertical	Pass
6**	16176.675	43.58	-0.45	54.0	-10.42	AV	249.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.700	37.75	-17.47	74.0	-36.25	Peak	67.00	150	Horizontal	Pass
1**	1494.700	28.65	-17.47	54.0	-25.35	AV	67.00	150	Horizontal	Pass
2	4365.750	48.12	-4.16	74.0	-25.88	Peak	161.00	150	Horizontal	Pass
2**	4365.750	38.44	-4.16	54.0	-15.56	AV	161.00	150	Horizontal	Pass
3	5232.500	103.66	-3.33	--	--	Peak	153.00	150	Horizontal	N/A
3**	5232.500	96.13	-3.33	--	--	AV	153.00	150	Horizontal	N/A
4	7456.500	53.60	1.14	74.0	-20.40	Peak	65.00	150	Horizontal	Pass
4**	7456.500	44.46	1.14	54.0	-9.54	AV	65.00	150	Horizontal	Pass
5	12313.475	50.00	-2.54	74.0	-24.00	Peak	218.00	150	Horizontal	Pass
5**	12313.475	40.00	-2.54	54.0	-14.00	AV	218.00	150	Horizontal	Pass
6	16138.087	51.91	-0.59	74.0	-22.09	Peak	332.00	150	Horizontal	Pass
6**	16138.087	42.67	-0.59	54.0	-11.33	AV	332.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.400	37.33	-17.64	74.0	-36.67	Peak	294.00	300	Vertical	Pass
1**	1544.400	28.31	-17.64	54.0	-25.69	AV	294.00	300	Vertical	Pass
2	4237.000	48.58	-5.13	74.0	-25.42	Peak	256.00	200	Vertical	Pass
2**	4237.000	37.97	-5.13	54.0	-16.03	AV	256.00	200	Vertical	Pass
3	5231.500	96.31	-3.40	--	--	Peak	60.00	150	Vertical	N/A
3**	5231.500	88.57	-3.40	--	--	AV	60.00	150	Vertical	N/A
4	7456.000	53.16	1.15	74.0	-20.84	Peak	309.00	150	Vertical	Pass
4**	7456.000	44.05	1.15	54.0	-9.95	AV	309.00	150	Vertical	Pass
5	12458.825	49.88	-2.21	74.0	-24.12	Peak	306.00	150	Vertical	Pass
5**	12458.825	39.69	-2.21	54.0	-14.31	AV	306.00	150	Vertical	Pass
6	15831.224	50.90	-0.75	74.0	-23.10	Peak	360.00	150	Vertical	Pass
6**	15831.224	41.28	-0.75	54.0	-12.72	AV	360.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.500	38.26	-17.47	74.0	-35.74	Peak	336.00	150	Horizontal	Pass
1**	1469.500	27.52	-17.47	54.0	-26.48	AV	336.00	150	Horizontal	Pass
2	4327.750	47.61	-4.97	74.0	-26.39	Peak	111.00	200	Horizontal	Pass
2**	4327.750	38.31	-4.97	54.0	-15.69	AV	111.00	200	Horizontal	Pass
3	5178.750	107.30	-2.25	--	--	Peak	190.00	150	Horizontal	N/A
3**	5178.750	100.21	-2.25	--	--	AV	190.00	150	Horizontal	N/A
4	7451.500	53.33	0.83	74.0	-20.67	Peak	111.00	150	Horizontal	Pass
4**	7451.500	43.78	0.83	54.0	-10.22	AV	111.00	150	Horizontal	Pass
5	12535.537	49.55	-2.23	74.0	-24.45	Peak	21.00	150	Horizontal	Pass
5**	12535.537	41.13	-2.23	54.0	-12.87	AV	21.00	150	Horizontal	Pass
6	16196.888	51.80	-0.44	74.0	-22.20	Peak	332.00	150	Horizontal	Pass
6**	16196.888	41.81	-0.44	54.0	-12.19	AV	332.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.500	38.12	-17.32	74.0	-35.88	Peak	192.00	150	Vertical	Pass
1**	1484.500	28.44	-17.32	54.0	-25.56	AV	192.00	150	Vertical	Pass
2	4303.250	47.76	-4.30	74.0	-26.24	Peak	331.00	200	Vertical	Pass
2**	4303.250	38.59	-4.30	54.0	-15.41	AV	331.00	200	Vertical	Pass
3	5182.750	100.43	-2.08	--	--	Peak	57.00	150	Vertical	N/A
3**	5182.750	92.18	-2.08	--	--	AV	57.00	150	Vertical	N/A
4	7262.250	53.19	0.03	74.0	-20.81	Peak	224.00	150	Vertical	Pass
4**	7262.250	42.85	0.03	54.0	-11.15	AV	224.00	150	Vertical	Pass
5	11786.225	49.41	-3.66	74.0	-24.59	Peak	290.00	150	Vertical	Pass
5**	11786.225	40.52	-3.66	54.0	-13.48	AV	290.00	150	Vertical	Pass
6	16157.250	52.31	-0.46	74.0	-21.69	Peak	332.00	150	Vertical	Pass
6**	16157.250	44.08	-0.46	54.0	-9.92	AV	332.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.100	37.77	-17.55	74.0	-36.23	Peak	348.00	150	Horizontal	Pass
1**	1566.100	27.85	-17.55	54.0	-26.15	AV	348.00	150	Horizontal	Pass
2	4305.000	48.14	-4.22	74.0	-25.86	Peak	0.00	200	Horizontal	Pass
2**	4305.000	38.43	-4.22	54.0	-15.57	AV	0.00	200	Horizontal	Pass
3	5219.500	106.22	-3.46	--	--	Peak	150.00	150	Horizontal	N/A
3**	5219.500	99.16	-3.46	--	--	AV	150.00	150	Horizontal	N/A
4	7516.000	53.42	0.93	74.0	-20.58	Peak	360.00	150	Horizontal	Pass
4**	7516.000	44.73	0.93	54.0	-9.27	AV	360.00	150	Horizontal	Pass
5	11803.563	49.91	-3.51	74.0	-24.09	Peak	70.00	150	Horizontal	Pass
5**	11803.563	41.01	-3.51	54.0	-12.99	AV	70.00	150	Horizontal	Pass
6	16165.913	51.62	-0.46	74.0	-22.38	Peak	360.00	100	Horizontal	Pass
6**	16165.913	42.49	-0.46	54.0	-11.51	AV	360.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.400	38.61	-17.36	74.0	-35.39	Peak	82.00	250	Vertical	Pass
1**	1457.400	28.47	-17.36	54.0	-25.53	AV	82.00	250	Vertical	Pass
2	4262.750	48.90	-4.60	74.0	-25.10	Peak	322.00	150	Vertical	Pass
2**	4262.750	39.40	-4.60	54.0	-14.60	AV	322.00	150	Vertical	Pass
3	5221.750	98.76	-3.40	--	--	Peak	314.00	150	Vertical	N/A
3**	5221.750	91.72	-3.40	--	--	AV	314.00	150	Vertical	N/A
4	7459.500	52.83	1.14	74.0	-21.17	Peak	12.00	150	Vertical	Pass
4**	7459.500	44.62	1.14	54.0	-9.38	AV	12.00	150	Vertical	Pass
5	12669.250	50.29	-2.31	74.0	-23.71	Peak	228.00	150	Vertical	Pass
5**	12669.250	40.99	-2.31	54.0	-13.01	AV	228.00	150	Vertical	Pass
6	15482.362	51.21	-0.60	74.0	-22.79	Peak	360.00	200	Vertical	Pass
6**	15482.362	41.94	-0.60	54.0	-12.06	AV	360.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.400	37.60	-17.60	74.0	-36.40	Peak	334.00	150	Horizontal	Pass
1**	1572.400	29.31	-17.60	54.0	-24.69	AV	334.00	150	Horizontal	Pass
2	4379.000	47.62	-3.96	74.0	-26.38	Peak	80.00	100	Horizontal	Pass
2**	4379.000	38.55	-3.96	54.0	-15.45	AV	80.00	100	Horizontal	Pass
3	5238.250	106.42	-3.22	--	--	Peak	134.00	150	Horizontal	N/A
3**	5238.250	99.10	-3.22	--	--	AV	134.00	150	Horizontal	N/A
4	7509.500	53.09	0.53	74.0	-20.91	Peak	293.00	150	Horizontal	Pass
4**	7509.500	44.67	0.53	54.0	-9.33	AV	293.00	150	Horizontal	Pass
5	12290.912	49.56	-2.52	74.0	-24.44	Peak	277.00	250	Horizontal	Pass
5**	12290.912	40.14	-2.52	54.0	-13.86	AV	277.00	250	Horizontal	Pass
6	16172.738	52.03	-0.45	74.0	-21.97	Peak	231.00	150	Horizontal	Pass
6**	16172.738	43.02	-0.45	54.0	-10.98	AV	231.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.800	37.43	-17.44	74.0	-36.57	Peak	64.00	150	Vertical	Pass
1**	1468.800	27.83	-17.44	54.0	-26.17	AV	64.00	150	Vertical	Pass
2	4316.000	47.88	-4.61	74.0	-26.12	Peak	356.00	200	Vertical	Pass
2**	4316.000	38.61	-4.61	54.0	-15.39	AV	356.00	200	Vertical	Pass
3	5238.250	100.27	-3.22	--	--	Peak	302.00	150	Vertical	N/A
3**	5238.250	92.45	-3.22	--	--	AV	302.00	150	Vertical	N/A
4	7455.250	52.85	1.16	74.0	-21.15	Peak	312.00	150	Vertical	Pass
4**	7455.250	44.31	1.16	54.0	-9.69	AV	312.00	150	Vertical	Pass
5	12531.974	49.34	-2.25	74.0	-24.66	Peak	250.00	150	Vertical	Pass
5**	12531.974	41.12	-2.25	54.0	-12.88	AV	250.00	150	Vertical	Pass
6	16147.276	52.10	-0.50	74.0	-21.90	Peak	263.00	200	Vertical	Pass
6**	16147.276	42.17	-0.50	54.0	-11.83	AV	263.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1475.300	37.54	-17.45	74.0	-36.46	Peak	151.00	150	Horizontal	Pass
1**	1475.300	27.93	-17.45	54.0	-26.07	AV	151.00	150	Horizontal	Pass
2	4257.000	47.97	-4.73	74.0	-26.03	Peak	329.00	100	Horizontal	Pass
2**	4257.000	38.54	-4.73	54.0	-15.46	AV	329.00	100	Horizontal	Pass
3	5187.750	103.08	-2.50	--	--	Peak	155.00	100	Horizontal	N/A
3**	5187.750	95.42	-2.50	--	--	AV	155.00	100	Horizontal	N/A
4	7464.250	52.83	0.90	74.0	-21.17	Peak	23.00	150	Horizontal	Pass
4**	7464.250	43.60	0.90	54.0	-10.40	AV	23.00	150	Horizontal	Pass
5	12455.500	49.81	-2.19	74.0	-24.19	Peak	43.00	150	Horizontal	Pass
5**	12455.500	40.53	-2.19	54.0	-13.47	AV	43.00	150	Horizontal	Pass
6	16174.576	51.80	-0.45	74.0	-22.20	Peak	360.00	150	Horizontal	Pass
6**	16174.576	41.96	-0.45	54.0	-12.04	AV	360.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.200	37.80	-17.25	74.0	-36.20	Peak	124.00	150	Vertical	Pass
1**	1442.200	29.46	-17.25	54.0	-24.54	AV	124.00	150	Vertical	Pass
2	4358.250	48.47	-4.12	74.0	-25.53	Peak	233.00	150	Vertical	Pass
2**	4358.250	39.66	-4.12	54.0	-14.34	AV	233.00	150	Vertical	Pass
3	5191.500	95.66	-2.70	--	--	Peak	224.00	150	Vertical	N/A
3**	5191.500	88.38	-2.70	--	--	AV	224.00	150	Vertical	N/A
4	7445.250	53.15	0.42	74.0	-20.85	Peak	295.00	150	Vertical	Pass
4**	7445.250	44.41	0.42	54.0	-9.59	AV	295.00	150	Vertical	Pass
5	12662.362	49.97	-2.31	74.0	-24.03	Peak	216.00	150	Vertical	Pass
5**	12662.362	40.51	-2.31	54.0	-13.49	AV	216.00	150	Vertical	Pass
6	16172.738	51.16	-0.45	74.0	-22.84	Peak	332.00	100	Vertical	Pass
6**	16172.738	41.91	-0.45	54.0	-12.09	AV	332.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1603.600	37.60	-17.44	74.0	-36.40	Peak	102.00	150	Horizontal	Pass
1**	1603.600	28.03	-17.44	54.0	-25.97	AV	102.00	150	Horizontal	Pass
2	4375.250	47.61	-4.12	74.0	-26.39	Peak	155.00	200	Horizontal	Pass
2**	4375.250	38.75	-4.12	54.0	-15.25	AV	155.00	200	Horizontal	Pass
3	5232.500	103.24	-3.33	--	--	Peak	40.00	150	Horizontal	N/A
3**	5232.500	96.10	-3.33	--	--	AV	40.00	150	Horizontal	N/A
4	7583.250	53.59	-0.03	74.0	-20.41	Peak	84.00	150	Horizontal	Pass
4**	7583.250	42.61	-0.03	54.0	-11.39	AV	84.00	150	Horizontal	Pass
5	11688.138	49.55	-4.26	74.0	-24.45	Peak	45.00	150	Horizontal	Pass
5**	11688.138	39.86	-4.26	54.0	-14.14	AV	45.00	150	Horizontal	Pass
6	16160.925	51.22	-0.46	74.0	-22.78	Peak	360.00	150	Horizontal	Pass
6**	16160.925	42.35	-0.46	54.0	-11.65	AV	360.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.400	37.69	-17.35	74.0	-36.31	Peak	309.00	150	Vertical	Pass
1**	1489.400	28.41	-17.35	54.0	-25.59	AV	309.00	150	Vertical	Pass
2	4306.000	48.03	-4.18	74.0	-25.97	Peak	339.00	200	Vertical	Pass
2**	4306.000	39.92	-4.18	54.0	-14.08	AV	339.00	200	Vertical	Pass
3	5236.500	95.44	-3.30	--	--	Peak	270.00	150	Vertical	N/A
3**	5236.500	87.57	-3.30	--	--	AV	270.00	150	Vertical	N/A
4	7454.000	52.61	1.12	74.0	-21.39	Peak	199.00	150	Vertical	Pass
4**	7454.000	44.25	1.12	54.0	-9.75	AV	199.00	150	Vertical	Pass
5	12446.000	49.54	-2.21	74.0	-24.46	Peak	117.00	400	Vertical	Pass
5**	12446.000	41.25	-2.21	54.0	-12.75	AV	117.00	400	Vertical	Pass
6	16047.263	51.51	-0.10	74.0	-22.49	Peak	350.00	300	Vertical	Pass
6**	16047.263	41.73	-0.10	54.0	-12.27	AV	350.00	300	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.100	37.44	-17.48	74.0	-36.56	Peak	190.00	250	Horizontal	Pass
1**	1476.100	27.74	-17.48	54.0	-26.26	AV	190.00	250	Horizontal	Pass
2	4264.000	48.01	-4.72	74.0	-25.99	Peak	41.00	200	Horizontal	Pass
2**	4264.000	39.37	-4.72	54.0	-14.63	AV	41.00	200	Horizontal	Pass
3	5203.000	99.04	-3.44	--	--	Peak	164.00	150	Horizontal	N/A
3**	5203.000	92.66	-3.44	--	--	AV	164.00	150	Horizontal	N/A
4	7460.000	53.45	1.14	74.0	-20.55	Peak	210.00	150	Horizontal	Pass
4**	7460.000	43.86	1.14	54.0	-10.14	AV	210.00	150	Horizontal	Pass
5	12299.463	49.57	-2.44	74.0	-24.43	Peak	226.00	150	Horizontal	Pass
5**	12299.463	40.24	-2.44	54.0	-13.76	AV	226.00	150	Horizontal	Pass
6	16177.988	52.18	-0.45	74.0	-21.82	Peak	63.00	150	Horizontal	Pass
6**	16177.988	42.86	-0.45	54.0	-11.14	AV	63.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.000	37.88	-17.28	74.0	-36.12	Peak	14.00	250	Vertical	Pass
1**	1441.000	28.59	-17.28	54.0	-25.41	AV	14.00	250	Vertical	Pass
2	4265.000	47.77	-4.82	74.0	-26.23	Peak	21.00	200	Vertical	Pass
2**	4265.000	38.37	-4.82	54.0	-15.63	AV	21.00	200	Vertical	Pass
3	5203.250	91.62	-3.47	--	--	Peak	48.00	150	Vertical	N/A
3**	5203.250	83.90	-3.47	--	--	AV	48.00	150	Vertical	N/A
4	7490.750	52.56	-0.41	74.0	-21.44	Peak	136.00	300	Vertical	Pass
4**	7490.750	43.38	-0.41	54.0	-10.62	AV	136.00	300	Vertical	Pass
5	11806.650	49.64	-3.49	74.0	-24.36	Peak	229.00	150	Vertical	Pass
5**	11806.650	40.18	-3.49	54.0	-13.82	AV	229.00	150	Vertical	Pass
6	16180.350	51.77	-0.45	74.0	-22.23	Peak	44.00	150	Vertical	Pass
6**	16180.350	42.78	-0.45	54.0	-11.22	AV	44.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.100	37.89	-17.37	74.0	-36.11	Peak	7.00	150	Horizontal	Pass
1**	1439.100	27.75	-17.37	54.0	-26.25	AV	7.00	150	Horizontal	Pass
2	4379.000	47.91	-3.96	74.0	-26.09	Peak	234.00	150	Horizontal	Pass
2**	4379.000	38.47	-3.96	54.0	-15.53	AV	234.00	150	Horizontal	Pass
3	5258.750	106.51	-3.78	--	--	Peak	172.00	150	Horizontal	N/A
3**	5258.750	99.54	-3.78	--	--	AV	172.00	150	Horizontal	N/A
4	7452.500	52.81	0.95	74.0	-21.19	Peak	164.00	150	Horizontal	Pass
4**	7452.500	43.88	0.95	54.0	-10.12	AV	164.00	150	Horizontal	Pass
5	12422.725	48.97	-2.57	74.0	-25.03	Peak	155.00	200	Horizontal	Pass
5**	12422.725	40.21	-2.57	54.0	-13.79	AV	155.00	200	Horizontal	Pass
6	15832.013	51.96	-0.75	74.0	-22.04	Peak	11.00	150	Horizontal	Pass
6**	15832.013	42.21	-0.75	54.0	-11.79	AV	11.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.300	37.87	-17.29	74.0	-36.13	Peak	0.00	350	Vertical	Pass
1**	1499.300	28.65	-17.29	54.0	-25.35	AV	0.00	350	Vertical	Pass
2	4211.000	47.36	-5.51	74.0	-26.64	Peak	311.00	150	Vertical	Pass
2**	4211.000	38.70	-5.51	54.0	-15.30	AV	311.00	150	Vertical	Pass
3	5261.000	99.45	-3.76	--	--	Peak	311.00	150	Vertical	N/A
3**	5261.000	91.94	-3.76	--	--	AV	311.00	150	Vertical	N/A
4	7452.750	52.91	0.98	74.0	-21.09	Peak	189.00	300	Vertical	Pass
4**	7452.750	44.13	0.98	54.0	-9.87	AV	189.00	300	Vertical	Pass
5	12676.375	49.29	-2.32	74.0	-24.71	Peak	241.00	150	Vertical	Pass
5**	12676.375	40.73	-2.32	54.0	-13.27	AV	241.00	150	Vertical	Pass
6	16174.050	51.68	-0.45	74.0	-22.32	Peak	203.00	400	Vertical	Pass
6**	16174.050	42.82	-0.45	54.0	-11.18	AV	203.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.100	37.92	-17.80	74.0	-36.08	Peak	318.00	150	Horizontal	Pass
1**	1558.100	27.91	-17.80	54.0	-26.09	AV	318.00	150	Horizontal	Pass
2	4260.000	47.97	-4.48	74.0	-26.03	Peak	58.00	200	Horizontal	Pass
2**	4260.000	39.20	-4.48	54.0	-14.80	AV	58.00	200	Horizontal	Pass
3	5303.000	106.66	-3.64	--	--	Peak	145.00	150	Horizontal	N/A
3**	5303.000	98.72	-3.64	--	--	AV	145.00	150	Horizontal	N/A
4	7716.000	54.08	0.73	74.0	-19.92	Peak	153.00	150	Horizontal	Pass
4**	7716.000	42.79	0.73	54.0	-11.21	AV	153.00	150	Horizontal	Pass
5	12430.325	49.20	-2.45	74.0	-24.80	Peak	0.00	150	Horizontal	Pass
5**	12430.325	39.71	-2.45	54.0	-14.29	AV	0.00	150	Horizontal	Pass
6	16036.500	52.31	-0.11	74.0	-21.69	Peak	245.00	100	Horizontal	Pass
6**	16036.500	42.33	-0.11	54.0	-11.67	AV	245.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.700	37.39	-17.63	74.0	-36.61	Peak	281.00	150	Vertical	Pass
1**	1518.700	27.65	-17.63	54.0	-26.35	AV	281.00	150	Vertical	Pass
2	4222.500	47.45	-5.38	74.0	-26.55	Peak	47.00	100	Vertical	Pass
2**	4222.500	38.44	-5.38	54.0	-15.56	AV	47.00	100	Vertical	Pass
3	5303.500	98.32	-3.63	--	--	Peak	232.00	150	Vertical	N/A
3**	5303.500	91.14	-3.63	--	--	AV	232.00	150	Vertical	N/A
4	7499.250	52.92	-0.51	74.0	-21.08	Peak	321.00	150	Vertical	Pass
4**	7499.250	43.60	-0.51	54.0	-10.40	AV	321.00	150	Vertical	Pass
5	12661.412	50.08	-2.31	74.0	-23.92	Peak	328.00	150	Vertical	Pass
5**	12661.412	40.37	-2.31	54.0	-13.63	AV	328.00	150	Vertical	Pass
6	16165.913	51.65	-0.46	74.0	-22.35	Peak	98.00	150	Vertical	Pass
6**	16165.913	43.39	-0.46	54.0	-10.61	AV	98.00	150	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	38.04	-17.29	74.0	-35.96	Peak	163.00	150	Horizontal	Pass
1**	1499.800	28.00	-17.29	54.0	-26.00	AV	163.00	150	Horizontal	Pass
2	4264.250	47.90	-4.75	74.0	-26.10	Peak	136.00	100	Horizontal	Pass
2**	4264.250	38.87	-4.75	54.0	-15.13	AV	136.00	100	Horizontal	Pass
3	5322.500	106.85	-3.34	--	--	Peak	21.00	150	Horizontal	N/A
3**	5322.500	99.25	-3.34	--	--	AV	21.00	150	Horizontal	N/A
4	7421.500	52.79	0.73	74.0	-21.21	Peak	118.00	150	Horizontal	Pass
4**	7421.500	42.74	0.73	54.0	-11.26	AV	118.00	150	Horizontal	Pass
5	12685.875	49.33	-2.33	74.0	-24.67	Peak	57.00	250	Horizontal	Pass
5**	12685.875	40.57	-2.33	54.0	-13.43	AV	57.00	250	Horizontal	Pass
6	15714.938	51.61	-0.21	74.0	-22.39	Peak	360.00	150	Horizontal	Pass
6**	15714.938	41.94	-0.21	54.0	-12.06	AV	360.00	150	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.100	38.53	-17.27	74.0	-35.47	Peak	110.00	150	Vertical	Pass
1**	1617.100	28.45	-17.27	54.0	-25.55	AV	110.00	150	Vertical	Pass
2	4379.250	47.68	-3.97	74.0	-26.32	Peak	332.00	150	Vertical	Pass
2**	4379.250	39.10	-3.97	54.0	-14.90	AV	332.00	150	Vertical	Pass
3	5319.000	99.10	-3.55	--	--	Peak	66.00	150	Vertical	N/A
3**	5319.000	91.91	-3.55	--	--	AV	66.00	150	Vertical	N/A
4	7454.000	52.90	1.12	74.0	-21.10	Peak	253.00	150	Vertical	Pass
4**	7454.000	44.39	1.12	54.0	-9.61	AV	253.00	150	Vertical	Pass
5	11955.562	49.13	-3.64	74.0	-24.87	Peak	141.00	200	Vertical	Pass
5**	11955.562	39.22	-3.64	54.0	-14.78	AV	141.00	200	Vertical	Pass
6	16161.450	51.53	-0.46	74.0	-22.47	Peak	307.00	200	Vertical	Pass
6**	16161.450	42.57	-0.46	54.0	-11.43	AV	307.00	200	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.800	37.21	-17.44	74.0	-36.79	Peak	305.00	150	Horizontal	Pass
1**	1492.800	28.66	-17.44	54.0	-25.34	AV	305.00	150	Horizontal	Pass
2	4262.000	47.32	-4.54	74.0	-26.68	Peak	180.00	200	Horizontal	Pass
2**	4262.000	38.56	-4.54	54.0	-15.44	AV	180.00	200	Horizontal	Pass
3	5262.250	105.35	-3.75	--	--	Peak	162.00	150	Horizontal	N/A
3**	5262.250	97.96	-3.75	--	--	AV	162.00	150	Horizontal	N/A
4	7515.750	53.03	0.90	74.0	-20.97	Peak	348.00	250	Horizontal	Pass
4**	7515.750	44.15	0.90	54.0	-9.85	AV	348.00	250	Horizontal	Pass
5	12297.326	49.09	-2.46	74.0	-24.91	Peak	290.00	300	Horizontal	Pass
5**	12297.326	40.02	-2.46	54.0	-13.98	AV	290.00	300	Horizontal	Pass
6	16170.637	52.16	-0.46	74.0	-21.84	Peak	52.00	150	Horizontal	Pass
6**	16170.637	42.68	-0.46	54.0	-11.32	AV	52.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.500	37.46	-17.35	74.0	-36.54	Peak	279.00	150	Vertical	Pass
1**	1489.500	28.70	-17.35	54.0	-25.30	AV	279.00	150	Vertical	Pass
2	4363.500	47.53	-4.20	74.0	-26.47	Peak	112.00	100	Vertical	Pass
2**	4363.500	39.20	-4.20	54.0	-14.80	AV	112.00	100	Vertical	Pass
3	5261.250	97.87	-3.79	--	--	Peak	68.00	150	Vertical	N/A
3**	5261.250	90.24	-3.79	--	--	AV	68.00	150	Vertical	N/A
4	7695.500	52.72	1.76	74.0	-21.28	Peak	155.00	150	Vertical	Pass
4**	7695.500	44.21	1.76	54.0	-9.79	AV	155.00	150	Vertical	Pass
5	12593.487	49.67	-2.56	74.0	-24.33	Peak	316.00	200	Vertical	Pass
5**	12593.487	39.22	-2.56	54.0	-14.78	AV	316.00	200	Vertical	Pass
6	16166.438	52.09	-0.46	74.0	-21.91	Peak	263.00	150	Vertical	Pass
6**	16166.438	43.09	-0.46	54.0	-10.91	AV	263.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.000	37.65	-17.46	74.0	-36.35	Peak	30.00	150	Horizontal	Pass
1**	1575.000	28.03	-17.46	54.0	-25.97	AV	30.00	150	Horizontal	Pass
2	4306.250	47.18	-4.18	74.0	-26.82	Peak	93.00	200	Horizontal	Pass
2**	4306.250	38.85	-4.18	54.0	-15.15	AV	93.00	200	Horizontal	Pass
3	5299.750	105.58	-3.66	--	--	Peak	145.00	150	Horizontal	N/A
3**	5299.750	97.06	-3.66	--	--	AV	145.00	150	Horizontal	N/A
4	7504.500	52.73	-0.29	74.0	-21.27	Peak	145.00	150	Horizontal	Pass
4**	7504.500	44.47	-0.29	54.0	-9.53	AV	145.00	150	Horizontal	Pass
5	11809.500	49.11	-3.47	74.0	-24.89	Peak	339.00	150	Horizontal	Pass
5**	11809.500	39.43	-3.47	54.0	-14.57	AV	339.00	150	Horizontal	Pass
6	16165.913	51.80	-0.46	74.0	-22.20	Peak	128.00	150	Horizontal	Pass
6**	16165.913	43.00	-0.46	54.0	-11.00	AV	128.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1458.500	37.61	-17.42	74.0	-36.39	Peak	285.00	150	Vertical	Pass
1**	1458.500	27.39	-17.42	54.0	-26.61	AV	285.00	150	Vertical	Pass
2	4379.250	47.46	-3.97	74.0	-26.54	Peak	269.00	150	Vertical	Pass
2**	4379.250	38.88	-3.97	54.0	-15.12	AV	269.00	150	Vertical	Pass
3	5301.750	97.71	-3.65	--	--	Peak	74.00	150	Vertical	N/A
3**	5301.750	90.27	-3.65	--	--	AV	74.00	150	Vertical	N/A
4	7514.250	52.84	0.77	74.0	-21.16	Peak	135.00	150	Vertical	Pass
4**	7514.250	44.36	0.77	54.0	-9.64	AV	135.00	150	Vertical	Pass
5	12512.026	49.08	-2.39	74.0	-24.92	Peak	267.00	150	Vertical	Pass
5**	12512.026	39.11	-2.39	54.0	-14.89	AV	267.00	150	Vertical	Pass
6	16168.275	51.74	-0.46	74.0	-22.26	Peak	143.00	250	Vertical	Pass
6**	16168.275	43.63	-0.46	54.0	-10.37	AV	143.00	250	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.500	37.79	-17.56	74.0	-36.21	Peak	147.00	150	Horizontal	Pass
1**	1566.500	29.12	-17.56	54.0	-24.88	AV	147.00	150	Horizontal	Pass
2	4381.250	47.81	-3.96	74.0	-26.19	Peak	344.00	200	Horizontal	Pass
2**	4381.250	38.33	-3.96	54.0	-15.67	AV	344.00	200	Horizontal	Pass
3	5321.000	105.88	-3.39	--	--	Peak	162.00	150	Horizontal	N/A
3**	5321.000	98.86	-3.39	--	--	AV	162.00	150	Horizontal	N/A
4	7475.250	53.07	0.66	74.0	-20.93	Peak	344.00	150	Horizontal	Pass
4**	7475.250	43.35	0.66	54.0	-10.65	AV	344.00	150	Horizontal	Pass
5	10723.412	49.65	-4.85	74.0	-24.35	Peak	155.00	150	Horizontal	Pass
5**	10723.412	40.28	-4.85	54.0	-13.72	AV	155.00	150	Horizontal	Pass
6	16156.724	52.69	-0.46	74.0	-21.31	Peak	332.00	150	Horizontal	Pass
6**	16156.724	42.98	-0.46	54.0	-11.02	AV	332.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.800	37.88	-17.40	74.0	-36.12	Peak	0.00	400	Vertical	Pass
1**	1583.800	28.33	-17.40	54.0	-25.67	AV	0.00	400	Vertical	Pass
2	4254.500	48.01	-4.84	74.0	-25.99	Peak	277.00	200	Vertical	Pass
2**	4254.500	38.23	-4.84	54.0	-15.77	AV	277.00	200	Vertical	Pass
3	5321.250	98.58	-3.38	--	--	Peak	304.00	150	Vertical	Pass
3**	5321.250	91.49	-3.38	--	--	AV	304.00	150	Vertical	N/A
4	7682.250	53.09	0.93	74.0	-20.91	Peak	277.00	150	Vertical	Pass
4**	7682.250	42.91	0.93	54.0	-11.09	AV	277.00	150	Vertical	Pass
5	12462.862	49.29	-2.23	74.0	-24.71	Peak	119.00	150	Vertical	Pass
5**	12462.862	39.37	-2.23	54.0	-14.63	AV	119.00	150	Vertical	Pass
6	15706.800	51.62	-0.04	74.0	-22.38	Peak	100.00	150	Vertical	Pass
6**	15706.800	41.81	-0.04	54.0	-12.19	AV	100.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.800	37.20	-17.38	74.0	-36.80	Peak	2.00	150	Horizontal	Pass
1**	1495.800	28.58	-17.38	54.0	-25.42	AV	2.00	150	Horizontal	Pass
2	4226.750	47.40	-5.20	74.0	-26.60	Peak	0.00	100	Horizontal	Pass
2**	4226.750	38.06	-5.20	54.0	-15.94	AV	0.00	100	Horizontal	Pass
3	5268.000	102.41	-3.56	--	--	Peak	145.00	150	Horizontal	N/A
3**	5268.000	95.47	-3.56	--	--	AV	145.00	150	Horizontal	N/A
4	7528.000	53.23	0.84	74.0	-20.77	Peak	0.00	150	Horizontal	Pass
4**	7528.000	42.66	0.84	54.0	-11.34	AV	0.00	150	Horizontal	Pass
5	11432.350	49.11	-3.99	74.0	-24.89	Peak	180.00	150	Horizontal	Pass
5**	11432.350	39.97	-3.99	54.0	-14.03	AV	180.00	150	Horizontal	Pass
6	15790.800	51.54	-0.76	74.0	-22.46	Peak	278.00	150	Horizontal	Pass
6**	15790.800	42.06	-0.76	54.0	-11.94	AV	278.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.400	37.35	-17.28	74.0	-36.65	Peak	97.00	150	Vertical	Pass
1**	1479.400	27.74	-17.28	54.0	-26.26	AV	97.00	150	Vertical	Pass
2	4126.250	47.53	-5.74	74.0	-26.47	Peak	289.00	100	Vertical	Pass
2**	4126.250	36.80	-5.74	54.0	-17.20	AV	289.00	100	Vertical	Pass
3	5268.250	94.80	-3.52	--	--	Peak	316.00	150	Vertical	N/A
3**	5268.250	87.49	-3.52	--	--	AV	316.00	150	Vertical	N/A
4	7516.500	52.58	0.93	74.0	-21.42	Peak	111.00	200	Vertical	Pass
4**	7516.500	43.92	0.93	54.0	-10.08	AV	111.00	200	Vertical	Pass
5	12448.612	49.29	-2.17	74.0	-24.71	Peak	280.00	150	Vertical	Pass
5**	12448.612	40.34	-2.17	54.0	-13.66	AV	280.00	150	Vertical	Pass
6	16171.162	51.61	-0.45	74.0	-22.39	Peak	114.00	150	Vertical	Pass
6**	16171.162	42.74	-0.45	54.0	-11.26	AV	114.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.400	37.53	-17.41	74.0	-36.47	Peak	2.00	150	Horizontal	Pass
1**	1495.400	28.65	-17.41	54.0	-25.35	AV	2.00	150	Horizontal	Pass
2	4381.000	48.01	-3.96	74.0	-25.99	Peak	234.00	200	Horizontal	Pass
2**	4381.000	38.52	-3.96	54.0	-15.48	AV	234.00	200	Horizontal	Pass
3	5307.750	102.32	-3.63	--	--	Peak	155.00	150	Horizontal	N/A
3**	5307.750	94.77	-3.63	--	--	AV	155.00	150	Horizontal	N/A
4	7704.500	53.33	1.92	74.0	-20.67	Peak	321.00	150	Horizontal	Pass
4**	7704.500	43.52	1.92	54.0	-10.48	AV	321.00	150	Horizontal	Pass
5	12420.588	49.35	-2.60	74.0	-24.65	Peak	327.00	150	Horizontal	Pass
5**	12420.588	40.04	-2.60	54.0	-13.96	AV	327.00	150	Horizontal	Pass
6	16035.450	51.37	-0.11	74.0	-22.63	Peak	25.00	250	Horizontal	Pass
6**	16035.450	41.60	-0.11	54.0	-12.40	AV	25.00	250	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.700	38.12	-17.49	74.0	-35.88	Peak	178.00	150	Vertical	Pass
1**	1505.700	27.87	-17.49	54.0	-26.13	AV	178.00	150	Vertical	Pass
2	4377.750	47.55	-3.92	74.0	-26.45	Peak	260.00	100	Vertical	Pass
2**	4377.750	39.01	-3.92	54.0	-14.99	AV	260.00	100	Vertical	Pass
3	5313.750	94.63	-3.67	--	--	Peak	225.00	150	Vertical	N/A
3**	5313.750	87.90	-3.67	--	--	AV	225.00	150	Vertical	N/A
4	7454.250	53.07	1.15	74.0	-20.93	Peak	136.00	150	Vertical	Pass
4**	7454.250	44.17	1.15	54.0	-9.83	AV	136.00	150	Vertical	Pass
5	12667.350	49.43	-2.31	74.0	-24.57	Peak	143.00	150	Vertical	Pass
5**	12667.350	40.14	-2.31	54.0	-13.86	AV	143.00	150	Vertical	Pass
6	16156.463	51.97	-0.46	74.0	-22.03	Peak	360.00	100	Vertical	Pass
6**	16156.463	42.69	-0.46	54.0	-11.31	AV	360.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.400	37.22	-17.25	74.0	-36.78	Peak	1.00	150	Horizontal	Pass
1**	1442.400	28.13	-17.25	54.0	-25.87	AV	1.00	150	Horizontal	Pass
2	4308.000	47.32	-4.20	74.0	-26.68	Peak	21.00	100	Horizontal	Pass
2**	4308.000	38.80	-4.20	54.0	-15.20	AV	21.00	100	Horizontal	Pass
3	5258.250	105.46	-3.90	--	--	Peak	163.00	150	Horizontal	N/A
3**	5258.250	97.93	-3.90	--	--	AV	163.00	150	Horizontal	N/A
4	7546.500	52.53	0.09	74.0	-21.47	Peak	56.00	150	Horizontal	Pass
4**	7546.500	42.11	0.09	54.0	-11.89	AV	56.00	150	Horizontal	Pass
5	12437.925	49.90	-2.34	74.0	-24.10	Peak	155.00	200	Horizontal	Pass
5**	12437.925	39.82	-2.34	54.0	-14.18	AV	155.00	200	Horizontal	Pass
6	16148.325	52.01	-0.49	74.0	-21.99	Peak	320.00	150	Horizontal	Pass
6**	16148.325	42.36	-0.49	54.0	-11.64	AV	320.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.600	37.93	-17.64	74.0	-36.07	Peak	264.00	150	Vertical	Pass
1**	1523.600	28.03	-17.64	54.0	-25.97	AV	264.00	150	Vertical	Pass
2	4359.500	48.03	-4.22	74.0	-25.97	Peak	145.00	200	Vertical	Pass
2**	4359.500	38.51	-4.22	54.0	-15.49	AV	145.00	200	Vertical	Pass
3	5262.250	98.14	-3.75	--	--	Peak	312.00	150	Vertical	N/A
3**	5262.250	90.31	-3.75	--	--	AV	312.00	150	Vertical	N/A
4	7512.250	53.52	0.52	74.0	-20.48	Peak	145.00	150	Vertical	Pass
4**	7512.250	43.51	0.52	54.0	-10.49	AV	145.00	150	Vertical	Pass
5	12434.838	48.91	-2.38	74.0	-25.09	Peak	131.00	100	Vertical	Pass
5**	12434.838	39.71	-2.38	54.0	-14.29	AV	131.00	100	Vertical	Pass
6	16186.125	50.94	-0.45	74.0	-23.06	Peak	54.00	100	Vertical	Pass
6**	16186.125	43.40	-0.45	54.0	-10.60	AV	54.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.500	37.41	-17.50	74.0	-36.59	Peak	318.00	150	Horizontal	Pass
1**	1614.500	27.33	-17.50	54.0	-26.67	AV	318.00	150	Horizontal	Pass
2	4386.250	47.53	-4.04	74.0	-26.47	Peak	269.00	100	Horizontal	Pass
2**	4386.250	38.92	-4.04	54.0	-15.08	AV	269.00	100	Horizontal	Pass
3	5298.750	105.57	-3.58	--	--	Peak	155.00	150	Horizontal	N/A
3**	5298.750	97.84	-3.58	--	--	AV	155.00	150	Horizontal	N/A
4	7453.000	52.69	1.01	74.0	-21.31	Peak	199.00	150	Horizontal	Pass
4**	7453.000	44.00	1.01	54.0	-10.00	AV	199.00	150	Horizontal	Pass
5	12437.925	49.41	-2.34	74.0	-24.59	Peak	145.00	150	Horizontal	Pass
5**	12437.925	40.11	-2.34	54.0	-13.89	AV	145.00	150	Horizontal	Pass
6	16168.013	51.99	-0.46	74.0	-22.01	Peak	215.00	200	Horizontal	Pass
6**	16168.013	42.38	-0.46	54.0	-11.62	AV	215.00	200	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	37.36	-17.29	74.0	-36.64	Peak	339.00	150	Vertical	Pass
1**	1499.700	28.83	-17.29	54.0	-25.17	AV	339.00	150	Vertical	Pass
2	4319.500	47.76	-4.60	74.0	-26.24	Peak	339.00	150	Vertical	Pass
2**	4319.500	37.93	-4.60	54.0	-16.07	AV	339.00	150	Vertical	Pass
3	5302.250	97.89	-3.65	--	--	Peak	224.00	150	Vertical	N/A
3**	5302.250	90.72	-3.65	--	--	AV	224.00	150	Vertical	N/A
4	7455.000	52.92	1.17	74.0	-21.08	Peak	286.00	150	Vertical	Pass
4**	7455.000	43.78	1.17	54.0	-10.22	AV	286.00	150	Vertical	Pass
5	11417.625	49.08	-4.09	74.0	-24.92	Peak	18.00	150	Vertical	Pass
5**	11417.625	39.81	-4.09	54.0	-14.19	AV	18.00	150	Vertical	Pass
6	16037.550	51.87	-0.11	74.0	-22.13	Peak	0.00	200	Vertical	Pass
6**	16037.550	42.04	-0.11	54.0	-11.96	AV	0.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.600	37.75	-17.64	74.0	-36.25	Peak	25.00	150	Horizontal	Pass
1**	1523.600	27.47	-17.64	54.0	-26.53	AV	25.00	150	Horizontal	Pass
2	4245.250	47.82	-5.10	74.0	-26.18	Peak	242.00	200	Horizontal	Pass
2**	4245.250	38.09	-5.10	54.0	-15.91	AV	242.00	200	Horizontal	Pass
3	5317.500	106.12	-3.38	--	--	Peak	164.00	150	Horizontal	N/A
3**	5317.500	98.38	-3.38	--	--	AV	164.00	150	Horizontal	N/A
4	7451.750	53.37	0.86	74.0	-20.63	Peak	13.00	150	Horizontal	Pass
4**	7451.750	44.06	0.86	54.0	-9.94	AV	13.00	150	Horizontal	Pass
5	12658.326	49.07	-2.30	74.0	-24.93	Peak	80.00	150	Horizontal	Pass
5**	12658.326	39.95	-2.30	54.0	-14.05	AV	80.00	150	Horizontal	Pass
6	16172.738	51.64	-0.45	74.0	-22.36	Peak	38.00	150	Horizontal	Pass
6**	16172.738	43.49	-0.45	54.0	-10.51	AV	38.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.400	37.53	-17.25	74.0	-36.47	Peak	90.00	150	Vertical	Pass
1**	1442.400	28.57	-17.25	54.0	-25.43	AV	90.00	150	Vertical	Pass
2	4177.250	47.75	-5.25	74.0	-26.25	Peak	226.00	100	Vertical	Pass
2**	4177.250	37.69	-5.25	54.0	-16.31	AV	226.00	100	Vertical	Pass
3	5321.500	98.90	-3.37	--	--	Peak	323.00	150	Vertical	N/A
3**	5321.500	91.20	-3.37	--	--	AV	323.00	150	Vertical	N/A
4	7707.250	53.29	1.52	74.0	-20.71	Peak	269.00	150	Vertical	Pass
4**	7707.250	43.70	1.52	54.0	-10.30	AV	269.00	150	Vertical	Pass
5	11097.713	49.36	-4.55	74.0	-24.64	Peak	68.00	150	Vertical	Pass
5**	11097.713	38.05	-4.55	54.0	-15.95	AV	68.00	150	Vertical	Pass
6	16180.350	51.54	-0.45	74.0	-22.46	Peak	0.00	400	Vertical	Pass
6**	16180.350	42.65	-0.45	54.0	-11.35	AV	0.00	400	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.300	37.66	-17.47	74.0	-36.34	Peak	20.00	250	Horizontal	Pass
1**	1576.300	28.23	-17.47	54.0	-25.77	AV	20.00	250	Horizontal	Pass
2	4263.000	47.56	-4.62	74.0	-26.44	Peak	319.00	200	Horizontal	Pass
2**	4263.000	38.43	-4.62	54.0	-15.57	AV	319.00	200	Horizontal	Pass
3	5267.750	102.61	-3.58	--	--	Peak	143.00	150	Horizontal	N/A
3**	5267.750	94.79	-3.58	--	--	AV	143.00	150	Horizontal	N/A
4	7453.500	53.14	1.06	74.0	-20.86	Peak	21.00	150	Horizontal	Pass
4**	7453.500	43.95	1.06	54.0	-10.05	AV	21.00	150	Horizontal	Pass
5	12661.888	49.40	-2.31	74.0	-24.60	Peak	339.00	150	Horizontal	Pass
5**	12661.888	39.69	-2.31	54.0	-14.31	AV	339.00	150	Horizontal	Pass
6	16141.763	52.06	-0.55	74.0	-21.94	Peak	100.00	150	Horizontal	Pass
6**	16141.763	41.89	-0.55	54.0	-12.11	AV	100.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1589.200	37.75	-17.56	74.0	-36.25	Peak	109.00	300	Vertical	Pass
1**	1589.200	27.94	-17.56	54.0	-26.06	AV	109.00	300	Vertical	Pass
2	4261.750	47.63	-4.52	74.0	-26.37	Peak	259.00	200	Vertical	Pass
2**	4261.750	38.00	-4.52	54.0	-16.00	AV	259.00	200	Vertical	Pass
3	5273.250	95.12	-3.14	--	--	Peak	312.00	150	Vertical	N/A
3**	5273.250	87.95	-3.14	--	--	AV	312.00	150	Vertical	N/A
4	7455.000	53.21	1.17	74.0	-20.79	Peak	161.00	150	Vertical	Pass
4**	7455.000	44.01	1.17	54.0	-9.99	AV	161.00	150	Vertical	Pass
5	12665.925	49.19	-2.31	74.0	-24.81	Peak	267.00	150	Vertical	Pass
5**	12665.925	40.75	-2.31	54.0	-13.25	AV	267.00	150	Vertical	Pass
6	16186.387	51.63	-0.45	74.0	-22.37	Peak	98.00	150	Vertical	Pass
6**	16186.387	42.45	-0.45	54.0	-11.55	AV	98.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.400	37.79	-17.74	74.0	-36.21	Peak	97.00	150	Horizontal	Pass
1**	1560.400	27.83	-17.74	54.0	-26.17	AV	97.00	150	Horizontal	Pass
2	4224.250	47.75	-5.50	74.0	-26.25	Peak	14.00	100	Horizontal	Pass
2**	4224.250	37.56	-5.50	54.0	-16.44	AV	14.00	100	Horizontal	Pass
3	5313.500	101.93	-3.69	--	--	Peak	165.00	150	Horizontal	N/A
3**	5313.500	94.22	-3.69	--	--	AV	165.00	150	Horizontal	N/A
4	7457.500	53.13	1.14	74.0	-20.87	Peak	341.00	150	Horizontal	Pass
4**	7457.500	44.58	1.14	54.0	-9.42	AV	341.00	150	Horizontal	Pass
5	12677.088	49.56	-2.32	74.0	-24.44	Peak	360.00	150	Horizontal	Pass
5**	12677.088	40.35	-2.32	54.0	-13.65	AV	360.00	150	Horizontal	Pass
6	15793.162	51.78	-0.75	74.0	-22.22	Peak	130.00	250	Horizontal	Pass
6**	15793.162	41.96	-0.75	54.0	-12.04	AV	130.00	250	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.700	37.74	-17.53	74.0	-36.26	Peak	261.00	150	Vertical	Pass
1**	1573.700	28.16	-17.53	54.0	-25.84	AV	261.00	150	Vertical	Pass
2	4356.750	47.60	-4.23	74.0	-26.40	Peak	172.00	200	Vertical	Pass
2**	4356.750	38.47	-4.23	54.0	-15.53	AV	172.00	200	Vertical	Pass
3	5311.750	94.14	-3.73	--	--	Peak	224.00	150	Vertical	N/A
3**	5311.750	87.18	-3.73	--	--	AV	224.00	150	Vertical	N/A
4	7458.750	52.72	1.15	74.0	-21.28	Peak	215.00	150	Vertical	Pass
4**	7458.750	43.97	1.15	54.0	-10.03	AV	215.00	150	Vertical	Pass
5	11944.162	49.54	-3.61	74.0	-24.46	Peak	229.00	150	Vertical	Pass
5**	11944.162	39.77	-3.61	54.0	-14.23	AV	229.00	150	Vertical	Pass
6	16177.463	52.07	-0.45	74.0	-21.93	Peak	233.00	150	Vertical	Pass
6**	16177.463	43.84	-0.45	54.0	-10.16	AV	233.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.600	37.83	-17.28	74.0	-36.17	Peak	79.00	150	Horizontal	Pass
1**	1479.600	27.85	-17.28	54.0	-26.15	AV	79.00	150	Horizontal	Pass
2	4306.250	47.60	-4.18	74.0	-26.40	Peak	75.00	150	Horizontal	Pass
2**	4306.250	38.72	-4.18	54.0	-15.28	AV	75.00	150	Horizontal	Pass
3	5283.250	98.54	-3.50	--	--	Peak	39.00	150	Horizontal	N/A
3**	5283.250	90.39	-3.50	--	--	AV	39.00	150	Horizontal	N/A
4	7459.500	53.48	1.14	74.0	-20.52	Peak	207.00	250	Horizontal	Pass
4**	7459.500	44.25	1.14	54.0	-9.75	AV	207.00	250	Horizontal	Pass
5	12650.488	49.70	-2.30	74.0	-24.30	Peak	0.00	150	Horizontal	Pass
5**	12650.488	40.06	-2.30	54.0	-13.94	AV	0.00	150	Horizontal	Pass
6	16192.687	51.44	-0.44	74.0	-22.56	Peak	323.00	100	Horizontal	Pass
6**	16192.687	43.39	-0.44	54.0	-10.61	AV	323.00	100	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.900	37.93	-17.42	74.0	-36.07	Peak	51.00	150	Vertical	Pass
1**	1502.900	28.31	-17.42	54.0	-25.69	AV	51.00	150	Vertical	Pass
2	4309.250	47.71	-4.29	74.0	-26.29	Peak	313.00	200	Vertical	Pass
2**	4309.250	38.46	-4.29	54.0	-15.54	AV	313.00	200	Vertical	Pass
3	5283.250	91.27	-3.50	--	--	Peak	321.00	150	Vertical	N/A
3**	5283.250	83.27	-3.50	--	--	AV	321.00	150	Vertical	N/A
4	7510.500	52.34	0.53	74.0	-21.66	Peak	118.00	150	Vertical	Pass
4**	7510.500	44.08	0.53	54.0	-9.92	AV	118.00	150	Vertical	Pass
5	11170.388	49.57	-4.27	74.0	-24.43	Peak	280.00	350	Vertical	Pass
5**	11170.388	40.49	-4.27	54.0	-13.51	AV	280.00	350	Vertical	Pass
6	16082.962	52.10	-0.68	74.0	-21.90	Peak	233.00	150	Vertical	Pass
6**	16082.962	42.58	-0.68	54.0	-11.42	AV	233.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.800	37.53	-17.63	74.0	-36.47	Peak	7.00	150	Horizontal	Pass
1**	1518.800	27.68	-17.63	54.0	-26.32	AV	7.00	150	Horizontal	Pass
2	4379.000	47.44	-3.96	74.0	-26.56	Peak	31.00	200	Horizontal	Pass
2**	4379.000	38.20	-3.96	54.0	-15.80	AV	31.00	200	Horizontal	Pass
3	5502.750	105.56	-3.23	--	--	Peak	39.00	150	Horizontal	N/A
3**	5502.750	98.48	-3.23	--	--	AV	39.00	150	Horizontal	N/A
4	7425.750	52.49	0.79	74.0	-21.51	Peak	199.00	150	Horizontal	Pass
4**	7425.750	42.96	0.79	54.0	-11.04	AV	199.00	150	Horizontal	Pass
5	12684.213	49.48	-2.32	74.0	-24.52	Peak	9.00	150	Horizontal	Pass
5**	12684.213	39.95	-2.32	54.0	-14.05	AV	9.00	150	Horizontal	Pass
6	16155.675	52.01	-0.46	74.0	-21.99	Peak	38.00	150	Horizontal	Pass
6**	16155.675	43.05	-0.46	54.0	-10.95	AV	38.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.800	37.60	-17.77	74.0	-36.40	Peak	94.00	150	Vertical	Pass
1**	1558.800	27.68	-17.77	54.0	-26.32	AV	94.00	150	Vertical	Pass
2	4229.500	48.02	-5.21	74.0	-25.98	Peak	281.00	200	Vertical	Pass
2**	4229.500	37.69	-5.21	54.0	-16.31	AV	281.00	200	Vertical	Pass
3	5499.000	99.03	-3.29	--	--	Peak	235.00	150	Vertical	N/A
3**	5499.000	91.78	-3.29	--	--	AV	235.00	150	Vertical	N/A
4	7471.250	53.07	0.77	74.0	-20.93	Peak	13.00	150	Vertical	Pass
4**	7471.250	43.20	0.77	54.0	-10.80	AV	13.00	150	Vertical	Pass
5	12446.474	49.12	-2.21	74.0	-24.88	Peak	304.00	150	Vertical	Pass
5**	12446.474	39.63	-2.21	54.0	-14.37	AV	304.00	150	Vertical	Pass
6	16185.862	51.87	-0.45	74.0	-22.13	Peak	38.00	150	Vertical	Pass
6**	16185.862	42.89	-0.45	54.0	-11.11	AV	38.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.600	37.56	-17.37	74.0	-36.44	Peak	344.00	150	Horizontal	Pass
1**	1504.600	27.99	-17.37	54.0	-26.01	AV	344.00	150	Horizontal	Pass
2	4308.000	47.85	-4.20	74.0	-26.15	Peak	360.00	100	Horizontal	Pass
2**	4308.000	38.42	-4.20	54.0	-15.58	AV	360.00	100	Horizontal	Pass
3	5578.750	107.00	-2.83	--	--	Peak	31.00	150	Horizontal	N/A
3**	5578.750	98.98	-2.83	--	--	AV	31.00	150	Horizontal	N/A
4	7457.750	52.49	1.14	74.0	-21.51	Peak	360.00	150	Horizontal	Pass
4**	7457.750	43.77	1.14	54.0	-10.23	AV	360.00	150	Horizontal	Pass
5	12677.562	49.71	-2.32	74.0	-24.29	Peak	141.00	150	Horizontal	Pass
5**	12677.562	40.51	-2.32	54.0	-13.49	AV	141.00	150	Horizontal	Pass
6	16071.151	51.79	-0.47	74.0	-22.21	Peak	170.00	250	Horizontal	Pass
6**	16071.151	41.75	-0.47	54.0	-12.25	AV	170.00	250	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1476.400	37.72	-17.50	74.0	-36.28	Peak	266.00	150	Vertical	Pass
1**	1476.400	28.28	-17.50	54.0	-25.72	AV	266.00	150	Vertical	Pass
2	4389.000	47.32	-4.14	74.0	-26.68	Peak	145.00	200	Vertical	Pass
2**	4389.000	38.82	-4.14	54.0	-15.18	AV	145.00	200	Vertical	Pass
3	5577.750	99.80	-2.89	--	--	Peak	234.00	150	Vertical	N/A
3**	5577.750	91.69	-2.89	--	--	AV	234.00	150	Vertical	N/A
4	7708.000	52.78	1.46	74.0	-21.22	Peak	252.00	400	Vertical	Pass
4**	7708.000	44.34	1.46	54.0	-9.66	AV	252.00	400	Vertical	Pass
5	12674.713	49.24	-2.32	74.0	-24.76	Peak	8.00	100	Vertical	Pass
5**	12674.713	41.29	-2.32	54.0	-12.71	AV	8.00	100	Vertical	Pass
6	16180.350	51.47	-0.45	74.0	-22.53	Peak	82.00	150	Vertical	Pass
6**	16180.350	43.52	-0.45	54.0	-10.48	AV	82.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.800	37.64	-17.33	74.0	-36.36	Peak	73.00	150	Horizontal	Pass
1**	1449.800	28.47	-17.33	54.0	-25.53	AV	73.00	150	Horizontal	Pass
2	4377.000	48.80	-3.97	74.0	-25.20	Peak	201.00	150	Horizontal	Pass
2**	4377.000	38.62	-3.97	54.0	-15.38	AV	201.00	150	Horizontal	Pass
3	5701.000	106.99	-2.88	--	--	Peak	41.00	150	Horizontal	N/A
3**	5701.000	100.24	-2.88	--	--	AV	41.00	150	Horizontal	N/A
4	7515.250	52.72	0.86	74.0	-21.28	Peak	263.00	150	Horizontal	Pass
4**	7515.250	44.34	0.86	54.0	-9.66	AV	263.00	150	Horizontal	Pass
5	12444.100	49.18	-2.24	74.0	-24.82	Peak	155.00	150	Horizontal	Pass
5**	12444.100	39.62	-2.24	54.0	-14.38	AV	155.00	150	Horizontal	Pass
6	16038.338	51.59	-0.11	74.0	-22.41	Peak	156.00	100	Horizontal	Pass
6**	16038.338	42.60	-0.11	54.0	-11.40	AV	156.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.800	37.92	-17.47	74.0	-36.08	Peak	20.00	350	Vertical	Pass
1**	1584.800	27.77	-17.47	54.0	-26.23	AV	20.00	350	Vertical	Pass
2	4275.250	47.43	-4.97	74.0	-26.57	Peak	100.00	100	Vertical	Pass
2**	4275.250	38.22	-4.97	54.0	-15.78	AV	100.00	100	Vertical	Pass
3	5697.000	100.64	-2.83	--	--	Peak	206.00	150	Vertical	N/A
3**	5697.000	93.00	-2.83	--	--	AV	206.00	150	Vertical	N/A
4	7695.500	52.79	1.76	74.0	-21.21	Peak	154.00	150	Vertical	Pass
4**	7695.500	43.07	1.76	54.0	-10.93	AV	154.00	150	Vertical	Pass
5	12447.662	49.43	-2.19	74.0	-24.57	Peak	0.00	150	Vertical	Pass
5**	12447.662	39.90	-2.19	54.0	-14.10	AV	0.00	150	Vertical	Pass
6	16166.438	51.93	-0.46	74.0	-22.07	Peak	188.00	150	Vertical	Pass
6**	16166.438	42.86	-0.46	54.0	-11.14	AV	188.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.700	37.88	-17.33	74.0	-36.12	Peak	274.00	150	Horizontal	Pass
1**	1483.700	28.55	-17.33	54.0	-25.45	AV	274.00	150	Horizontal	Pass
2	4363.750	47.67	-4.20	74.0	-26.33	Peak	65.00	100	Horizontal	Pass
2**	4363.750	38.61	-4.20	54.0	-15.39	AV	65.00	100	Horizontal	Pass
3	5502.250	104.60	-3.19	--	--	Peak	23.00	150	Horizontal	N/A
3**	5502.250	97.05	-3.19	--	--	AV	23.00	150	Horizontal	N/A
4	7477.250	53.59	0.24	74.0	-20.41	Peak	73.00	150	Horizontal	Pass
4**	7477.250	43.11	0.24	54.0	-10.89	AV	73.00	150	Horizontal	Pass
5	12624.600	49.54	-2.46	74.0	-24.46	Peak	146.00	150	Horizontal	Pass
5**	12624.600	40.30	-2.46	54.0	-13.70	AV	146.00	150	Horizontal	Pass
6	16194.000	51.48	-0.44	74.0	-22.52	Peak	82.00	150	Horizontal	Pass
6**	16194.000	43.34	-0.44	54.0	-10.66	AV	82.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1474.700	37.86	-17.42	74.0	-36.14	Peak	360.00	150	Vertical	Pass
1**	1474.700	28.12	-17.42	54.0	-25.88	AV	360.00	150	Vertical	Pass
2	4279.750	48.02	-4.65	74.0	-25.98	Peak	222.00	100	Vertical	Pass
2**	4279.750	38.44	-4.65	54.0	-15.56	AV	222.00	100	Vertical	Pass
3	5500.500	97.42	-3.20	--	--	Peak	230.00	150	Vertical	N/A
3**	5500.500	89.13	-3.20	--	--	AV	230.00	150	Vertical	N/A
4	7510.000	52.52	0.55	74.0	-21.48	Peak	135.00	150	Vertical	Pass
4**	7510.000	44.45	0.55	54.0	-9.55	AV	135.00	150	Vertical	Pass
5	12535.775	49.12	-2.23	74.0	-24.88	Peak	292.00	150	Vertical	Pass
5**	12535.775	39.90	-2.23	54.0	-14.10	AV	292.00	150	Vertical	Pass
6	16191.638	51.75	-0.44	74.0	-22.25	Peak	348.00	150	Vertical	Pass
6**	16191.638	42.98	-0.44	54.0	-11.02	AV	348.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.400	37.73	-17.31	74.0	-36.27	Peak	264.00	150	Horizontal	Pass
1**	1485.400	28.03	-17.31	54.0	-25.97	AV	264.00	150	Horizontal	Pass
2	4287.250	47.45	-4.52	74.0	-26.55	Peak	127.00	150	Horizontal	Pass
2**	4287.250	38.69	-4.52	54.0	-15.31	AV	127.00	150	Horizontal	Pass
3	5579.750	105.91	-2.72	--	--	Peak	23.00	150	Horizontal	N/A
3**	5579.750	98.30	-2.72	--	--	AV	23.00	150	Horizontal	N/A
4	7454.250	52.84	1.15	74.0	-21.16	Peak	127.00	400	Horizontal	Pass
4**	7454.250	44.10	1.15	54.0	-9.90	AV	127.00	400	Horizontal	Pass
5	12451.225	49.16	-2.16	74.0	-24.84	Peak	360.00	150	Horizontal	Pass
5**	12451.225	39.98	-2.16	54.0	-14.02	AV	360.00	150	Horizontal	Pass
6	16072.988	51.50	-0.50	74.0	-22.50	Peak	54.00	150	Horizontal	Pass
6**	16072.988	41.59	-0.50	54.0	-12.41	AV	54.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.100	38.36	-17.60	74.0	-35.64	Peak	256.00	100	Vertical	Pass
1**	1525.100	27.61	-17.60	54.0	-26.39	AV	256.00	100	Vertical	Pass
2	4378.000	47.98	-3.93	74.0	-26.02	Peak	310.00	150	Vertical	Pass
2**	4378.000	39.65	-3.93	54.0	-14.35	AV	310.00	150	Vertical	Pass
3	5581.250	99.03	-2.73	--	--	Peak	231.00	150	Vertical	N/A
3**	5581.250	92.07	-2.73	--	--	AV	231.00	150	Vertical	N/A
4	7514.500	52.61	0.79	74.0	-21.39	Peak	170.00	150	Vertical	Pass
4**	7514.500	43.83	0.79	54.0	-10.17	AV	170.00	150	Vertical	Pass
5	11157.800	49.39	-4.36	74.0	-24.61	Peak	277.00	400	Vertical	Pass
5**	11157.800	39.95	-4.36	54.0	-14.05	AV	277.00	400	Vertical	Pass
6	16012.088	51.64	-0.14	74.0	-22.36	Peak	360.00	150	Vertical	Pass
6**	16012.088	41.50	-0.14	54.0	-12.50	AV	360.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.500	37.54	-17.44	74.0	-36.46	Peak	120.00	200	Horizontal	Pass
1**	1464.500	28.40	-17.44	54.0	-25.60	AV	120.00	200	Horizontal	Pass
2	4364.250	47.70	-4.20	74.0	-26.30	Peak	360.00	100	Horizontal	Pass
2**	4364.250	38.45	-4.20	54.0	-15.55	AV	360.00	100	Horizontal	Pass
3	5701.250	105.99	-2.87	--	--	Peak	39.00	150	Horizontal	N/A
3**	5701.250	99.14	-2.87	--	--	AV	39.00	150	Horizontal	N/A
4	7567.250	52.54	0.00	74.0	-21.46	Peak	355.00	200	Horizontal	Pass
4**	7567.250	43.28	0.00	54.0	-10.72	AV	355.00	200	Horizontal	Pass
5	12456.450	49.44	-2.19	74.0	-24.56	Peak	9.00	150	Horizontal	Pass
5**	12456.450	39.75	-2.19	54.0	-14.25	AV	9.00	150	Horizontal	Pass
6	15706.013	51.65	-0.02	74.0	-22.35	Peak	0.00	150	Horizontal	Pass
6**	15706.013	41.44	-0.02	54.0	-12.56	AV	0.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.200	38.47	-17.63	74.0	-35.53	Peak	100.00	150	Vertical	Pass
1**	1547.200	27.84	-17.63	54.0	-26.16	AV	100.00	150	Vertical	Pass
2	4305.500	48.83	-4.19	74.0	-25.17	Peak	48.00	100	Vertical	Pass
2**	4305.500	38.97	-4.19	54.0	-15.03	AV	48.00	100	Vertical	Pass
3	5699.250	98.63	-3.01	--	--	Peak	207.00	150	Vertical	N/A
3**	5699.250	91.78	-3.01	--	--	AV	207.00	150	Vertical	N/A
4	7459.750	52.62	1.14	74.0	-21.38	Peak	313.00	150	Vertical	Pass
4**	7459.750	43.91	1.14	54.0	-10.09	AV	313.00	150	Vertical	Pass
5	12691.100	49.23	-2.33	74.0	-24.77	Peak	120.00	150	Vertical	Pass
5**	12691.100	40.10	-2.33	54.0	-13.90	AV	120.00	150	Vertical	Pass
6	16166.700	52.50	-0.46	74.0	-21.50	Peak	202.00	150	Vertical	Pass
6**	16166.700	43.48	-0.46	54.0	-10.52	AV	202.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.100	37.80	-17.63	74.0	-36.20	Peak	125.00	150	Horizontal	Pass
1**	1547.100	28.95	-17.63	54.0	-25.05	AV	125.00	150	Horizontal	Pass
2	4368.500	47.98	-4.18	74.0	-26.02	Peak	48.00	200	Horizontal	Pass
2**	4368.500	38.32	-4.18	54.0	-15.68	AV	48.00	200	Horizontal	Pass
3	5512.250	101.95	-3.13	--	--	Peak	21.00	150	Horizontal	N/A
3**	5512.250	94.91	-3.13	--	--	AV	21.00	150	Horizontal	N/A
4	7710.000	52.34	1.36	74.0	-21.66	Peak	286.00	150	Horizontal	Pass
4**	7710.000	43.80	1.36	54.0	-10.20	AV	286.00	150	Horizontal	Pass
5	11783.612	49.38	-3.68	74.0	-24.62	Peak	315.00	150	Horizontal	Pass
5**	11783.612	40.23	-3.68	54.0	-13.77	AV	315.00	150	Horizontal	Pass
6	15854.325	52.15	-0.80	74.0	-21.85	Peak	332.00	150	Horizontal	Pass
6**	15854.325	43.05	-0.80	54.0	-10.95	AV	332.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.200	37.51	-17.45	74.0	-36.49	Peak	210.00	150	Vertical	Pass
1**	1468.200	28.08	-17.45	54.0	-25.92	AV	210.00	150	Vertical	Pass
2	4367.750	47.46	-4.14	74.0	-26.54	Peak	360.00	100	Vertical	Pass
2**	4367.750	38.15	-4.14	54.0	-15.85	AV	360.00	100	Vertical	Pass
3	5513.250	95.34	-3.13	--	--	Peak	236.00	150	Vertical	N/A
3**	5513.250	87.82	-3.13	--	--	AV	236.00	150	Vertical	N/A
4	7461.500	52.50	1.12	74.0	-21.50	Peak	113.00	150	Vertical	Pass
4**	7461.500	44.34	1.12	54.0	-9.66	AV	113.00	150	Vertical	Pass
5	12665.213	48.99	-2.31	74.0	-25.01	Peak	29.00	200	Vertical	Pass
5**	12665.213	40.24	-2.31	54.0	-13.76	AV	29.00	200	Vertical	Pass
6	16163.812	52.30	-0.46	74.0	-21.70	Peak	335.00	200	Vertical	Pass
6**	16163.812	42.82	-0.46	54.0	-11.18	AV	335.00	200	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.100	37.23	-17.34	74.0	-36.77	Peak	360.00	150	Horizontal	Pass
1**	1489.100	28.46	-17.34	54.0	-25.54	AV	360.00	150	Horizontal	Pass
2	4339.750	47.76	-4.75	74.0	-26.24	Peak	66.00	100	Horizontal	Pass
2**	4339.750	38.51	-4.75	54.0	-15.49	AV	66.00	100	Horizontal	Pass
3	5592.000	103.02	-3.26	--	--	Peak	23.00	150	Horizontal	N/A
3**	5592.000	96.05	-3.26	--	--	AV	23.00	150	Horizontal	N/A
4	7472.250	53.49	0.74	74.0	-20.51	Peak	162.00	150	Horizontal	Pass
4**	7472.250	42.61	0.74	54.0	-11.39	AV	162.00	150	Horizontal	Pass
5	12449.563	49.20	-2.16	74.0	-24.80	Peak	254.00	150	Horizontal	Pass
5**	12449.563	39.94	-2.16	54.0	-14.06	AV	254.00	150	Horizontal	Pass
6	16162.500	51.98	-0.46	74.0	-22.02	Peak	82.00	150	Horizontal	Pass
6**	16162.500	43.03	-0.46	54.0	-10.97	AV	82.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.900	37.76	-17.46	74.0	-36.24	Peak	213.00	150	Vertical	Pass
1**	1494.900	28.39	-17.46	54.0	-25.61	AV	213.00	150	Vertical	Pass
2	4311.000	47.41	-4.29	74.0	-26.59	Peak	214.00	100	Vertical	Pass
2**	4311.000	38.43	-4.29	54.0	-15.57	AV	214.00	100	Vertical	Pass
3	5593.250	96.33	-3.25	--	--	Peak	232.00	150	Vertical	N/A
3**	5593.250	88.85	-3.25	--	--	AV	232.00	150	Vertical	N/A
4	7455.500	52.89	1.16	74.0	-21.11	Peak	10.00	150	Vertical	Pass
4**	7455.500	43.56	1.16	54.0	-10.44	AV	10.00	150	Vertical	Pass
5	11418.812	49.42	-4.08	74.0	-24.58	Peak	226.00	150	Vertical	Pass
5**	11418.812	39.68	-4.08	54.0	-14.32	AV	226.00	150	Vertical	Pass
6	16187.963	52.33	-0.44	74.0	-21.67	Peak	63.00	350	Vertical	Pass
6**	16187.963	42.87	-0.44	54.0	-11.13	AV	63.00	350	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.600	37.70	-17.60	74.0	-36.30	Peak	360.00	400	Horizontal	Pass
1**	1546.600	28.58	-17.60	54.0	-25.42	AV	360.00	400	Horizontal	Pass
2	4279.500	47.71	-4.66	74.0	-26.29	Peak	258.00	100	Horizontal	Pass
2**	4279.500	38.75	-4.66	54.0	-15.25	AV	258.00	100	Horizontal	Pass
3	5671.500	103.77	-3.43	--	--	Peak	27.00	150	Horizontal	N/A
3**	5671.500	96.85	-3.43	--	--	AV	27.00	150	Horizontal	N/A
4	7738.500	52.72	-0.62	74.0	-21.28	Peak	249.00	150	Horizontal	Pass
4**	7738.500	42.35	-0.62	54.0	-11.65	AV	249.00	150	Horizontal	Pass
5	12428.425	49.39	-2.48	74.0	-24.61	Peak	275.00	150	Horizontal	Pass
5**	12428.425	40.46	-2.48	54.0	-13.54	AV	275.00	150	Horizontal	Pass
6	16168.275	52.14	-0.46	74.0	-21.86	Peak	23.00	150	Horizontal	Pass
6**	16168.275	43.43	-0.46	54.0	-10.57	AV	23.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.600	37.79	-17.28	74.0	-36.21	Peak	21.00	150	Vertical	Pass
1**	1479.600	28.41	-17.28	54.0	-25.59	AV	21.00	150	Vertical	Pass
2	4364.750	48.13	-4.20	74.0	-25.87	Peak	2.00	100	Vertical	Pass
2**	4364.750	38.44	-4.20	54.0	-15.56	AV	2.00	100	Vertical	Pass
3	5668.000	97.04	-3.33	--	--	Peak	231.00	150	Vertical	N/A
3**	5668.000	90.18	-3.33	--	--	AV	231.00	150	Vertical	N/A
4	7453.750	52.90	1.09	74.0	-21.10	Peak	187.00	200	Vertical	Pass
4**	7453.750	43.94	1.09	54.0	-10.06	AV	187.00	200	Vertical	Pass
5	12677.088	49.42	-2.32	74.0	-24.58	Peak	128.00	350	Vertical	Pass
5**	12677.088	40.38	-2.32	54.0	-13.62	AV	128.00	350	Vertical	Pass
6	16171.162	51.87	-0.45	74.0	-22.13	Peak	278.00	150	Vertical	Pass
6**	16171.162	42.93	-0.45	54.0	-11.07	AV	278.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.000	37.34	-17.67	74.0	-36.66	Peak	152.00	350	Horizontal	Pass
1**	1534.000	27.69	-17.67	54.0	-26.31	AV	152.00	350	Horizontal	Pass
2	4295.000	47.83	-4.43	74.0	-26.17	Peak	304.00	100	Horizontal	Pass
2**	4295.000	38.59	-4.43	54.0	-15.41	AV	304.00	100	Horizontal	Pass
3	5498.500	105.17	-3.32	--	--	Peak	21.00	150	Horizontal	N/A
3**	5498.500	98.13	-3.32	--	--	AV	21.00	150	Horizontal	N/A
4	7457.000	53.29	1.14	74.0	-20.71	Peak	304.00	150	Horizontal	Pass
4**	7457.000	44.66	1.14	54.0	-9.34	AV	304.00	150	Horizontal	Pass
5	11805.463	49.56	-3.50	74.0	-24.44	Peak	68.00	150	Horizontal	Pass
5**	11805.463	39.86	-3.50	54.0	-14.14	AV	68.00	150	Horizontal	Pass
6	16167.750	51.79	-0.46	74.0	-22.21	Peak	305.00	150	Horizontal	Pass
6**	16167.750	43.23	-0.46	54.0	-10.77	AV	305.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.200	37.65	-17.32	74.0	-36.35	Peak	41.00	150	Vertical	Pass
1**	1484.200	27.98	-17.32	54.0	-26.02	AV	41.00	150	Vertical	Pass
2	4337.500	47.30	-4.68	74.0	-26.70	Peak	319.00	200	Vertical	Pass
2**	4337.500	38.07	-4.68	54.0	-15.93	AV	319.00	200	Vertical	Pass
3	5499.750	97.79	-3.24	--	--	Peak	229.00	150	Vertical	N/A
3**	5499.750	90.03	-3.24	--	--	AV	229.00	150	Vertical	N/A
4	7537.500	53.27	0.55	74.0	-20.73	Peak	95.00	150	Vertical	Pass
4**	7537.500	43.05	0.55	54.0	-10.95	AV	95.00	150	Vertical	Pass
5	11790.262	49.35	-3.62	74.0	-24.65	Peak	118.00	150	Vertical	Pass
5**	11790.262	40.29	-3.62	54.0	-13.71	AV	118.00	150	Vertical	Pass
6	16198.988	51.80	-0.44	74.0	-22.20	Peak	230.00	150	Vertical	Pass
6**	16198.988	42.18	-0.44	54.0	-11.82	AV	230.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.000	38.13	-17.29	74.0	-35.87	Peak	83.00	200	Horizontal	Pass
1**	1482.000	28.19	-17.29	54.0	-25.81	AV	83.00	200	Horizontal	Pass
2	4266.500	47.54	-4.66	74.0	-26.46	Peak	214.00	200	Horizontal	Pass
2**	4266.500	38.56	-4.66	54.0	-15.44	AV	214.00	200	Horizontal	Pass
3	5582.000	106.43	-2.79	--	--	Peak	28.00	150	Horizontal	N/A
3**	5582.000	98.98	-2.79	--	--	AV	28.00	150	Horizontal	N/A
4	7517.000	52.32	0.92	74.0	-21.68	Peak	45.00	150	Horizontal	Pass
4**	7517.000	44.06	0.92	54.0	-9.94	AV	45.00	150	Horizontal	Pass
5	11190.100	49.17	-4.12	74.0	-24.83	Peak	360.00	150	Horizontal	Pass
5**	11190.100	39.38	-4.12	54.0	-14.62	AV	360.00	150	Horizontal	Pass
6	16178.513	51.84	-0.45	74.0	-22.16	Peak	360.00	150	Horizontal	Pass
6**	16178.513	43.68	-0.45	54.0	-10.32	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.800	37.52	-17.39	74.0	-36.48	Peak	221.00	150	Vertical	Pass
1**	1508.800	28.09	-17.39	54.0	-25.91	AV	221.00	150	Vertical	Pass
2	4279.000	47.90	-4.69	74.0	-26.10	Peak	72.00	200	Vertical	Pass
2**	4279.000	38.47	-4.69	54.0	-15.53	AV	72.00	200	Vertical	Pass
3	5581.750	99.55	-2.77	--	--	Peak	222.00	150	Vertical	N/A
3**	5581.750	92.94	-2.77	--	--	AV	222.00	150	Vertical	N/A
4	7506.250	53.25	-0.01	74.0	-20.75	Peak	356.00	150	Vertical	Pass
4**	7506.250	44.07	-0.01	54.0	-9.93	AV	356.00	150	Vertical	Pass
5	11637.787	49.14	-4.39	74.0	-24.86	Peak	302.00	150	Vertical	Pass
5**	11637.787	39.15	-4.39	54.0	-14.85	AV	302.00	150	Vertical	Pass
6	16169.062	51.93	-0.46	74.0	-22.07	Peak	128.00	150	Vertical	Pass
6**	16169.062	43.09	-0.46	54.0	-10.91	AV	128.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.100	37.70	-17.39	74.0	-36.30	Peak	288.00	150	Horizontal	Pass
1**	1492.100	28.72	-17.39	54.0	-25.28	AV	288.00	150	Horizontal	Pass
2	4360.500	47.89	-4.33	74.0	-26.11	Peak	0.00	150	Horizontal	Pass
2**	4360.500	39.66	-4.33	54.0	-14.34	AV	0.00	150	Horizontal	Pass
3	5701.250	105.86	-2.87	--	--	Peak	29.00	150	Horizontal	N/A
3**	5701.250	98.92	-2.87	--	--	AV	29.00	150	Horizontal	N/A
4	7319.750	53.28	-0.72	74.0	-20.72	Peak	276.00	150	Horizontal	Pass
4**	7319.750	42.72	-0.72	54.0	-11.28	AV	276.00	150	Horizontal	Pass
5	12529.838	50.13	-2.27	74.0	-23.87	Peak	337.00	200	Horizontal	Pass
5**	12529.838	40.10	-2.27	54.0	-13.90	AV	337.00	200	Horizontal	Pass
6	16066.950	52.60	-0.40	74.0	-21.40	Peak	17.00	150	Horizontal	Pass
6**	16066.950	41.96	-0.40	54.0	-12.04	AV	17.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.300	37.86	-17.60	74.0	-36.14	Peak	83.00	150	Vertical	Pass
1**	1565.300	27.72	-17.60	54.0	-26.28	AV	83.00	150	Vertical	Pass
2	4351.000	48.33	-4.56	74.0	-25.67	Peak	0.00	150	Vertical	Pass
2**	4351.000	38.34	-4.56	54.0	-15.66	AV	0.00	150	Vertical	Pass
3	5701.250	100.18	-2.87	--	--	Peak	199.00	150	Vertical	N/A
3**	5701.250	92.22	-2.87	--	--	AV	199.00	150	Vertical	N/A
4	7516.500	52.95	0.93	74.0	-21.05	Peak	182.00	150	Vertical	Pass
4**	7516.500	43.86	0.93	54.0	-10.14	AV	182.00	150	Vertical	Pass
5	12517.963	49.30	-2.35	74.0	-24.70	Peak	212.00	150	Vertical	Pass
5**	12517.963	39.66	-2.35	54.0	-14.34	AV	212.00	150	Vertical	Pass
6	16183.500	51.77	-0.45	74.0	-22.23	Peak	190.00	250	Vertical	Pass
6**	16183.500	42.96	-0.45	54.0	-11.04	AV	190.00	250	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.200	37.42	-17.31	74.0	-36.58	Peak	292.00	150	Horizontal	Pass
1**	1440.200	27.52	-17.31	54.0	-26.48	AV	292.00	150	Horizontal	Pass
2	4296.250	47.38	-4.43	74.0	-26.62	Peak	48.00	200	Horizontal	Pass
2**	4296.250	38.70	-4.43	54.0	-15.30	AV	48.00	200	Horizontal	Pass
3	5511.750	101.06	-3.18	--	--	Peak	21.00	150	Horizontal	N/A
3**	5511.750	94.37	-3.18	--	--	AV	21.00	150	Horizontal	N/A
4	7454.000	52.76	1.12	74.0	-21.24	Peak	268.00	150	Horizontal	Pass
4**	7454.000	44.36	1.12	54.0	-9.64	AV	268.00	150	Horizontal	Pass
5	11450.401	49.86	-3.88	74.0	-24.14	Peak	117.00	150	Horizontal	Pass
5**	11450.401	39.13	-3.88	54.0	-14.87	AV	117.00	150	Horizontal	Pass
6	16191.375	51.94	-0.44	74.0	-22.06	Peak	127.00	150	Horizontal	Pass
6**	16191.375	42.39	-0.44	54.0	-11.61	AV	127.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.400	37.54	-17.38	74.0	-36.46	Peak	35.00	150	Vertical	Pass
1**	1491.400	28.82	-17.38	54.0	-25.18	AV	35.00	150	Vertical	Pass
2	4278.250	47.94	-4.74	74.0	-26.06	Peak	241.00	200	Vertical	Pass
2**	4278.250	38.06	-4.74	54.0	-15.94	AV	241.00	200	Vertical	Pass
3	5512.250	94.71	-3.13	--	--	Peak	224.00	150	Vertical	N/A
3**	5512.250	86.94	-3.13	--	--	AV	224.00	150	Vertical	N/A
4	7512.750	53.03	0.58	74.0	-20.97	Peak	189.00	150	Vertical	Pass
4**	7512.750	43.83	0.58	54.0	-10.17	AV	189.00	150	Vertical	Pass
5	12207.549	49.44	-2.98	74.0	-24.56	Peak	79.00	150	Vertical	Pass
5**	12207.549	40.08	-2.98	54.0	-13.92	AV	79.00	150	Vertical	Pass
6	16184.813	51.63	-0.45	74.0	-22.37	Peak	142.00	150	Vertical	Pass
6**	16184.813	43.29	-0.45	54.0	-10.71	AV	142.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.200	37.23	-17.41	74.0	-36.77	Peak	246.00	150	Horizontal	Pass
1**	1503.200	28.22	-17.41	54.0	-25.78	AV	246.00	150	Horizontal	Pass
2	4379.000	47.61	-3.96	74.0	-26.39	Peak	92.00	200	Horizontal	Pass
2**	4379.000	38.82	-3.96	54.0	-15.18	AV	92.00	200	Horizontal	Pass
3	5588.500	101.96	-3.08	--	--	Peak	29.00	150	Horizontal	N/A
3**	5588.500	94.55	-3.08	--	--	AV	29.00	150	Horizontal	N/A
4	7458.750	52.97	1.15	74.0	-21.03	Peak	189.00	400	Horizontal	Pass
4**	7458.750	44.58	1.15	54.0	-9.42	AV	189.00	400	Horizontal	Pass
5	10719.612	49.77	-4.84	74.0	-24.23	Peak	68.00	150	Horizontal	Pass
5**	10719.612	39.46	-4.84	54.0	-14.54	AV	68.00	150	Horizontal	Pass
6	16142.026	52.09	-0.55	74.0	-21.91	Peak	275.00	150	Horizontal	Pass
6**	16142.026	42.85	-0.55	54.0	-11.15	AV	275.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.900	37.65	-17.39	74.0	-36.35	Peak	69.00	150	Vertical	Pass
1**	1503.900	28.11	-17.39	54.0	-25.89	AV	69.00	150	Vertical	Pass
2	4289.250	47.58	-4.56	74.0	-26.42	Peak	4.00	200	Vertical	Pass
2**	4289.250	38.56	-4.56	54.0	-15.44	AV	4.00	200	Vertical	Pass
3	5592.000	94.93	-3.26	--	--	Peak	202.00	150	Vertical	N/A
3**	5592.000	87.47	-3.26	--	--	AV	202.00	150	Vertical	N/A
4	7271.750	52.86	-0.39	74.0	-21.14	Peak	221.00	150	Vertical	Pass
4**	7271.750	42.64	-0.39	54.0	-11.36	AV	221.00	150	Vertical	Pass
5	12634.338	49.44	-2.40	74.0	-24.56	Peak	132.00	150	Vertical	Pass
5**	12634.338	39.10	-2.40	54.0	-14.90	AV	132.00	150	Vertical	Pass
6	16179.826	52.04	-0.45	74.0	-21.96	Peak	228.00	150	Vertical	Pass
6**	16179.826	43.21	-0.45	54.0	-10.79	AV	228.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.600	37.42	-17.38	74.0	-36.58	Peak	26.00	150	Horizontal	Pass
1**	1491.600	28.17	-17.38	54.0	-25.83	AV	26.00	150	Horizontal	Pass
2	4319.500	47.74	-4.60	74.0	-26.26	Peak	312.00	100	Horizontal	Pass
2**	4319.500	38.49	-4.60	54.0	-15.51	AV	312.00	100	Horizontal	Pass
3	5666.000	103.99	-3.14	--	--	Peak	28.00	150	Horizontal	N/A
3**	5666.000	94.73	-3.14	--	--	AV	28.00	150	Horizontal	N/A
4	7567.750	52.66	-0.03	74.0	-21.34	Peak	46.00	150	Horizontal	Pass
4**	7567.750	43.45	-0.03	54.0	-10.55	AV	46.00	150	Horizontal	Pass
5	11461.325	49.32	-3.97	74.0	-24.68	Peak	279.00	400	Horizontal	Pass
5**	11461.325	40.35	-3.97	54.0	-13.65	AV	279.00	400	Horizontal	Pass
6	16164.076	51.78	-0.46	74.0	-22.22	Peak	139.00	200	Horizontal	Pass
6**	16164.076	43.28	-0.46	54.0	-10.72	AV	139.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.500	38.50	-17.52	74.0	-35.50	Peak	138.00	150	Vertical	Pass
1**	1570.500	27.89	-17.52	54.0	-26.11	AV	138.00	150	Vertical	Pass
2	4372.250	47.54	-4.22	74.0	-26.46	Peak	225.00	150	Vertical	Pass
2**	4372.250	38.10	-4.22	54.0	-15.90	AV	225.00	150	Vertical	Pass
3	5668.000	95.61	-3.33	--	--	Peak	233.00	150	Vertical	N/A
3**	5668.000	88.06	-3.33	--	--	AV	233.00	150	Vertical	N/A
4	7696.750	52.96	1.81	74.0	-21.04	Peak	258.00	150	Vertical	Pass
4**	7696.750	43.52	1.81	54.0	-10.48	AV	258.00	150	Vertical	Pass
5	10639.337	49.74	-4.65	74.0	-24.26	Peak	177.00	150	Vertical	Pass
5**	10639.337	40.13	-4.65	54.0	-13.87	AV	177.00	150	Vertical	Pass
6	16164.076	52.33	-0.46	74.0	-21.67	Peak	352.00	150	Vertical	Pass
6**	16164.076	43.11	-0.46	54.0	-10.89	AV	352.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.000	37.58	-17.38	74.0	-36.42	Peak	360.00	150	Horizontal	Pass
1**	1504.000	28.11	-17.38	54.0	-25.89	AV	360.00	150	Horizontal	Pass
2	4304.500	47.73	-4.24	74.0	-26.27	Peak	268.00	200	Horizontal	Pass
2**	4304.500	39.09	-4.24	54.0	-14.91	AV	268.00	200	Horizontal	Pass
3	5532.500	97.13	-2.97	--	--	Peak	28.00	150	Horizontal	N/A
3**	5532.500	89.51	-2.97	--	--	AV	28.00	150	Horizontal	N/A
4	7475.750	53.34	0.68	74.0	-20.66	Peak	63.00	150	Horizontal	Pass
4**	7475.750	44.39	0.68	54.0	-9.61	AV	63.00	150	Horizontal	Pass
5	12660.700	50.00	-2.31	74.0	-24.00	Peak	153.00	150	Horizontal	Pass
5**	12660.700	40.65	-2.31	54.0	-13.35	AV	153.00	150	Horizontal	Pass
6	16081.651	52.02	-0.66	74.0	-21.98	Peak	5.00	150	Horizontal	Pass
6**	16081.651	41.65	-0.66	54.0	-12.35	AV	5.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.000	37.90	-17.60	74.0	-36.10	Peak	185.00	250	Vertical	Pass
1**	1525.000	27.94	-17.60	54.0	-26.06	AV	185.00	250	Vertical	Pass
2	4318.750	48.09	-4.59	74.0	-25.91	Peak	294.00	200	Vertical	Pass
2**	4318.750	39.34	-4.59	54.0	-14.66	AV	294.00	200	Vertical	Pass
3	5541.750	89.93	-2.89	--	--	Peak	231.00	150	Vertical	N/A
3**	5541.750	81.22	-2.89	--	--	AV	231.00	150	Vertical	N/A
4	7702.500	53.08	1.86	74.0	-20.92	Peak	241.00	350	Vertical	Pass
4**	7702.500	43.70	1.86	54.0	-10.30	AV	241.00	350	Vertical	Pass
5	12672.812	50.25	-2.32	74.0	-23.75	Peak	8.00	400	Vertical	Pass
5**	12672.812	39.69	-2.32	54.0	-14.31	AV	8.00	400	Vertical	Pass
6	16193.738	52.34	-0.44	74.0	-21.66	Peak	19.00	150	Vertical	Pass
6**	16193.738	42.38	-0.44	54.0	-11.62	AV	19.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.100	37.79	-17.62	74.0	-36.21	Peak	60.00	250	Horizontal	Pass
1**	1593.100	28.52	-17.62	54.0	-25.48	AV	60.00	250	Horizontal	Pass
2	4263.250	47.97	-4.65	74.0	-26.03	Peak	77.00	100	Horizontal	Pass
2**	4263.250	37.99	-4.65	54.0	-16.01	AV	77.00	100	Horizontal	Pass
3	5623.250	99.29	-2.36	--	--	Peak	32.00	150	Horizontal	N/A
3**	5623.250	91.89	-2.36	--	--	AV	32.00	150	Horizontal	N/A
4	7473.000	54.04	0.67	74.0	-19.96	Peak	121.00	150	Horizontal	Pass
4**	7473.000	44.23	0.67	54.0	-9.77	AV	121.00	150	Horizontal	Pass
5	12651.437	49.99	-2.30	74.0	-24.01	Peak	202.00	150	Horizontal	Pass
5**	12651.437	40.58	-2.30	54.0	-13.42	AV	202.00	150	Horizontal	Pass
6	16169.326	51.57	-0.46	74.0	-22.43	Peak	291.00	150	Horizontal	Pass
6**	16169.326	43.29	-0.46	54.0	-10.71	AV	291.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.500	38.12	-17.49	74.0	-35.88	Peak	63.00	100	Vertical	Pass
1**	1465.500	27.69	-17.49	54.0	-26.31	AV	63.00	100	Vertical	Pass
2	4378.750	47.84	-3.95	74.0	-26.16	Peak	180.00	200	Vertical	Pass
2**	4378.750	39.26	-3.95	54.0	-14.74	AV	180.00	200	Vertical	Pass
3	5604.000	91.50	-3.00	--	--	Peak	197.00	150	Vertical	N/A
3**	5604.000	84.25	-3.00	--	--	AV	197.00	150	Vertical	N/A
4	7702.500	52.42	1.86	74.0	-21.58	Peak	259.00	150	Vertical	Pass
4**	7702.500	43.87	1.86	54.0	-10.13	AV	259.00	150	Vertical	Pass
5	12681.600	49.62	-2.32	74.0	-24.38	Peak	70.00	150	Vertical	Pass
5**	12681.600	40.24	-2.32	54.0	-13.76	AV	70.00	150	Vertical	Pass
6	16147.537	51.83	-0.49	74.0	-22.17	Peak	67.00	150	Vertical	Pass
6**	16147.537	42.45	-0.49	54.0	-11.55	AV	67.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.200	37.40	-17.45	74.0	-36.60	Peak	154.00	150	Horizontal	Pass
1**	1607.200	28.03	-17.45	54.0	-25.97	AV	154.00	150	Horizontal	Pass
2	4309.250	47.76	-4.29	74.0	-26.24	Peak	276.00	150	Horizontal	Pass
2**	4309.250	39.26	-4.29	54.0	-14.74	AV	276.00	150	Horizontal	Pass
3	5746.500	104.85	-2.89	--	--	Peak	29.00	150	Horizontal	N/A
3**	5746.500	97.58	-2.89	--	--	AV	29.00	150	Horizontal	N/A
4	7516.000	52.21	0.93	74.0	-21.79	Peak	153.00	200	Horizontal	Pass
4**	7516.000	44.22	0.93	54.0	-9.78	AV	153.00	200	Horizontal	Pass
5	12685.875	49.94	-2.33	74.0	-24.06	Peak	347.00	150	Horizontal	Pass
5**	12685.875	40.26	-2.33	54.0	-13.74	AV	347.00	150	Horizontal	Pass
6	16154.100	52.73	-0.47	74.0	-21.27	Peak	187.00	150	Horizontal	Pass
6**	16154.100	42.47	-0.47	54.0	-11.53	AV	187.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.400	37.26	-17.28	74.0	-36.74	Peak	263.00	150	Vertical	Pass
1**	1480.400	28.25	-17.28	54.0	-25.75	AV	263.00	150	Vertical	Pass
2	4263.750	47.72	-4.70	74.0	-26.28	Peak	107.00	150	Vertical	Pass
2**	4263.750	38.57	-4.70	54.0	-15.43	AV	107.00	150	Vertical	Pass
3	5742.250	96.80	-3.09	--	--	Peak	195.00	150	Vertical	N/A
3**	5742.250	88.72	-3.09	--	--	AV	195.00	150	Vertical	N/A
4	7655.500	52.45	-0.20	74.0	-21.55	Peak	329.00	100	Vertical	Pass
4**	7655.500	43.86	-0.20	54.0	-10.14	AV	329.00	100	Vertical	Pass
5	11791.213	50.32	-3.61	74.0	-23.68	Peak	254.00	150	Vertical	Pass
5**	11791.213	40.31	-3.61	54.0	-13.69	AV	254.00	150	Vertical	Pass
6	16173.263	51.92	-0.45	74.0	-22.08	Peak	305.00	150	Vertical	Pass
6**	16173.263	43.19	-0.45	54.0	-10.81	AV	305.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.700	37.44	-17.32	74.0	-36.56	Peak	75.00	150	Horizontal	Pass
1**	1484.700	28.39	-17.32	54.0	-25.61	AV	75.00	150	Horizontal	Pass
2	4357.750	47.89	-4.16	74.0	-26.11	Peak	304.00	200	Horizontal	Pass
2**	4357.750	38.39	-4.16	54.0	-15.61	AV	304.00	200	Horizontal	Pass
3	5786.500	105.26	-3.10	--	--	Peak	19.00	150	Horizontal	N/A
3**	5786.500	98.43	-3.10	--	--	AV	19.00	150	Horizontal	N/A
4	7514.750	52.86	0.81	74.0	-21.14	Peak	0.00	250	Horizontal	Pass
4**	7514.750	44.04	0.81	54.0	-9.96	AV	0.00	250	Horizontal	Pass
5	12300.174	50.03	-2.44	74.0	-23.97	Peak	33.00	300	Horizontal	Pass
5**	12300.174	40.22	-2.44	54.0	-13.78	AV	33.00	300	Horizontal	Pass
6	16188.225	51.89	-0.44	74.0	-22.11	Peak	143.00	150	Horizontal	Pass
6**	16188.225	43.38	-0.44	54.0	-10.62	AV	143.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.700	37.48	-17.88	74.0	-36.52	Peak	65.00	100	Vertical	Pass
1**	1540.700	28.47	-17.88	54.0	-25.53	AV	65.00	100	Vertical	Pass
2	4376.500	47.45	-4.02	74.0	-26.55	Peak	329.00	150	Vertical	Pass
2**	4376.500	38.74	-4.02	54.0	-15.26	AV	329.00	150	Vertical	Pass
3	5785.750	98.64	-3.13	--	--	Peak	199.00	100	Vertical	N/A
3**	5785.750	90.53	-3.13	--	--	AV	199.00	100	Vertical	N/A
4	7560.750	52.64	-0.32	74.0	-21.36	Peak	4.00	150	Vertical	Pass
4**	7560.750	43.86	-0.32	54.0	-10.14	AV	4.00	150	Vertical	Pass
5	12447.901	49.72	-2.18	74.0	-24.28	Peak	56.00	400	Vertical	Pass
5**	12447.901	40.40	-2.18	54.0	-13.60	AV	56.00	400	Vertical	Pass
6	16165.387	52.31	-0.46	74.0	-21.69	Peak	291.00	150	Vertical	Pass
6**	16165.387	43.27	-0.46	54.0	-10.73	AV	291.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1557.700	37.67	-17.82	74.0	-36.33	Peak	6.00	150	Horizontal	Pass
1**	1557.700	28.25	-17.82	54.0	-25.75	AV	6.00	150	Horizontal	Pass
2	4288.000	47.67	-4.47	74.0	-26.33	Peak	186.00	100	Horizontal	Pass
2**	4288.000	38.48	-4.47	54.0	-15.52	AV	186.00	100	Horizontal	Pass
3	5823.500	105.22	-3.12	--	--	Peak	27.00	150	Horizontal	N/A
3**	5823.500	97.51	-3.12	--	--	AV	27.00	150	Horizontal	N/A
4	7516.250	52.66	0.94	74.0	-21.34	Peak	133.00	150	Horizontal	Pass
4**	7516.250	44.84	0.94	54.0	-9.16	AV	133.00	150	Horizontal	Pass
5	12699.412	49.42	-2.34	74.0	-24.58	Peak	33.00	150	Horizontal	Pass
5**	12699.412	40.07	-2.34	54.0	-13.93	AV	33.00	150	Horizontal	Pass
6	16165.387	52.22	-0.46	74.0	-21.78	Peak	142.00	150	Horizontal	Pass
6**	16165.387	43.32	-0.46	54.0	-10.68	AV	142.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1447.400	37.73	-17.34	74.0	-36.27	Peak	263.00	150	Vertical	Pass
1**	1447.400	27.89	-17.34	54.0	-26.11	AV	263.00	150	Vertical	Pass
2	4320.500	47.57	-4.63	74.0	-26.43	Peak	251.00	100	Vertical	Pass
2**	4320.500	38.88	-4.63	54.0	-15.12	AV	251.00	100	Vertical	Pass
3	5822.750	98.66	-3.10	--	--	Peak	207.00	150	Vertical	N/A
3**	5822.750	91.31	-3.10	--	--	AV	207.00	150	Vertical	N/A
4	7516.000	53.39	0.93	74.0	-20.61	Peak	109.00	150	Vertical	Pass
4**	7516.000	43.87	0.93	54.0	-10.13	AV	109.00	150	Vertical	Pass
5	11327.375	49.33	-4.27	74.0	-24.67	Peak	238.00	200	Vertical	Pass
5**	11327.375	38.90	-4.27	54.0	-15.10	AV	238.00	200	Vertical	Pass
6	16178.250	52.63	-0.45	74.0	-21.37	Peak	291.00	150	Vertical	Pass
6**	16178.250	43.26	-0.45	54.0	-10.74	AV	291.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.600	37.57	-17.55	74.0	-36.43	Peak	211.00	150	Horizontal	Pass
1**	1454.600	28.24	-17.55	54.0	-25.76	AV	211.00	150	Horizontal	Pass
2	4256.750	47.77	-4.76	74.0	-26.23	Peak	14.00	150	Horizontal	Pass
2**	4256.750	38.38	-4.76	54.0	-15.62	AV	14.00	150	Horizontal	Pass
3	5746.000	104.82	-2.84	--	--	Peak	31.00	150	Horizontal	N/A
3**	5746.000	98.61	-2.84	--	--	AV	31.00	150	Horizontal	N/A
4	7675.000	52.21	0.47	74.0	-21.79	Peak	119.00	200	Horizontal	Pass
4**	7675.000	43.11	0.47	54.0	-10.89	AV	119.00	200	Horizontal	Pass
5	12440.300	49.30	-2.30	74.0	-24.70	Peak	201.00	100	Horizontal	Pass
5**	12440.300	40.78	-2.30	54.0	-13.22	AV	201.00	100	Horizontal	Pass
6	16175.625	52.01	-0.45	74.0	-21.99	Peak	83.00	150	Horizontal	Pass
6**	16175.625	42.96	-0.45	54.0	-11.04	AV	83.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.000	38.78	-17.26	74.0	-35.22	Peak	304.00	150	Vertical	Pass
1**	1442.000	29.00	-17.26	54.0	-25.00	AV	304.00	150	Vertical	Pass
2	4249.000	48.14	-5.16	74.0	-25.86	Peak	222.00	100	Vertical	Pass
2**	4249.000	38.56	-5.16	54.0	-15.44	AV	222.00	100	Vertical	Pass
3	5746.250	97.45	-2.87	--	--	Peak	197.00	150	Vertical	N/A
3**	5746.250	90.41	-2.87	--	--	AV	197.00	150	Vertical	N/A
4	7559.000	53.39	-0.44	74.0	-20.61	Peak	258.00	150	Vertical	Pass
4**	7559.000	42.81	-0.44	54.0	-11.19	AV	258.00	150	Vertical	Pass
5	12678.750	49.54	-2.32	74.0	-24.46	Peak	252.00	250	Vertical	Pass
5**	12678.750	40.71	-2.32	54.0	-13.29	AV	252.00	250	Vertical	Pass
6	16158.037	52.01	-0.46	74.0	-21.99	Peak	37.00	150	Vertical	Pass
6**	16158.037	42.72	-0.46	54.0	-11.28	AV	37.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.400	37.65	-17.65	74.0	-36.35	Peak	0.00	150	Horizontal	Pass
1**	1564.400	28.96	-17.65	54.0	-25.04	AV	0.00	150	Horizontal	Pass
2	4301.750	47.62	-4.47	74.0	-26.38	Peak	360.00	200	Horizontal	Pass
2**	4301.750	39.05	-4.47	54.0	-14.95	AV	360.00	200	Horizontal	Pass
3	5783.750	104.92	-3.19	--	--	Peak	28.00	150	Horizontal	N/A
3**	5783.750	97.89	-3.19	--	--	AV	28.00	150	Horizontal	N/A
4	7502.250	53.27	-0.46	74.0	-20.73	Peak	222.00	150	Horizontal	Pass
4**	7502.250	43.31	-0.46	54.0	-10.69	AV	222.00	150	Horizontal	Pass
5	12433.412	49.78	-2.40	74.0	-24.22	Peak	338.00	150	Horizontal	Pass
5**	12433.412	39.89	-2.40	54.0	-14.11	AV	338.00	150	Horizontal	Pass
6	16168.800	51.80	-0.46	74.0	-22.20	Peak	217.00	150	Horizontal	Pass
6**	16168.800	44.39	-0.46	54.0	-9.61	AV	217.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.000	37.74	-17.49	74.0	-36.26	Peak	170.00	150	Vertical	Pass
1**	1594.000	28.16	-17.49	54.0	-25.84	AV	170.00	150	Vertical	Pass
2	4305.750	48.17	-4.19	74.0	-25.83	Peak	117.00	150	Vertical	Pass
2**	4305.750	38.75	-4.19	54.0	-15.25	AV	117.00	150	Vertical	Pass
3	5786.500	97.48	-3.10	--	--	Peak	260.00	150	Vertical	N/A
3**	5786.500	89.92	-3.10	--	--	AV	260.00	150	Vertical	N/A
4	7521.750	53.35	0.88	74.0	-20.65	Peak	19.00	300	Vertical	Pass
4**	7521.750	43.36	0.88	54.0	-10.64	AV	19.00	300	Vertical	Pass
5	12654.763	49.42	-2.30	74.0	-24.58	Peak	130.00	150	Vertical	Pass
5**	12654.763	40.57	-2.30	54.0	-13.43	AV	130.00	150	Vertical	Pass
6	16041.487	51.72	-0.11	74.0	-22.28	Peak	127.00	150	Vertical	Pass
6**	16041.487	43.13	-0.11	54.0	-10.87	AV	127.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1470.500	37.39	-17.51	74.0	-36.61	Peak	67.00	100	Horizontal	Pass
1**	1470.500	28.32	-17.51	54.0	-25.68	AV	67.00	100	Horizontal	Pass
2	4365.250	47.53	-4.18	74.0	-26.47	Peak	145.00	150	Horizontal	Pass
2**	4365.250	38.24	-4.18	54.0	-15.76	AV	145.00	150	Horizontal	Pass
3	5824.250	104.99	-3.14	--	--	Peak	28.00	150	Horizontal	N/A
3**	5824.250	98.21	-3.14	--	--	AV	28.00	150	Horizontal	N/A
4	7459.750	52.45	1.14	74.0	-21.55	Peak	90.00	150	Horizontal	Pass
4**	7459.750	44.85	1.14	54.0	-9.15	AV	90.00	150	Horizontal	Pass
5	12647.638	49.47	-2.31	74.0	-24.53	Peak	276.00	150	Horizontal	Pass
5**	12647.638	40.27	-2.31	54.0	-13.73	AV	276.00	150	Horizontal	Pass
6	16188.225	52.05	-0.44	74.0	-21.95	Peak	322.00	150	Horizontal	Pass
6**	16188.225	42.43	-0.44	54.0	-11.57	AV	322.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1473.700	37.84	-17.40	74.0	-36.16	Peak	347.00	150	Vertical	Pass
1**	1473.700	28.68	-17.40	54.0	-25.32	AV	347.00	150	Vertical	Pass
2	4254.000	47.71	-4.88	74.0	-26.29	Peak	293.00	200	Vertical	Pass
2**	4254.000	38.47	-4.88	54.0	-15.53	AV	293.00	200	Vertical	Pass
3	5827.250	98.34	-2.96	--	--	Peak	197.00	150	Vertical	N/A
3**	5827.250	91.42	-2.96	--	--	AV	197.00	150	Vertical	N/A
4	7513.750	53.02	0.71	74.0	-20.98	Peak	224.00	150	Vertical	Pass
4**	7513.750	43.63	0.71	54.0	-10.37	AV	224.00	150	Vertical	Pass
5	12446.000	49.75	-2.21	74.0	-24.25	Peak	310.00	250	Vertical	Pass
5**	12446.000	40.76	-2.21	54.0	-13.24	AV	310.00	250	Vertical	Pass
6	16154.100	52.77	-0.47	74.0	-21.23	Peak	232.00	400	Vertical	Pass
6**	16154.100	42.92	-0.47	54.0	-11.08	AV	232.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.700	37.48	-17.46	74.0	-36.52	Peak	166.00	150	Horizontal	Pass
1**	1574.700	28.17	-17.46	54.0	-25.83	AV	166.00	150	Horizontal	Pass
2	4319.750	47.81	-4.60	74.0	-26.19	Peak	135.00	150	Horizontal	Pass
2**	4319.750	38.97	-4.60	54.0	-15.03	AV	135.00	150	Horizontal	Pass
3	5757.500	101.89	-2.53	--	--	Peak	30.00	150	Horizontal	N/A
3**	5757.500	94.87	-2.53	--	--	AV	30.00	150	Horizontal	N/A
4	7519.500	52.72	0.83	74.0	-21.28	Peak	241.00	150	Horizontal	Pass
4**	7519.500	43.81	0.83	54.0	-10.19	AV	241.00	150	Horizontal	Pass
5	12687.776	49.83	-2.33	74.0	-24.17	Peak	56.00	150	Horizontal	Pass
5**	12687.776	40.51	-2.33	54.0	-13.49	AV	56.00	150	Horizontal	Pass
6	16137.825	51.82	-0.59	74.0	-22.18	Peak	322.00	350	Horizontal	Pass
6**	16137.825	42.47	-0.59	54.0	-11.53	AV	322.00	350	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1565.600	37.67	-17.58	74.0	-36.33	Peak	63.00	150	Vertical	Pass
1**	1565.600	27.65	-17.58	54.0	-26.35	AV	63.00	150	Vertical	Pass
2	4287.500	48.02	-4.50	74.0	-25.98	Peak	285.00	200	Vertical	Pass
2**	4287.500	38.38	-4.50	54.0	-15.62	AV	285.00	200	Vertical	Pass
3	5757.500	94.54	-2.53	--	--	Peak	197.00	150	Vertical	N/A
3**	5757.500	86.98	-2.53	--	--	AV	197.00	150	Vertical	N/A
4	7518.750	53.00	0.87	74.0	-21.00	Peak	160.00	150	Vertical	Pass
4**	7518.750	43.69	0.87	54.0	-10.31	AV	160.00	150	Vertical	Pass
5	12667.588	49.49	-2.31	74.0	-24.51	Peak	7.00	150	Vertical	Pass
5**	12667.588	40.01	-2.31	54.0	-13.99	AV	7.00	150	Vertical	Pass
6	16171.688	51.95	-0.45	74.0	-22.05	Peak	1.00	150	Vertical	Pass
6**	16171.688	43.37	-0.45	54.0	-10.63	AV	1.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.900	37.57	-17.26	74.0	-36.43	Peak	45.00	150	Horizontal	Pass
1**	1441.900	28.65	-17.26	54.0	-25.35	AV	45.00	150	Horizontal	Pass
2	4361.250	47.75	-4.29	74.0	-26.25	Peak	136.00	350	Horizontal	Pass
2**	4361.250	38.04	-4.29	54.0	-15.96	AV	136.00	350	Horizontal	Pass
3	5792.500	102.24	-3.27	--	--	Peak	29.00	150	Horizontal	N/A
3**	5792.500	95.10	-3.27	--	--	AV	29.00	150	Horizontal	N/A
4	7714.250	52.76	1.03	74.0	-21.24	Peak	56.00	150	Horizontal	Pass
4**	7714.250	42.86	1.03	54.0	-11.14	AV	56.00	150	Horizontal	Pass
5	11181.075	50.08	-4.19	74.0	-23.92	Peak	238.00	150	Horizontal	Pass
5**	11181.075	39.35	-4.19	54.0	-14.65	AV	238.00	150	Horizontal	Pass
6	16183.500	51.81	-0.45	74.0	-22.19	Peak	97.00	150	Horizontal	Pass
6**	16183.500	43.27	-0.45	54.0	-10.73	AV	97.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.600	37.66	-17.27	74.0	-36.34	Peak	143.00	150	Vertical	Pass
1**	1441.600	28.65	-17.27	54.0	-25.35	AV	143.00	150	Vertical	Pass
2	4383.000	47.60	-3.95	74.0	-26.40	Peak	178.00	150	Vertical	Pass
2**	4383.000	38.77	-3.95	54.0	-15.23	AV	178.00	150	Vertical	Pass
3	5793.500	94.31	-3.30	--	--	Peak	205.00	150	Vertical	N/A
3**	5793.500	87.31	-3.30	--	--	AV	205.00	150	Vertical	N/A
4	7443.250	52.87	0.43	74.0	-21.13	Peak	28.00	150	Vertical	Pass
4**	7443.250	42.72	0.43	54.0	-11.28	AV	28.00	150	Vertical	Pass
5	11431.875	49.72	-4.00	74.0	-24.28	Peak	142.00	150	Vertical	Pass
5**	11431.875	39.30	-4.00	54.0	-14.70	AV	142.00	150	Vertical	Pass
6	16173.787	52.30	-0.45	74.0	-21.70	Peak	100.00	150	Vertical	Pass
6**	16173.787	42.90	-0.45	54.0	-11.10	AV	100.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.000	38.04	-17.63	74.0	-35.96	Peak	84.00	150	Horizontal	Pass
1**	1528.000	28.32	-17.63	54.0	-25.68	AV	84.00	150	Horizontal	Pass
2	4353.000	47.16	-4.44	74.0	-26.84	Peak	110.00	300	Horizontal	Pass
2**	4353.000	39.98	-4.44	54.0	-14.02	AV	110.00	300	Horizontal	Pass
3	5743.500	104.37	-3.01	--	--	Peak	30.00	150	Horizontal	N/A
3**	5743.500	96.39	-3.01	--	--	AV	30.00	150	Horizontal	N/A
4	7449.750	52.76	0.62	74.0	-21.24	Peak	233.00	150	Horizontal	Pass
4**	7449.750	44.15	0.62	54.0	-9.85	AV	233.00	150	Horizontal	Pass
5	12461.674	49.89	-2.23	74.0	-24.11	Peak	202.00	250	Horizontal	Pass
5**	12461.674	40.57	-2.23	54.0	-13.43	AV	202.00	250	Horizontal	Pass
6	16177.463	51.60	-0.45	74.0	-22.40	Peak	217.00	150	Horizontal	Pass
6**	16177.463	43.32	-0.45	54.0	-10.68	AV	217.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.300	38.37	-17.46	74.0	-35.63	Peak	205.00	250	Vertical	Pass
1**	1575.300	28.27	-17.46	54.0	-25.73	AV	205.00	250	Vertical	Pass
2	4371.250	47.65	-4.19	74.0	-26.35	Peak	327.00	350	Vertical	Pass
2**	4371.250	38.10	-4.19	54.0	-15.90	AV	327.00	350	Vertical	Pass
3	5744.000	96.59	-2.97	--	--	Peak	206.00	150	Vertical	N/A
3**	5744.000	89.12	-2.97	--	--	AV	206.00	150	Vertical	N/A
4	7462.250	52.46	1.10	74.0	-21.54	Peak	0.00	150	Vertical	Pass
4**	7462.250	43.72	1.10	54.0	-10.28	AV	0.00	150	Vertical	Pass
5	12645.975	49.44	-2.32	74.0	-24.56	Peak	194.00	150	Vertical	Pass
5**	12645.975	39.90	-2.32	54.0	-14.10	AV	194.00	150	Vertical	Pass
6	16161.188	52.10	-0.46	74.0	-21.90	Peak	172.00	150	Vertical	Pass
6**	16161.188	42.86	-0.46	54.0	-11.14	AV	172.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.200	37.92	-17.43	74.0	-36.08	Peak	180.00	150	Horizontal	Pass
1**	1495.200	28.14	-17.43	54.0	-25.86	AV	180.00	150	Horizontal	Pass
2	4366.500	47.40	-4.13	74.0	-26.60	Peak	169.00	300	Horizontal	Pass
2**	4366.500	38.19	-4.13	54.0	-15.81	AV	169.00	300	Horizontal	Pass
3	5783.000	104.30	-3.17	--	--	Peak	38.00	150	Horizontal	N/A
3**	5783.000	96.37	-3.17	--	--	AV	38.00	150	Horizontal	N/A
4	7460.250	53.13	1.14	74.0	-20.87	Peak	281.00	150	Horizontal	Pass
4**	7460.250	43.72	1.14	54.0	-10.28	AV	281.00	150	Horizontal	Pass
5	12427.000	49.01	-2.50	74.0	-24.99	Peak	182.00	150	Horizontal	Pass
5**	12427.000	39.13	-2.50	54.0	-14.87	AV	182.00	150	Horizontal	Pass
6	15828.076	52.20	-0.74	74.0	-21.80	Peak	360.00	150	Horizontal	Pass
6**	15828.076	41.48	-0.74	54.0	-12.52	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.200	37.57	-17.28	74.0	-36.43	Peak	90.00	150	Vertical	Pass
1**	1449.200	28.08	-17.28	54.0	-25.92	AV	90.00	150	Vertical	Pass
2	4222.000	47.67	-5.43	74.0	-26.33	Peak	171.00	400	Vertical	Pass
2**	4222.000	37.43	-5.43	54.0	-16.57	AV	171.00	400	Vertical	Pass
3	5786.250	97.63	-3.10	--	--	Peak	196.00	150	Vertical	N/A
3**	5786.250	89.41	-3.10	--	--	AV	196.00	150	Vertical	N/A
4	7702.000	52.67	1.80	74.0	-21.33	Peak	187.00	350	Vertical	Pass
4**	7702.000	43.46	1.80	54.0	-10.54	AV	187.00	350	Vertical	Pass
5	11956.987	49.22	-3.64	74.0	-24.78	Peak	118.00	150	Vertical	Pass
5**	11956.987	38.99	-3.64	54.0	-15.01	AV	118.00	150	Vertical	Pass
6	16189.013	51.93	-0.44	74.0	-22.07	Peak	142.00	250	Vertical	Pass
6**	16189.013	42.71	-0.44	54.0	-11.29	AV	142.00	250	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1481.200	37.33	-17.28	74.0	-36.67	Peak	230.00	150	Horizontal	Pass
1**	1481.200	28.22	-17.28	54.0	-25.78	AV	230.00	150	Horizontal	Pass
2	4216.000	47.83	-5.64	74.0	-26.17	Peak	83.00	150	Horizontal	Pass
2**	4216.000	37.31	-5.64	54.0	-16.69	AV	83.00	150	Horizontal	Pass
3	5826.500	104.49	-2.94	--	--	Peak	38.00	150	Horizontal	N/A
3**	5826.500	96.92	-2.94	--	--	AV	38.00	150	Horizontal	N/A
4	7732.750	52.59	-0.22	74.0	-21.41	Peak	222.00	150	Horizontal	Pass
4**	7732.750	42.04	-0.22	54.0	-11.96	AV	222.00	150	Horizontal	Pass
5	11202.213	49.40	-4.06	74.0	-24.60	Peak	219.00	150	Horizontal	Pass
5**	11202.213	39.16	-4.06	54.0	-14.84	AV	219.00	150	Horizontal	Pass
6	16172.474	51.49	-0.45	74.0	-22.51	Peak	231.00	150	Horizontal	Pass
6**	16172.474	42.90	-0.45	54.0	-11.10	AV	231.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.100	37.83	-17.63	74.0	-36.17	Peak	38.00	150	Vertical	Pass
1**	1625.100	28.23	-17.63	54.0	-25.77	AV	38.00	150	Vertical	Pass
2	4360.500	48.06	-4.33	74.0	-25.94	Peak	360.00	100	Vertical	Pass
2**	4360.500	39.10	-4.33	54.0	-14.90	AV	360.00	100	Vertical	Pass
3	5826.250	97.73	-2.97	--	--	Peak	212.00	150	Vertical	N/A
3**	5826.250	90.43	-2.97	--	--	AV	212.00	150	Vertical	N/A
4	7515.750	53.44	0.90	74.0	-20.56	Peak	74.00	200	Vertical	Pass
4**	7515.750	43.75	0.90	54.0	-10.25	AV	74.00	200	Vertical	Pass
5	12444.100	49.80	-2.24	74.0	-24.20	Peak	24.00	150	Vertical	Pass
5**	12444.100	39.92	-2.24	54.0	-14.08	AV	24.00	150	Vertical	Pass
6	16039.388	51.76	-0.11	74.0	-22.24	Peak	25.00	150	Vertical	Pass
6**	16039.388	42.25	-0.11	54.0	-11.75	AV	25.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.200	37.62	-17.50	74.0	-36.38	Peak	276.00	150	Horizontal	Pass
1**	1471.200	28.01	-17.50	54.0	-25.99	AV	276.00	150	Horizontal	Pass
2	4360.000	47.87	-4.27	74.0	-26.13	Peak	206.00	200	Horizontal	Pass
2**	4360.000	38.73	-4.27	54.0	-15.27	AV	206.00	200	Horizontal	Pass
3	5757.750	101.94	-2.50	--	--	Peak	31.00	150	Horizontal	N/A
3**	5757.750	94.40	-2.50	--	--	AV	31.00	150	Horizontal	N/A
4	7529.500	52.63	0.79	74.0	-21.37	Peak	4.00	150	Horizontal	Pass
4**	7529.500	42.58	0.79	54.0	-11.42	AV	4.00	150	Horizontal	Pass
5	12518.200	49.14	-2.35	74.0	-24.86	Peak	254.00	350	Horizontal	Pass
5**	12518.200	39.22	-2.35	54.0	-14.78	AV	254.00	350	Horizontal	Pass
6	16155.675	52.45	-0.46	74.0	-21.55	Peak	303.00	150	Horizontal	Pass
6**	16155.675	43.02	-0.46	54.0	-10.98	AV	303.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	37.60	-17.29	74.0	-36.40	Peak	305.00	150	Vertical	Pass
1**	1499.200	28.47	-17.29	54.0	-25.53	AV	305.00	150	Vertical	Pass
2	4319.000	48.44	-4.59	74.0	-25.56	Peak	360.00	200	Vertical	Pass
2**	4319.000	38.48	-4.59	54.0	-15.52	AV	360.00	200	Vertical	Pass
3	5748.250	94.86	-3.06	--	--	Peak	206.00	150	Vertical	N/A
3**	5748.250	85.09	-3.06	--	--	AV	206.00	150	Vertical	N/A
4	7515.500	53.15	0.88	74.0	-20.85	Peak	119.00	150	Vertical	Pass
4**	7515.500	43.59	0.88	54.0	-10.41	AV	119.00	150	Vertical	Pass
5	12649.300	48.94	-2.30	74.0	-25.06	Peak	13.00	150	Vertical	Pass
5**	12649.300	39.47	-2.30	54.0	-14.53	AV	13.00	150	Vertical	Pass
6	16174.576	51.70	-0.45	74.0	-22.30	Peak	360.00	150	Vertical	Pass
6**	16174.576	42.53	-0.45	54.0	-11.47	AV	360.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1492.300	37.66	-17.41	74.0	-36.34	Peak	34.00	150	Horizontal	Pass
1**	1492.300	28.75	-17.41	54.0	-25.25	AV	34.00	150	Horizontal	Pass
2	4357.000	48.32	-4.21	74.0	-25.68	Peak	222.00	100	Horizontal	Pass
2**	4357.000	38.89	-4.21	54.0	-15.11	AV	222.00	100	Horizontal	Pass
3	5793.500	102.42	-3.30	--	--	Peak	31.00	150	Horizontal	N/A
3**	5793.500	94.80	-3.30	--	--	AV	31.00	150	Horizontal	N/A
4	7465.750	52.56	0.81	74.0	-21.44	Peak	266.00	100	Horizontal	Pass
4**	7465.750	43.18	0.81	54.0	-10.82	AV	266.00	100	Horizontal	Pass
5	12310.625	49.42	-2.52	74.0	-24.58	Peak	71.00	150	Horizontal	Pass
5**	12310.625	40.00	-2.52	54.0	-14.00	AV	71.00	150	Horizontal	Pass
6	15710.474	51.69	-0.12	74.0	-22.31	Peak	186.00	150	Horizontal	Pass
6**	15710.474	43.31	-0.12	54.0	-10.69	AV	186.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.600	37.44	-17.43	74.0	-36.56	Peak	126.00	150	Vertical	Pass
1**	1502.600	28.29	-17.43	54.0	-25.71	AV	126.00	150	Vertical	Pass
2	4368.000	48.26	-4.16	74.0	-25.74	Peak	301.00	150	Vertical	Pass
2**	4368.000	38.80	-4.16	54.0	-15.20	AV	301.00	150	Vertical	Pass
3	5791.750	95.31	-3.30	--	--	Peak	204.00	150	Vertical	N/A
3**	5791.750	87.68	-3.30	--	--	AV	204.00	150	Vertical	N/A
4	7533.750	52.70	0.75	74.0	-21.30	Peak	214.00	150	Vertical	Pass
4**	7533.750	43.15	0.75	54.0	-10.85	AV	214.00	150	Vertical	Pass
5	12686.825	49.96	-2.33	74.0	-24.04	Peak	255.00	150	Vertical	Pass
5**	12686.825	40.25	-2.33	54.0	-13.75	AV	255.00	150	Vertical	Pass
6	16153.838	52.42	-0.47	74.0	-21.58	Peak	265.00	150	Vertical	Pass
6**	16153.838	43.53	-0.47	54.0	-10.47	AV	265.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.000	38.10	-17.41	74.0	-35.90	Peak	305.00	200	Horizontal	Pass
1**	1584.000	28.14	-17.41	54.0	-25.86	AV	305.00	200	Horizontal	Pass
2	4316.250	47.69	-4.60	74.0	-26.31	Peak	172.00	350	Horizontal	Pass
2**	4316.250	38.44	-4.60	54.0	-15.56	AV	172.00	350	Horizontal	Pass
3	5781.000	99.58	-2.99	--	--	Peak	31.00	150	Horizontal	N/A
3**	5781.000	91.24	-2.99	--	--	AV	31.00	150	Horizontal	N/A
4	7460.000	52.92	1.14	74.0	-21.08	Peak	268.00	150	Horizontal	Pass
4**	7460.000	44.35	1.14	54.0	-9.65	AV	268.00	150	Horizontal	Pass
5	12531.500	50.19	-2.26	74.0	-23.81	Peak	0.00	150	Horizontal	Pass
5**	12531.500	40.03	-2.26	54.0	-13.97	AV	0.00	150	Horizontal	Pass
6	16184.287	51.90	-0.45	74.0	-22.10	Peak	185.00	150	Horizontal	Pass
6**	16184.287	43.07	-0.45	54.0	-10.93	AV	185.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.000	37.58	-17.42	74.0	-36.42	Peak	340.00	150	Vertical	Pass
1**	1457.000	28.81	-17.42	54.0	-25.19	AV	340.00	150	Vertical	Pass
2	4362.500	48.03	-4.21	74.0	-25.97	Peak	144.00	200	Vertical	Pass
2**	4362.500	38.62	-4.21	54.0	-15.38	AV	144.00	200	Vertical	Pass
3	5777.750	92.68	-2.66	--	--	Peak	258.00	150	Vertical	N/A
3**	5777.750	84.03	-2.66	--	--	AV	258.00	150	Vertical	N/A
4	7461.750	52.55	1.11	74.0	-21.45	Peak	250.00	150	Vertical	Pass
4**	7461.750	44.17	1.11	54.0	-9.83	AV	250.00	150	Vertical	Pass
5	12437.450	49.57	-2.34	74.0	-24.43	Peak	195.00	150	Vertical	Pass
5**	12437.450	40.06	-2.34	54.0	-13.94	AV	195.00	150	Vertical	Pass
6	16155.938	51.88	-0.46	74.0	-22.12	Peak	291.00	150	Vertical	Pass
6**	16155.938	42.98	-0.46	54.0	-11.02	AV	291.00	150	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.600	37.47	-17.61	74.0	-36.53	Peak	342.00	150	Horizontal	Pass
1**	1579.600	28.17	-17.61	54.0	-25.83	AV	342.00	150	Horizontal	Pass
2	4262.250	49.22	-4.56	74.0	-24.78	Peak	347.00	100	Horizontal	Pass
2**	4262.250	38.49	-4.56	54.0	-15.51	AV	347.00	100	Horizontal	Pass
3	5721.750	107.73	-2.89	--	--	Peak	29.00	150	Horizontal	N/A
3**	5721.750	100.32	-2.89	--	--	AV	29.00	150	Horizontal	N/A
4	7437.500	52.57	0.45	74.0	-21.43	Peak	207.00	150	Horizontal	Pass
4**	7437.500	43.70	0.45	54.0	-10.30	AV	207.00	150	Horizontal	Pass
5	11803.563	50.01	-3.51	74.0	-23.99	Peak	298.00	150	Horizontal	Pass
5**	11803.563	40.43	-3.51	54.0	-13.57	AV	298.00	150	Horizontal	Pass
6	16166.700	52.01	-0.46	74.0	-21.99	Peak	307.00	150	Horizontal	Pass
6**	16166.700	43.25	-0.46	54.0	-10.75	AV	307.00	150	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.300	37.68	-17.69	74.0	-36.32	Peak	303.00	150	Vertical	Pass
1**	1590.300	27.28	-17.69	54.0	-26.72	AV	303.00	150	Vertical	Pass
2	4300.000	47.44	-4.65	74.0	-26.56	Peak	356.00	100	Vertical	Pass
2**	4300.000	38.41	-4.65	54.0	-15.59	AV	356.00	100	Vertical	Pass
3	5718.250	100.19	-2.65	--	--	Peak	206.00	150	Vertical	N/A
3**	5718.250	92.67	-2.65	--	--	AV	206.00	150	Vertical	N/A
4	7511.500	53.12	0.49	74.0	-20.88	Peak	21.00	150	Vertical	Pass
4**	7511.500	44.04	0.49	54.0	-9.96	AV	21.00	150	Vertical	Pass
5	12428.425	49.35	-2.48	74.0	-24.65	Peak	239.00	150	Vertical	Pass
5**	12428.425	40.17	-2.48	54.0	-13.83	AV	239.00	150	Vertical	Pass
6	16180.612	51.77	-0.45	74.0	-22.23	Peak	202.00	150	Vertical	Pass
6**	16180.612	44.39	-0.45	54.0	-9.61	AV	202.00	150	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.000	38.09	-17.51	74.0	-35.91	Peak	99.00	150	Horizontal	Pass
1**	1545.000	28.57	-17.51	54.0	-25.43	AV	99.00	150	Horizontal	Pass
2	4386.500	48.26	-4.04	74.0	-25.74	Peak	302.00	150	Horizontal	Pass
2**	4386.500	38.35	-4.04	54.0	-15.65	AV	302.00	150	Horizontal	Pass
3	5718.750	106.78	-2.66	--	--	Peak	28.00	150	Horizontal	N/A
3**	5718.750	99.34	-2.66	--	--	AV	28.00	150	Horizontal	N/A
4	7516.000	53.82	0.93	74.0	-20.18	Peak	160.00	150	Horizontal	Pass
4**	7516.000	43.81	0.93	54.0	-10.19	AV	160.00	150	Horizontal	Pass
5	11137.138	49.78	-4.45	74.0	-24.22	Peak	0.00	150	Horizontal	Pass
5**	11137.138	39.84	-4.45	54.0	-14.16	AV	0.00	150	Horizontal	Pass
6	16158.825	52.46	-0.46	74.0	-21.54	Peak	83.00	150	Horizontal	Pass
6**	16158.825	43.29	-0.46	54.0	-10.71	AV	83.00	150	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.500	37.41	-17.38	74.0	-36.59	Peak	156.00	350	Vertical	Pass
1**	1511.500	28.38	-17.38	54.0	-25.62	AV	156.00	350	Vertical	Pass
2	4306.500	48.30	-4.17	74.0	-25.70	Peak	75.00	150	Vertical	Pass
2**	4306.500	39.92	-4.17	54.0	-14.08	AV	75.00	150	Vertical	Pass
3	5721.750	99.03	-2.89	--	--	Peak	199.00	150	Vertical	N/A
3**	5721.750	91.75	-2.89	--	--	AV	199.00	150	Vertical	N/A
4	7510.250	53.14	0.54	74.0	-20.86	Peak	155.00	150	Vertical	Pass
4**	7510.250	44.42	0.54	54.0	-9.58	AV	155.00	150	Vertical	Pass
5	12437.925	50.31	-2.34	74.0	-23.69	Peak	325.00	150	Vertical	Pass
5**	12437.925	40.76	-2.34	54.0	-13.24	AV	325.00	150	Vertical	Pass
6	16178.250	52.50	-0.45	74.0	-21.50	Peak	185.00	150	Vertical	Pass
6**	16178.250	43.63	-0.45	54.0	-10.37	AV	185.00	150	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.600	38.29	-17.38	74.0	-35.71	Peak	122.00	150	Horizontal	Pass
1**	1511.600	28.34	-17.38	54.0	-25.66	AV	122.00	150	Horizontal	Pass
2	4373.000	48.36	-4.24	74.0	-25.64	Peak	55.00	200	Horizontal	Pass
2**	4373.000	38.87	-4.24	54.0	-15.13	AV	55.00	200	Horizontal	Pass
3	5721.250	107.29	-2.82	--	--	Peak	29.00	150	Horizontal	N/A
3**	5721.250	100.11	-2.82	--	--	AV	29.00	150	Horizontal	N/A
4	7517.750	53.02	0.90	74.0	-20.98	Peak	0.00	150	Horizontal	Pass
4**	7517.750	43.75	0.90	54.0	-10.25	AV	0.00	150	Horizontal	Pass
5	10698.000	50.26	-4.79	74.0	-23.74	Peak	7.00	150	Horizontal	Pass
5**	10698.000	40.31	-4.79	54.0	-13.69	AV	7.00	150	Horizontal	Pass
6	16170.375	51.49	-0.46	74.0	-22.51	Peak	158.00	150	Horizontal	Pass
6**	16170.375	42.96	-0.46	54.0	-11.04	AV	158.00	150	Horizontal	Pass

11a20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	38.14	-17.31	74.0	-35.86	Peak	219.00	150	Vertical	Pass
1**	1497.100	28.70	-17.31	54.0	-25.30	AV	219.00	150	Vertical	Pass
2	4357.750	47.50	-4.16	74.0	-26.50	Peak	155.00	200	Vertical	Pass
2**	4357.750	39.68	-4.16	54.0	-14.32	AV	155.00	200	Vertical	Pass
3	5719.000	99.26	-2.67	--	--	Peak	207.00	150	Vertical	N/A
3**	5719.000	92.60	-2.67	--	--	AV	207.00	150	Vertical	N/A
4	7569.750	52.91	-0.15	74.0	-21.09	Peak	260.00	150	Vertical	Pass
4**	7569.750	43.26	-0.15	54.0	-10.74	AV	260.00	150	Vertical	Pass
5	12450.750	49.41	-2.16	74.0	-24.59	Peak	8.00	150	Vertical	Pass
5**	12450.750	39.94	-2.16	54.0	-14.06	AV	8.00	150	Vertical	Pass
6	16126.276	51.95	-0.71	74.0	-22.05	Peak	68.00	150	Vertical	Pass
6**	16126.276	42.35	-0.71	54.0	-11.65	AV	68.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)


Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Low	Pass	
	High	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass

Test Band	Mode	Channel	Verdict
U-NII-2C & U-NII-3	802.11a	144	Pass
	802.11n(HT20)	144	Pass
	802.11ac(VHT20)	144	Pass


Test Data and Plots

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	64.54	3.92	74.0	-9.46	Peak	144.00	150	Horizontal	Pass
1**	5148.700	50.16	3.92	54.0	-3.84	AV	144.00	150	Horizontal	Pass
2	5149.675	63.74	3.94	74.0	-10.26	Peak	90.00	150	Horizontal	Pass
2**	5149.675	50.31	3.94	54.0	-3.69	AV	90.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.46	3.96	74.0	-16.54	Peak	3.00	150	Horizontal	Pass
1**	5350.000	47.39	3.96	54.0	-6.61	AV	3.00	150	Horizontal	Pass
2	5409.400	60.16	3.94	74.0	-13.84	Peak	209.00	200	Horizontal	Pass
2**	5409.400	46.85	3.94	54.0	-7.15	AV	209.00	200	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	65.80	3.93	74.0	-8.20	Peak	141.00	200	Horizontal	Pass
1**	5149.350	49.87	3.93	54.0	-4.13	AV	141.00	200	Horizontal	Pass
2	5149.675	65.32	3.94	74.0	-8.68	Peak	143.00	150	Horizontal	Pass
2**	5149.675	50.70	3.94	54.0	-3.30	AV	143.00	150	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.19	3.96	74.0	-15.81	Peak	212.00	200	Horizontal	Pass
1**	5350.000	47.32	3.96	54.0	-6.68	AV	212.00	200	Horizontal	Pass
2	5444.600	59.48	4.90	74.0	-14.52	Peak	63.00	200	Horizontal	Pass
2**	5444.600	47.68	4.90	54.0	-6.32	AV	63.00	200	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	67.97	3.94	74.0	-6.03	Peak	17.00	200	Horizontal	Pass
1**	5149.675	50.73	3.94	54.0	-3.27	AV	17.00	200	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.11	3.96	74.0	-15.89	Peak	41.00	150	Horizontal	Pass
1**	5350.000	47.33	3.96	54.0	-6.67	AV	41.00	150	Horizontal	Pass
2	5442.767	59.89	4.97	74.0	-14.11	Peak	63.00	100	Horizontal	Pass
2**	5442.767	47.61	4.97	54.0	-6.39	AV	63.00	100	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	66.49	3.93	74.0	-7.51	Peak	20.00	200	Horizontal	Pass
1**	5149.350	50.86	3.93	54.0	-3.14	AV	20.00	200	Horizontal	Pass
2	5150.000	65.92	3.94	74.0	-8.08	Peak	182.93	150	Horizontal	Pass
2**	5150.000	50.83	3.94	54.0	-3.17	AV	182.93	150	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.85	3.96	74.0	-16.15	Peak	313.00	150	Horizontal	Pass
1**	5350.000	47.41	3.96	54.0	-6.59	AV	313.00	150	Horizontal	Pass
2	5443.500	59.62	4.97	74.0	-14.38	Peak	73.00	100	Horizontal	Pass
2**	5443.500	47.61	4.97	54.0	-6.39	AV	73.00	100	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.700	66.80	3.92	74.0	-7.20	Peak	186.00	200	Horizontal	Pass
1**	5148.700	50.28	3.92	54.0	-3.72	AV	186.00	200	Horizontal	Pass
2	5149.675	63.92	3.94	74.0	-10.08	Peak	5.00	150	Horizontal	Pass
2**	5149.675	50.79	3.94	54.0	-3.21	AV	5.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.49	3.96	74.0	-15.51	Peak	105.00	100	Horizontal	Pass
1**	5350.000	47.41	3.96	54.0	-6.59	AV	105.00	100	Horizontal	Pass
2	5440.567	59.55	4.94	74.0	-14.45	Peak	113.00	200	Horizontal	Pass
2**	5440.567	47.63	4.94	54.0	-6.37	AV	113.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.975	63.17	4.07	74.0	-10.83	Peak	0.00	150	Horizontal	Pass
1**	5124.975	49.02	4.07	54.0	-4.98	AV	0.00	150	Horizontal	Pass
2	5149.675	62.50	3.94	74.0	-11.50	Peak	186.00	100	Horizontal	Pass
2**	5149.675	50.91	3.94	54.0	-3.09	AV	186.00	100	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.77	3.96	74.0	-15.23	Peak	0.00	200	Horizontal	Pass
1**	5350.000	47.41	3.96	54.0	-6.59	AV	0.00	200	Horizontal	Pass
2	5351.283	59.17	3.94	74.0	-14.83	Peak	5.00	100	Horizontal	Pass
2**	5351.283	47.35	3.94	54.0	-6.65	AV	5.00	100	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.600	58.48	3.51	74.0	-15.52	Peak	42.00	100	Horizontal	Pass
1**	5139.600	46.94	3.51	54.0	-7.06	AV	42.00	100	Horizontal	Pass
2	5149.675	58.45	3.94	74.0	-15.55	Peak	10.00	100	Horizontal	Pass
2**	5149.675	47.61	3.94	54.0	-6.39	AV	10.00	100	Horizontal	Pass

U-NII-2A 11a CH64



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.60	3.96	74.0	-7.40	Peak	120.00	200	Horizontal	Pass
1**	5350.000	50.50	3.96	54.0	-3.50	AV	120.00	200	Horizontal	Pass
2	5350.550	66.32	3.95	74.0	-7.68	Peak	159.00	150	Horizontal	Pass
2**	5350.550	50.13	3.95	54.0	-3.87	AV	159.00	150	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.950	58.67	4.07	74.0	-15.33	Peak	128.00	200	Horizontal	Pass
1**	5125.950	47.35	4.07	54.0	-6.65	AV	128.00	200	Horizontal	Pass
2	5149.675	57.27	3.94	74.0	-16.73	Peak	145.00	150	Horizontal	Pass
2**	5149.675	47.28	3.94	54.0	-6.72	AV	145.00	150	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.03	3.96	74.0	-11.97	Peak	321.00	150	Horizontal	Pass
1**	5350.000	49.45	3.96	54.0	-4.55	AV	321.00	150	Horizontal	Pass
2	5350.367	63.57	3.96	74.0	-10.43	Peak	167.00	200	Horizontal	Pass
2**	5350.367	48.77	3.96	54.0	-5.23	AV	167.00	200	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.225	58.42	4.12	74.0	-15.58	Peak	109.00	150	Horizontal	Pass
1**	5102.225	46.98	4.12	54.0	-7.02	AV	109.00	150	Horizontal	Pass
2	5149.675	57.74	3.94	74.0	-16.26	Peak	271.00	200	Horizontal	Pass
2**	5149.675	47.44	3.94	54.0	-6.56	AV	271.00	200	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.13	3.96	74.0	-8.87	Peak	16.00	150	Horizontal	Pass
1**	5350.000	50.87	3.96	54.0	-3.13	AV	16.00	150	Horizontal	Pass
2	5351.283	65.73	3.94	74.0	-8.27	Peak	0.00	200	Horizontal	Pass
2**	5351.283	49.73	3.94	54.0	-4.27	AV	0.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5092.150	58.41	4.22	74.0	-15.59	Peak	108.00	150	Horizontal	Pass
1**	5092.150	47.42	4.22	54.0	-6.58	AV	108.00	150	Horizontal	Pass
2	5149.675	56.79	3.94	74.0	-17.21	Peak	300.00	200	Horizontal	Pass
2**	5149.675	47.54	3.94	54.0	-6.46	AV	300.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.26	3.96	74.0	-10.74	Peak	30.00	150	Horizontal	Pass
1**	5350.000	49.91	3.96	54.0	-4.09	AV	30.00	150	Horizontal	Pass
2	5350.367	66.17	3.96	74.0	-7.83	Peak	360.00	150	Horizontal	Pass
2**	5350.367	49.40	3.96	54.0	-4.60	AV	360.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5119.775	58.78	4.00	74.0	-15.22	Peak	164.00	150	Horizontal	Pass
1**	5119.775	46.99	4.00	54.0	-7.01	AV	164.00	150	Horizontal	Pass
2	5149.675	57.95	3.94	74.0	-16.05	Peak	137.00	150	Horizontal	Pass
2**	5149.675	47.56	3.94	54.0	-6.44	AV	137.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.53	3.96	74.0	-8.47	Peak	5.00	150	Horizontal	Pass
1**	5350.000	50.82	3.96	54.0	-3.18	AV	5.00	150	Horizontal	Pass
2	5350.367	67.58	3.96	74.0	-6.42	Peak	27.00	150	Horizontal	Pass
2**	5350.367	50.64	3.96	54.0	-3.36	AV	27.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	59.32	3.89	74.0	-14.68	Peak	137.00	100	Horizontal	Pass
1**	5146.750	47.87	3.89	54.0	-6.13	AV	137.00	100	Horizontal	Pass
2	5149.675	56.92	3.94	74.0	-17.08	Peak	64.00	200	Horizontal	Pass
2**	5149.675	48.12	3.94	54.0	-5.88	AV	64.00	200	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.60	3.96	74.0	-10.40	Peak	157.00	200	Horizontal	Pass
1**	5350.000	50.58	3.96	54.0	-3.42	AV	157.00	200	Horizontal	Pass
2	5360.450	68.25	3.72	74.0	-5.75	Peak	1.00	200	Horizontal	Pass
2**	5360.450	49.97	3.72	54.0	-4.03	AV	1.00	200	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5427.800	59.60	4.34	74.0	-14.40	Peak	157.00	100	Horizontal	Pass
1**	5427.800	47.25	4.34	54.0	-6.75	AV	157.00	100	Horizontal	Pass
2	5460.000	57.38	4.23	74.0	-16.62	Peak	142.00	150	Horizontal	Pass
2**	5460.000	47.13	4.23	54.0	-6.87	AV	142.00	150	Horizontal	Pass
3	5468.000	64.59	3.93	68.2	-3.61	Peak	3.00	100	Horizontal	Pass
3**	5468.000	47.84	3.93	--	--	AV	3.00	100	Horizontal	N/A
4	5469.800	61.90	3.78	68.2	-6.30	Peak	153.00	150	Horizontal	Pass
4**	5469.800	48.11	3.78	--	--	AV	153.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.73	4.45	68.2	-6.47	Peak	16.00	100	Horizontal	Pass
2	5726.875	64.58	4.30	68.2	-3.62	Peak	185.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.600	61.00	4.37	74.0	-13.00	Peak	35.00	150	Horizontal	Pass
1**	5458.600	47.31	4.37	54.0	-6.69	AV	35.00	150	Horizontal	Pass
2	5460.000	59.98	4.23	74.0	-14.02	Peak	22.00	100	Horizontal	Pass
2**	5460.000	46.97	4.23	54.0	-7.03	AV	22.00	100	Horizontal	Pass
3	5468.200	64.30	3.91	68.2	-3.90	Peak	28.00	200	Horizontal	Pass
3**	5468.200	48.02	3.91	--	--	AV	28.00	200	Horizontal	N/A
4	5469.800	63.73	3.78	68.2	-4.47	Peak	25.00	150	Horizontal	Pass
4**	5469.800	48.19	3.78	--	--	AV	25.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.22	4.45	68.2	-4.98	Peak	10.00	150	Horizontal	Pass
2	5727.084	64.26	4.27	68.2	-3.94	Peak	169.00	150	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5449.800	59.46	4.57	74.0	-14.54	Peak	20.00	150	Horizontal	Pass
1**	5449.800	47.20	4.57	54.0	-6.80	AV	20.00	150	Horizontal	Pass
2	5460.000	57.05	4.23	74.0	-16.95	Peak	109.00	200	Horizontal	Pass
2**	5460.000	46.71	4.23	54.0	-7.29	AV	109.00	200	Horizontal	Pass
3	5469.600	64.26	3.80	68.2	-3.94	Peak	20.00	100	Horizontal	Pass
3**	5469.600	47.17	3.80	--	--	AV	20.00	100	Horizontal	N/A
4	5469.800	64.14	3.78	68.2	-4.06	Peak	23.00	150	Horizontal	Pass
4**	5469.800	47.14	3.78	--	--	AV	23.00	150	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.92	4.45	68.2	-6.28	Peak	5.00	100	Horizontal	Pass
2	5725.209	64.88	4.43	68.2	-3.32	Peak	9.00	150	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.600	60.47	4.50	74.0	-13.53	Peak	118.00	200	Horizontal	Pass
1**	5457.600	47.43	4.50	54.0	-6.57	AV	118.00	200	Horizontal	Pass
2	5460.000	60.16	4.23	74.0	-13.84	Peak	15.00	150	Horizontal	Pass
2**	5460.000	47.21	4.23	54.0	-6.79	AV	15.00	150	Horizontal	Pass
3	5466.200	64.49	3.99	68.2	-3.71	Peak	162.00	100	Horizontal	Pass
3**	5466.200	47.81	3.99	--	--	AV	162.00	100	Horizontal	N/A
4	5469.800	62.91	3.78	68.2	-5.29	Peak	17.00	150	Horizontal	Pass
4**	5469.800	48.52	3.78	--	--	AV	17.00	150	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.12	4.45	68.2	-4.08	Peak	0.00	200	Horizontal	Pass
2	5730.833	64.00	4.25	68.2	-4.20	Peak	6.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.800	59.79	4.52	74.0	-14.21	Peak	196.00	100	Horizontal	Pass
1**	5451.800	47.03	4.52	54.0	-6.97	AV	196.00	100	Horizontal	Pass
2	5460.000	57.62	4.23	74.0	-16.38	Peak	3.00	100	Horizontal	Pass
2**	5460.000	46.85	4.23	54.0	-7.15	AV	3.00	100	Horizontal	Pass
3	5468.800	64.70	3.86	68.2	-3.50	Peak	148.00	100	Horizontal	Pass
3**	5468.800	47.40	3.86	--	--	AV	148.00	100	Horizontal	N/A
4	5469.800	60.34	3.78	68.2	-7.86	Peak	356.00	150	Horizontal	Pass
4**	5469.800	47.52	3.78	--	--	AV	356.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.72	4.45	68.2	-8.48	Peak	11.00	100	Horizontal	Pass
2	5734.167	63.42	4.06	68.2	-4.78	Peak	6.00	100	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.400	63.53	4.53	74.0	-10.47	Peak	38.00	100	Horizontal	Pass
1**	5457.400	49.49	4.53	54.0	-4.51	AV	38.00	100	Horizontal	Pass
2	5460.000	62.41	4.23	74.0	-11.59	Peak	141.00	200	Horizontal	Pass
2**	5460.000	48.80	4.23	54.0	-5.20	AV	141.00	200	Horizontal	Pass
3	5469.000	63.29	3.85	68.2	-4.91	Peak	130.00	200	Horizontal	Pass
3**	5469.000	48.83	3.85	--	--	AV	130.00	200	Horizontal	N/A
4	5469.800	61.32	3.78	68.2	-6.88	Peak	35.00	150	Horizontal	Pass
4**	5469.800	49.04	3.78	--	--	AV	35.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.71	4.45	68.2	-9.49	Peak	10.00	150	Horizontal	Pass
2	5726.042	61.17	4.36	68.2	-7.03	Peak	17.00	200	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.041	58.96	5.32	68.2	-9.24	Peak	13.00	200	Horizontal	Pass
2	5650.000	57.60	4.91	68.2	-10.60	Peak	116.00	200	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	56.57	4.24	68.4	-11.83	Peak	360.00	100	Horizontal	Pass
2	5940.000	58.54	4.59	68.2	-9.66	Peak	354.00	150	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.750	59.38	4.89	68.2	-8.82	Peak	113.00	150	Horizontal	Pass
2	5650.000	58.01	4.91	68.2	-10.19	Peak	113.00	100	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.09	4.24	68.4	-10.31	Peak	119.00	100	Horizontal	Pass
2	5940.000	59.56	4.59	68.2	-8.64	Peak	112.00	150	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.625	59.52	5.53	68.2	-8.68	Peak	20.00	200	Horizontal	Pass
2	5650.000	57.82	4.91	68.2	-10.38	Peak	180.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	56.68	4.24	68.4	-11.72	Peak	150.00	150	Horizontal	Pass
2	5925.500	59.03	4.28	68.2	-9.17	Peak	167.00	150	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.667	59.68	5.06	68.2	-8.52	Peak	329.00	100	Horizontal	Pass
2	5650.000	57.45	4.91	68.2	-10.75	Peak	310.00	150	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.03	4.24	68.4	-11.37	Peak	50.00	100	Horizontal	Pass
2	5938.750	59.84	4.54	68.2	-8.36	Peak	317.00	200	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.625	59.82	5.53	68.2	-8.38	Peak	283.00	150	Horizontal	Pass
2	5650.000	57.88	4.91	68.2	-10.32	Peak	336.00	200	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	56.13	4.24	68.4	-12.27	Peak	221.00	100	Horizontal	Pass
2	5939.500	58.97	4.54	68.2	-9.23	Peak	52.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.750	59.50	5.38	68.2	-8.70	Peak	185.00	100	Horizontal	Pass
2	5650.000	58.37	4.91	68.2	-9.83	Peak	202.00	100	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.54	4.24	68.4	-10.86	Peak	13.00	200	Horizontal	Pass
2	5939.750	58.91	4.57	68.2	-9.29	Peak	82.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5433.600	59.23	4.77	74.0	-14.77	Peak	187.00	100	Horizontal	Pass
1**	5433.600	47.32	4.77	54.0	-6.68	AV	187.00	100	Horizontal	Pass
2	5460.000	57.44	4.23	74.0	-16.56	Peak	313.00	100	Horizontal	Pass
2**	5460.000	46.33	4.23	54.0	-7.67	AV	313.00	100	Horizontal	Pass
3	5469.600	58.40	3.80	68.2	-9.80	Peak	155.00	150	Horizontal	Pass
3**	5469.600	46.01	3.80	--	--	AV	155.00	150	Horizontal	N/A
4	5469.800	56.17	3.78	68.2	-12.03	Peak	139.00	200	Horizontal	Pass
4**	5469.800	45.99	3.78	--	--	AV	139.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	56.53	4.24	68.4	-11.87	Peak	341.00	100	Horizontal	Pass
2	5939.500	59.54	4.54	68.2	-8.66	Peak	251.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5423.800	59.16	4.13	74.0	-14.84	Peak	111.00	200	Horizontal	Pass
1**	5423.800	46.47	4.13	54.0	-7.53	AV	111.00	200	Horizontal	Pass
2	5460.000	56.46	4.23	74.0	-17.54	Peak	228.00	100	Horizontal	Pass
2**	5460.000	46.32	4.23	54.0	-7.68	AV	228.00	100	Horizontal	Pass
3	5460.200	57.67	4.21	68.2	-10.53	Peak	160.00	200	Horizontal	Pass
3**	5460.200	46.32	4.21	--	--	AV	160.00	200	Horizontal	N/A
4	5469.800	55.94	3.78	68.2	-12.26	Peak	332.00	200	Horizontal	Pass
4**	5469.800	45.93	3.78	--	--	AV	332.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	56.51	4.24	68.4	-11.89	Peak	15.00	100	Horizontal	Pass
2	5939.250	58.58	4.54	68.2	-9.62	Peak	30.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 CH144



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5447.000	59.23	4.52	74.0	-14.77	Peak	125.00	150	Horizontal	Pass
1**	5447.000	46.99	4.52	54.0	-7.01	AV	125.00	150	Horizontal	Pass
2	5460.000	56.63	4.23	74.0	-17.37	Peak	37.00	150	Horizontal	Pass
2**	5460.000	46.28	4.23	54.0	-7.72	AV	37.00	150	Horizontal	Pass
3	5464.200	58.65	4.17	68.2	-9.55	Peak	107.00	200	Horizontal	Pass
3**	5464.200	46.29	4.17	--	--	AV	107.00	200	Horizontal	N/A
4	5469.800	56.66	3.78	68.2	-11.54	Peak	42.00	150	Horizontal	Pass
4**	5469.800	46.03	3.78	--	--	AV	42.00	150	Horizontal	N/A

U-NII-2C&U-NII-3, 11ac20 CH144



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	56.87	4.24	68.4	-11.53	Peak	267.00	150	Horizontal	Pass
2	5940.000	59.31	4.59	68.2	-8.89	Peak	25.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2260422-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2260422-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2260422-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--