

A.5 Spurious Emission at Antenna Terminals

1. LTE_Band48


1.1. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.16	-40	23.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-40	32.09	Pass	2986
30	1000	0.1	RMS	840	-63.43	-40	23.43	Pass	9701
1000	3000	1	RMS	2958	-48.66	-40	8.66	Pass	2001
3000	3500	1	RMS	3287	-46.4	-40	6.4	Pass	501
3500	3750	1	RMS	3550	21.06	60	38.94	Pass	401
3750	6500	1	RMS	6449	-49.68	-40	9.68	Pass	2751
6500	26500	1	RMS	25997	-50.31	-40	10.31	Pass	20003




1.2. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:2, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.09	-40	24.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-40	31.98	Pass	2986
30	1000	0.1	RMS	842.6	-63.23	-40	23.23	Pass	9701
1000	3000	1	RMS	2955	-48.65	-40	8.65	Pass	2001
3000	3500	1	RMS	3285	-46.39	-40	6.39	Pass	501
3500	3750	1	RMS	3550	20.74	60	39.26	Pass	401
3750	6500	1	RMS	6317	-49.71	-40	9.71	Pass	2751
6500	26500	1	RMS	26007	-50.31	-40	10.31	Pass	20003




1.3. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.86	-40	22.86	Pass	401
0.15	30	0.01	RMS	0.2	-71.2	-40	31.2	Pass	2986
30	1000	0.1	RMS	849.3	-63.42	-40	23.42	Pass	9701
1000	3000	1	RMS	2955	-48.68	-40	8.68	Pass	2001
3000	3500	1	RMS	3315	-46.31	-40	6.31	Pass	501
3500	3750	1	RMS	3622.5	21.34	60	38.66	Pass	401
3750	6500	1	RMS	6417	-49.67	-40	9.67	Pass	2751
6500	26500	1	RMS	25995	-50.21	-40	10.21	Pass	20003




1.4. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:4, Channel:55990, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.05	-40	24.05	Pass	401
0.15	30	0.01	RMS	0.19	-70.81	-40	30.81	Pass	2986
30	1000	0.1	RMS	849.6	-63.25	-40	23.25	Pass	9701
1000	3000	1	RMS	2954	-48.65	-40	8.65	Pass	2001
3000	3500	1	RMS	3315	-46.4	-40	6.4	Pass	501
3500	3750	1	RMS	3622.5	20.81	60	39.19	Pass	401
3750	6500	1	RMS	6336	-49.67	-40	9.67	Pass	2751
6500	26500	1	RMS	25998	-50.25	-40	10.25	Pass	20003




1.5. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.96	-40	23.96	Pass	401
0.15	30	0.01	RMS	0.26	-72.16	-40	32.16	Pass	2986
30	1000	0.1	RMS	844	-63.33	-40	23.33	Pass	9701
1000	3000	1	RMS	2945	-48.67	-40	8.67	Pass	2001
3000	3500	1	RMS	3289	-46.41	-40	6.41	Pass	501
3500	3750	1	RMS	3695	21.55	60	38.45	Pass	401
3750	6500	1	RMS	6425	-49.67	-40	9.67	Pass	2751
6500	26500	1	RMS	26005	-50.34	-40	10.34	Pass	20003




1.6. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:6, Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.14	-40	23.14	Pass	401
0.15	30	0.01	RMS	0.18	-72	-40	32	Pass	2986
30	1000	0.1	RMS	860.608	-63.18	-40	23.18	Pass	9701
1000	3000	1	RMS	2955	-48.65	-40	8.65	Pass	2001
3000	3500	1	RMS	3283	-46.42	-40	6.42	Pass	501
3500	3750	1	RMS	3695	20.69	60	39.31	Pass	401
3750	6500	1	RMS	6371	-49.69	-40	9.69	Pass	2751
6500	26500	1	RMS	26001	-50.3	-40	10.3	Pass	20003




1.7. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:7, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.59	-40	23.59	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-40	32.54	Pass	2986
30	1000	0.1	RMS	853.703	-62.91	-40	22.91	Pass	9701
1000	3000	1	RMS	2958	-48.62	-40	8.62	Pass	2001
3000	3500	1	RMS	3288	-46.4	-40	6.4	Pass	501
3500	3750	1	RMS	3550	21.78	60	38.22	Pass	401
3750	6500	1	RMS	6479	-49.66	-40	9.66	Pass	2751
6500	26500	1	RMS	25995	-50.25	-40	10.25	Pass	20003




1.8. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:8, Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.35	-40	24.35	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-40	31.79	Pass	2986
30	1000	0.1	RMS	852.302	-63.44	-40	23.44	Pass	9701
1000	3000	1	RMS	2954	-48.62	-40	8.62	Pass	2001
3000	3500	1	RMS	3291	-46.41	-40	6.41	Pass	501
3500	3750	1	RMS	3550	20.93	60	39.07	Pass	401
3750	6500	1	RMS	6438	-49.66	-40	9.66	Pass	2751
6500	26500	1	RMS	25998	-50.28	-40	10.28	Pass	20003




1.9. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.73	-40	23.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-40	32.03	Pass	2986
30	1000	0.1	RMS	854.404	-63.4	-40	23.4	Pass	9701
1000	3000	1	RMS	2949	-48.67	-40	8.67	Pass	2001
3000	3500	1	RMS	3279	-46.4	-40	6.4	Pass	501
3500	3750	1	RMS	3620	21.72	60	38.28	Pass	401
3750	6500	1	RMS	6398	-49.69	-40	9.69	Pass	2751
6500	26500	1	RMS	26001	-50.14	-40	10.14	Pass	20003




1.10. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:10, Channel:55990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.15	-40	24.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-40	31.11	Pass	2986
30	1000	0.1	RMS	859.507	-63.24	-40	23.24	Pass	9701
1000	3000	1	RMS	2957	-48.59	-40	8.59	Pass	2001
3000	3500	1	RMS	3282	-46.42	-40	6.42	Pass	501
3500	3750	1	RMS	3620	21.2	60	38.8	Pass	401
3750	6500	1	RMS	6410	-49.7	-40	9.7	Pass	2751
6500	26500	1	RMS	26011	-50.29	-40	10.29	Pass	20003




1.11. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.1	-40	24.1	Pass	401
0.15	30	0.01	RMS	0.16	-72	-40	32	Pass	2986
30	1000	0.1	RMS	871.115	-63.26	-40	23.26	Pass	9701
1000	3000	1	RMS	2955	-48.65	-40	8.65	Pass	2001
3000	3500	1	RMS	3286	-46.4	-40	6.4	Pass	501
3500	3750	1	RMS	3690	21.69	60	38.31	Pass	401
3750	6500	1	RMS	6458	-49.67	-40	9.67	Pass	2751
6500	26500	1	RMS	25984	-50.2	-40	10.2	Pass	20003




1.12. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:12, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.41	-40	23.41	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-40	32.14	Pass	2986
30	1000	0.1	RMS	943.262	-63.33	-40	23.33	Pass	9701
1000	3000	1	RMS	2953	-48.64	-40	8.64	Pass	2001
3000	3500	1	RMS	3283	-46.41	-40	6.41	Pass	501
3500	3750	1	RMS	3690	20.92	60	39.08	Pass	401
3750	6500	1	RMS	6410	-49.67	-40	9.67	Pass	2751
6500	26500	1	RMS	25999	-50.16	-40	10.16	Pass	20003




1.13. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.45	-40	24.45	Pass	401
0.15	30	0.01	RMS	0.19	-72.32	-40	32.32	Pass	2986
30	1000	0.1	RMS	822.1	-63.33	-40	23.33	Pass	9701
1000	3000	1	RMS	2961	-48.65	-40	8.65	Pass	2001
3000	3500	1	RMS	3286	-46.38	-40	6.38	Pass	501
3500	3750	1	RMS	3550.625	20.55	60	39.45	Pass	401
3750	6500	1	RMS	6391	-49.69	-40	9.69	Pass	2751
6500	26500	1	RMS	25986	-50.24	-40	10.24	Pass	20003




1.14. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:14, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.85	-40	23.85	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-40	31.64	Pass	2986
30	1000	0.1	RMS	852.202	-63.29	-40	23.29	Pass	9701
1000	3000	1	RMS	2947	-48.63	-40	8.63	Pass	2001
3000	3500	1	RMS	3287	-46.39	-40	6.39	Pass	501
3500	3750	1	RMS	3550	19.79	60	40.21	Pass	401
3750	6500	1	RMS	6351	-49.62	-40	9.62	Pass	2751
6500	26500	1	RMS	25987	-50.3	-40	10.3	Pass	20003




1.15. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.14	-40	24.14	Pass	401
0.15	30	0.01	RMS	0.19	-72.09	-40	32.09	Pass	2986
30	1000	0.1	RMS	847.5	-63.2	-40	23.2	Pass	9701
1000	3000	1	RMS	2948	-48.63	-40	8.63	Pass	2001
3000	3500	1	RMS	3286	-46.38	-40	6.38	Pass	501
3500	3750	1	RMS	3618.125	20.6	60	39.4	Pass	401
3750	6500	1	RMS	6455	-49.66	-40	9.66	Pass	2751
6500	26500	1	RMS	25999	-50.16	-40	10.16	Pass	20003




1.16. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:16, Channel:55990, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.5	-40	23.5	Pass	401
0.15	30	0.01	RMS	0.2	-71.81	-40	31.81	Pass	2986
30	1000	0.1	RMS	841.7	-63.2	-40	23.2	Pass	9701
1000	3000	1	RMS	2946	-48.63	-40	8.63	Pass	2001
3000	3500	1	RMS	3288	-46.42	-40	6.42	Pass	501
3500	3750	1	RMS	3618.125	19.99	60	40.01	Pass	401
3750	6500	1	RMS	6417	-49.59	-40	9.59	Pass	2751
6500	26500	1	RMS	26001	-50.22	-40	10.22	Pass	20003




1.17. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.54	-40	23.54	Pass	401
0.15	30	0.01	RMS	0.18	-71.61	-40	31.61	Pass	2986
30	1000	0.1	RMS	854.404	-63.29	-40	23.29	Pass	9701
1000	3000	1	RMS	2959	-48.66	-40	8.66	Pass	2001
3000	3500	1	RMS	3292	-46.4	-40	6.4	Pass	501
3500	3750	1	RMS	3685.625	20.53	60	39.47	Pass	401
3750	6500	1	RMS	6358	-49.65	-40	9.65	Pass	2751
6500	26500	1	RMS	25992	-50.19	-40	10.19	Pass	20003




1.18. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:18, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.11	-40	24.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-40	31.96	Pass	2986
30	1000	0.1	RMS	856.705	-63.4	-40	23.4	Pass	9701
1000	3000	1	RMS	2950	-48.62	-40	8.62	Pass	2001
3000	3500	1	RMS	3286	-46.39	-40	6.39	Pass	501
3500	3750	1	RMS	3685.625	20.01	60	39.99	Pass	401
3750	6500	1	RMS	6401	-49.69	-40	9.69	Pass	2751
6500	26500	1	RMS	26003	-50.31	-40	10.31	Pass	20003




1.19. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.15	-40	23.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-40	32.06	Pass	2986
30	1000	0.1	RMS	849.7	-63.41	-40	23.41	Pass	9701
1000	3000	1	RMS	2945	-48.65	-40	8.65	Pass	2001
3000	3500	1	RMS	3284	-46.35	-40	6.35	Pass	501
3500	3750	1	RMS	3550.625	21.33	60	38.67	Pass	401
3750	6500	1	RMS	6361	-49.62	-40	9.62	Pass	2751
6500	26500	1	RMS	26001	-50.25	-40	10.25	Pass	20003




1.20. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:20, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.92	-40	22.92	Pass	401
0.15	30	0.01	RMS	0.22	-72.11	-40	32.11	Pass	2986
30	1000	0.1	RMS	880.321	-63.38	-40	23.38	Pass	9701
1000	3000	1	RMS	2949	-48.62	-40	8.62	Pass	2001
3000	3500	1	RMS	3285	-46.4	-40	6.4	Pass	501
3500	3750	1	RMS	3550.625	20.81	60	39.19	Pass	401
3750	6500	1	RMS	6401	-49.66	-40	9.66	Pass	2751
6500	26500	1	RMS	25997	-50.23	-40	10.23	Pass	20003




1.21. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.49	-40	23.49	Pass	401
0.15	30	0.01	RMS	0.2	-72.18	-40	32.18	Pass	2986
30	1000	0.1	RMS	851.902	-63.23	-40	23.23	Pass	9701
1000	3000	1	RMS	2956	-48.62	-40	8.62	Pass	2001
3000	3500	1	RMS	3279	-46.38	-40	6.38	Pass	501
3500	3750	1	RMS	3615.625	21.45	60	38.55	Pass	401
3750	6500	1	RMS	6438	-49.65	-40	9.65	Pass	2751
6500	26500	1	RMS	26001	-50.23	-40	10.23	Pass	20003




1.22. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:22, Channel:55990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.73	-40	22.73	Pass	401
0.15	30	0.01	RMS	0.21	-71.94	-40	31.94	Pass	2986
30	1000	0.1	RMS	858.906	-63.39	-40	23.39	Pass	9701
1000	3000	1	RMS	2955	-48.67	-40	8.67	Pass	2001
3000	3500	1	RMS	3281	-46.41	-40	6.41	Pass	501
3500	3750	1	RMS	3615.625	20.82	60	39.18	Pass	401
3750	6500	1	RMS	6456	-49.63	-40	9.63	Pass	2751
6500	26500	1	RMS	26016	-50.17	-40	10.17	Pass	20003




1.23. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.52	-40	24.52	Pass	401
0.15	30	0.01	RMS	0.21	-71.56	-40	31.56	Pass	2986
30	1000	0.1	RMS	958.172	-63.09	-40	23.09	Pass	9701
1000	3000	1	RMS	2955	-48.66	-40	8.66	Pass	2001
3000	3500	1	RMS	3283	-46.37	-40	6.37	Pass	501
3500	3750	1	RMS	3680.625	21.33	60	38.67	Pass	401
3750	6500	1	RMS	6403	-49.65	-40	9.65	Pass	2751
6500	26500	1	RMS	25996	-50.27	-40	10.27	Pass	20003



1.24. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:24, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.5	-40	25.5	Pass	401
0.15	30	0.01	RMS	0.2	-72.02	-40	32.02	Pass	2986
30	1000	0.1	RMS	844.6	-63.21	-40	23.21	Pass	9701
1000	3000	1	RMS	2956	-48.58	-40	8.58	Pass	2001
3000	3500	1	RMS	3281	-46.37	-40	6.37	Pass	501
3500	3750	1	RMS	3680.625	20.84	60	39.16	Pass	401
3750	6500	1	RMS	6401	-49.67	-40	9.67	Pass	2751
6500	26500	1	RMS	25989	-50.1	-40	10.1	Pass	20003



1. n48 30kHz


1.3. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.75	-40	32.75	Pass	401
0.15	30	0.01	RMS	25.98	-69.75	-40	29.75	Pass	2986
30	1000	0.1	RMS	489.5	-60.16	-40	20.16	Pass	9701
1000	3000	1	RMS	2988	-48.15	-40	8.15	Pass	2001
3000	3500	1	RMS	3396	-44.35	-40	4.35	Pass	501
3500	3750	1	RMS	3551.875	10.95	60	49.05	Pass	401
3750	7000	1	RMS	6969	-66.07	-40	26.07	Pass	3251
7000	26500	1	RMS	25403	-51.88	-40	11.88	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.58	-40	31.58	Pass	401
0.15	30	0.01	RMS	0.6	-69.69	-40	29.69	Pass	2986
30	1000	0.1	RMS	921.948	-60.16	-40	20.16	Pass	9701
1000	3000	1	RMS	3000	-48.41	-40	8.41	Pass	2001
3000	3500	1	RMS	3401	-44.28	-40	4.28	Pass	501
3500	3750	1	RMS	3550.625	19.03	60	40.97	Pass	401
3750	7000	1	RMS	6915	-66.58	-40	26.58	Pass	3251
7000	26500	1	RMS	25365	-52.32	-40	12.32	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.57	-40	32.57	Pass	401
0.15	30	0.01	RMS	19.44	-69.54	-40	29.54	Pass	2986
30	1000	0.1	RMS	986.791	-60.3	-40	20.3	Pass	9701
1000	3000	1	RMS	2861	-48.74	-40	8.74	Pass	2001
3000	3500	1	RMS	3401	-44.63	-40	4.63	Pass	501
3500	3750	1	RMS	3559.375	18.68	60	41.32	Pass	401
3750	7000	1	RMS	6971	-66.5	-40	26.5	Pass	3251
7000	26500	1	RMS	25695	-52.44	-40	12.44	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.58	-40	31.58	Pass	401
0.15	30	0.01	RMS	27.68	-69.78	-40	29.78	Pass	2986
30	1000	0.1	RMS	723.4	-59.53	-40	19.53	Pass	9701
1000	3000	1	RMS	2981	-48.41	-40	8.41	Pass	2001
3000	3500	1	RMS	3427	-44.47	-40	4.47	Pass	501
3500	3750	1	RMS	3628.125	10.26	60	49.74	Pass	401
3750	7000	1	RMS	6986	-66.53	-40	26.53	Pass	3251
7000	26500	1	RMS	25095	-51.54	-40	11.54	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.82	-40	31.82	Pass	401
0.15	30	0.01	RMS	0.6	-67.57	-40	27.57	Pass	2986
30	1000	0.1	RMS	960.374	-60.17	-40	20.17	Pass	9701
1000	3000	1	RMS	2971	-48.53	-40	8.53	Pass	2001
3000	3500	1	RMS	3390	-44.33	-40	4.33	Pass	501
3500	3750	1	RMS	3620.625	17.94	60	42.06	Pass	401
3750	7000	1	RMS	3813	-66.06	-40	26.06	Pass	3251
7000	26500	1	RMS	25391	-52.72	-40	12.72	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.85	-40	33.85	Pass	401
0.15	30	0.01	RMS	1.15	-68.48	-40	28.48	Pass	2986
30	1000	0.1	RMS	701.1	-60.19	-40	20.19	Pass	9701
1000	3000	1	RMS	2973	-48.27	-40	8.27	Pass	2001
3000	3500	1	RMS	3422	-44.31	-40	4.31	Pass	501
3500	3750	1	RMS	3629.375	18.24	60	41.76	Pass	401
3750	7000	1	RMS	3936	-65.99	-40	25.99	Pass	3251
7000	26500	1	RMS	25106	-52.39	-40	12.39	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.46	-40	33.46	Pass	401
0.15	30	0.01	RMS	29.56	-69.07	-40	29.07	Pass	2986
30	1000	0.1	RMS	637.5	-59.89	-40	19.89	Pass	9701
1000	3000	1	RMS	2974	-48.26	-40	8.26	Pass	2001
3000	3500	1	RMS	3427	-44.36	-40	4.36	Pass	501
3500	3750	1	RMS	3698.125	9.72	60	50.28	Pass	401
3750	7000	1	RMS	6986	-66.69	-40	26.69	Pass	3251
7000	26500	1	RMS	24052	-52.59	-40	12.59	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-73.38	-40	33.38	Pass	401
0.15	30	0.01	RMS	24.33	-66.56	-40	26.56	Pass	2986
30	1000	0.1	RMS	898.633	-59.81	-40	19.81	Pass	9701
1000	3000	1	RMS	2977	-48.29	-40	8.29	Pass	2001
3000	3500	1	RMS	3391	-44.53	-40	4.53	Pass	501
3500	3750	1	RMS	3690.625	17.9	60	42.1	Pass	401
3750	7000	1	RMS	3998	-64.01	-40	24.01	Pass	3251
7000	26500	1	RMS	25804	-52.31	-40	12.31	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-40	33.28	Pass	401
0.15	30	0.01	RMS	21.04	-68.18	-40	28.18	Pass	2986
30	1000	0.1	RMS	934.957	-59.95	-40	19.95	Pass	9701
1000	3000	1	RMS	2457	-47.83	-40	7.83	Pass	2001
3000	3500	1	RMS	3417	-44.33	-40	4.33	Pass	501
3500	3750	1	RMS	3699.375	17.39	60	42.61	Pass	401
3750	7000	1	RMS	6957	-66.27	-40	26.27	Pass	3251
7000	26500	1	RMS	25064	-52.63	-40	12.63	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.73	-40	34.73	Pass	401
0.15	30	0.01	RMS	11.96	-70.02	-40	30.02	Pass	2986
30	1000	0.1	RMS	986.391	-59.38	-40	19.38	Pass	9701
1000	3000	1	RMS	2969	-48.17	-40	8.17	Pass	2001
3000	3500	1	RMS	3422	-44.49	-40	4.49	Pass	501
3500	3750	1	RMS	3554.375	7.89	60	52.11	Pass	401
3750	7000	1	RMS	6990	-66.37	-40	26.37	Pass	3251
7000	26500	1	RMS	25504	-52.61	-40	12.61	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.06	-40	35.06	Pass	401
0.15	30	0.01	RMS	22.91	-67.79	-40	27.79	Pass	2986
30	1000	0.1	RMS	561.1	-60.35	-40	20.35	Pass	9701
1000	3000	1	RMS	2967	-48.62	-40	8.62	Pass	2001
3000	3500	1	RMS	3398	-44.47	-40	4.47	Pass	501
3500	3750	1	RMS	3551.25	19.06	60	40.94	Pass	401
3750	7000	1	RMS	3858	-65.01	-40	25.01	Pass	3251
7000	26500	1	RMS	25145	-52.3	-40	12.3	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.37	-40	33.37	Pass	401
0.15	30	0.01	RMS	11.53	-69.37	-40	29.37	Pass	2986
30	1000	0.1	RMS	644.1	-59.76	-40	19.76	Pass	9701
1000	3000	1	RMS	2840	-48.2	-40	8.2	Pass	2001
3000	3500	1	RMS	3428	-44.39	-40	4.39	Pass	501
3500	3750	1	RMS	3568.75	18.66	60	41.34	Pass	401
3750	7000	1	RMS	6985	-65.85	-40	25.85	Pass	3251
7000	26500	1	RMS	25578	-52.45	-40	12.45	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.23	-40	33.23	Pass	401
0.15	30	0.01	RMS	10.18	-70.35	-40	30.35	Pass	2986
30	1000	0.1	RMS	648.8	-60.34	-40	20.34	Pass	9701
1000	3000	1	RMS	2916	-48.58	-40	8.58	Pass	2001
3000	3500	1	RMS	3430	-44.21	-40	4.21	Pass	501
3500	3750	1	RMS	3630	7.13	60	52.87	Pass	401
3750	7000	1	RMS	6990	-66.41	-40	26.41	Pass	3251
7000	26500	1	RMS	25766	-52.64	-40	12.64	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-73.12	-40	33.12	Pass	401
0.15	30	0.01	RMS	29.23	-69.1	-40	29.1	Pass	2986
30	1000	0.1	RMS	733.1	-60.52	-40	20.52	Pass	9701
1000	3000	1	RMS	2968	-48.28	-40	8.28	Pass	2001
3000	3500	1	RMS	3429	-44.24	-40	4.24	Pass	501
3500	3750	1	RMS	3616.25	17.57	60	42.43	Pass	401
3750	7000	1	RMS	3808	-66.56	-40	26.56	Pass	3251
7000	26500	1	RMS	24121	-52.62	-40	12.62	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.77	-40	32.77	Pass	401
0.15	30	0.01	RMS	6.67	-68.99	-40	28.99	Pass	2986
30	1000	0.1	RMS	971.181	-59.77	-40	19.77	Pass	9701
1000	3000	1	RMS	2754	-48.75	-40	8.75	Pass	2001
3000	3500	1	RMS	3424	-44.41	-40	4.41	Pass	501
3500	3750	1	RMS	3633.75	18.25	60	41.75	Pass	401
3750	7000	1	RMS	3941	-63.91	-40	23.91	Pass	3251
7000	26500	1	RMS	25095	-52.15	-40	12.15	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-40	33.12	Pass	401
0.15	30	0.01	RMS	14.38	-67.78	-40	27.78	Pass	2986
30	1000	0.1	RMS	907.539	-60.32	-40	20.32	Pass	9701
1000	3000	1	RMS	2753	-48.5	-40	8.5	Pass	2001
3000	3500	1	RMS	3424	-44.44	-40	4.44	Pass	501
3500	3750	1	RMS	3684.375	6.69	60	53.31	Pass	401
3750	7000	1	RMS	3752	-66.1	-40	26.1	Pass	3251
7000	26500	1	RMS	25122	-52.73	-40	12.73	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.96	-40	30.96	Pass	401
0.15	30	0.01	RMS	29.94	-69.69	-40	29.69	Pass	2986
30	1000	0.1	RMS	972.182	-60.31	-40	20.31	Pass	9701
1000	3000	1	RMS	2888	-48.74	-40	8.74	Pass	2001
3000	3500	1	RMS	3408	-44.36	-40	4.36	Pass	501
3500	3750	1	RMS	3681.25	17.84	60	42.16	Pass	401
3750	7000	1	RMS	3758	-64.28	-40	24.28	Pass	3251
7000	26500	1	RMS	25065	-51.47	-40	11.47	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-74.35	-40	34.35	Pass	401
0.15	30	0.01	RMS	23.41	-69.75	-40	29.75	Pass	2986
30	1000	0.1	RMS	616.2	-60.03	-40	20.03	Pass	9701
1000	3000	1	RMS	2922	-48.66	-40	8.66	Pass	2001
3000	3500	1	RMS	3418	-44.24	-40	4.24	Pass	501
3500	3750	1	RMS	3698.75	17.58	60	42.42	Pass	401
3750	7000	1	RMS	3776	-64.71	-40	24.71	Pass	3251
7000	26500	1	RMS	24150	-52.5	-40	12.5	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-40	32.72	Pass	401
0.15	30	0.01	RMS	0.6	-68.94	-40	28.94	Pass	2986
30	1000	0.1	RMS	893.229	-59.88	-40	19.88	Pass	9701
1000	3000	1	RMS	2980	-48.6	-40	8.6	Pass	2001
3000	3500	1	RMS	3394	-44.4	-40	4.4	Pass	501
3500	3750	1	RMS	3552.5	4.76	60	55.24	Pass	401
3750	7000	1	RMS	4222	-62.88	-40	22.88	Pass	3251
7000	26500	1	RMS	25103	-52.86	-40	12.86	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.26	-40	33.26	Pass	401
0.15	30	0.01	RMS	29.89	-69.18	-40	29.18	Pass	2986
30	1000	0.1	RMS	743	-59.75	-40	19.75	Pass	9701
1000	3000	1	RMS	2979	-47.95	-40	7.95	Pass	2001
3000	3500	1	RMS	3433	-44.54	-40	4.54	Pass	501
3500	3750	1	RMS	3551.25	19.42	60	40.58	Pass	401
3750	7000	1	RMS	4222	-62.29	-40	22.29	Pass	3251
7000	26500	1	RMS	25730	-52.69	-40	12.69	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-40	33.04	Pass	401
0.15	30	0.01	RMS	5.33	-68.67	-40	28.67	Pass	2986
30	1000	0.1	RMS	752.3	-60	-40	20	Pass	9701
1000	3000	1	RMS	2972	-48.59	-40	8.59	Pass	2001
3000	3500	1	RMS	3419	-44.49	-40	4.49	Pass	501
3500	3750	1	RMS	3588.75	18.87	60	41.13	Pass	401
3750	7000	1	RMS	4222	-62.77	-40	22.77	Pass	3251
7000	26500	1	RMS	24152	-52.05	-40	12.05	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.72	-40	31.72	Pass	401
0.15	30	0.01	RMS	28.2	-69.82	-40	29.82	Pass	2986
30	1000	0.1	RMS	869.213	-59.81	-40	19.81	Pass	9701
1000	3000	1	RMS	2966	-48.01	-40	8.01	Pass	2001
3000	3500	1	RMS	3409	-44.17	-40	4.17	Pass	501
3500	3750	1	RMS	3628.125	3.84	60	56.16	Pass	401
3750	7000	1	RMS	4221	-62.91	-40	22.91	Pass	3251
7000	26500	1	RMS	24090	-52.54	-40	12.54	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.63	-40	33.63	Pass	401
0.15	30	0.01	RMS	0.6	-69.69	-40	29.69	Pass	2986
30	1000	0.1	RMS	841.1	-59.64	-40	19.64	Pass	9701
1000	3000	1	RMS	2965	-48.29	-40	8.29	Pass	2001
3000	3500	1	RMS	3422	-44.31	-40	4.31	Pass	501
3500	3750	1	RMS	3606.25	18.63	60	41.37	Pass	401
3750	7000	1	RMS	4222	-62.88	-40	22.88	Pass	3251
7000	26500	1	RMS	24152	-52.06	-40	12.06	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-40	33.42	Pass	401
0.15	30	0.01	RMS	22.18	-69.21	-40	29.21	Pass	2986
30	1000	0.1	RMS	994.296	-59.72	-40	19.72	Pass	9701
1000	3000	1	RMS	2989	-48.37	-40	8.37	Pass	2001
3000	3500	1	RMS	3398	-44.38	-40	4.38	Pass	501
3500	3750	1	RMS	3643.75	18.47	60	41.53	Pass	401
3750	7000	1	RMS	3951	-62.68	-40	22.68	Pass	3251
7000	26500	1	RMS	25048	-52.48	-40	12.48	Pass	19503




1.27. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.37	-40	33.37	Pass	401
0.15	30	0.01	RMS	24.34	-69.9	-40	29.9	Pass	2986
30	1000	0.1	RMS	501.5	-60.1	-40	20.1	Pass	9701
1000	3000	1	RMS	2972	-48.25	-40	8.25	Pass	2001
3000	3500	1	RMS	3432	-44.36	-40	4.36	Pass	501
3500	3750	1	RMS	3661.875	3.64	60	56.36	Pass	401
3750	7000	1	RMS	3750	-52.03	-40	12.03	Pass	3251
7000	26500	1	RMS	25017	-52.67	-40	12.67	Pass	19503




1.28. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.37	-40	34.37	Pass	401
0.15	30	0.01	RMS	0.6	-68.98	-40	28.98	Pass	2986
30	1000	0.1	RMS	479.3	-59.64	-40	19.64	Pass	9701
1000	3000	1	RMS	2980	-48.04	-40	8.04	Pass	2001
3000	3500	1	RMS	3409	-44.32	-40	4.32	Pass	501
3500	3750	1	RMS	3661.25	18.42	60	41.58	Pass	401
3750	7000	1	RMS	4222	-63.21	-40	23.21	Pass	3251
7000	26500	1	RMS	25072	-52.43	-40	12.43	Pass	19503



1.29. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-40	32.56	Pass	401
0.15	30	0.01	RMS	8.03	-69.93	-40	29.93	Pass	2986
30	1000	0.1	RMS	768.4	-59.69	-40	19.69	Pass	9701
1000	3000	1	RMS	2985	-48.28	-40	8.28	Pass	2001
3000	3500	1	RMS	3417	-44.37	-40	4.37	Pass	501
3500	3750	1	RMS	3698.75	18.17	60	41.83	Pass	401
3750	7000	1	RMS	4221	-62.72	-40	22.72	Pass	3251
7000	26500	1	RMS	25796	-52.31	-40	12.31	Pass	19503



--BLANK BELOW--