



5.18. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.33	13	Pass




5.19. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.37	13	Pass




5.20. Peak to Average Ratio for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3840	0.1	20	6.61	13	Pass




5.21. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	3.37	13	Pass




5.22. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	3.89	13	Pass




5.23. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	4.59	13	Pass




5.24. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	4.92	13	Pass




5.25. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.48	13	Pass




5.26. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.81	13	Pass




5.27. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.81	13	Pass




5.28. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.19	13	Pass




5.29. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	5.86	13	Pass



5.30. Peak to Average Ratio for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3969.99	0.1	20	6.23	13	Pass



6. n78(3450-3550)


6.1. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	3.84	13	Pass




6.2. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	4.41	13	Pass




6.3. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.72	13	Pass




6.4. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	5.34	13	Pass




6.5. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.33	13	Pass




6.6. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.23	13	Pass




6.7. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.37	13	Pass




6.8. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.66	13	Pass




6.9. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.37	13	Pass




6.10. Peak to Average Ratio for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3460.02	0.1	20	6.56	13	Pass




6.11. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.22	13	Pass




6.12. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	4.45	13	Pass




6.13. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.77	13	Pass




6.14. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	5.34	13	Pass




6.15. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.09	13	Pass




6.16. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.28	13	Pass




6.17. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.42	13	Pass




6.18. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.56	13	Pass




6.19. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.33	13	Pass




6.20. Peak to Average Ratio for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3499.98	0.1	20	6.56	13	Pass




6.21. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.27	13	Pass




6.22. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	4.27	13	Pass




6.23. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.86	13	Pass




6.24. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	5.3	13	Pass




6.25. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.47	13	Pass




6.26. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.28	13	Pass




6.27. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.33	13	Pass




6.28. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.61	13	Pass




6.29. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.7	13	Pass



6.30. Peak to Average Ratio for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3540	0.1	20	6.56	13	Pass



7. n78(3700-3800)


7.1. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	4.08	13	Pass




7.2. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	4.22	13	Pass




7.3. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.72	13	Pass




7.4. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	5.48	13	Pass




7.5. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.52	13	Pass




7.6. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.33	13	Pass




7.7. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	7.12	13	Pass




7.8. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.61	13	Pass




7.9. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.66	13	Pass




7.10. Peak to Average Ratio for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3710.01	0.1	20	6.61	13	Pass




7.11. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	4.17	13	Pass




7.12. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	4.31	13	Pass




7.13. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	5.72	13	Pass




7.14. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	5.02	13	Pass




7.15. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.28	13	Pass




7.16. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6	13	Pass




7.17. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	5.62	13	Pass




7.18. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.52	13	Pass




7.19. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.61	13	Pass




7.20. Peak to Average Ratio for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3750	0.1	20	6.56	13	Pass




7.21. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	4.55	13	Pass




7.22. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	4.22	13	Pass




7.23. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	5.81	13	Pass




7.24. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	4.92	13	Pass




7.25. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.23	13	Pass




7.26. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	5.91	13	Pass




7.27. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.33	13	Pass




7.28. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.47	13	Pass




7.29. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.37	13	Pass



7.30. Peak to Average Ratio for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
3789.99	0.1	20	6.56	13	Pass



6. n12 15kHz


6.1. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	3.52	13	Pass




6.2. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	3.98	13	Pass




6.3. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	5.25	13	Pass




6.4. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	5.16	13	Pass




6.5. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	6.42	13	Pass




6.6. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	6.09	13	Pass




6.7. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	5.95	13	Pass




6.8. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	6.28	13	Pass




6.9. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	6.8	13	Pass




6.10. Peak to Average Ratio for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
706.5	0.1	18	6.56	13	Pass




6.11. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	3.52	13	Pass




6.12. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	3.84	13	Pass




6.13. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	5.34	13	Pass




6.14. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	5.2	13	Pass




6.15. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.61	13	Pass




6.16. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.09	13	Pass



6.17. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.05	13	Pass



6.18. Peak to Average Ratio for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.33	13	Pass

