



**6.19. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz )	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.84	13	Pass




**6.20. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
707.5	0.1	18	6.56	13	Pass




**6.21. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	3.56	13	Pass




**6.22. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**

Center Frequency(MHz )	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	3.89	13	Pass




**6.23. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	5.3	13	Pass




**6.24. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	5.2	13	Pass




**6.25. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.28	13	Pass




**6.26. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.05	13	Pass




**6.27. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.05	13	Pass




**6.28. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

Center Frequency(MHz )	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.33	13	Pass




**6.29. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.84	13	Pass




**6.30. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
708.5	0.1	18	6.56	13	Pass




## 1. n26 15kHz(814-824)

### 1.1. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




**1.2. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	4.17	13	Pass




**1.3. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.11	13	Pass




**1.4. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.2	13	Pass




**1.5. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.14	13	Pass




**1.6. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6	13	Pass




**1.7. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.86	13	Pass




**1.8. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.23	13	Pass




**1.9. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.75	13	Pass



**1.10. Peak to Average Ratio for SA\_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.47	13	Pass



--BLANK BELOW--