


### 6.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	820	0.1	RMS	819.8	-61.77	-13	48.77	Pass	7901
820	856	0.1	RMS	830.89	21.41	60	38.59	Pass	401
856	1000	0.1	RMS	861	-63.57	-13	50.57	Pass	1441
1000	3000	1	RMS	1661	-46.07	-13	33.07	Pass	2001
3000	10000	1	RMS	6961	-41.98	-13	28.98	Pass	7001



### 6.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:24075, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.08	-13	58.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	820	0.1	RMS	813.2	-61.18	-13	48.18	Pass	7901
820	856	0.1	RMS	830.8	20.56	60	39.44	Pass	401
856	1000	0.1	RMS	856.1	-63.82	-13	50.82	Pass	1441
1000	3000	1	RMS	1661	-47.27	-13	34.27	Pass	2001
3000	10000	1	RMS	6961	-42.01	-13	29.01	Pass	7001



## 7. LTE\_Band26(part22)


**7.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.36	-13	Pass	401
0.15	30	0.01	RMS	11.34	-68	-13	Pass	2986
30	814	0.1	RMS	725.8	-58.79	-13	Pass	7841
814	860	0.1	RMS	824.3	20.33	60	Pass	461
860	1000	0.1	RMS	998.7	-58.51	-13	Pass	1401
1000	3000	1	RMS	1648	-45.23	-13	Pass	2001
3000	10000	1	RMS	6957	-27.74	-13	Pass	7001




**7.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-70.99	-13	Pass	401
0.15	30	0.01	RMS	22.85	-68.05	-13	Pass	2986
30	814	0.1	RMS	386.8	-59.04	-13	Pass	7841
814	860	0.1	RMS	824.3	20.07	60	Pass	461
860	1000	0.1	RMS	995.6	-58.75	-13	Pass	1401
1000	3000	1	RMS	1648	-45.64	-13	Pass	2001
3000	10000	1	RMS	9953	-35.05	-13	Pass	7001




**7.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.02	-13	Pass	401
0.15	30	0.01	RMS	9.32	-68.62	-13	Pass	2986
30	814	0.1	RMS	495.1	-59.53	-13	Pass	7841
814	860	0.1	RMS	836	20.38	60	Pass	461
860	1000	0.1	RMS	905.8	-59.38	-13	Pass	1401
1000	3000	1	RMS	1672	-45.53	-13	Pass	2001
3000	10000	1	RMS	9980	-35.09	-13	Pass	7001




**7.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-70.82	-13	Pass	401
0.15	30	0.01	RMS	28.32	-68.19	-13	Pass	2986
30	814	0.1	RMS	769.6	-59.72	-13	Pass	7841
814	860	0.1	RMS	836.1	20.01	60	Pass	461
860	1000	0.1	RMS	938	-59.34	-13	Pass	1401
1000	3000	1	RMS	2948	-45.63	-13	Pass	2001
3000	10000	1	RMS	9940	-35.26	-13	Pass	7001




**7.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.3	-13	Pass	401
0.15	30	0.01	RMS	3.15	-68.06	-13	Pass	2986
30	814	0.1	RMS	809.4	-59.33	-13	Pass	7841
814	860	0.1	RMS	847.8	20.52	60	Pass	461
860	1000	0.1	RMS	883.3	-59.36	-13	Pass	1401
1000	3000	1	RMS	1695	-44.94	-13	Pass	2001
3000	10000	1	RMS	9968	-35.21	-13	Pass	7001




**7.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.29	-68.31	-13	Pass	2986
30	814	0.1	RMS	768.8	-59.67	-13	Pass	7841
814	860	0.1	RMS	847.8	19.95	60	Pass	461
860	1000	0.1	RMS	997.4	-59.22	-13	Pass	1401
1000	3000	1	RMS	1695	-45.12	-13	Pass	2001
3000	10000	1	RMS	9982	-35.11	-13	Pass	7001




**7.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.88	-13	Pass	401
0.15	30	0.01	RMS	24.19	-68.07	-13	Pass	2986
30	814	0.1	RMS	814	-59.03	-13	Pass	7841
814	860	0.1	RMS	824.2	20.73	60	Pass	461
860	1000	0.1	RMS	922.7	-59.41	-13	Pass	1401
1000	3000	1	RMS	1648	-45.21	-13	Pass	2001
3000	10000	1	RMS	6976	-28.19	-13	Pass	7001




**7.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.82	-13	Pass	401
0.15	30	0.01	RMS	8.33	-67.57	-13	Pass	2986
30	814	0.1	RMS	726.9	-59.37	-13	Pass	7841
814	860	0.1	RMS	824.2	20.48	60	Pass	461
860	1000	0.1	RMS	886.8	-59.22	-13	Pass	1401
1000	3000	1	RMS	1648	-45.24	-13	Pass	2001
3000	10000	1	RMS	9982	-35.17	-13	Pass	7001



**7.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-71.46	-13	Pass	401
0.15	30	0.01	RMS	28.03	-68.49	-13	Pass	2986
30	814	0.1	RMS	725.2	-59.61	-13	Pass	7841
814	860	0.1	RMS	835.2	20.71	60	Pass	461
860	1000	0.1	RMS	905.2	-59.32	-13	Pass	1401
1000	3000	1	RMS	1670	-44.9	-13	Pass	2001
3000	10000	1	RMS	9996	-35.16	-13	Pass	7001



### 7.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.23	-13	Pass	2986
30	814	0.1	RMS	811.8	-59.75	-13	Pass	7841
814	860	0.1	RMS	835.2	20.16	60	Pass	461
860	1000	0.1	RMS	975.9	-59.17	-13	Pass	1401
1000	3000	1	RMS	1670	-45.22	-13	Pass	2001
3000	10000	1	RMS	9963	-35.14	-13	Pass	7001



### 7.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.47	-13	Pass	401
0.15	30	0.01	RMS	24.18	-68.5	-13	Pass	2986
30	814	0.1	RMS	807.9	-59.3	-13	Pass	7841
814	860	0.1	RMS	846.2	20.58	60	Pass	461
860	1000	0.1	RMS	916.6	-59.39	-13	Pass	1401
1000	3000	1	RMS	1692	-44.87	-13	Pass	2001
3000	10000	1	RMS	9993	-35.28	-13	Pass	7001



### 7.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.61	-13	Pass	401
0.15	30	0.01	RMS	26.13	-68.52	-13	Pass	2986
30	814	0.1	RMS	488.2	-59.54	-13	Pass	7841
814	860	0.1	RMS	846.2	20.23	60	Pass	461
860	1000	0.1	RMS	897.2	-59.31	-13	Pass	1401
1000	3000	1	RMS	1692	-44.87	-13	Pass	2001
3000	10000	1	RMS	9927	-35.46	-13	Pass	7001



### 7.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.23	-13	Pass	401
0.15	30	0.01	RMS	24.06	-68.53	-13	Pass	2986
30	814	0.1	RMS	813.7	-59.34	-13	Pass	7841
814	860	0.1	RMS	824.3	21.37	60	Pass	461
860	1000	0.1	RMS	896	-59.32	-13	Pass	1401
1000	3000	1	RMS	1648	-44.6	-13	Pass	2001
3000	10000	1	RMS	6978	-28.71	-13	Pass	7001



### 7.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.34	-67.85	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.53	-13	Pass	7841
814	860	0.1	RMS	824.3	20.45	60	Pass	461
860	1000	0.1	RMS	900.8	-59.21	-13	Pass	1401
1000	3000	1	RMS	1648	-45.46	-13	Pass	2001
3000	10000	1	RMS	9970	-35.08	-13	Pass	7001



### 7.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.07	-13	Pass	401
0.15	30	0.01	RMS	10.54	-68.79	-13	Pass	2986
30	814	0.1	RMS	739.6	-59.54	-13	Pass	7841
814	860	0.1	RMS	834.3	21.24	60	Pass	461
860	1000	0.1	RMS	881.3	-59.25	-13	Pass	1401
1000	3000	1	RMS	1668	-44.28	-13	Pass	2001
3000	10000	1	RMS	9964	-35.05	-13	Pass	7001



### 7.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.16	-13	Pass	401
0.15	30	0.01	RMS	27.93	-68.63	-13	Pass	2986
30	814	0.1	RMS	814	-59.41	-13	Pass	7841
814	860	0.1	RMS	834.3	20.19	60	Pass	461
860	1000	0.1	RMS	878.4	-59.46	-13	Pass	1401
1000	3000	1	RMS	1668	-45.18	-13	Pass	2001
3000	10000	1	RMS	10000	-35.15	-13	Pass	7001



### 7.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.07	-13	Pass	401
0.15	30	0.01	RMS	12.02	-67.98	-13	Pass	2986
30	814	0.1	RMS	473.2	-59.41	-13	Pass	7841
814	860	0.1	RMS	844.3	21.35	60	Pass	461
860	1000	0.1	RMS	903.3	-59.28	-13	Pass	1401
1000	3000	1	RMS	1688	-44.29	-13	Pass	2001
3000	10000	1	RMS	9982	-35.15	-13	Pass	7001



### 7.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.38	-68.2	-13	Pass	2986
30	814	0.1	RMS	472.7	-59.54	-13	Pass	7841
814	860	0.1	RMS	844.3	20.61	60	Pass	461
860	1000	0.1	RMS	903.6	-59.2	-13	Pass	1401
1000	3000	1	RMS	1688	-44.87	-13	Pass	2001
3000	10000	1	RMS	9972	-35.03	-13	Pass	7001



### 7.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.75	-13	Pass	401
0.15	30	0.01	RMS	24.25	-68.39	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.21	-13	Pass	7841
814	860	0.1	RMS	824.6	21.71	60	Pass	461
860	1000	0.1	RMS	908.7	-59.48	-13	Pass	1401
1000	3000	1	RMS	1649	-44.95	-13	Pass	2001
3000	10000	1	RMS	6984	-27.77	-13	Pass	7001



## 7.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.23	-13	Pass	2986
30	814	0.1	RMS	494.2	-59.56	-13	Pass	7841
814	860	0.1	RMS	824.6	21.14	60	Pass	461
860	1000	0.1	RMS	909.3	-59.21	-13	Pass	1401
1000	3000	1	RMS	1649	-45.66	-13	Pass	2001
3000	10000	1	RMS	9928	-35.47	-13	Pass	7001



### 7.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.67	-13	Pass	401
0.15	30	0.01	RMS	6.9	-68.32	-13	Pass	2986
30	814	0.1	RMS	642.1	-59.48	-13	Pass	7841
814	860	0.1	RMS	832.1	21.58	60	Pass	461
860	1000	0.1	RMS	865.4	-59.23	-13	Pass	1401
1000	3000	1	RMS	1664	-44.82	-13	Pass	2001
3000	10000	1	RMS	9931	-35.4	-13	Pass	7001



### 7.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.45	-13	Pass	401
0.15	30	0.01	RMS	12.7	-68.18	-13	Pass	2986
30	814	0.1	RMS	734.3	-59.67	-13	Pass	7841
814	860	0.1	RMS	832.1	20.87	60	Pass	461
860	1000	0.1	RMS	875.9	-59.31	-13	Pass	1401
1000	3000	1	RMS	1664	-45.48	-13	Pass	2001
3000	10000	1	RMS	9979	-35.37	-13	Pass	7001



### 7.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.53	-13	Pass	401
0.15	30	0.01	RMS	1.22	-68	-13	Pass	2986
30	814	0.1	RMS	728.3	-59.55	-13	Pass	7841
814	860	0.1	RMS	839.6	21.55	60	Pass	461
860	1000	0.1	RMS	980.8	-59.24	-13	Pass	1401
1000	3000	1	RMS	1679	-44.92	-13	Pass	2001
3000	10000	1	RMS	9973	-35.16	-13	Pass	7001



### 7.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.87	-13	Pass	401
0.15	30	0.01	RMS	17.98	-68.42	-13	Pass	2986
30	814	0.1	RMS	730	-59.7	-13	Pass	7841
814	860	0.1	RMS	839.6	20.67	60	Pass	461
860	1000	0.1	RMS	888.3	-59.33	-13	Pass	1401
1000	3000	1	RMS	1679	-45.36	-13	Pass	2001
3000	10000	1	RMS	9989	-35.26	-13	Pass	7001



### 7.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.59	-13	Pass	401
0.15	30	0.01	RMS	13.09	-67.96	-13	Pass	2986
30	814	0.1	RMS	808.6	-59.38	-13	Pass	7841
814	860	0.1	RMS	824.8	20.98	60	Pass	461
860	1000	0.1	RMS	999.1	-59.14	-13	Pass	1401
1000	3000	1	RMS	1649	-44.87	-13	Pass	2001
3000	10000	1	RMS	6981	-28.02	-13	Pass	7001



### 7.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.05	-13	Pass	401
0.15	30	0.01	RMS	1.76	-67.75	-13	Pass	2986
30	814	0.1	RMS	794.3	-59.58	-13	Pass	7841
814	860	0.1	RMS	824.8	20.45	60	Pass	461
860	1000	0.1	RMS	905.1	-58.92	-13	Pass	1401
1000	3000	1	RMS	1649	-45.56	-13	Pass	2001
3000	10000	1	RMS	9930	-35.36	-13	Pass	7001



### 7.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.76	-13	Pass	401
0.15	30	0.01	RMS	12.35	-67.98	-13	Pass	2986
30	814	0.1	RMS	491.4	-59.63	-13	Pass	7841
814	860	0.1	RMS	829.8	21.13	60	Pass	461
860	1000	0.1	RMS	913	-59.4	-13	Pass	1401
1000	3000	1	RMS	1659	-44.86	-13	Pass	2001
3000	10000	1	RMS	9978	-35.21	-13	Pass	7001



### 7.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-71.31	-13	Pass	401
0.15	30	0.01	RMS	8.55	-68.48	-13	Pass	2986
30	814	0.1	RMS	808.3	-59.71	-13	Pass	7841
814	860	0.1	RMS	829.8	20.11	60	Pass	461
860	1000	0.1	RMS	898	-59.25	-13	Pass	1401
1000	3000	1	RMS	1659	-45.16	-13	Pass	2001
3000	10000	1	RMS	9936	-35.15	-13	Pass	7001



### 7.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.61	-13	Pass	401
0.15	30	0.01	RMS	17.16	-68.11	-13	Pass	2986
30	814	0.1	RMS	613.8	-59.53	-13	Pass	7841
814	860	0.1	RMS	834.8	20.91	60	Pass	461
860	1000	0.1	RMS	861	-59.27	-13	Pass	1401
1000	3000	1	RMS	1669	-44.58	-13	Pass	2001
3000	10000	1	RMS	9975	-35.15	-13	Pass	7001



### 7.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-13	Pass	401
0.15	30	0.01	RMS	11.81	-67.62	-13	Pass	2986
30	814	0.1	RMS	809.6	-59.16	-13	Pass	7841
814	860	0.1	RMS	834.8	19.93	60	Pass	461
860	1000	0.1	RMS	895.2	-59.17	-13	Pass	1401
1000	3000	1	RMS	1669	-45.29	-13	Pass	2001
3000	10000	1	RMS	9957	-35.23	-13	Pass	7001



## 8. LTE\_Band2


### 8.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.61	-13	Pass	9701
1000	1840	1	RMS	1840	-51.2	-13	Pass	841
1840	1920	1	RMS	1850.2	24.09	60	Pass	401
1920	3000	1	RMS	2950	-48.7	-13	Pass	1081
3000	12000	1	RMS	11850	-41.19	-13	Pass	9002
12000	20000	1	RMS	19406	-32.83	-13	Pass	8001




**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.1	-13	Pass	401
0.15	30	0.01	RMS	5.87	-68.53	-13	Pass	2986
30	1000	0.1	RMS	922.048	-59.07	-13	Pass	9701
1000	1840	1	RMS	1795	-48.44	-13	Pass	841
1840	1920	1	RMS	1850.2	21.36	60	Pass	401
1920	3000	1	RMS	2974	-45.58	-13	Pass	1081
3000	12000	1	RMS	11502	-34.35	-13	Pass	9002
12000	20000	1	RMS	19794	-24.64	-13	Pass	8001




**8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.51	-68.69	-13	Pass	2986
30	1000	0.1	RMS	915.444	-58.99	-13	Pass	9701
1000	1840	1	RMS	1816	-48.44	-13	Pass	841
1840	1920	1	RMS	1879.4	21.23	60	Pass	401
1920	3000	1	RMS	2946	-45.61	-13	Pass	1081
3000	12000	1	RMS	11916	-34.47	-13	Pass	9002
12000	20000	1	RMS	19779	-24.6	-13	Pass	8001




### 8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.2	-13	Pass	401
0.15	30	0.01	RMS	14.43	-67.8	-13	Pass	2986
30	1000	0.1	RMS	887.225	-59.05	-13	Pass	9701
1000	1840	1	RMS	1837	-48.51	-13	Pass	841
1840	1920	1	RMS	1879.4	21.45	60	Pass	401
1920	3000	1	RMS	2951	-45.66	-13	Pass	1081
3000	12000	1	RMS	11891	-34.49	-13	Pass	9002
12000	20000	1	RMS	19787	-24.61	-13	Pass	8001




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.41	-13	Pass	401
0.15	30	0.01	RMS	10.6	-68.27	-13	Pass	2986
30	1000	0.1	RMS	471.9	-59.05	-13	Pass	9701
1000	1840	1	RMS	1797	-48.43	-13	Pass	841
1840	1920	1	RMS	1908.8	21.15	60	Pass	401
1920	3000	1	RMS	2982	-45.6	-13	Pass	1081
3000	12000	1	RMS	11506	-34.47	-13	Pass	9002
12000	20000	1	RMS	19802	-24.64	-13	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.6	-13	Pass	401
0.15	30	0.01	RMS	0.31	-68	-13	Pass	2986
30	1000	0.1	RMS	903.936	-59.06	-13	Pass	9701
1000	1840	1	RMS	1790	-48.63	-13	Pass	841
1840	1920	1	RMS	1908.8	21.3	60	Pass	401
1920	3000	1	RMS	2948	-45.65	-13	Pass	1081
3000	12000	1	RMS	11911	-34.31	-13	Pass	9002
12000	20000	1	RMS	19786	-24.55	-13	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.28	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.79	-13	Pass	2986
30	1000	0.1	RMS	878.419	-63.54	-13	Pass	9701
1000	1840	1	RMS	1840	-49.64	-13	Pass	841
1840	1920	1	RMS	1850.2	24.17	60	Pass	401
1920	3000	1	RMS	2953	-48.69	-13	Pass	1081
3000	12000	1	RMS	11840	-41.2	-13	Pass	9002
12000	20000	1	RMS	19399	-32.82	-13	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.11	-13	Pass	401
0.15	30	0.01	RMS	1.24	-68.37	-13	Pass	2986
30	1000	0.1	RMS	836.2	-58.96	-13	Pass	9701
1000	1840	1	RMS	1815	-48.46	-13	Pass	841
1840	1920	1	RMS	1850.2	21.25	60	Pass	401
1920	3000	1	RMS	2993	-45.66	-13	Pass	1081
3000	12000	1	RMS	11858	-34.38	-13	Pass	9002
12000	20000	1	RMS	19803	-24.67	-13	Pass	8001



**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.6	-13	Pass	401
0.15	30	0.01	RMS	19.17	-68.54	-13	Pass	2986
30	1000	0.1	RMS	923.95	-59.18	-13	Pass	9701
1000	1840	1	RMS	1805	-48.49	-13	Pass	841
1840	1920	1	RMS	1878.6	21.3	60	Pass	401
1920	3000	1	RMS	2950	-45.69	-13	Pass	1081
3000	12000	1	RMS	11494	-34.47	-13	Pass	9002
12000	20000	1	RMS	19806	-24.85	-13	Pass	8001



### 8.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.9	-13	Pass	401
0.15	30	0.01	RMS	0.29	-67.95	-13	Pass	2986
30	1000	0.1	RMS	882.922	-59.17	-13	Pass	9701
1000	1840	1	RMS	1818	-48.53	-13	Pass	841
1840	1920	1	RMS	1878.6	21.38	60	Pass	401
1920	3000	1	RMS	2988	-45.73	-13	Pass	1081
3000	12000	1	RMS	11517	-34.56	-13	Pass	9002
12000	20000	1	RMS	19798	-24.76	-13	Pass	8001



### 8.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.72	-13	Pass	401
0.15	30	0.01	RMS	23.25	-68.15	-13	Pass	2986
30	1000	0.1	RMS	486.2	-58.94	-13	Pass	9701
1000	1840	1	RMS	1836	-48.54	-13	Pass	841
1840	1920	1	RMS	1907.2	21.04	60	Pass	401
1920	3000	1	RMS	2962	-45.57	-13	Pass	1081
3000	12000	1	RMS	11895	-34.47	-13	Pass	9002
12000	20000	1	RMS	19794	-24.43	-13	Pass	8001



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.29	-68.44	-13	Pass	2986
30	1000	0.1	RMS	898.833	-58.97	-13	Pass	9701
1000	1840	1	RMS	1809	-48.57	-13	Pass	841
1840	1920	1	RMS	1907.2	21.19	60	Pass	401
1920	3000	1	RMS	2944	-45.6	-13	Pass	1081
3000	12000	1	RMS	11901	-34.46	-13	Pass	9002
12000	20000	1	RMS	19816	-24.73	-13	Pass	8001



### 8.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.51	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.55	-13	Pass	9701
1000	1840	1	RMS	1840	-50.87	-13	Pass	841
1840	1920	1	RMS	1850.2	24.69	60	Pass	401
1920	3000	1	RMS	2957	-48.68	-13	Pass	1081
3000	12000	1	RMS	11955	-41.25	-13	Pass	9002
12000	20000	1	RMS	19397	-32.82	-13	Pass	8001



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.47	-13	Pass	401
0.15	30	0.01	RMS	29.47	-67.75	-13	Pass	2986
30	1000	0.1	RMS	819.7	-59.22	-13	Pass	9701
1000	1840	1	RMS	1840	-48.51	-13	Pass	841
1840	1920	1	RMS	1850.2	21.28	60	Pass	401
1920	3000	1	RMS	2938	-45.61	-13	Pass	1081
3000	12000	1	RMS	11918	-34.48	-13	Pass	9002
12000	20000	1	RMS	19768	-24.72	-13	Pass	8001



### 8.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.1	-13	Pass	401
0.15	30	0.01	RMS	27.91	-67.99	-13	Pass	2986
30	1000	0.1	RMS	870.714	-59.02	-13	Pass	9701
1000	1840	1	RMS	1822	-48.46	-13	Pass	841
1840	1920	1	RMS	1877.8	21.26	60	Pass	401
1920	3000	1	RMS	2949	-45.62	-13	Pass	1081
3000	12000	1	RMS	11485	-34.42	-13	Pass	9002
12000	20000	1	RMS	19798	-24.56	-13	Pass	8001



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.72	-13	Pass	401
0.15	30	0.01	RMS	11.25	-68.53	-13	Pass	2986
30	1000	0.1	RMS	900.234	-59.1	-13	Pass	9701
1000	1840	1	RMS	1833	-48.53	-13	Pass	841
1840	1920	1	RMS	1877.8	21.37	60	Pass	401
1920	3000	1	RMS	2940	-45.6	-13	Pass	1081
3000	12000	1	RMS	11907	-34.36	-13	Pass	9002
12000	20000	1	RMS	19769	-24.73	-13	Pass	8001



### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.83	-13	Pass	401
0.15	30	0.01	RMS	16.74	-68.06	-13	Pass	2986
30	1000	0.1	RMS	917.846	-58.99	-13	Pass	9701
1000	1840	1	RMS	1833	-48.63	-13	Pass	841
1840	1920	1	RMS	1905.2	21.14	60	Pass	401
1920	3000	1	RMS	2949	-45.58	-13	Pass	1081
3000	12000	1	RMS	11867	-34.4	-13	Pass	9002
12000	20000	1	RMS	19785	-24.8	-13	Pass	8001



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.6	-13	Pass	401
0.15	30	0.01	RMS	0.29	-68.28	-13	Pass	2986
30	1000	0.1	RMS	866.211	-59.11	-13	Pass	9701
1000	1840	1	RMS	1805	-48.56	-13	Pass	841
1840	1920	1	RMS	1905.2	21.33	60	Pass	401
1920	3000	1	RMS	2983	-45.68	-13	Pass	1081
3000	12000	1	RMS	7098	-27.34	-13	Pass	9002
12000	20000	1	RMS	19801	-24.8	-13	Pass	8001



### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.5	-13	Pass	2986
30	1000	0.1	RMS	844	-63.63	-13	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	Pass	841
1840	1920	1	RMS	1850.6	24.56	60	Pass	401
1920	3000	1	RMS	2956	-48.73	-13	Pass	1081
3000	12000	1	RMS	11950	-41.19	-13	Pass	9002
12000	20000	1	RMS	19413	-32.86	-13	Pass	8001



### 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.26	-13	Pass	2986
30	1000	0.1	RMS	868.013	-59.05	-13	Pass	9701
1000	1840	1	RMS	1840	-48.44	-13	Pass	841
1840	1920	1	RMS	1850.4	21.47	60	Pass	401
1920	3000	1	RMS	2932	-45.79	-13	Pass	1081
3000	12000	1	RMS	11847	-34.43	-13	Pass	9002
12000	20000	1	RMS	19762	-24.71	-13	Pass	8001



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-70.73	-13	Pass	401
0.15	30	0.01	RMS	23.62	-68.41	-13	Pass	2986
30	1000	0.1	RMS	900.434	-59.31	-13	Pass	9701
1000	1840	1	RMS	1786	-48.57	-13	Pass	841
1840	1920	1	RMS	1875.6	21.39	60	Pass	401
1920	3000	1	RMS	2958	-45.62	-13	Pass	1081
3000	12000	1	RMS	11932	-34.37	-13	Pass	9002
12000	20000	1	RMS	19787	-24.64	-13	Pass	8001



### 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.65	-13	Pass	401
0.15	30	0.01	RMS	22.87	-68.52	-13	Pass	2986
30	1000	0.1	RMS	901.335	-58.87	-13	Pass	9701
1000	1840	1	RMS	1816	-48.46	-13	Pass	841
1840	1920	1	RMS	1875.4	21.35	60	Pass	401
1920	3000	1	RMS	2959	-45.55	-13	Pass	1081
3000	12000	1	RMS	11857	-34.32	-13	Pass	9002
12000	20000	1	RMS	19771	-24.72	-13	Pass	8001



### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.83	-13	Pass	401
0.15	30	0.01	RMS	20.8	-68.11	-13	Pass	2986
30	1000	0.1	RMS	891.328	-59	-13	Pass	9701
1000	1840	1	RMS	1815	-48.48	-13	Pass	841
1840	1920	1	RMS	1900.4	21.02	60	Pass	401
1920	3000	1	RMS	2940	-45.63	-13	Pass	1081
3000	12000	1	RMS	11675	-25.12	-13	Pass	9002
12000	20000	1	RMS	19786	-24.65	-13	Pass	8001



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.52	-13	Pass	401
0.15	30	0.01	RMS	15.62	-68.05	-13	Pass	2986
30	1000	0.1	RMS	492.2	-59.06	-13	Pass	9701
1000	1840	1	RMS	1799	-48.46	-13	Pass	841
1840	1920	1	RMS	1900.4	21.16	60	Pass	401
1920	3000	1	RMS	2968	-45.59	-13	Pass	1081
3000	12000	1	RMS	11856	-34.51	-13	Pass	9002
12000	20000	1	RMS	19787	-24.53	-13	Pass	8001



### 8.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	1000	0.1	RMS	841.7	-63.66	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1920	1	RMS	1850.8	24.37	60	Pass	401
1920	3000	1	RMS	2958	-48.67	-13	Pass	1081
3000	12000	1	RMS	11949	-41.21	-13	Pass	9002
12000	20000	1	RMS	19401	-32.81	-13	Pass	8001



### 8.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.14	-13	Pass	401
0.15	30	0.01	RMS	23.95	-68.23	-13	Pass	2986
30	1000	0.1	RMS	838.4	-59.1	-13	Pass	9701
1000	1840	1	RMS	1840	-48.32	-13	Pass	841
1840	1920	1	RMS	1850.8	21.31	60	Pass	401
1920	3000	1	RMS	2946	-45.56	-13	Pass	1081
3000	12000	1	RMS	11502	-34.42	-13	Pass	9002
12000	20000	1	RMS	19795	-24.51	-13	Pass	8001



### 8.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-71.82	-13	Pass	401
0.15	30	0.01	RMS	2.59	-67.95	-13	Pass	2986
30	1000	0.1	RMS	875.618	-59.19	-13	Pass	9701
1000	1840	1	RMS	1790	-48.63	-13	Pass	841
1840	1920	1	RMS	1873.2	21.16	60	Pass	401
1920	3000	1	RMS	2978	-45.63	-13	Pass	1081
3000	12000	1	RMS	11853	-34.38	-13	Pass	9002
12000	20000	1	RMS	19802	-24.56	-13	Pass	8001



### 8.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-69.74	-13	Pass	401
0.15	30	0.01	RMS	19.81	-68.24	-13	Pass	2986
30	1000	0.1	RMS	473.5	-59.22	-13	Pass	9701
1000	1840	1	RMS	1781	-48.51	-13	Pass	841
1840	1920	1	RMS	1873.2	21.33	60	Pass	401
1920	3000	1	RMS	2950	-45.64	-13	Pass	1081
3000	12000	1	RMS	11505	-34.48	-13	Pass	9002
12000	20000	1	RMS	19795	-24.62	-13	Pass	8001



### 8.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-13	Pass	401
0.15	30	0.01	RMS	11.32	-68.23	-13	Pass	2986
30	1000	0.1	RMS	900.634	-59.24	-13	Pass	9701
1000	1840	1	RMS	1818	-48.4	-13	Pass	841
1840	1920	1	RMS	1895.8	20.96	60	Pass	401
1920	3000	1	RMS	2942	-45.56	-13	Pass	1081
3000	12000	1	RMS	7096	-26.42	-13	Pass	9002
12000	20000	1	RMS	19794	-24.55	-13	Pass	8001



### 8.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-70.75	-13	Pass	401
0.15	30	0.01	RMS	6.41	-68.42	-13	Pass	2986
30	1000	0.1	RMS	720.8	-59.05	-13	Pass	9701
1000	1840	1	RMS	1816	-48.54	-13	Pass	841
1840	1920	1	RMS	1895.8	20.97	60	Pass	401
1920	3000	1	RMS	2973	-45.65	-13	Pass	1081
3000	12000	1	RMS	11855	-34.39	-13	Pass	9002
12000	20000	1	RMS	19788	-24.73	-13	Pass	8001



### 8.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2986
30	1000	0.1	RMS	852.802	-63.73	-13	Pass	9701
1000	1840	1	RMS	1840	-50.94	-13	Pass	841
1840	1920	1	RMS	1851	24.52	60	Pass	401
1920	3000	1	RMS	2959	-48.68	-13	Pass	1081
3000	12000	1	RMS	11847	-41.2	-13	Pass	9002
12000	20000	1	RMS	19399	-32.82	-13	Pass	8001



### 8.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.22	-13	Pass	401
0.15	30	0.01	RMS	5.69	-67.83	-13	Pass	2986
30	1000	0.1	RMS	901.134	-58.99	-13	Pass	9701
1000	1840	1	RMS	1840	-48.46	-13	Pass	841
1840	1920	1	RMS	1851	21.13	60	Pass	401
1920	3000	1	RMS	2987	-45.62	-13	Pass	1081
3000	12000	1	RMS	11848	-34.51	-13	Pass	9002
12000	20000	1	RMS	19803	-24.65	-13	Pass	8001



### 8.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.22	-67.49	-13	Pass	2986
30	1000	0.1	RMS	837.7	-59.32	-13	Pass	9701
1000	1840	1	RMS	1831	-48.61	-13	Pass	841
1840	1920	1	RMS	1871	21.06	60	Pass	401
1920	3000	1	RMS	2948	-45.69	-13	Pass	1081
3000	12000	1	RMS	11917	-34.5	-13	Pass	9002
12000	20000	1	RMS	19799	-24.69	-13	Pass	8001



### 8.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.12	-13	Pass	401
0.15	30	0.01	RMS	29.92	-68.38	-13	Pass	2986
30	1000	0.1	RMS	893.329	-58.88	-13	Pass	9701
1000	1840	1	RMS	1806	-48.45	-13	Pass	841
1840	1920	1	RMS	1871	21.17	60	Pass	401
1920	3000	1	RMS	2979	-45.66	-13	Pass	1081
3000	12000	1	RMS	11679	-25.11	-13	Pass	9002
12000	20000	1	RMS	19798	-24.57	-13	Pass	8001



### 8.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.75	-13	Pass	401
0.15	30	0.01	RMS	2.51	-68.03	-13	Pass	2986
30	1000	0.1	RMS	846.6	-59.13	-13	Pass	9701
1000	1840	1	RMS	1800	-48.52	-13	Pass	841
1840	1920	1	RMS	1891	20.97	60	Pass	401
1920	3000	1	RMS	2943	-45.54	-13	Pass	1081
3000	12000	1	RMS	11900	-34.36	-13	Pass	9002
12000	20000	1	RMS	19804	-24.6	-13	Pass	8001



### 8.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-70.7	-13	Pass	401
0.15	30	0.01	RMS	16.66	-68.41	-13	Pass	2986
30	1000	0.1	RMS	884.624	-59.06	-13	Pass	9701
1000	1840	1	RMS	1810	-48.65	-13	Pass	841
1840	1920	1	RMS	1891	21.36	60	Pass	401
1920	3000	1	RMS	2948	-45.62	-13	Pass	1081
3000	12000	1	RMS	11904	-34.38	-13	Pass	9002
12000	20000	1	RMS	19780	-24.74	-13	Pass	8001



## 9. LTE\_Band4


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2986
30	1000	0.1	RMS	841.3	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1765	1	RMS	1710.075	24.65	60	Pass	401
1765	3000	1	RMS	2950	-48.65	-13	Pass	1236
3000	12000	1	RMS	11950	-41.23	-13	Pass	9002
12000	20000	1	RMS	19397	-32.89	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-70.34	-13	Pass	401
0.15	30	0.01	RMS	23.48	-68.02	-13	Pass	2986
30	1000	0.1	RMS	916.645	-59.19	-13	Pass	9701
1000	1700	1	RMS	1675	-48.99	-13	Pass	701
1700	1765	1	RMS	1710.238	21.14	60	Pass	401
1765	3000	1	RMS	2995	-45.53	-13	Pass	1236
3000	12000	1	RMS	11518	-34.56	-13	Pass	9002
12000	20000	1	RMS	19798	-24.62	-13	Pass	8001




**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.48	-13	Pass	401
0.15	30	0.01	RMS	21.58	-68.16	-13	Pass	2986
30	1000	0.1	RMS	893.429	-59.23	-13	Pass	9701
1000	1700	1	RMS	1672	-48.97	-13	Pass	701
1700	1765	1	RMS	1732.013	20.93	60	Pass	401
1765	3000	1	RMS	2980	-45.67	-13	Pass	1236
3000	12000	1	RMS	7102	-26.73	-13	Pass	9002
12000	20000	1	RMS	19809	-24.56	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-70.17	-13	Pass	401
0.15	30	0.01	RMS	10.57	-68.51	-13	Pass	2986
30	1000	0.1	RMS	893.83	-59.04	-13	Pass	9701
1000	1700	1	RMS	1687	-48.93	-13	Pass	701
1700	1765	1	RMS	1732.013	20.92	60	Pass	401
1765	3000	1	RMS	2993	-45.63	-13	Pass	1236
3000	12000	1	RMS	11162	-34.48	-13	Pass	9002
12000	20000	1	RMS	19802	-24.6	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-71.57	-13	Pass	401
0.15	30	0.01	RMS	1.45	-67.5	-13	Pass	2986
30	1000	0.1	RMS	895.831	-58.92	-13	Pass	9701
1000	1700	1	RMS	1654	-49.07	-13	Pass	701
1700	1765	1	RMS	1753.788	21.04	60	Pass	401
1765	3000	1	RMS	2959	-45.51	-13	Pass	1236
3000	12000	1	RMS	11880	-34.24	-13	Pass	9002
12000	20000	1	RMS	19788	-24.5	-13	Pass	8001




**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-72.16	-13	Pass	401
0.15	30	0.01	RMS	29.25	-67.74	-13	Pass	2986
30	1000	0.1	RMS	716.9	-59.22	-13	Pass	9701
1000	1700	1	RMS	1680	-48.88	-13	Pass	701
1700	1765	1	RMS	1753.788	21.07	60	Pass	401
1765	3000	1	RMS	2981	-45.6	-13	Pass	1236
3000	12000	1	RMS	11501	-34.45	-13	Pass	9002
12000	20000	1	RMS	19800	-24.46	-13	Pass	8001




**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	Pass	2986
30	1000	0.1	RMS	849.6	-63.65	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1765	1	RMS	1710.075	24.64	60	Pass	401
1765	3000	1	RMS	2949	-48.7	-13	Pass	1236
3000	12000	1	RMS	11848	-41.27	-13	Pass	9002
12000	20000	1	RMS	19398	-32.85	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.58	-13	Pass	401
0.15	30	0.01	RMS	19.73	-68.53	-13	Pass	2986
30	1000	0.1	RMS	978.486	-59.09	-13	Pass	9701
1000	1700	1	RMS	1700	-48.99	-13	Pass	701
1700	1765	1	RMS	1710.075	21.07	60	Pass	401
1765	3000	1	RMS	2984	-45.54	-13	Pass	1236
3000	12000	1	RMS	7105	-26.92	-13	Pass	9002
12000	20000	1	RMS	19766	-24.66	-13	Pass	8001



**9.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.64	-13	Pass	2986
30	1000	0.1	RMS	505.1	-59.14	-13	Pass	9701
1000	1700	1	RMS	1698	-48.85	-13	Pass	701
1700	1765	1	RMS	1731.2	20.82	60	Pass	401
1765	3000	1	RMS	2957	-45.4	-13	Pass	1236
3000	12000	1	RMS	11907	-34.28	-13	Pass	9002
12000	20000	1	RMS	19808	-24.53	-13	Pass	8001



### 9.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.87	-13	Pass	401
0.15	30	0.01	RMS	11.1	-68.6	-13	Pass	2986
30	1000	0.1	RMS	908.439	-59.38	-13	Pass	9701
1000	1700	1	RMS	1688	-48.98	-13	Pass	701
1700	1765	1	RMS	1731.2	21.19	60	Pass	401
1765	3000	1	RMS	2989	-45.57	-13	Pass	1236
3000	12000	1	RMS	11881	-34.41	-13	Pass	9002
12000	20000	1	RMS	19787	-24.52	-13	Pass	8001



### 9.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-71.85	-13	Pass	401
0.15	30	0.01	RMS	27.34	-68.14	-13	Pass	2986
30	1000	0.1	RMS	916.345	-59.17	-13	Pass	9701
1000	1700	1	RMS	1692	-48.9	-13	Pass	701
1700	1765	1	RMS	1752.163	20.97	60	Pass	401
1765	3000	1	RMS	2949	-45.71	-13	Pass	1236
3000	12000	1	RMS	11863	-34.5	-13	Pass	9002
12000	20000	1	RMS	19820	-24.82	-13	Pass	8001



### 9.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.72	-13	Pass	401
0.15	30	0.01	RMS	13.74	-68.75	-13	Pass	2986
30	1000	0.1	RMS	914.243	-58.97	-13	Pass	9701
1000	1700	1	RMS	1682	-49	-13	Pass	701
1700	1765	1	RMS	1752.163	21.02	60	Pass	401
1765	3000	1	RMS	2991	-45.64	-13	Pass	1236
3000	12000	1	RMS	11182	-34.62	-13	Pass	9002
12000	20000	1	RMS	19802	-24.55	-13	Pass	8001



### 9.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	Pass	2986
30	1000	0.1	RMS	851.502	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1765	1	RMS	1710.238	24.8	60	Pass	401
1765	3000	1	RMS	2954	-48.68	-13	Pass	1236
3000	12000	1	RMS	11850	-41.25	-13	Pass	9002
12000	20000	1	RMS	19396	-32.86	-13	Pass	8001



### 9.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.9	-13	Pass	2986
30	1000	0.1	RMS	471.9	-59.43	-13	Pass	9701
1000	1700	1	RMS	1700	-48.94	-13	Pass	701
1700	1765	1	RMS	1710.238	21.09	60	Pass	401
1765	3000	1	RMS	2948	-45.52	-13	Pass	1236
3000	12000	1	RMS	11900	-34.35	-13	Pass	9002
12000	20000	1	RMS	19799	-24.74	-13	Pass	8001



### 9.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-71.65	-13	Pass	401
0.15	30	0.01	RMS	17.74	-68.44	-13	Pass	2986
30	1000	0.1	RMS	892.129	-59.04	-13	Pass	9701
1000	1700	1	RMS	1699	-49.06	-13	Pass	701
1700	1765	1	RMS	1730.225	20.89	60	Pass	401
1765	3000	1	RMS	2971	-45.57	-13	Pass	1236
3000	12000	1	RMS	11489	-34.52	-13	Pass	9002
12000	20000	1	RMS	19795	-24.77	-13	Pass	8001



### 9.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.39	-13	Pass	401
0.15	30	0.01	RMS	5.35	-68.52	-13	Pass	2986
30	1000	0.1	RMS	897.032	-58.89	-13	Pass	9701
1000	1700	1	RMS	1592	-48.92	-13	Pass	701
1700	1765	1	RMS	1730.225	21.03	60	Pass	401
1765	3000	1	RMS	2956	-45.4	-13	Pass	1236
3000	12000	1	RMS	11889	-34.29	-13	Pass	9002
12000	20000	1	RMS	19779	-24.73	-13	Pass	8001



### 9.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-71.07	-13	Pass	401
0.15	30	0.01	RMS	18.26	-68.77	-13	Pass	2986
30	1000	0.1	RMS	907.739	-59.27	-13	Pass	9701
1000	1700	1	RMS	1680	-49.02	-13	Pass	701
1700	1765	1	RMS	1750.213	20.9	60	Pass	401
1765	3000	1	RMS	2954	-45.57	-13	Pass	1236
3000	12000	1	RMS	11891	-34.37	-13	Pass	9002
12000	20000	1	RMS	19774	-24.64	-13	Pass	8001



### 9.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.4	-13	Pass	401
0.15	30	0.01	RMS	2.99	-67.84	-13	Pass	2986
30	1000	0.1	RMS	872.816	-59.27	-13	Pass	9701
1000	1700	1	RMS	1665	-48.96	-13	Pass	701
1700	1765	1	RMS	1750.213	20.9	60	Pass	401
1765	3000	1	RMS	2959	-45.52	-13	Pass	1236
3000	12000	1	RMS	11686	-25.6	-13	Pass	9002
12000	20000	1	RMS	19807	-24.7	-13	Pass	8001



### 9.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	836	-63.6	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1765	1	RMS	1710.563	24.75	60	Pass	401
1765	3000	1	RMS	2956	-48.65	-13	Pass	1236
3000	12000	1	RMS	11951	-41.3	-13	Pass	9002
12000	20000	1	RMS	19410	-32.85	-13	Pass	8001



### 9.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-71.62	-13	Pass	401
0.15	30	0.01	RMS	25.31	-68.23	-13	Pass	2986
30	1000	0.1	RMS	996.598	-59.01	-13	Pass	9701
1000	1700	1	RMS	1698	-48.79	-13	Pass	701
1700	1765	1	RMS	1710.563	21.12	60	Pass	401
1765	3000	1	RMS	2987	-45.57	-13	Pass	1236
3000	12000	1	RMS	11496	-34.35	-13	Pass	9002
12000	20000	1	RMS	19788	-24.6	-13	Pass	8001



### 9.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.54	-13	Pass	401
0.15	30	0.01	RMS	25.78	-68.33	-13	Pass	2986
30	1000	0.1	RMS	890.127	-59	-13	Pass	9701
1000	1700	1	RMS	1664	-48.93	-13	Pass	701
1700	1765	1	RMS	1727.95	20.92	60	Pass	401
1765	3000	1	RMS	2993	-45.54	-13	Pass	1236
3000	12000	1	RMS	11495	-34.46	-13	Pass	9002
12000	20000	1	RMS	19792	-24.55	-13	Pass	8001



## 9.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-70.88	-13	Pass	401
0.15	30	0.01	RMS	28.05	-67.82	-13	Pass	2986
30	1000	0.1	RMS	906.738	-59.08	-13	Pass	9701
1000	1700	1	RMS	1700	-48.83	-13	Pass	701
1700	1765	1	RMS	1727.95	21.01	60	Pass	401
1765	3000	1	RMS	2955	-45.47	-13	Pass	1236
3000	12000	1	RMS	11858	-34.34	-13	Pass	9002
12000	20000	1	RMS	19801	-24.69	-13	Pass	8001



### 9.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.03	-13	Pass	401
0.15	30	0.01	RMS	11.07	-67.94	-13	Pass	2986
30	1000	0.1	RMS	908.039	-59.22	-13	Pass	9701
1000	1700	1	RMS	1690	-49	-13	Pass	701
1700	1765	1	RMS	1745.5	20.9	60	Pass	401
1765	3000	1	RMS	2956	-45.51	-13	Pass	1236
3000	12000	1	RMS	11687	-24.87	-13	Pass	9002
12000	20000	1	RMS	19793	-24.77	-13	Pass	8001



### 9.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.89	-13	Pass	401
0.15	30	0.01	RMS	3.62	-68.2	-13	Pass	2986
30	1000	0.1	RMS	838.8	-59.3	-13	Pass	9701
1000	1700	1	RMS	1700	-48.82	-13	Pass	701
1700	1765	1	RMS	1745.5	21.06	60	Pass	401
1765	3000	1	RMS	2966	-45.62	-13	Pass	1236
3000	12000	1	RMS	11893	-34.37	-13	Pass	9002
12000	20000	1	RMS	19806	-24.71	-13	Pass	8001



### 9.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-50.29	-13	Pass	701
1700	1765	1	RMS	1710.725	24.6	60	Pass	401
1765	3000	1	RMS	2955	-48.72	-13	Pass	1236
3000	12000	1	RMS	11952	-41.18	-13	Pass	9002
12000	20000	1	RMS	19392	-32.84	-13	Pass	8001



### 9.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.47	-13	Pass	401
0.15	30	0.01	RMS	18.8	-68.5	-13	Pass	2986
30	1000	0.1	RMS	884.724	-58.97	-13	Pass	9701
1000	1700	1	RMS	1700	-48.73	-13	Pass	701
1700	1765	1	RMS	1710.725	21.03	60	Pass	401
1765	3000	1	RMS	2979	-45.5	-13	Pass	1236
3000	12000	1	RMS	11507	-34.31	-13	Pass	9002
12000	20000	1	RMS	19791	-24.57	-13	Pass	8001



### 9.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.65	-13	Pass	401
0.15	30	0.01	RMS	7.82	-68.65	-13	Pass	2986
30	1000	0.1	RMS	857.105	-59.25	-13	Pass	9701
1000	1700	1	RMS	1690	-48.85	-13	Pass	701
1700	1765	1	RMS	1725.675	20.79	60	Pass	401
1765	3000	1	RMS	2944	-45.52	-13	Pass	1236
3000	12000	1	RMS	11841	-34.42	-13	Pass	9002
12000	20000	1	RMS	19801	-24.72	-13	Pass	8001



### 9.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.12	-13	Pass	401
0.15	30	0.01	RMS	22.6	-68.37	-13	Pass	2986
30	1000	0.1	RMS	980.787	-59.05	-13	Pass	9701
1000	1700	1	RMS	1695	-48.81	-13	Pass	701
1700	1765	1	RMS	1725.838	20.98	60	Pass	401
1765	3000	1	RMS	2959	-45.68	-13	Pass	1236
3000	12000	1	RMS	11684	-24.99	-13	Pass	9002
12000	20000	1	RMS	19801	-24.69	-13	Pass	8001



### 9.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.19	-13	Pass	401
0.15	30	0.01	RMS	22.07	-68.6	-13	Pass	2986
30	1000	0.1	RMS	860.307	-59.11	-13	Pass	9701
1000	1700	1	RMS	1699	-48.96	-13	Pass	701
1700	1765	1	RMS	1740.788	20.85	60	Pass	401
1765	3000	1	RMS	2987	-45.75	-13	Pass	1236
3000	12000	1	RMS	11867	-34.4	-13	Pass	9002
12000	20000	1	RMS	19806	-24.78	-13	Pass	8001



### 9.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.39	-13	Pass	401
0.15	30	0.01	RMS	20.39	-68.31	-13	Pass	2986
30	1000	0.1	RMS	998.699	-59.29	-13	Pass	9701
1000	1700	1	RMS	1696	-48.85	-13	Pass	701
1700	1765	1	RMS	1740.788	20.85	60	Pass	401
1765	3000	1	RMS	2952	-45.43	-13	Pass	1236
3000	12000	1	RMS	11503	-34.32	-13	Pass	9002
12000	20000	1	RMS	19788	-24.54	-13	Pass	8001



### 9.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2986
30	1000	0.1	RMS	846.3	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-51.17	-13	Pass	701
1700	1765	1	RMS	1711.05	24.53	60	Pass	401
1765	3000	1	RMS	2951	-48.66	-13	Pass	1236
3000	12000	1	RMS	11848	-41.26	-13	Pass	9002
12000	20000	1	RMS	19402	-32.75	-13	Pass	8001



### 9.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.11	-13	Pass	401
0.15	30	0.01	RMS	0.42	-67.92	-13	Pass	2986
30	1000	0.1	RMS	911.141	-59.1	-13	Pass	9701
1000	1700	1	RMS	1697	-48.8	-13	Pass	701
1700	1765	1	RMS	1710.888	21	60	Pass	401
1765	3000	1	RMS	2993	-45.67	-13	Pass	1236
3000	12000	1	RMS	11180	-34.58	-13	Pass	9002
12000	20000	1	RMS	19799	-24.63	-13	Pass	8001



### 9.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.83	-13	Pass	401
0.15	30	0.01	RMS	2.31	-68.56	-13	Pass	2986
30	1000	0.1	RMS	998.099	-59.26	-13	Pass	9701
1000	1700	1	RMS	1694	-48.81	-13	Pass	701
1700	1765	1	RMS	1723.563	20.83	60	Pass	401
1765	3000	1	RMS	2993	-45.64	-13	Pass	1236
3000	12000	1	RMS	11688	-24.83	-13	Pass	9002
12000	20000	1	RMS	19750	-24.65	-13	Pass	8001



### 9.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.55	-13	Pass	401
0.15	30	0.01	RMS	29.3	-68.18	-13	Pass	2986
30	1000	0.1	RMS	879.12	-59.09	-13	Pass	9701
1000	1700	1	RMS	1691	-48.94	-13	Pass	701
1700	1765	1	RMS	1723.563	20.84	60	Pass	401
1765	3000	1	RMS	2994	-45.66	-13	Pass	1236
3000	12000	1	RMS	11878	-34.4	-13	Pass	9002
12000	20000	1	RMS	19736	-24.79	-13	Pass	8001



### 9.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-70.3	-13	Pass	401
0.15	30	0.01	RMS	23.5	-67.79	-13	Pass	2986
30	1000	0.1	RMS	858.306	-59.2	-13	Pass	9701
1000	1700	1	RMS	1698	-48.84	-13	Pass	701
1700	1765	1	RMS	1736.075	20.82	60	Pass	401
1765	3000	1	RMS	2964	-45.43	-13	Pass	1236
3000	12000	1	RMS	11163	-34.53	-13	Pass	9002
12000	20000	1	RMS	19769	-24.82	-13	Pass	8001



### 9.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.51	-13	Pass	401
0.15	30	0.01	RMS	24.78	-68.23	-13	Pass	2986
30	1000	0.1	RMS	894.33	-59.09	-13	Pass	9701
1000	1700	1	RMS	1685	-48.99	-13	Pass	701
1700	1765	1	RMS	1736.075	20.9	60	Pass	401
1765	3000	1	RMS	2989	-45.65	-13	Pass	1236
3000	12000	1	RMS	11518	-34.38	-13	Pass	9002
12000	20000	1	RMS	19802	-24.72	-13	Pass	8001



## 10. LTE\_Band7


### 10.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.41	-25	Pass	401
0.15	30	0.01	RMS	22.29	-67.8	-25	Pass	2986
30	1000	0.1	RMS	995.697	-59.16	-25	Pass	9701
1000	2490	1	RMS	2489	-46.2	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.13	60	Pass	401
2580	3000	1	RMS	2966	-45.62	-25	Pass	421
3000	12000	1	RMS	3505	-50.7	-25	Pass	9002
12000	26000	1	RMS	19951	-34.72	-25	Pass	14002



**10.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.93	-25	Pass	401
0.15	30	0.01	RMS	29.19	-68.27	-25	Pass	2986
30	1000	0.1	RMS	848.3	-59.3	-25	Pass	9701
1000	2490	1	RMS	2490	-46.21	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.22	60	Pass	401
2580	3000	1	RMS	2944	-45.58	-25	Pass	421
3000	12000	1	RMS	11684	-45.43	-25	Pass	9002
12000	26000	1	RMS	25102	-39.45	-25	Pass	14002




**10.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.46	-25	Pass	401
0.15	30	0.01	RMS	0.28	-68.2	-25	Pass	2986
30	1000	0.1	RMS	884.624	-59.08	-25	Pass	9701
1000	2490	1	RMS	2487	-46.66	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.18	60	Pass	401
2580	3000	1	RMS	2952	-45.68	-25	Pass	421
3000	12000	1	RMS	11893	-54.04	-25	Pass	9002
12000	26000	1	RMS	25950	-39.57	-25	Pass	14002




**10.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-25	Pass	401
0.15	30	0.01	RMS	24.07	-68.52	-25	Pass	2986
30	1000	0.1	RMS	860.708	-59.09	-25	Pass	9701
1000	2490	1	RMS	2490	-46.58	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.43	60	Pass	401
2580	3000	1	RMS	2951	-45.64	-25	Pass	421
3000	12000	1	RMS	11505	-54.08	-25	Pass	9002
12000	26000	1	RMS	25837	-39.42	-25	Pass	14002




**10.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.24	-25	Pass	401
0.15	30	0.01	RMS	25.99	-67.61	-25	Pass	2986
30	1000	0.1	RMS	878.82	-59.11	-25	Pass	9701
1000	2490	1	RMS	2489	-46.33	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.16	60	Pass	401
2580	3000	1	RMS	2959	-45.69	-25	Pass	421
3000	12000	1	RMS	11497	-54.03	-25	Pass	9002
12000	26000	1	RMS	25740	-39.62	-25	Pass	14002




**10.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-70.74	-25	Pass	401
0.15	30	0.01	RMS	27.52	-67.92	-25	Pass	2986
30	1000	0.1	RMS	908.74	-59.1	-25	Pass	9701
1000	2490	1	RMS	2489	-46.74	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.02	60	Pass	401
2580	3000	1	RMS	2959	-45.68	-25	Pass	421
3000	12000	1	RMS	11899	-53.92	-25	Pass	9002
12000	26000	1	RMS	20939	-34.12	-25	Pass	14002




**10.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.39	-25	Pass	401
0.15	30	0.01	RMS	18.43	-68.18	-25	Pass	2986
30	1000	0.1	RMS	471.9	-59.25	-25	Pass	9701
1000	2490	1	RMS	2490	-46.27	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.15	60	Pass	401
2580	3000	1	RMS	2996	-45.67	-25	Pass	421
3000	12000	1	RMS	11685	-45.07	-25	Pass	9002
12000	26000	1	RMS	25093	-39.71	-25	Pass	14002




**10.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.15	-25	Pass	401
0.15	30	0.01	RMS	6.24	-68.31	-25	Pass	2986
30	1000	0.1	RMS	882.222	-59.13	-25	Pass	9701
1000	2490	1	RMS	2490	-46.23	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.12	60	Pass	401
2580	3000	1	RMS	2951	-45.65	-25	Pass	421
3000	12000	1	RMS	11505	-53.92	-25	Pass	9002
12000	26000	1	RMS	25844	-39.51	-25	Pass	14002



**10.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.14	-25	Pass	401
0.15	30	0.01	RMS	0.34	-67.45	-25	Pass	2986
30	1000	0.1	RMS	876.718	-59.19	-25	Pass	9701
1000	2490	1	RMS	2490	-46.69	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.34	60	Pass	401
2580	3000	1	RMS	2972	-45.68	-25	Pass	421
3000	12000	1	RMS	11902	-54.02	-25	Pass	9002
12000	26000	1	RMS	25733	-39.6	-25	Pass	14002



### 10.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.79	-25	Pass	401
0.15	30	0.01	RMS	28.01	-68.05	-25	Pass	2986
30	1000	0.1	RMS	991.194	-59.18	-25	Pass	9701
1000	2490	1	RMS	2489	-46.81	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.31	60	Pass	401
2580	3000	1	RMS	2951	-45.66	-25	Pass	421
3000	12000	1	RMS	5061	-54.06	-25	Pass	9002
12000	26000	1	RMS	25114	-39.67	-25	Pass	14002



### 10.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.04	-25	Pass	401
0.15	30	0.01	RMS	0.59	-68.08	-25	Pass	2986
30	1000	0.1	RMS	474	-59.35	-25	Pass	9701
1000	2490	1	RMS	2487	-46.53	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.98	60	Pass	401
2580	3000	1	RMS	2945	-45.64	-25	Pass	421
3000	12000	1	RMS	11503	-54.02	-25	Pass	9002
12000	26000	1	RMS	20945	-34.22	-25	Pass	14002



### 10.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.34	-25	Pass	2986
30	1000	0.1	RMS	474.8	-59.23	-25	Pass	9701
1000	2490	1	RMS	2489	-46.8	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.27	60	Pass	401
2580	3000	1	RMS	2972	-45.69	-25	Pass	421
3000	12000	1	RMS	11505	-53.91	-25	Pass	9002
12000	26000	1	RMS	25937	-39.6	-25	Pass	14002



### 10.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.17	-25	Pass	401
0.15	30	0.01	RMS	15.33	-68.21	-25	Pass	2986
30	1000	0.1	RMS	999.4	-58.99	-25	Pass	9701
1000	2490	1	RMS	2490	-46.2	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.79	60	Pass	401
2580	3000	1	RMS	2971	-45.65	-25	Pass	421
3000	12000	1	RMS	3514	-50.99	-25	Pass	9002
12000	26000	1	RMS	25090	-39.61	-25	Pass	14002



### 10.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.4	-25	Pass	401
0.15	30	0.01	RMS	22.86	-68.52	-25	Pass	2986
30	1000	0.1	RMS	864.51	-59.13	-25	Pass	9701
1000	2490	1	RMS	2490	-46.1	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.1	60	Pass	401
2580	3000	1	RMS	2943	-45.7	-25	Pass	421
3000	12000	1	RMS	11499	-54.2	-25	Pass	9002
12000	26000	1	RMS	25872	-39.66	-25	Pass	14002



### 10.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.98	-25	Pass	401
0.15	30	0.01	RMS	3.18	-68.16	-25	Pass	2986
30	1000	0.1	RMS	927.452	-59.15	-25	Pass	9701
1000	2490	1	RMS	2489	-46.28	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.89	60	Pass	401
2580	3000	1	RMS	2941	-45.72	-25	Pass	421
3000	12000	1	RMS	11497	-53.81	-25	Pass	9002
12000	26000	1	RMS	25823	-39.59	-25	Pass	14002



### 10.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-70.42	-25	Pass	401
0.15	30	0.01	RMS	2.85	-67.71	-25	Pass	2986
30	1000	0.1	RMS	484.7	-59.39	-25	Pass	9701
1000	2490	1	RMS	2488	-46.63	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.07	60	Pass	401
2580	3000	1	RMS	2953	-45.73	-25	Pass	421
3000	12000	1	RMS	11488	-54.12	-25	Pass	9002
12000	26000	1	RMS	20925	-33.41	-25	Pass	14002



### 10.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.62	-25	Pass	401
0.15	30	0.01	RMS	26.06	-67.92	-25	Pass	2986
30	1000	0.1	RMS	905.537	-59.24	-25	Pass	9701
1000	2490	1	RMS	2486	-46.59	-25	Pass	1491
2490	2595	1	RMS	2555.625	21.73	60	Pass	401
2595	3000	1	RMS	2963	-45.75	-25	Pass	406
3000	12000	1	RMS	11685	-44.81	-25	Pass	9002
12000	26000	1	RMS	25106	-39.76	-25	Pass	14002



### 10.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.04	-25	Pass	2986
30	1000	0.1	RMS	895.331	-59.15	-25	Pass	9701
1000	2490	1	RMS	2490	-46.64	-25	Pass	1491
2490	2595	1	RMS	2555.625	21.92	60	Pass	401
2595	3000	1	RMS	2977	-45.63	-25	Pass	406
3000	12000	1	RMS	11501	-54.01	-25	Pass	9002
12000	26000	1	RMS	25104	-39.45	-25	Pass	14002



### 10.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.37	-25	Pass	401
0.15	30	0.01	RMS	0.81	-68.31	-25	Pass	2986
30	1000	0.1	RMS	975.083	-59.07	-25	Pass	9701
1000	2490	1	RMS	2490	-46.28	-25	Pass	1491
2490	2580	1	RMS	2501.025	22	60	Pass	401
2580	3000	1	RMS	2977	-45.65	-25	Pass	421
3000	12000	1	RMS	3504	-50.61	-25	Pass	9002
12000	26000	1	RMS	25091	-39.49	-25	Pass	14002



### 10.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	Pass	2986
30	1000	0.1	RMS	883.423	-59.01	-25	Pass	9701
1000	2490	1	RMS	2490	-46.13	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.16	60	Pass	401
2580	3000	1	RMS	2951	-45.68	-25	Pass	421
3000	12000	1	RMS	11182	-54.23	-25	Pass	9002
12000	26000	1	RMS	25996	-39.72	-25	Pass	14002



### 10.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.25	-25	Pass	2986
30	1000	0.1	RMS	475.3	-59.22	-25	Pass	9701
1000	2490	1	RMS	2489	-46.69	-25	Pass	1491
2490	2580	1	RMS	2526	21.84	60	Pass	401
2580	3000	1	RMS	2960	-45.64	-25	Pass	421
3000	12000	1	RMS	11863	-54.13	-25	Pass	9002
12000	26000	1	RMS	20933	-34.13	-25	Pass	14002



### 10.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.24	-25	Pass	401
0.15	30	0.01	RMS	19.18	-68.58	-25	Pass	2986
30	1000	0.1	RMS	865.611	-59.29	-25	Pass	9701
1000	2490	1	RMS	2490	-46.65	-25	Pass	1491
2490	2580	1	RMS	2526	22.08	60	Pass	401
2580	3000	1	RMS	2954	-45.66	-25	Pass	421
3000	12000	1	RMS	11682	-44.84	-25	Pass	9002
12000	26000	1	RMS	25981	-39.59	-25	Pass	14002



### 10.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.96	-25	Pass	401
0.15	30	0.01	RMS	0.6	-67.9	-25	Pass	2986
30	1000	0.1	RMS	839.8	-59.1	-25	Pass	9701
1000	2490	1	RMS	2489	-46.44	-25	Pass	1491
2490	2595	1	RMS	2550.9	21.8	60	Pass	401
2595	3000	1	RMS	2952	-45.64	-25	Pass	406
3000	12000	1	RMS	11497	-54.17	-25	Pass	9002
12000	26000	1	RMS	25811	-39.58	-25	Pass	14002



### 10.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.37	-25	Pass	401
0.15	30	0.01	RMS	0.65	-67.97	-25	Pass	2986
30	1000	0.1	RMS	895.331	-59.11	-25	Pass	9701
1000	2490	1	RMS	2488	-46.63	-25	Pass	1491
2490	2595	1	RMS	2550.9	21.93	60	Pass	401
2595	3000	1	RMS	2946	-45.64	-25	Pass	406
3000	12000	1	RMS	11506	-54.06	-25	Pass	9002
12000	26000	1	RMS	25110	-39.51	-25	Pass	14002



## 11. LTE\_Band66


**11.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.129	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.47	-68.16	-13	Pass	2986
30	1000	0.1	RMS	965.077	-59.16	-13	Pass	9701
1000	1700	1	RMS	1697	-48.91	-13	Pass	701
1700	1790	1	RMS	1710.125	21.03	60	Pass	401
1790	3000	1	RMS	2990	-45.52	-13	Pass	1211
3000	12000	1	RMS	3481	-30.62	-13	Pass	9002
12000	20000	1	RMS	13629	-22.76	-13	Pass	8001




**11.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	1000	0.1	RMS	845	-63.68	-13	Pass	9701
1000	1700	1	RMS	1700	-51.45	-13	Pass	701
1700	1790	1	RMS	1710.125	23.67	60	Pass	401
1790	3000	1	RMS	2946	-48.67	-13	Pass	1211
3000	12000	1	RMS	11950	-41.22	-13	Pass	9002
12000	20000	1	RMS	19403	-32.83	-13	Pass	8001




**11.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-71.16	-13	Pass	401
0.15	30	0.01	RMS	8.66	-67.74	-13	Pass	2986
30	1000	0.1	RMS	891.828	-58.73	-13	Pass	9701
1000	1700	1	RMS	1669	-48.96	-13	Pass	701
1700	1790	1	RMS	1744.325	20.9	60	Pass	401
1790	3000	1	RMS	2946	-45.45	-13	Pass	1211
3000	12000	1	RMS	7104	-26.43	-13	Pass	9002
12000	20000	1	RMS	19802	-24.65	-13	Pass	8001




**11.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.06	-13	Pass	401
0.15	30	0.01	RMS	1.19	-68.06	-13	Pass	2986
30	1000	0.1	RMS	880.521	-58.94	-13	Pass	9701
1000	1700	1	RMS	1577	-49.06	-13	Pass	701
1700	1790	1	RMS	1744.55	21.09	60	Pass	401
1790	3000	1	RMS	2949	-45.69	-13	Pass	1211
3000	12000	1	RMS	11863	-34.52	-13	Pass	9002
12000	20000	1	RMS	19812	-24.79	-13	Pass	8001



**11.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.37	-13	Pass	401
0.15	30	0.01	RMS	26.25	-67.82	-13	Pass	2986
30	1000	0.1	RMS	880.521	-58.93	-13	Pass	9701
1000	1700	1	RMS	1695	-48.88	-13	Pass	701
1700	1790	1	RMS	1778.75	21.15	60	Pass	401
1790	3000	1	RMS	2984	-45.6	-13	Pass	1211
3000	12000	1	RMS	11853	-34.26	-13	Pass	9002
12000	20000	1	RMS	19788	-24.43	-13	Pass	8001



**11.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.42	-68.2	-13	Pass	2986
30	1000	0.1	RMS	884.223	-59.09	-13	Pass	9701
1000	1700	1	RMS	1692	-48.93	-13	Pass	701
1700	1790	1	RMS	1778.75	21.39	60	Pass	401
1790	3000	1	RMS	2945	-45.54	-13	Pass	1211
3000	12000	1	RMS	11173	-34.45	-13	Pass	9002
12000	20000	1	RMS	19800	-24.67	-13	Pass	8001

