



**11.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.1	-13	Pass	401
0.15	30	0.01	RMS	19.26	-68.37	-13	Pass	2986
30	1000	0.1	RMS	888.326	-58.92	-13	Pass	9701
1000	1700	1	RMS	1700	-48.59	-13	Pass	701
1700	1790	1	RMS	1710.125	21.07	60	Pass	401
1790	3000	1	RMS	2979	-45.47	-13	Pass	1211
3000	12000	1	RMS	3507	-30.72	-13	Pass	9002
12000	20000	1	RMS	13636	-23.47	-13	Pass	8001




**11.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-51.28	-13	Pass	701
1700	1790	1	RMS	1710.125	24.03	60	Pass	401
1790	3000	1	RMS	2956	-48.67	-13	Pass	1211
3000	12000	1	RMS	11950	-41.23	-13	Pass	9002
12000	20000	1	RMS	19400	-32.79	-13	Pass	8001



**11.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.51	-13	Pass	401
0.15	30	0.01	RMS	24.05	-68.11	-13	Pass	2986
30	1000	0.1	RMS	889.427	-59.07	-13	Pass	9701
1000	1700	1	RMS	1698	-49.03	-13	Pass	701
1700	1790	1	RMS	1743.65	20.96	60	Pass	401
1790	3000	1	RMS	2942	-45.45	-13	Pass	1211
3000	12000	1	RMS	11898	-34.43	-13	Pass	9002
12000	20000	1	RMS	19777	-24.64	-13	Pass	8001



### 11.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.4	-13	Pass	2986
30	1000	0.1	RMS	965.677	-59.01	-13	Pass	9701
1000	1700	1	RMS	1700	-48.83	-13	Pass	701
1700	1790	1	RMS	1743.65	21.04	60	Pass	401
1790	3000	1	RMS	2943	-45.56	-13	Pass	1211
3000	12000	1	RMS	11932	-34.44	-13	Pass	9002
12000	20000	1	RMS	19791	-24.69	-13	Pass	8001



### 11.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.83	-13	Pass	401
0.15	30	0.01	RMS	28.73	-67.99	-13	Pass	2986
30	1000	0.1	RMS	879.62	-58.96	-13	Pass	9701
1000	1700	1	RMS	1697	-48.71	-13	Pass	701
1700	1790	1	RMS	1777.175	21.09	60	Pass	401
1790	3000	1	RMS	2952	-45.5	-13	Pass	1211
3000	12000	1	RMS	11900	-34.36	-13	Pass	9002
12000	20000	1	RMS	19799	-24.72	-13	Pass	8001



### 11.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.22	-13	Pass	401
0.15	30	0.01	RMS	22.16	-68.54	-13	Pass	2986
30	1000	0.1	RMS	892.529	-59.04	-13	Pass	9701
1000	1700	1	RMS	1697	-48.8	-13	Pass	701
1700	1790	1	RMS	1777.175	21.23	60	Pass	401
1790	3000	1	RMS	2948	-45.5	-13	Pass	1211
3000	12000	1	RMS	11875	-34.36	-13	Pass	9002
12000	20000	1	RMS	19793	-24.63	-13	Pass	8001



### 11.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.3	-13	Pass	401
0.15	30	0.01	RMS	7.26	-68.45	-13	Pass	2986
30	1000	0.1	RMS	830.9	-59.09	-13	Pass	9701
1000	1700	1	RMS	1670	-49	-13	Pass	701
1700	1790	1	RMS	1710.125	20.97	60	Pass	401
1790	3000	1	RMS	2985	-45.6	-13	Pass	1211
3000	12000	1	RMS	3506	-31.93	-13	Pass	9002
12000	20000	1	RMS	13639	-23.04	-13	Pass	8001



### 11.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	856.205	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1790	1	RMS	1710.125	23.75	60	Pass	401
1790	3000	1	RMS	2953	-48.67	-13	Pass	1211
3000	12000	1	RMS	11853	-41.31	-13	Pass	9002
12000	20000	1	RMS	19407	-32.83	-13	Pass	8001



### 11.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.91	-13	Pass	401
0.15	30	0.01	RMS	17.77	-67.76	-13	Pass	2986
30	1000	0.1	RMS	997.799	-59.2	-13	Pass	9701
1000	1700	1	RMS	1696	-48.94	-13	Pass	701
1700	1790	1	RMS	1742.75	20.96	60	Pass	401
1790	3000	1	RMS	2980	-45.51	-13	Pass	1211
3000	12000	1	RMS	11503	-34.49	-13	Pass	9002
12000	20000	1	RMS	19755	-24.77	-13	Pass	8001



### 11.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.08	-13	Pass	401
0.15	30	0.01	RMS	13.17	-68.22	-13	Pass	2986
30	1000	0.1	RMS	911.742	-59	-13	Pass	9701
1000	1700	1	RMS	1650	-49.01	-13	Pass	701
1700	1790	1	RMS	1742.75	21.15	60	Pass	401
1790	3000	1	RMS	2948	-45.54	-13	Pass	1211
3000	12000	1	RMS	11911	-34.46	-13	Pass	9002
12000	20000	1	RMS	19791	-24.51	-13	Pass	8001



### 11.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.62	-13	Pass	401
0.15	30	0.01	RMS	0.36	-67.86	-13	Pass	2986
30	1000	0.1	RMS	915.544	-59.09	-13	Pass	9701
1000	1700	1	RMS	1649	-49.04	-13	Pass	701
1700	1790	1	RMS	1775.15	21.09	60	Pass	401
1790	3000	1	RMS	2962	-45.67	-13	Pass	1211
3000	12000	1	RMS	11922	-34.46	-13	Pass	9002
12000	20000	1	RMS	19786	-24.57	-13	Pass	8001



### 11.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-71.44	-13	Pass	401
0.15	30	0.01	RMS	25.14	-67.4	-13	Pass	2986
30	1000	0.1	RMS	999.4	-58.91	-13	Pass	9701
1000	1700	1	RMS	1669	-49	-13	Pass	701
1700	1790	1	RMS	1775.15	21.29	60	Pass	401
1790	3000	1	RMS	2999	-45.6	-13	Pass	1211
3000	12000	1	RMS	11848	-34.34	-13	Pass	9002
12000	20000	1	RMS	19791	-24.67	-13	Pass	8001



### 11.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.7	-13	Pass	401
0.15	30	0.01	RMS	29.52	-68.07	-13	Pass	2986
30	1000	0.1	RMS	896.331	-58.71	-13	Pass	9701
1000	1700	1	RMS	1700	-48.84	-13	Pass	701
1700	1790	1	RMS	1710.575	20.95	60	Pass	401
1790	3000	1	RMS	2950	-45.69	-13	Pass	1211
3000	12000	1	RMS	11689	-25.04	-13	Pass	9002
12000	20000	1	RMS	13642	-23.23	-13	Pass	8001



### 11.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	1000	0.1	RMS	854.003	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-50.88	-13	Pass	701
1700	1790	1	RMS	1710.575	23.71	60	Pass	401
1790	3000	1	RMS	2953	-48.68	-13	Pass	1211
3000	12000	1	RMS	11849	-41.23	-13	Pass	9002
12000	20000	1	RMS	19409	-32.8	-13	Pass	8001



### 11.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.52	-13	Pass	401
0.15	30	0.01	RMS	1.02	-68.04	-13	Pass	2986
30	1000	0.1	RMS	886.425	-59.08	-13	Pass	9701
1000	1700	1	RMS	1697	-49.01	-13	Pass	701
1700	1790	1	RMS	1740.5	20.97	60	Pass	401
1790	3000	1	RMS	2962	-45.47	-13	Pass	1211
3000	12000	1	RMS	11895	-34.4	-13	Pass	9002
12000	20000	1	RMS	19751	-24.72	-13	Pass	8001



### 11.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.19	-67.39	-13	Pass	2986
30	1000	0.1	RMS	858.806	-59.13	-13	Pass	9701
1000	1700	1	RMS	1666	-49.01	-13	Pass	701
1700	1790	1	RMS	1740.5	21.13	60	Pass	401
1790	3000	1	RMS	2954	-45.57	-13	Pass	1211
3000	12000	1	RMS	11914	-34.52	-13	Pass	9002
12000	20000	1	RMS	19796	-24.68	-13	Pass	8001



### 11.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-13	Pass	401
0.15	30	0.01	RMS	24.76	-68.13	-13	Pass	2986
30	1000	0.1	RMS	469.7	-59.02	-13	Pass	9701
1000	1700	1	RMS	1667	-49	-13	Pass	701
1700	1790	1	RMS	1770.425	21.04	60	Pass	401
1790	3000	1	RMS	2992	-45.55	-13	Pass	1211
3000	12000	1	RMS	11896	-34.43	-13	Pass	9002
12000	20000	1	RMS	19793	-24.67	-13	Pass	8001



### 11.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.053	-71.2	-13	Pass	401
0.15	30	0.01	RMS	9.86	-68.53	-13	Pass	2986
30	1000	0.1	RMS	907.839	-59	-13	Pass	9701
1000	1700	1	RMS	1678	-49.02	-13	Pass	701
1700	1790	1	RMS	1770.425	21.25	60	Pass	401
1790	3000	1	RMS	2964	-45.58	-13	Pass	1211
3000	12000	1	RMS	11950	-34.49	-13	Pass	9002
12000	20000	1	RMS	19787	-24.53	-13	Pass	8001



### 11.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.84	-13	Pass	401
0.15	30	0.01	RMS	29.97	-68.36	-13	Pass	2986
30	1000	0.1	RMS	867.012	-59.12	-13	Pass	9701
1000	1700	1	RMS	1700	-48.68	-13	Pass	701
1700	1790	1	RMS	1710.8	20.81	60	Pass	401
1790	3000	1	RMS	2949	-45.57	-13	Pass	1211
3000	12000	1	RMS	7103	-26.39	-13	Pass	9002
12000	20000	1	RMS	13637	-23.61	-13	Pass	8001



### 11.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	Pass	2986
30	1000	0.1	RMS	857.205	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-51.3	-13	Pass	701
1700	1790	1	RMS	1710.8	23.63	60	Pass	401
1790	3000	1	RMS	2954	-48.68	-13	Pass	1211
3000	12000	1	RMS	11850	-41.22	-13	Pass	9002
12000	20000	1	RMS	19395	-32.85	-13	Pass	8001



### 11.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.86	-13	Pass	401
0.15	30	0.01	RMS	27.72	-68.12	-13	Pass	2986
30	1000	0.1	RMS	904.637	-58.92	-13	Pass	9701
1000	1700	1	RMS	1697	-49	-13	Pass	701
1700	1790	1	RMS	1738.25	20.84	60	Pass	401
1790	3000	1	RMS	2993	-45.65	-13	Pass	1211
3000	12000	1	RMS	11850	-34.52	-13	Pass	9002
12000	20000	1	RMS	19797	-24.56	-13	Pass	8001



### 11.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.48	-13	Pass	401
0.15	30	0.01	RMS	10.66	-68.28	-13	Pass	2986
30	1000	0.1	RMS	995.297	-59.05	-13	Pass	9701
1000	1700	1	RMS	1688	-48.97	-13	Pass	701
1700	1790	1	RMS	1738.25	20.88	60	Pass	401
1790	3000	1	RMS	2951	-45.65	-13	Pass	1211
3000	12000	1	RMS	11165	-34.59	-13	Pass	9002
12000	20000	1	RMS	19798	-24.61	-13	Pass	8001



### 11.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.08	-13	Pass	401
0.15	30	0.01	RMS	18.72	-67.72	-13	Pass	2986
30	1000	0.1	RMS	892.729	-58.97	-13	Pass	9701
1000	1700	1	RMS	1674	-48.98	-13	Pass	701
1700	1790	1	RMS	1765.7	20.99	60	Pass	401
1790	3000	1	RMS	2981	-45.65	-13	Pass	1211
3000	12000	1	RMS	11170	-34.54	-13	Pass	9002
12000	20000	1	RMS	19792	-24.67	-13	Pass	8001



### 11.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.03	-13	Pass	401
0.15	30	0.01	RMS	1.91	-68.17	-13	Pass	2986
30	1000	0.1	RMS	927.952	-59.04	-13	Pass	9701
1000	1700	1	RMS	1686	-48.94	-13	Pass	701
1700	1790	1	RMS	1765.7	20.99	60	Pass	401
1790	3000	1	RMS	2986	-45.6	-13	Pass	1211
3000	12000	1	RMS	11678	-25.33	-13	Pass	9002
12000	20000	1	RMS	19807	-24.58	-13	Pass	8001



### 11.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.05	-13	Pass	401
0.15	30	0.01	RMS	0.23	-67.69	-13	Pass	2986
30	1000	0.1	RMS	892.229	-59.05	-13	Pass	9701
1000	1700	1	RMS	1698	-48.8	-13	Pass	701
1700	1790	1	RMS	1711.025	20.92	60	Pass	401
1790	3000	1	RMS	2985	-45.67	-13	Pass	1211
3000	12000	1	RMS	11904	-34.43	-13	Pass	9002
12000	20000	1	RMS	13636	-22.77	-13	Pass	8001



### 11.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	Pass	2986
30	1000	0.1	RMS	871.315	-63.62	-13	Pass	9701
1000	1700	1	RMS	1700	-51.6	-13	Pass	701
1700	1790	1	RMS	1711.025	23.92	60	Pass	401
1790	3000	1	RMS	2949	-48.67	-13	Pass	1211
3000	12000	1	RMS	11839	-41.31	-13	Pass	9002
12000	20000	1	RMS	19403	-32.8	-13	Pass	8001



### 11.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.52	-13	Pass	401
0.15	30	0.01	RMS	17.98	-67.79	-13	Pass	2986
30	1000	0.1	RMS	871.415	-59.25	-13	Pass	9701
1000	1700	1	RMS	1655	-49.01	-13	Pass	701
1700	1790	1	RMS	1736	20.86	60	Pass	401
1790	3000	1	RMS	2952	-45.46	-13	Pass	1211
3000	12000	1	RMS	11906	-34.39	-13	Pass	9002
12000	20000	1	RMS	19794	-24.47	-13	Pass	8001



### 11.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.26	-67.74	-13	Pass	2986
30	1000	0.1	RMS	496	-59.22	-13	Pass	9701
1000	1700	1	RMS	1682	-49.04	-13	Pass	701
1700	1790	1	RMS	1736	20.92	60	Pass	401
1790	3000	1	RMS	2963	-45.53	-13	Pass	1211
3000	12000	1	RMS	11500	-34.52	-13	Pass	9002
12000	20000	1	RMS	19801	-24.64	-13	Pass	8001



### 11.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.63	-13	Pass	401
0.15	30	0.01	RMS	25.28	-68.41	-13	Pass	2986
30	1000	0.1	RMS	847.3	-59.11	-13	Pass	9701
1000	1700	1	RMS	1668	-49.06	-13	Pass	701
1700	1790	1	RMS	1760.975	20.97	60	Pass	401
1790	3000	1	RMS	2999	-45.64	-13	Pass	1211
3000	12000	1	RMS	11856	-34.49	-13	Pass	9002
12000	20000	1	RMS	19792	-24.72	-13	Pass	8001



### 11.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.49	-13	Pass	401
0.15	30	0.01	RMS	8.6	-67.88	-13	Pass	2986
30	1000	0.1	RMS	937.859	-59.04	-13	Pass	9701
1000	1700	1	RMS	1655	-48.98	-13	Pass	701
1700	1790	1	RMS	1760.975	21.03	60	Pass	401
1790	3000	1	RMS	2942	-45.55	-13	Pass	1211
3000	12000	1	RMS	7107	-27.24	-13	Pass	9002
12000	20000	1	RMS	19809	-24.65	-13	Pass	8001



## 12. LTE\_Band38


### 12.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.28	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.02	-25	Pass	2986
30	1000	0.1	RMS	838.1	-59.66	-25	Pass	9701
1000	2560	1	RMS	2560	-44.87	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.08	60	Pass	401
2630	3000	1	RMS	2951.9	-44.75	-25	Pass	401
3000	12000	1	RMS	5141	-40.24	-25	Pass	9002
12000	26500	1	RMS	25999	-41.74	-25	Pass	14502




**12.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-63.98	-25	Pass	401
0.15	30	0.01	RMS	11.37	-64.29	-25	Pass	2986
30	1000	0.1	RMS	889.527	-54.85	-25	Pass	9701
1000	2560	1	RMS	2560	-42.14	-25	Pass	1561
2560	2630	1	RMS	2570.15	23.28	60	Pass	401
2630	3000	1	RMS	2963.925	-41.68	-25	Pass	401
3000	12000	1	RMS	5141	-47.81	-25	Pass	9002
12000	26500	1	RMS	25886	-34.75	-25	Pass	14502




**12.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.62	-25	Pass	401
0.15	30	0.01	RMS	19.98	-64.58	-25	Pass	2986
30	1000	0.1	RMS	990.594	-55.14	-25	Pass	9701
1000	2560	1	RMS	2490	-42.32	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.6	60	Pass	401
2630	3000	1	RMS	2986.125	-41.76	-25	Pass	401
3000	12000	1	RMS	5185	-47.72	-25	Pass	9002
12000	26500	1	RMS	25795	-34.69	-25	Pass	14502



**12.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.4	-25	Pass	401
0.15	30	0.01	RMS	0.23	-63.68	-25	Pass	2986
30	1000	0.1	RMS	877.619	-55.21	-25	Pass	9701
1000	2560	1	RMS	2494	-42.32	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.43	60	Pass	401
2630	3000	1	RMS	2950.05	-41.69	-25	Pass	401
3000	12000	1	RMS	5186	-42.95	-25	Pass	9002
12000	26500	1	RMS	25736	-34.86	-25	Pass	14502




**12.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.14	-25	Pass	401
0.15	30	0.01	RMS	5.19	-64.22	-25	Pass	2986
30	1000	0.1	RMS	868.713	-55.19	-25	Pass	9701
1000	2560	1	RMS	2502	-42.63	-25	Pass	1561
2560	2630	1	RMS	2615.125	24.91	60	Pass	401
2630	3000	1	RMS	2951.9	-41.7	-25	Pass	401
3000	12000	1	RMS	7109	-43.08	-25	Pass	9002
12000	26500	1	RMS	26204	-34.88	-25	Pass	14502




**12.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.53	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.9	-25	Pass	2986
30	1000	0.1	RMS	857.205	-59.69	-25	Pass	9701
1000	2560	1	RMS	2560	-46.22	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.76	60	Pass	401
2630	3000	1	RMS	2946.35	-44.73	-25	Pass	401
3000	12000	1	RMS	11849	-46.95	-25	Pass	9002
12000	26500	1	RMS	25991	-41.73	-25	Pass	14502



**12.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.77	-25	Pass	401
0.15	30	0.01	RMS	22.55	-64.02	-25	Pass	2986
30	1000	0.1	RMS	847.4	-54.82	-25	Pass	9701
1000	2560	1	RMS	2490	-42.25	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.92	60	Pass	401
2630	3000	1	RMS	2963	-41.74	-25	Pass	401
3000	12000	1	RMS	5141	-39.49	-25	Pass	9002
12000	26500	1	RMS	25910	-35.03	-25	Pass	14502




**12.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.21	-25	Pass	401
0.15	30	0.01	RMS	29.94	-64.5	-25	Pass	2986
30	1000	0.1	RMS	822.4	-55.18	-25	Pass	9701
1000	2560	1	RMS	2557	-42.35	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.19	60	Pass	401
2630	3000	1	RMS	2983.35	-41.62	-25	Pass	401
3000	12000	1	RMS	5141	-40.4	-25	Pass	9002
12000	26500	1	RMS	25088	-34.7	-25	Pass	14502



**12.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.09	-25	Pass	401
0.15	30	0.01	RMS	0.43	-63.9	-25	Pass	2986
30	1000	0.1	RMS	497.7	-54.93	-25	Pass	9701
1000	2560	1	RMS	2492	-42.4	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.22	60	Pass	401
2630	3000	1	RMS	2964.85	-41.74	-25	Pass	401
3000	12000	1	RMS	5182	-46.26	-25	Pass	9002
12000	26500	1	RMS	25855	-34.72	-25	Pass	14502



### 12.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.08	-25	Pass	401
0.15	30	0.01	RMS	0.26	-63.92	-25	Pass	2986
30	1000	0.1	RMS	895.331	-55.21	-25	Pass	9701
1000	2560	1	RMS	2500	-42.36	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.74	60	Pass	401
2630	3000	1	RMS	2950.975	-41.71	-25	Pass	401
3000	12000	1	RMS	7091	-41.69	-25	Pass	9002
12000	26500	1	RMS	25867	-34.85	-25	Pass	14502



### 12.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.76	-25	Pass	2986
30	1000	0.1	RMS	848	-59.62	-25	Pass	9701
1000	2560	1	RMS	2560	-46.24	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.41	60	Pass	401
2630	3000	1	RMS	2955.6	-44.74	-25	Pass	401
3000	12000	1	RMS	11849	-46.83	-25	Pass	9002
12000	26500	1	RMS	26005	-41.73	-25	Pass	14502



### 12.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-66.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-63.88	-25	Pass	2986
30	1000	0.1	RMS	894.73	-55.01	-25	Pass	9701
1000	2560	1	RMS	2492	-42.17	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.87	60	Pass	401
2630	3000	1	RMS	2956.525	-41.66	-25	Pass	401
3000	12000	1	RMS	5222	-48.36	-25	Pass	9002
12000	26500	1	RMS	25098	-34.69	-25	Pass	14502



### 12.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.38	-25	Pass	401
0.15	30	0.01	RMS	15.23	-64.51	-25	Pass	2986
30	1000	0.1	RMS	996.498	-55.04	-25	Pass	9701
1000	2560	1	RMS	2495	-42.16	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.45	60	Pass	401
2630	3000	1	RMS	2980.575	-41.67	-25	Pass	401
3000	12000	1	RMS	5142	-39.44	-25	Pass	9002
12000	26500	1	RMS	25890	-34.77	-25	Pass	14502



### 12.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-67.1	-25	Pass	401
0.15	30	0.01	RMS	25.9	-64.13	-25	Pass	2986
30	1000	0.1	RMS	992.895	-55.04	-25	Pass	9701
1000	2560	1	RMS	2493	-42.21	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.78	60	Pass	401
2630	3000	1	RMS	2959.3	-41.61	-25	Pass	401
3000	12000	1	RMS	5141	-49.49	-25	Pass	9002
12000	26500	1	RMS	25824	-34.59	-25	Pass	14502



### 12.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.13	-25	Pass	401
0.15	30	0.01	RMS	0.34	-64.6	-25	Pass	2986
30	1000	0.1	RMS	980.687	-54.94	-25	Pass	9701
1000	2560	1	RMS	2497	-42.2	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.17	60	Pass	401
2630	3000	1	RMS	2946.35	-41.66	-25	Pass	401
3000	12000	1	RMS	5177	-41.97	-25	Pass	9002
12000	26500	1	RMS	25101	-34.57	-25	Pass	14502



### 12.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.83	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.55	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.51	-25	Pass	9701
1000	2560	1	RMS	2560	-46.28	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.24	60	Pass	401
2630	3000	1	RMS	2953.75	-44.73	-25	Pass	401
3000	12000	1	RMS	5177	-41.05	-25	Pass	9002
12000	26500	1	RMS	25997	-41.68	-25	Pass	14502



### 12.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-66.98	-25	Pass	401
0.15	30	0.01	RMS	27.77	-64.56	-25	Pass	2986
30	1000	0.1	RMS	886.125	-55.16	-25	Pass	9701
1000	2560	1	RMS	2502	-42.34	-25	Pass	1561
2560	2645	1	RMS	2605.9	24.17	60	Pass	401
2645	3000	1	RMS	2949.413	-41.66	-25	Pass	401
3000	12000	1	RMS	5212	-43.44	-25	Pass	9002
12000	26500	1	RMS	25932	-34.84	-25	Pass	14502



### 12.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-68.01	-25	Pass	401
0.15	30	0.01	RMS	9.47	-64.7	-25	Pass	2986
30	1000	0.1	RMS	996.698	-55.06	-25	Pass	9701
1000	2560	1	RMS	2495	-42.31	-25	Pass	1561
2560	2645	1	RMS	2605.688	23.32	60	Pass	401
2645	3000	1	RMS	2966.275	-41.67	-25	Pass	401
3000	12000	1	RMS	5211	-46.19	-25	Pass	9002
12000	26500	1	RMS	25101	-34.59	-25	Pass	14502



### 12.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.6	-25	Pass	401
0.15	30	0.01	RMS	0.51	-64	-25	Pass	2986
30	1000	0.1	RMS	697.9	-55.19	-25	Pass	9701
1000	2560	1	RMS	2500	-42.48	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.91	60	Pass	401
2630	3000	1	RMS	2941.725	-41.68	-25	Pass	401
3000	12000	1	RMS	5142	-38.18	-25	Pass	9002
12000	26500	1	RMS	25800	-34.79	-25	Pass	14502



### 12.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-65.71	-25	Pass	401
0.15	30	0.01	RMS	0.33	-64.29	-25	Pass	2986
30	1000	0.1	RMS	918.846	-55.08	-25	Pass	9701
1000	2560	1	RMS	2509	-42.6	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.54	60	Pass	401
2630	3000	1	RMS	2972.25	-41.7	-25	Pass	401
3000	12000	1	RMS	5142	-40.62	-25	Pass	9002
12000	26500	1	RMS	26150	-34.82	-25	Pass	14502



### 12.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.25	-25	Pass	2986
30	1000	0.1	RMS	853.703	-59.64	-25	Pass	9701
1000	2560	1	RMS	2560	-46.15	-25	Pass	1561
2560	2630	1	RMS	2585.9	24.05	60	Pass	401
2630	3000	1	RMS	2947.275	-44.73	-25	Pass	401
3000	12000	1	RMS	5172	-40.8	-25	Pass	9002
12000	26500	1	RMS	25994	-41.77	-25	Pass	14502



### 12.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.32	-25	Pass	2986
30	1000	0.1	RMS	910.841	-55.19	-25	Pass	9701
1000	2560	1	RMS	2500	-42.15	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.57	60	Pass	401
2630	3000	1	RMS	2950.975	-41.65	-25	Pass	401
3000	12000	1	RMS	5172	-46.37	-25	Pass	9002
12000	26500	1	RMS	26206	-34.71	-25	Pass	14502



### 12.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.16	-25	Pass	401
0.15	30	0.01	RMS	0.69	-64.29	-25	Pass	2986
30	1000	0.1	RMS	890.728	-55.07	-25	Pass	9701
1000	2560	1	RMS	2497	-42.41	-25	Pass	1561
2560	2645	1	RMS	2601.013	24.3	60	Pass	401
2645	3000	1	RMS	2949.413	-41.64	-25	Pass	401
3000	12000	1	RMS	5202	-46.39	-25	Pass	9002
12000	26500	1	RMS	25895	-34.65	-25	Pass	14502



### 12.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-64.83	-25	Pass	401
0.15	30	0.01	RMS	9.85	-64.52	-25	Pass	2986
30	1000	0.1	RMS	999.199	-55.09	-25	Pass	9701
1000	2560	1	RMS	2502	-42.32	-25	Pass	1561
2560	2645	1	RMS	2601.013	22.84	60	Pass	401
2645	3000	1	RMS	2980.475	-41.6	-25	Pass	401
3000	12000	1	RMS	5202	-49.13	-25	Pass	9002
12000	26500	1	RMS	26043	-34.79	-25	Pass	14502



### 13. LTE\_Band41 full


#### 13.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.07	-25	Pass	2986
30	1000	0.1	RMS	925.5	-57.86	-25	Pass	9701
1000	2486	1	RMS	2486	-43.29	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.15	60	Pass	401
2700	3000	1	RMS	2999.25	-42.65	-25	Pass	401
3000	12000	1	RMS	4992	-47.68	-25	Pass	9001
12000	27000	1	RMS	25011	-32.8	-25	Pass	15001




**13.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.59	-25	Pass	2986
30	1000	0.1	RMS	790.3	-57.98	-25	Pass	9701
1000	2486	1	RMS	2485	-43.51	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.83	60	Pass	401
2700	3000	1	RMS	3000	-42.65	-25	Pass	401
3000	12000	1	RMS	4992	-48.33	-25	Pass	9001
12000	27000	1	RMS	25016	-32.86	-25	Pass	15001




**13.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.2	-25	Pass	2986
30	1000	0.1	RMS	916.1	-57.93	-25	Pass	9701
1000	2486	1	RMS	2486	-43.75	-25	Pass	1487
2486	2700	1	RMS	2590.86	24.14	60	Pass	401
2700	3000	1	RMS	3000	-42.59	-25	Pass	401
3000	12000	1	RMS	5182	-46.14	-25	Pass	9001
12000	27000	1	RMS	25011	-32.78	-25	Pass	15001




**13.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-25	Pass	2986
30	1000	0.1	RMS	896.5	-57.98	-25	Pass	9701
1000	2486	1	RMS	2486	-43.77	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.25	60	Pass	401
2700	3000	1	RMS	2997.75	-42.65	-25	Pass	401
3000	12000	1	RMS	5182	-44.54	-25	Pass	9001
12000	27000	1	RMS	25018	-32.73	-25	Pass	15001




**13.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.08	-25	Pass	2986
30	1000	0.1	RMS	909	-57.89	-25	Pass	9701
1000	2486	1	RMS	2485	-43.82	-25	Pass	1487
2486	2700	1	RMS	2685.555	24.23	60	Pass	401
2700	3000	1	RMS	2998.5	-42.66	-25	Pass	401
3000	12000	1	RMS	5371	-52.18	-25	Pass	9001
12000	27000	1	RMS	25012	-32.69	-25	Pass	15001




**13.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.08	-25	Pass	2986
30	1000	0.1	RMS	932.2	-57.82	-25	Pass	9701
1000	2486	1	RMS	2486	-43.84	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.71	60	Pass	401
2700	3000	1	RMS	3000	-42.64	-25	Pass	401
3000	12000	1	RMS	11876	-57.66	-25	Pass	9001
12000	27000	1	RMS	25013	-32.69	-25	Pass	15001



**13.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-25	Pass	2986
30	1000	0.1	RMS	904.6	-57.86	-25	Pass	9701
1000	2486	1	RMS	2486	-43.39	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.34	60	Pass	401
2700	3000	1	RMS	3000	-42.64	-25	Pass	401
3000	12000	1	RMS	4993	-45.4	-25	Pass	9001
12000	27000	1	RMS	25016	-32.83	-25	Pass	15001



### 13.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-25	Pass	2986
30	1000	0.1	RMS	929.7	-57.95	-25	Pass	9701
1000	2486	1	RMS	2485	-43.29	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.47	60	Pass	401
2700	3000	1	RMS	3000	-42.62	-25	Pass	401
3000	12000	1	RMS	4993	-47.29	-25	Pass	9001
12000	27000	1	RMS	25015	-32.81	-25	Pass	15001



### 13.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-25	Pass	401
0.15	30	0.01	RMS	0.17	-54.55	-25	Pass	2986
30	1000	0.1	RMS	883.5	-57.92	-25	Pass	9701
1000	2486	1	RMS	2485	-43.75	-25	Pass	1487
2486	2700	1	RMS	2588.72	23.35	60	Pass	401
2700	3000	1	RMS	3000	-42.61	-25	Pass	401
3000	12000	1	RMS	5177	-47.41	-25	Pass	9001
12000	27000	1	RMS	25011	-32.81	-25	Pass	15001



### 13.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.46	-25	Pass	2986
30	1000	0.1	RMS	933.2	-57.93	-25	Pass	9701
1000	2486	1	RMS	2486	-43.74	-25	Pass	1487
2486	2700	1	RMS	2588.72	23.39	60	Pass	401
2700	3000	1	RMS	3000	-42.6	-25	Pass	401
3000	12000	1	RMS	5178	-47.41	-25	Pass	9001
12000	27000	1	RMS	25013	-32.8	-25	Pass	15001



### 13.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.34	-25	Pass	2986
30	1000	0.1	RMS	950.1	-57.89	-25	Pass	9701
1000	2486	1	RMS	2482	-43.8	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.44	60	Pass	401
2700	3000	1	RMS	3000	-42.62	-25	Pass	401
3000	12000	1	RMS	5361	-54.11	-25	Pass	9001
12000	27000	1	RMS	25012	-32.77	-25	Pass	15001



### 13.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.31	-25	Pass	2986
30	1000	0.1	RMS	945.6	-57.89	-25	Pass	9701
1000	2486	1	RMS	2484	-43.88	-25	Pass	1487
2486	2700	1	RMS	2680.74	23.62	60	Pass	401
2700	3000	1	RMS	2999.25	-42.61	-25	Pass	401
3000	12000	1	RMS	11861	-57.66	-25	Pass	9001
12000	27000	1	RMS	25011	-32.84	-25	Pass	15001



### 13.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.98	-25	Pass	2986
30	1000	0.1	RMS	947.1	-57.78	-25	Pass	9701
1000	2486	1	RMS	2486	-43.23	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.2	60	Pass	401
2700	3000	1	RMS	2997.75	-42.6	-25	Pass	401
3000	12000	1	RMS	4994	-44.44	-25	Pass	9001
12000	27000	1	RMS	25017	-32.72	-25	Pass	15001



### 13.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.51	-25	Pass	2986
30	1000	0.1	RMS	917.3	-57.87	-25	Pass	9701
1000	2486	1	RMS	2482	-43.63	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.71	60	Pass	401
2700	3000	1	RMS	2999.25	-42.63	-25	Pass	401
3000	12000	1	RMS	4993	-53	-25	Pass	9001
12000	27000	1	RMS	25008	-32.79	-25	Pass	15001



### 13.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-25	Pass	2986
30	1000	0.1	RMS	906.2	-57.91	-25	Pass	9701
1000	2486	1	RMS	2484	-43.82	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.16	60	Pass	401
2700	3000	1	RMS	2999.25	-42.6	-25	Pass	401
3000	12000	1	RMS	5173	-43.99	-25	Pass	9001
12000	27000	1	RMS	25014	-32.81	-25	Pass	15001



### 13.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.09	-25	Pass	2986
30	1000	0.1	RMS	924.5	-57.91	-25	Pass	9701
1000	2486	1	RMS	2486	-43.75	-25	Pass	1487
2486	2700	1	RMS	2586.58	22.18	60	Pass	401
2700	3000	1	RMS	2999.25	-42.63	-25	Pass	401
3000	12000	1	RMS	5173	-49.66	-25	Pass	9001
12000	27000	1	RMS	25011	-32.71	-25	Pass	15001



### 13.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-25	Pass	2986
30	1000	0.1	RMS	912.4	-57.69	-25	Pass	9701
1000	2486	1	RMS	2484	-43.63	-25	Pass	1487
2486	2700	1	RMS	2675.925	23.85	60	Pass	401
2700	3000	1	RMS	3000	-42.6	-25	Pass	401
3000	12000	1	RMS	11851	-57.61	-25	Pass	9001
12000	27000	1	RMS	25011	-32.73	-25	Pass	15001



### 13.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-25	Pass	2986
30	1000	0.1	RMS	925.6	-57.91	-25	Pass	9701
1000	2486	1	RMS	2486	-43.78	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.27	60	Pass	401
2700	3000	1	RMS	3000	-42.63	-25	Pass	401
3000	12000	1	RMS	5352	-57	-25	Pass	9001
12000	27000	1	RMS	25013	-32.67	-25	Pass	15001



### 13.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-25	Pass	2986
30	1000	0.1	RMS	912.6	-57.97	-25	Pass	9701
1000	2486	1	RMS	2486	-43.47	-25	Pass	1487
2486	2700	1	RMS	2497.235	24.5	60	Pass	401
2700	3000	1	RMS	3000	-42.58	-25	Pass	401
3000	12000	1	RMS	4995	-52.8	-25	Pass	9001
12000	27000	1	RMS	25012	-32.79	-25	Pass	15001



### 13.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.69	-25	Pass	2986
30	1000	0.1	RMS	899.1	-57.92	-25	Pass	9701
1000	2486	1	RMS	2484	-43.62	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.15	60	Pass	401
2700	3000	1	RMS	2999.25	-42.63	-25	Pass	401
3000	12000	1	RMS	4993	-55.39	-25	Pass	9001
12000	27000	1	RMS	25011	-32.83	-25	Pass	15001



### 13.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.02	-25	Pass	2986
30	1000	0.1	RMS	937.1	-57.96	-25	Pass	9701
1000	2486	1	RMS	2486	-43.63	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.92	60	Pass	401
2700	3000	1	RMS	3000	-42.6	-25	Pass	401
3000	12000	1	RMS	5169	-51.15	-25	Pass	9001
12000	27000	1	RMS	25011	-32.74	-25	Pass	15001



### 13.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.34	-25	Pass	2986
30	1000	0.1	RMS	956.7	-57.8	-25	Pass	9701
1000	2486	1	RMS	2485	-43.82	-25	Pass	1487
2486	2700	1	RMS	2584.44	22.41	60	Pass	401
2700	3000	1	RMS	3000	-42.56	-25	Pass	401
3000	12000	1	RMS	5168	-50.33	-25	Pass	9001
12000	27000	1	RMS	25011	-32.74	-25	Pass	15001



### 13.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.68	-25	Pass	2986
30	1000	0.1	RMS	931.2	-58.03	-25	Pass	9701
1000	2486	1	RMS	2479	-43.75	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.79	60	Pass	401
2700	3000	1	RMS	3000	-42.61	-25	Pass	401
3000	12000	1	RMS	5342	-52.68	-25	Pass	9001
12000	27000	1	RMS	25015	-32.8	-25	Pass	15001



### 13.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-25	Pass	2986
30	1000	0.1	RMS	926.1	-57.9	-25	Pass	9701
1000	2486	1	RMS	2480	-43.84	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.1	60	Pass	401
2700	3000	1	RMS	3000	-42.61	-25	Pass	401
3000	12000	1	RMS	11857	-57.64	-25	Pass	9001
12000	27000	1	RMS	25012	-32.83	-25	Pass	15001



## 1. LTE\_Band18(part90)


### 1.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.28	-13	Pass	401
0.15	30	0.01	Peak	22.96	-59.44	-13	Pass	2986
30	810	0.1	Peak	809.8	-42.8	-13	Pass	7801
810	829	0.1	Peak	815.32	26.42	60	Pass	401
829	1000	0.1	Peak	881.4	-45.21	-13	Pass	1711
1000	3000	1	Peak	2949	-30.89	-13	Pass	2001
3000	10000	1	Peak	9982	-20.47	-13	Pass	7001




**1.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.6	-13	Pass	401
0.15	30	0.01	Peak	23.67	-58.45	-13	Pass	2986
30	810	0.1	Peak	808.6	-39.57	-13	Pass	7801
810	829	0.1	Peak	815.415	27.12	60	Pass	401
829	1000	0.1	Peak	860.9	-45.85	-13	Pass	1711
1000	3000	1	Peak	2991	-31.3	-13	Pass	2001
3000	10000	1	Peak	9691	-20.78	-13	Pass	7001




**1.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.25	-13	Pass	401
0.15	30	0.01	Peak	9.82	-59.57	-13	Pass	2986
30	810	0.1	Peak	809	-34.64	-13	Pass	7801
810	829	0.1	Peak	817.363	26.46	60	Pass	401
829	1000	0.1	Peak	859	-45.12	-13	Pass	1711
1000	3000	1	Peak	2942	-31.48	-13	Pass	2001
3000	10000	1	Peak	9930	-20.83	-13	Pass	7001




**1.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4,  
Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-63.78	-13	Pass	401
0.15	30	0.01	Peak	13.48	-59.78	-13	Pass	2986
30	810	0.1	Peak	808.7	-34.19	-13	Pass	7801
810	829	0.1	Peak	817.315	26.66	60	Pass	401
829	1000	0.1	Peak	928.4	-45.35	-13	Pass	1711
1000	3000	1	Peak	2921	-31.74	-13	Pass	2001
3000	10000	1	Peak	9887	-20.7	-13	Pass	7001




**1.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.097	-65.25	-13	Pass	401
0.15	30	0.01	Peak	5.82	-59.4	-13	Pass	2986
30	810	0.1	Peak	653.4	-47	-13	Pass	7801
810	829	0.1	Peak	819.358	26.51	60	Pass	401
829	1000	0.1	Peak	915.2	-45.48	-13	Pass	1711
1000	3000	1	Peak	2758	-30.5	-13	Pass	2001
3000	10000	1	Peak	9932	-20.23	-13	Pass	7001



**1.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.49	-13	Pass	401
0.15	30	0.01	Peak	19.84	-59.58	-13	Pass	2986
30	810	0.1	Peak	631.9	-45.76	-13	Pass	7801
810	829	0.1	Peak	819.31	26.6	60	Pass	401
829	1000	0.1	Peak	829.8	-43.64	-13	Pass	1711
1000	3000	1	Peak	2999	-31.09	-13	Pass	2001
3000	10000	1	Peak	6970	-16.94	-13	Pass	7001



## 2. LTE\_Band26(part90)


### 2.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.61	-13	Pass	401
0.15	30	0.01	Peak	22.71	-59.08	-13	Pass	2986
30	809	0.1	Peak	474.6	-45.86	-13	Pass	7791
809	829	0.1	Peak	814.2	25.84	60	Pass	401
829	1000	0.1	Peak	888.4	-45.09	-13	Pass	1711
1000	3000	1	Peak	2927	-30.47	-13	Pass	2001
3000	10000	1	Peak	6972	-16.81	-13	Pass	7001




**2.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2,  
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.65	-13	Pass	401
0.15	30	0.01	Peak	0.41	-59.36	-13	Pass	2986
30	809	0.1	Peak	349.7	-46.25	-13	Pass	7791
809	829	0.1	Peak	814.2	26.77	60	Pass	401
829	1000	0.1	Peak	969.1	-45.72	-13	Pass	1711
1000	3000	1	Peak	2759	-30.96	-13	Pass	2001
3000	10000	1	Peak	9974	-20.02	-13	Pass	7001




**2.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.15	-13	Pass	401
0.15	30	0.01	Peak	14.19	-59.18	-13	Pass	2986
30	809	0.1	Peak	628.5	-45.39	-13	Pass	7791
809	829	0.1	Peak	818.5	25.72	60	Pass	401
829	1000	0.1	Peak	877.4	-45.02	-13	Pass	1711
1000	3000	1	Peak	2791	-30.38	-13	Pass	2001
3000	10000	1	Peak	9989	-19.88	-13	Pass	7001




**2.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4,  
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.18	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.67	-13	Pass	2986
30	809	0.1	Peak	358.9	-46.23	-13	Pass	7791
809	829	0.1	Peak	818.5	26.85	60	Pass	401
829	1000	0.1	Peak	864.5	-45.29	-13	Pass	1711
1000	3000	1	Peak	2876	-31.23	-13	Pass	2001
3000	10000	1	Peak	9714	-20.63	-13	Pass	7001




**2.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.34	-13	Pass	401
0.15	30	0.01	Peak	5.52	-59.36	-13	Pass	2986
30	809	0.1	Peak	467.1	-46.45	-13	Pass	7791
809	829	0.1	Peak	822.9	25.69	60	Pass	401
829	1000	0.1	Peak	919.3	-45.09	-13	Pass	1711
1000	3000	1	Peak	2766	-31.58	-13	Pass	2001
3000	10000	1	Peak	9311	-20.85	-13	Pass	7001




**2.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-63.85	-13	Pass	401
0.15	30	0.01	Peak	26.2	-58.86	-13	Pass	2986
30	809	0.1	Peak	467.1	-45.72	-13	Pass	7791
809	829	0.1	Peak	822.8	26.86	60	Pass	401
829	1000	0.1	Peak	830.8	-45.16	-13	Pass	1711
1000	3000	1	Peak	2758	-31.03	-13	Pass	2001
3000	10000	1	Peak	9817	-20.28	-13	Pass	7001




**2.7. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:7,  
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.14	-13	Pass	401
0.15	30	0.01	Peak	16.86	-58.86	-13	Pass	2986
30	809	0.1	Peak	809	-39.82	-13	Pass	7791
809	829	0.1	Peak	814.25	25.84	60	Pass	401
829	1000	0.1	Peak	975.6	-45.56	-13	Pass	1711
1000	3000	1	Peak	2732	-31.41	-13	Pass	2001
3000	10000	1	Peak	9945	-20.61	-13	Pass	7001




**2.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8,  
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.062	-64.85	-13	Pass	401
0.15	30	0.01	Peak	17.3	-59.42	-13	Pass	2986
30	809	0.1	Peak	807.9	-40.24	-13	Pass	7791
809	829	0.1	Peak	814.3	26.49	60	Pass	401
829	1000	0.1	Peak	906.8	-45.45	-13	Pass	1711
1000	3000	1	Peak	2960	-30.25	-13	Pass	2001
3000	10000	1	Peak	6979	-16.88	-13	Pass	7001




**2.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-64	-13	Pass	401
0.15	30	0.01	Peak	7.79	-59.91	-13	Pass	2986
30	809	0.1	Peak	807.8	-38.79	-13	Pass	7791
809	829	0.1	Peak	817.7	25.9	60	Pass	401
829	1000	0.1	Peak	933.7	-45.6	-13	Pass	1711
1000	3000	1	Peak	2934	-31.09	-13	Pass	2001
3000	10000	1	Peak	9948	-20.16	-13	Pass	7001




**2.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-64.32	-13	Pass	401
0.15	30	0.01	Peak	29.5	-59.46	-13	Pass	2986
30	809	0.1	Peak	633.5	-45.04	-13	Pass	7791
809	829	0.1	Peak	817.75	26.71	60	Pass	401
829	1000	0.1	Peak	958.5	-44.75	-13	Pass	1711
1000	3000	1	Peak	2174	-30.84	-13	Pass	2001
3000	10000	1	Peak	9878	-20.45	-13	Pass	7001




**2.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-64.5	-13	Pass	401
0.15	30	0.01	Peak	4.1	-59.53	-13	Pass	2986
30	809	0.1	Peak	488.2	-45.86	-13	Pass	7791
809	829	0.1	Peak	821.2	25.82	60	Pass	401
829	1000	0.1	Peak	831.2	-31.18	-13	Pass	1711
1000	3000	1	Peak	2817	-30.82	-13	Pass	2001
3000	10000	1	Peak	9907	-20.77	-13	Pass	7001




**2.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.51	-13	Pass	401
0.15	30	0.01	Peak	29.62	-58.8	-13	Pass	2986
30	809	0.1	Peak	602.6	-46.35	-13	Pass	7791
809	829	0.1	Peak	821.3	26.84	60	Pass	401
829	1000	0.1	Peak	961.4	-45.63	-13	Pass	1711
1000	3000	1	Peak	2763	-31.21	-13	Pass	2001
3000	10000	1	Peak	9910	-20.79	-13	Pass	7001




**2.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.23	-13	Pass	401
0.15	30	0.01	Peak	7.37	-59.63	-13	Pass	2986
30	809	0.1	Peak	808.1	-35.88	-13	Pass	7791
809	829	0.1	Peak	814.3	26.37	60	Pass	401
829	1000	0.1	Peak	938.2	-45.16	-13	Pass	1711
1000	3000	1	Peak	2964	-31.09	-13	Pass	2001
3000	10000	1	Peak	9892	-21.24	-13	Pass	7001




**2.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-63.96	-13	Pass	401
0.15	30	0.01	Peak	1.39	-58.74	-13	Pass	2986
30	809	0.1	Peak	458.5	-45.91	-13	Pass	7791
809	829	0.1	Peak	814.3	26.7	60	Pass	401
829	1000	0.1	Peak	995.6	-44.24	-13	Pass	1711
1000	3000	1	Peak	2857	-31.17	-13	Pass	2001
3000	10000	1	Peak	9953	-21.18	-13	Pass	7001




**2.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-63.69	-13	Pass	401
0.15	30	0.01	Peak	0.24	-58.26	-13	Pass	2986
30	809	0.1	Peak	808.2	-33.24	-13	Pass	7791
809	829	0.1	Peak	816.9	26.4	60	Pass	401
829	1000	0.1	Peak	871.8	-45.11	-13	Pass	1711
1000	3000	1	Peak	2836	-31.31	-13	Pass	2001
3000	10000	1	Peak	6985	-16.95	-13	Pass	7001




**2.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.061	-63.63	-13	Pass	401
0.15	30	0.01	Peak	29.49	-59.7	-13	Pass	2986
30	809	0.1	Peak	807.8	-42.86	-13	Pass	7791
809	829	0.1	Peak	816.85	27.3	60	Pass	401
829	1000	0.1	Peak	910.7	-45.13	-13	Pass	1711
1000	3000	1	Peak	2933	-30.78	-13	Pass	2001
3000	10000	1	Peak	9959	-20.03	-13	Pass	7001




**2.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.06	-13	Pass	401
0.15	30	0.01	Peak	29.24	-59.46	-13	Pass	2986
30	809	0.1	Peak	485.4	-46.41	-13	Pass	7791
809	829	0.1	Peak	819.4	26.51	60	Pass	401
829	1000	0.1	Peak	996.3	-45.33	-13	Pass	1711
1000	3000	1	Peak	2661	-31.27	-13	Pass	2001
3000	10000	1	Peak	9944	-20.75	-13	Pass	7001




**2.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-63.54	-13	Pass	401
0.15	30	0.01	Peak	6.2	-58.81	-13	Pass	2986
30	809	0.1	Peak	808.8	-45.96	-13	Pass	7791
809	829	0.1	Peak	819.3	26.93	60	Pass	401
829	1000	0.1	Peak	830.1	-45.27	-13	Pass	1711
1000	3000	1	Peak	2563	-31.42	-13	Pass	2001
3000	10000	1	Peak	7395	-20.53	-13	Pass	7001




**2.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-63.58	-13	Pass	401
0.15	30	0.01	Peak	27.1	-59.16	-13	Pass	2986
30	809	0.1	Peak	809	-41.87	-13	Pass	7791
809	829	0.1	Peak	814.6	26.41	60	Pass	401
829	1000	0.1	Peak	832	-45.1	-13	Pass	1711
1000	3000	1	Peak	2961	-30.57	-13	Pass	2001
3000	10000	1	Peak	9872	-20.85	-13	Pass	7001



**2.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.8	-13	Pass	401
0.15	30	0.01	Peak	11.65	-58.93	-13	Pass	2986
30	809	0.1	Peak	809	-43.48	-13	Pass	7791
809	829	0.1	Peak	814.55	26.57	60	Pass	401
829	1000	0.1	Peak	894.7	-45.87	-13	Pass	1711
1000	3000	1	Peak	2995	-30.91	-13	Pass	2001
3000	10000	1	Peak	9892	-21.08	-13	Pass	7001



## 1. CA\_38C


**1.1. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:1, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.22	-25	43.22	Pass	401
0.15	30	0.01	RMS	0.23	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	845.4	-59.68	-25	34.68	Pass	9701
1000	2525	1	RMS	2514	-42.92	-25	17.92	Pass	1526
2525	2665	1	RMS	2570.5	12.95	60	47.05	Pass	401
2665	3000	1	RMS	2956.45	-44.93	-25	19.93	Pass	401
3000	12000	1	RMS	11851	-49.38	-25	24.38	Pass	9002
12000	26500	1	RMS	25991	-33.29	-25	8.29	Pass	14502




**1.2. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:2, Channel:37825|37975, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.74	-25	42.74	Pass	401
0.15	30	0.01	RMS	0.17	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	844.4	-59.53	-25	34.53	Pass	9701
1000	2525	1	RMS	2524	-44.12	-25	19.12	Pass	1526
2525	2665	1	RMS	2594.65	8.76	60	51.24	Pass	401
2665	3000	1	RMS	2959.8	-44.96	-25	19.96	Pass	401
3000	12000	1	RMS	11848	-49.3	-25	24.3	Pass	9002
12000	26500	1	RMS	25995	-33.24	-25	8.24	Pass	14502




**1.3. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:3, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.15	-68.59	-25	43.59	Pass	2986
30	1000	0.1	RMS	831.4	-59.62	-25	34.62	Pass	9701
1000	2525	1	RMS	2515	-45.01	-25	20.01	Pass	1526
2525	2665	1	RMS	2598.85	12.51	60	47.49	Pass	401
2665	3000	1	RMS	2958.125	-44.94	-25	19.94	Pass	401
3000	12000	1	RMS	11848	-49.42	-25	24.42	Pass	9002
12000	26500	1	RMS	25998	-33.3	-25	8.3	Pass	14502




**1.4. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:4, Channel:37825|37975, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.87	-25	43.87	Pass	401
0.15	30	0.01	RMS	0.15	-68.38	-25	43.38	Pass	2986
30	1000	0.1	RMS	846.4	-59.73	-25	34.73	Pass	9701
1000	2525	1	RMS	2523	-45.48	-25	20.48	Pass	1526
2525	2665	1	RMS	2597.1	7.43	60	52.57	Pass	401
2665	3000	1	RMS	2943.888	-44.94	-25	19.94	Pass	401
3000	12000	1	RMS	11848	-49.38	-25	24.38	Pass	9002
12000	26500	1	RMS	25999	-33.28	-25	8.28	Pass	14502




**1.5. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:5, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.93	-25	42.93	Pass	401
0.15	30	0.01	RMS	0.16	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	857.706	-59.77	-25	34.77	Pass	9701
1000	2525	1	RMS	2525	-44.54	-25	19.54	Pass	1526
2525	2665	1	RMS	2580.65	13.23	60	46.77	Pass	401
2665	3000	1	RMS	2665	-44.58	-25	19.58	Pass	401
3000	12000	1	RMS	11849	-49.38	-25	24.38	Pass	9002
12000	26500	1	RMS	26001	-33.23	-25	8.23	Pass	14502




**1.6. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:6, Channel:37925|38075, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	0.16	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	852.502	-59.66	-25	34.66	Pass	9701
1000	2525	1	RMS	2523	-45.97	-25	20.97	Pass	1526
2525	2665	1	RMS	2607.6	9.27	60	50.73	Pass	401
2665	3000	1	RMS	2960.638	-44.92	-25	19.92	Pass	401
3000	12000	1	RMS	11843	-49.36	-25	24.36	Pass	9002
12000	26500	1	RMS	26003	-33.33	-25	8.33	Pass	14502




**1.7. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:7, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	847.9	-59.79	-25	34.79	Pass	9701
1000	2525	1	RMS	2524	-44.53	-25	19.53	Pass	1526
2525	2665	1	RMS	2580.65	12.81	60	47.19	Pass	401
2665	3000	1	RMS	2665.838	-44.87	-25	19.87	Pass	401
3000	12000	1	RMS	11851	-49.34	-25	24.34	Pass	9002
12000	26500	1	RMS	25997	-33.17	-25	8.17	Pass	14502




**1.8. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:8, Channel:37925|38075, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.87	-25	42.87	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-25	43.62	Pass	2986
30	1000	0.1	RMS	868.013	-59.63	-25	34.63	Pass	9701
1000	2525	1	RMS	2523	-46.28	-25	21.28	Pass	1526
2525	2665	1	RMS	2605.85	7.75	60	52.25	Pass	401
2665	3000	1	RMS	2958.963	-44.96	-25	19.96	Pass	401
3000	12000	1	RMS	11852	-49.34	-25	24.34	Pass	9002
12000	26500	1	RMS	25999	-33.26	-25	8.26	Pass	14502




**1.9. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:9, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.94	-25	42.94	Pass	401
0.15	30	0.01	RMS	0.23	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	845	-59.66	-25	34.66	Pass	9701
1000	2525	1	RMS	2505	-46.06	-25	21.06	Pass	1526
2525	2665	1	RMS	2618.8	13	60	47	Pass	401
2665	3000	1	RMS	2675.05	-43.77	-25	18.77	Pass	401
3000	12000	1	RMS	11850	-49.4	-25	24.4	Pass	9002
12000	26500	1	RMS	26004	-33.29	-25	8.29	Pass	14502




**1.10. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:10, Channel:38025|38175, Bandwidth:15|15, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.06	-25	43.06	Pass	401
0.15	30	0.01	RMS	0.15	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	855.504	-59.61	-25	34.61	Pass	9701
1000	2525	1	RMS	2524	-46.25	-25	21.25	Pass	1526
2525	2665	1	RMS	2614.6	8.62	60	51.38	Pass	401
2665	3000	1	RMS	2665	-44.14	-25	19.14	Pass	401
3000	12000	1	RMS	11858	-49.37	-25	24.37	Pass	9002
12000	26500	1	RMS	25999	-33.27	-25	8.27	Pass	14502




**1.11. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:11, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.26	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	851.502	-59.66	-25	34.66	Pass	9701
1000	2525	1	RMS	2506	-45.64	-25	20.64	Pass	1526
2525	2665	1	RMS	2618.8	13.35	60	46.65	Pass	401
2665	3000	1	RMS	2675.05	-44.1	-25	19.1	Pass	401
3000	12000	1	RMS	11852	-49.35	-25	24.35	Pass	9002
12000	26500	1	RMS	25997	-33.27	-25	8.27	Pass	14502




**1.12. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:12, Channel:38025|38175, Bandwidth:15|15, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.11	-25	41.11	Pass	401
0.15	30	0.01	RMS	0.17	-67.94	-25	42.94	Pass	2986
30	1000	0.1	RMS	845.7	-59.64	-25	34.64	Pass	9701
1000	2525	1	RMS	2523	-46.41	-25	21.41	Pass	1526
2525	2665	1	RMS	2616.35	8.21	60	51.79	Pass	401
2665	3000	1	RMS	2952.263	-44.95	-25	19.95	Pass	401
3000	12000	1	RMS	11849	-49.29	-25	24.29	Pass	9002
12000	26500	1	RMS	26011	-33.27	-25	8.27	Pass	14502




**1.13. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:13, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.51	-25	41.51	Pass	401
0.15	30	0.01	RMS	0.25	-68.86	-25	43.86	Pass	2986
30	1000	0.1	RMS	849.7	-59.72	-25	34.72	Pass	9701
1000	2525	1	RMS	2496	-45.36	-25	20.36	Pass	1526
2525	2665	1	RMS	2608.65	12.57	60	47.43	Pass	401
2665	3000	1	RMS	2683.425	-44.18	-25	19.18	Pass	401
3000	12000	1	RMS	11850	-49.33	-25	24.33	Pass	9002
12000	26500	1	RMS	26004	-33.27	-25	8.27	Pass	14502




**1.14. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:14, Channel:37850|38048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.88	-25	39.88	Pass	401
0.15	30	0.01	RMS	0.23	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	848.9	-59.79	-25	34.79	Pass	9701
1000	2525	1	RMS	2524	-40.17	-25	15.17	Pass	1526
2525	2665	1	RMS	2603.75	7.41	60	52.59	Pass	401
2665	3000	1	RMS	2665	-44.51	-25	19.51	Pass	401
3000	12000	1	RMS	11852	-49.41	-25	24.41	Pass	9002
12000	26500	1	RMS	25996	-33.3	-25	8.3	Pass	14502




**1.15. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:15, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.34	-25	41.34	Pass	401
0.15	30	0.01	RMS	0.15	-68	-25	43	Pass	2986
30	1000	0.1	RMS	844.8	-59.67	-25	34.67	Pass	9701
1000	2525	1	RMS	2495	-45.26	-25	20.26	Pass	1526
2525	2665	1	RMS	2608.65	12.31	60	47.69	Pass	401
2665	3000	1	RMS	2683.425	-44.71	-25	19.71	Pass	401
3000	12000	1	RMS	11845	-49.36	-25	24.36	Pass	9002
12000	26500	1	RMS	26003	-33.24	-25	8.24	Pass	14502




**1.16. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:16, Channel:37850|38048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.18	-25	41.18	Pass	401
0.15	30	0.01	RMS	0.16	-68.49	-25	43.49	Pass	2986
30	1000	0.1	RMS	852.002	-59.64	-25	34.64	Pass	9701
1000	2525	1	RMS	2524	-42	-25	17	Pass	1526
2525	2665	1	RMS	2603.05	6.44	60	53.56	Pass	401
2665	3000	1	RMS	2958.963	-44.91	-25	19.91	Pass	401
3000	12000	1	RMS	11852	-49.38	-25	24.38	Pass	9002
12000	26500	1	RMS	26002	-33.22	-25	8.22	Pass	14502




**1.17. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:17, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.04	-25	41.04	Pass	401
0.15	30	0.01	RMS	0.2	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	843.5	-59.66	-25	34.66	Pass	9701
1000	2525	1	RMS	2501	-45.33	-25	20.33	Pass	1526
2525	2665	1	RMS	2613.55	13.12	60	46.88	Pass	401
2665	3000	1	RMS	2688.45	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	11843	-49.4	-25	24.4	Pass	9002
12000	26500	1	RMS	25997	-33.32	-25	8.32	Pass	14502




**1.18. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:18, Channel:37901|38099, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.21	-25	42.21	Pass	401
0.15	30	0.01	RMS	0.15	-67.59	-25	42.59	Pass	2986
30	1000	0.1	RMS	848	-59.79	-25	34.79	Pass	9701
1000	2525	1	RMS	2525	-41.69	-25	16.69	Pass	1526
2525	2665	1	RMS	2608.3	7.46	60	52.54	Pass	401
2665	3000	1	RMS	2665.838	-43.66	-25	18.66	Pass	401
3000	12000	1	RMS	11855	-49.39	-25	24.39	Pass	9002
12000	26500	1	RMS	25991	-33.26	-25	8.26	Pass	14502




**1.19. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:19, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.52	-25	40.52	Pass	401
0.15	30	0.01	RMS	0.19	-68.18	-25	43.18	Pass	2986
30	1000	0.1	RMS	836.4	-59.75	-25	34.75	Pass	9701
1000	2525	1	RMS	2501	-45.52	-25	20.52	Pass	1526
2525	2665	1	RMS	2576.1	12.91	60	47.09	Pass	401
2665	3000	1	RMS	2688.45	-44.23	-25	19.23	Pass	401
3000	12000	1	RMS	11846	-49.26	-25	24.26	Pass	9002
12000	26500	1	RMS	26004	-33.28	-25	8.28	Pass	14502




**1.20. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:20, Channel:37901|38099, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.22	-25	41.22	Pass	401
0.15	30	0.01	RMS	0.17	-68.03	-25	43.03	Pass	2986
30	1000	0.1	RMS	851.702	-59.76	-25	34.76	Pass	9701
1000	2525	1	RMS	2523	-43.9	-25	18.9	Pass	1526
2525	2665	1	RMS	2606.9	7.04	60	52.96	Pass	401
2665	3000	1	RMS	2665.838	-44.57	-25	19.57	Pass	401
3000	12000	1	RMS	11848	-49.34	-25	24.34	Pass	9002
12000	26500	1	RMS	25995	-33.25	-25	8.25	Pass	14502




**1.21. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:21, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.74	-25	40.74	Pass	401
0.15	30	0.01	RMS	0.18	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	849.5	-59.37	-25	34.37	Pass	9701
1000	2525	1	RMS	2506	-43.49	-25	18.49	Pass	1526
2525	2665	1	RMS	2618.8	13.27	60	46.73	Pass	401
2665	3000	1	RMS	2693.475	-44	-25	19	Pass	401
3000	12000	1	RMS	11849	-49.33	-25	24.33	Pass	9002
12000	26500	1	RMS	26004	-33.2	-25	8.2	Pass	14502




**1.22. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:22, Channel:37952|38150, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.11	-25	40.11	Pass	401
0.15	30	0.01	RMS	0.23	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	849.2	-59.69	-25	34.69	Pass	9701
1000	2525	1	RMS	2524	-43.08	-25	18.08	Pass	1526
2525	2665	1	RMS	2613.55	7.38	60	52.62	Pass	401
2665	3000	1	RMS	2665.838	-42.42	-25	17.42	Pass	401
3000	12000	1	RMS	11841	-49.41	-25	24.41	Pass	9002
12000	26500	1	RMS	25992	-33.3	-25	8.3	Pass	14502




**1.23. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:23, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.5	-25	40.5	Pass	401
0.15	30	0.01	RMS	0.16	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	849.4	-59.55	-25	34.55	Pass	9701
1000	2525	1	RMS	2506	-45.46	-25	20.46	Pass	1526
2525	2665	1	RMS	2618.8	13.11	60	46.89	Pass	401
2665	3000	1	RMS	2693.475	-44.66	-25	19.66	Pass	401
3000	12000	1	RMS	11848	-49.3	-25	24.3	Pass	9002
12000	26500	1	RMS	26000	-33.25	-25	8.25	Pass	14502



**1.24. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:24, Channel:37952|38150, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.37	-25	41.37	Pass	401
0.15	30	0.01	RMS	0.18	-68.41	-25	43.41	Pass	2986
30	1000	0.1	RMS	853.303	-59.7	-25	34.7	Pass	9701
1000	2525	1	RMS	2524	-44.7	-25	19.7	Pass	1526
2525	2665	1	RMS	2607.25	6.75	60	53.25	Pass	401
2665	3000	1	RMS	2665	-43.62	-25	18.62	Pass	401
3000	12000	1	RMS	11845	-49.33	-25	24.33	Pass	9002
12000	26500	1	RMS	25998	-33.32	-25	8.32	Pass	14502



## 2. CA\_7C


### 2.1. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:1, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-67.78	-25	42.78	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-25	47.48	Pass	2986
30	1000	0.1	RMS	852.102	-63.48	-25	38.48	Pass	9701
1000	2475	1	RMS	2473	-43.48	-25	18.48	Pass	1476
2475	2735	1	RMS	2528.3	11.65	60	48.35	Pass	401
2735	3000	1	RMS	2957.6	-48.95	-25	23.95	Pass	401
3000	12000	1	RMS	11854	-49.46	-25	24.46	Pass	9002
12000	26000	1	RMS	25980	-33.4	-25	8.4	Pass	14002




**2.2. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:2, Channel:20850|20994, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.58	-25	47.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-25	46.93	Pass	2986
30	1000	0.1	RMS	852.002	-63.69	-25	38.69	Pass	9701
1000	2475	1	RMS	2475	-42.09	-25	17.09	Pass	1476
2475	2735	1	RMS	2526.35	9.7	60	50.3	Pass	401
2735	3000	1	RMS	2952.963	-48.96	-25	23.96	Pass	401
3000	12000	1	RMS	11848	-49.52	-25	24.52	Pass	9002
12000	26000	1	RMS	25998	-33.41	-25	8.41	Pass	14002




**2.3. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:3, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-68.43	-25	43.43	Pass	401
0.15	30	0.01	RMS	0.22	-70.56	-25	45.56	Pass	2986
30	1000	0.1	RMS	843.8	-63.57	-25	38.57	Pass	9701
1000	2475	1	RMS	2473	-43.01	-25	18.01	Pass	1476
2475	2735	1	RMS	2528.3	11.71	60	48.29	Pass	401
2735	3000	1	RMS	2954.288	-48.99	-25	23.99	Pass	401
3000	12000	1	RMS	11847	-49.42	-25	24.42	Pass	9002
12000	26000	1	RMS	25990	-33.43	-25	8.43	Pass	14002




**2.4. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:4, Channel:20850|20994, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.36	-25	48.36	Pass	401
0.15	30	0.01	RMS	0.17	-72.53	-25	47.53	Pass	2986
30	1000	0.1	RMS	863.209	-63.74	-25	38.74	Pass	9701
1000	2475	1	RMS	2475	-45.34	-25	20.34	Pass	1476
2475	2735	1	RMS	2527.65	8.81	60	51.19	Pass	401
2735	3000	1	RMS	2960.25	-48.98	-25	23.98	Pass	401
3000	12000	1	RMS	11851	-49.42	-25	24.42	Pass	9002
12000	26000	1	RMS	25998	-33.43	-25	8.43	Pass	14002




**2.5. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:5, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-69.21	-25	44.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-25	46.88	Pass	2986
30	1000	0.1	RMS	847.9	-63.52	-25	38.52	Pass	9701
1000	2475	1	RMS	2475	-50.71	-25	25.71	Pass	1476
2475	2735	1	RMS	2548.45	11.91	60	48.09	Pass	401
2735	3000	1	RMS	2946.338	-48.98	-25	23.98	Pass	401
3000	12000	1	RMS	11853	-49.43	-25	24.43	Pass	9002
12000	26000	1	RMS	25997	-33.38	-25	8.38	Pass	14002




**2.6. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:6, Channel:21051|21195, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-25	47.03	Pass	401
0.15	30	0.01	RMS	0.18	-72.68	-25	47.68	Pass	2986
30	1000	0.1	RMS	843.6	-63.79	-25	38.79	Pass	9701
1000	2475	1	RMS	2475	-47.28	-25	22.28	Pass	1476
2475	2735	1	RMS	2545.2	9.82	60	50.18	Pass	401
2735	3000	1	RMS	2957.6	-48.96	-25	23.96	Pass	401
3000	12000	1	RMS	11850	-49.33	-25	24.33	Pass	9002
12000	26000	1	RMS	26000	-33.44	-25	8.44	Pass	14002




**2.7. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:7, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-67.56	-25	42.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-25	47.25	Pass	2986
30	1000	0.1	RMS	831.2	-63.71	-25	38.71	Pass	9701
1000	2475	1	RMS	2442	-50.64	-25	25.64	Pass	1476
2475	2735	1	RMS	2548.45	11.97	60	48.03	Pass	401
2735	3000	1	RMS	2956.275	-48.93	-25	23.93	Pass	401
3000	12000	1	RMS	11851	-49.4	-25	24.4	Pass	9002
12000	26000	1	RMS	25980	-33.35	-25	8.35	Pass	14002




**2.8. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:8, Channel:21051|21195, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.61	-25	46.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	46.73	Pass	2986
30	1000	0.1	RMS	845.2	-63.54	-25	38.54	Pass	9701
1000	2475	1	RMS	2475	-49.09	-25	24.09	Pass	1476
2475	2735	1	RMS	2545.2	8.82	60	51.18	Pass	401
2735	3000	1	RMS	2956.275	-48.96	-25	23.96	Pass	401
3000	12000	1	RMS	11848	-49.41	-25	24.41	Pass	9002
12000	26000	1	RMS	25996	-33.44	-25	8.44	Pass	14002




**2.9. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:9, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-67.84	-25	42.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-25	47.29	Pass	2986
30	1000	0.1	RMS	833.2	-63.77	-25	38.77	Pass	9701
1000	2475	1	RMS	2462	-50.74	-25	25.74	Pass	1476
2475	2735	1	RMS	2568.6	12.35	60	47.65	Pass	401
2735	3000	1	RMS	2948.988	-48.96	-25	23.96	Pass	401
3000	12000	1	RMS	11855	-49.46	-25	24.46	Pass	9002
12000	26000	1	RMS	26000	-33.35	-25	8.35	Pass	14002




**2.10. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:10, Channel:21251|21395, Bandwidth:20|10, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.21	-25	47.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-25	46.89	Pass	2986
30	1000	0.1	RMS	845.8	-63.76	-25	38.76	Pass	9701
1000	2475	1	RMS	2474	-50.41	-25	25.41	Pass	1476
2475	2735	1	RMS	2566.65	10.39	60	49.61	Pass	401
2735	3000	1	RMS	2952.3	-48.96	-25	23.96	Pass	401
3000	12000	1	RMS	11848	-49.37	-25	24.37	Pass	9002
12000	26000	1	RMS	25998	-33.28	-25	8.28	Pass	14002



**2.11. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:11, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-68.62	-25	43.62	Pass	401
0.15	30	0.01	RMS	0.24	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	830.4	-63.8	-25	38.8	Pass	9701
1000	2475	1	RMS	2473	-50.73	-25	25.73	Pass	1476
2475	2735	1	RMS	2568.6	12.33	60	47.67	Pass	401
2735	3000	1	RMS	2947	-48.95	-25	23.95	Pass	401
3000	12000	1	RMS	11853	-49.43	-25	24.43	Pass	9002
12000	26000	1	RMS	25998	-33.18	-25	8.18	Pass	14002



**2.12. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:12, Channel:21251|21395, Bandwidth:20|10, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.97	-25	46.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	836.2	-63.73	-25	38.73	Pass	9701
1000	2475	1	RMS	2474	-50.56	-25	25.56	Pass	1476
2475	2735	1	RMS	2566	9.09	60	50.91	Pass	401
2735	3000	1	RMS	2952.963	-48.93	-25	23.93	Pass	401
3000	12000	1	RMS	11853	-49.42	-25	24.42	Pass	9002
12000	26000	1	RMS	25999	-33.34	-25	8.34	Pass	14002

