



**2.13. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:13, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	847.9	-63.65	-25	38.65	Pass	9701
1000	2475	1	RMS	2469	-50.74	-25	25.74	Pass	1476
2475	2735	1	RMS	2501	11.19	60	48.81	Pass	401
2735	3000	1	RMS	2954.288	-48.91	-25	23.91	Pass	401
3000	12000	1	RMS	11852	-49.42	-25	24.42	Pass	9002
12000	26000	1	RMS	25995	-33.42	-25	8.42	Pass	14002




**2.14. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:14, Channel:20850|21048, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.36	-25	47.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-25	47.15	Pass	2986
30	1000	0.1	RMS	849.8	-63.69	-25	38.69	Pass	9701
1000	2475	1	RMS	2475	-33.04	-25	8.04	Pass	1476
2475	2735	1	RMS	2537.4	7.05	60	52.95	Pass	401
2735	3000	1	RMS	2955.613	-48.95	-25	23.95	Pass	401
3000	12000	1	RMS	11848	-49.41	-25	24.41	Pass	9002
12000	26000	1	RMS	26000	-33.33	-25	8.33	Pass	14002




**2.15. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:15, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	847.5	-63.8	-25	38.8	Pass	9701
1000	2475	1	RMS	2475	-50.67	-25	25.67	Pass	1476
2475	2735	1	RMS	2501	11.28	60	48.72	Pass	401
2735	3000	1	RMS	2945.013	-48.95	-25	23.95	Pass	401
3000	12000	1	RMS	11857	-49.41	-25	24.41	Pass	9002
12000	26000	1	RMS	25996	-33.27	-25	8.27	Pass	14002




**2.16. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:16, Channel:20850|21048, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.14	-25	46.14	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-25	47.43	Pass	2986
30	1000	0.1	RMS	850.801	-63.77	-25	38.77	Pass	9701
1000	2475	1	RMS	2475	-37.45	-25	12.45	Pass	1476
2475	2735	1	RMS	2537.4	6.06	60	53.94	Pass	401
2735	3000	1	RMS	2958.925	-48.95	-25	23.95	Pass	401
3000	12000	1	RMS	11845	-49.44	-25	24.44	Pass	9002
12000	26000	1	RMS	25999	-33.46	-25	8.46	Pass	14002




**2.17. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:17, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-68.83	-25	43.83	Pass	401
0.15	30	0.01	RMS	0.19	-71.63	-25	46.63	Pass	2986
30	1000	0.1	RMS	847.4	-63.62	-25	38.62	Pass	9701
1000	2475	1	RMS	2474	-50.75	-25	25.75	Pass	1476
2475	2735	1	RMS	2553.65	11.97	60	48.03	Pass	401
2735	3000	1	RMS	2958.925	-48.96	-25	23.96	Pass	401
3000	12000	1	RMS	11862	-49.43	-25	24.43	Pass	9002
12000	26000	1	RMS	25991	-33.3	-25	8.3	Pass	14002




**2.18. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:18, Channel:21001|21199, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.44	-25	47.44	Pass	401
0.15	30	0.01	RMS	0.19	-71.51	-25	46.51	Pass	2986
30	1000	0.1	RMS	845.6	-63.65	-25	38.65	Pass	9701
1000	2475	1	RMS	2475	-41.62	-25	16.62	Pass	1476
2475	2735	1	RMS	2546.5	6.88	60	53.12	Pass	401
2735	3000	1	RMS	2952.963	-48.92	-25	23.92	Pass	401
3000	12000	1	RMS	11856	-49.34	-25	24.34	Pass	9002
12000	26000	1	RMS	25995	-33.44	-25	8.44	Pass	14002




**2.19. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:19, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-68.66	-25	43.66	Pass	401
0.15	30	0.01	RMS	0.22	-72.01	-25	47.01	Pass	2986
30	1000	0.1	RMS	834.7	-63.7	-25	38.7	Pass	9701
1000	2475	1	RMS	2450	-50.72	-25	25.72	Pass	1476
2475	2735	1	RMS	2553.65	11.97	60	48.03	Pass	401
2735	3000	1	RMS	2958.263	-48.92	-25	23.92	Pass	401
3000	12000	1	RMS	11851	-49.43	-25	24.43	Pass	9002
12000	26000	1	RMS	25996	-33.38	-25	8.38	Pass	14002




**2.20. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:20, Channel:21001|21199, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.82	-25	46.82	Pass	401
0.15	30	0.01	RMS	0.27	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	854.103	-63.69	-25	38.69	Pass	9701
1000	2475	1	RMS	2475	-44.31	-25	19.31	Pass	1476
2475	2735	1	RMS	2543.9	5.81	60	54.19	Pass	401
2735	3000	1	RMS	2956.938	-48.95	-25	23.95	Pass	401
3000	12000	1	RMS	11841	-49.46	-25	24.46	Pass	9002
12000	26000	1	RMS	25993	-33.37	-25	8.37	Pass	14002




**2.21. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:21, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-68.78	-25	43.78	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-25	46.91	Pass	2986
30	1000	0.1	RMS	837.4	-63.58	-25	38.58	Pass	9701
1000	2475	1	RMS	2475	-50.77	-25	25.77	Pass	1476
2475	2735	1	RMS	2568.6	12.21	60	47.79	Pass	401
2735	3000	1	RMS	2952.963	-48.97	-25	23.97	Pass	401
3000	12000	1	RMS	11849	-49.36	-25	24.36	Pass	9002
12000	26000	1	RMS	26000	-33.35	-25	8.35	Pass	14002




**2.22. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:22, Channel:21152|21350, Bandwidth:20|20, Modulation:QPSK, RB Number:Full|Full, RB Position:Low|Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-25	47.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	820.8	-63.84	-25	38.84	Pass	9701
1000	2475	1	RMS	2475	-46.37	-25	21.37	Pass	1476
2475	2735	1	RMS	2552.35	7.04	60	52.96	Pass	401
2735	3000	1	RMS	2955.613	-48.96	-25	23.96	Pass	401
3000	12000	1	RMS	11844	-49.45	-25	24.45	Pass	9002
12000	26000	1	RMS	25995	-33.34	-25	8.34	Pass	14002




**2.23. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:23, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-67.83	-25	42.83	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-25	47.22	Pass	2986
30	1000	0.1	RMS	827.6	-63.67	-25	38.67	Pass	9701
1000	2475	1	RMS	2470	-50.77	-25	25.77	Pass	1476
2475	2735	1	RMS	2568.6	12.23	60	47.77	Pass	401
2735	3000	1	RMS	2954.288	-48.94	-25	23.94	Pass	401
3000	12000	1	RMS	11849	-49.41	-25	24.41	Pass	9002
12000	26000	1	RMS	25990	-33.29	-25	8.29	Pass	14002



**2.24. LTE-A Spurious Emission at Antenna Terminals\_Part22-24-27(Subtest:24, Channel:21152|21350, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.83	-25	47.83	Pass	401
0.15	30	0.01	RMS	0.21	-72.29	-25	47.29	Pass	2986
30	1000	0.1	RMS	850.501	-63.73	-25	38.73	Pass	9701
1000	2475	1	RMS	2475	-48.58	-25	23.58	Pass	1476
2475	2735	1	RMS	2554.3	6.06	60	53.94	Pass	401
2735	3000	1	RMS	2946.338	-48.99	-25	23.99	Pass	401
3000	12000	1	RMS	11851	-49.45	-25	24.45	Pass	9002
12000	26000	1	RMS	25991	-33.44	-25	8.44	Pass	14002



## 1. n2


**1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.1	-13	61.1	Pass	401
0.15	30	0.01	RMS	0.2	-69.94	-13	56.94	Pass	2986
30	1000	0.1	RMS	897.432	-59.31	-13	46.31	Pass	9701
1000	1840	1	RMS	1840	-43.4	-13	30.4	Pass	841
1840	1920	1	RMS	1853.6	14.9	60	45.1	Pass	401
1920	3000	1	RMS	2459	-45.22	-13	32.22	Pass	1081
3000	7000	1	RMS	6980	-57.6	-13	44.6	Pass	4001
7000	20000	1	RMS	17503	-45.62	-13	32.62	Pass	13002




**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	0.15	-69.25	-13	56.25	Pass	2986
30	1000	0.1	RMS	959.273	-58.83	-13	45.83	Pass	9701
1000	1840	1	RMS	1800	-48.24	-13	35.24	Pass	841
1840	1920	1	RMS	1850.2	21.04	60	38.96	Pass	401
1920	3000	1	RMS	2973	-45.31	-13	32.31	Pass	1081
3000	7000	1	RMS	3701	-55.34	-13	42.34	Pass	4001
7000	20000	1	RMS	17501	-45.76	-13	32.76	Pass	13002




**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	19	-68.33	-13	55.33	Pass	2986
30	1000	0.1	RMS	899.633	-58.46	-13	45.46	Pass	9701
1000	1840	1	RMS	1793	-48.35	-13	35.35	Pass	841
1840	1920	1	RMS	1854.6	20.99	60	39.01	Pass	401
1920	3000	1	RMS	2974	-45.22	-13	32.22	Pass	1081
3000	7000	1	RMS	3709	-55.01	-13	42.01	Pass	4001
7000	20000	1	RMS	17498	-45.56	-13	32.56	Pass	13002




**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	25.6	-68.61	-13	55.61	Pass	2986
30	1000	0.1	RMS	466.2	-58.84	-13	45.84	Pass	9701
1000	1840	1	RMS	1806	-48.06	-13	35.06	Pass	841
1840	1920	1	RMS	1879.2	14.88	60	45.12	Pass	401
1920	3000	1	RMS	2971	-45.27	-13	32.27	Pass	1081
3000	7000	1	RMS	6977	-57.47	-13	44.47	Pass	4001
7000	20000	1	RMS	17501	-45.64	-13	32.64	Pass	13002




**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.25	-68.23	-13	55.23	Pass	2986
30	1000	0.1	RMS	915.144	-58.43	-13	45.43	Pass	9701
1000	1840	1	RMS	1781	-48.34	-13	35.34	Pass	841
1840	1920	1	RMS	1877.8	21.03	60	38.97	Pass	401
1920	3000	1	RMS	2970	-45.29	-13	32.29	Pass	1081
3000	7000	1	RMS	3756	-54.07	-13	41.07	Pass	4001
7000	20000	1	RMS	17499	-45.39	-13	32.39	Pass	13002




**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	20.35	-69.55	-13	56.55	Pass	2986
30	1000	0.1	RMS	912.342	-58.55	-13	45.55	Pass	9701
1000	1840	1	RMS	1799	-48.29	-13	35.29	Pass	841
1840	1920	1	RMS	1882	21.03	60	38.97	Pass	401
1920	3000	1	RMS	2975	-45.26	-13	32.26	Pass	1081
3000	7000	1	RMS	3764	-53.58	-13	40.58	Pass	4001
7000	20000	1	RMS	17499	-45.6	-13	32.6	Pass	13002




**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	2.13	-68.26	-13	55.26	Pass	2986
30	1000	0.1	RMS	897.632	-58.55	-13	45.55	Pass	9701
1000	1840	1	RMS	1779	-48.42	-13	35.42	Pass	841
1840	1920	1	RMS	1906	14.67	60	45.33	Pass	401
1920	3000	1	RMS	2966	-45.46	-13	32.46	Pass	1081
3000	7000	1	RMS	3815	-55.56	-13	42.56	Pass	4001
7000	20000	1	RMS	17500	-45.35	-13	32.35	Pass	13002




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.21	-69.3	-13	56.3	Pass	2986
30	1000	0.1	RMS	473.5	-59.05	-13	46.05	Pass	9701
1000	1840	1	RMS	1808	-48.2	-13	35.2	Pass	841
1840	1920	1	RMS	1905.2	20.84	60	39.16	Pass	401
1920	3000	1	RMS	2971	-45.31	-13	32.31	Pass	1081
3000	7000	1	RMS	3811	-51.75	-13	38.75	Pass	4001
7000	20000	1	RMS	17499	-45.51	-13	32.51	Pass	13002




**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.4	-69.26	-13	56.26	Pass	2986
30	1000	0.1	RMS	828.8	-59.53	-13	46.53	Pass	9701
1000	1840	1	RMS	1827	-48.41	-13	35.41	Pass	841
1840	1920	1	RMS	1909.6	20.78	60	39.22	Pass	401
1920	3000	1	RMS	2980	-45.68	-13	32.68	Pass	1081
3000	7000	1	RMS	3819	-50.33	-13	37.33	Pass	4001
7000	20000	1	RMS	17496	-45.62	-13	32.62	Pass	13002




**1.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.23	-68.95	-13	55.95	Pass	2986
30	1000	0.1	RMS	935.257	-59.42	-13	46.42	Pass	9701
1000	1840	1	RMS	1840	-36.89	-13	23.89	Pass	841
1840	1920	1	RMS	1866.2	9.07	60	50.93	Pass	401
1920	3000	1	RMS	2971	-45.4	-13	32.4	Pass	1081
3000	7000	1	RMS	6979	-57.74	-13	44.74	Pass	4001
7000	20000	1	RMS	17498	-45.52	-13	32.52	Pass	13002




**1.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.77	-70.23	-13	57.23	Pass	2986
30	1000	0.1	RMS	872.415	-59.49	-13	46.49	Pass	9701
1000	1840	1	RMS	1807	-48.34	-13	35.34	Pass	841
1840	1920	1	RMS	1850.4	21.24	60	38.76	Pass	401
1920	3000	1	RMS	2975	-45.37	-13	32.37	Pass	1081
3000	7000	1	RMS	3701	-54.08	-13	41.08	Pass	4001
7000	20000	1	RMS	17500	-45.7	-13	32.7	Pass	13002




**1.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.4	-68.98	-13	55.98	Pass	2986
30	1000	0.1	RMS	903.636	-59.47	-13	46.47	Pass	9701
1000	1840	1	RMS	1803	-48.19	-13	35.19	Pass	841
1840	1920	1	RMS	1869.4	21.14	60	38.86	Pass	401
1920	3000	1	RMS	2969	-45.35	-13	32.35	Pass	1081
3000	7000	1	RMS	3739	-53.03	-13	40.03	Pass	4001
7000	20000	1	RMS	17505	-45.73	-13	32.73	Pass	13002




**1.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.71	-13	57.71	Pass	401
0.15	30	0.01	RMS	24.21	-69.61	-13	56.61	Pass	2986
30	1000	0.1	RMS	914.844	-59.53	-13	46.53	Pass	9701
1000	1840	1	RMS	1840	-43.96	-13	30.96	Pass	841
1840	1920	1	RMS	1871.8	9	60	51	Pass	401
1920	3000	1	RMS	2975	-45.62	-13	32.62	Pass	1081
3000	7000	1	RMS	6977	-57.56	-13	44.56	Pass	4001
7000	20000	1	RMS	17498	-45.59	-13	32.59	Pass	13002




**1.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.19	-69.12	-13	56.12	Pass	2986
30	1000	0.1	RMS	889.327	-59.37	-13	46.37	Pass	9701
1000	1840	1	RMS	1813	-48.42	-13	35.42	Pass	841
1840	1920	1	RMS	1870.4	21.15	60	38.85	Pass	401
1920	3000	1	RMS	2978	-45.64	-13	32.64	Pass	1081
3000	7000	1	RMS	3741	-52.92	-13	39.92	Pass	4001
7000	20000	1	RMS	17497	-45.9	-13	32.9	Pass	13002




**1.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.25	-69.54	-13	56.54	Pass	2986
30	1000	0.1	RMS	903.736	-59.47	-13	46.47	Pass	9701
1000	1840	1	RMS	1801	-48.28	-13	35.28	Pass	841
1840	1920	1	RMS	1889.4	21.16	60	38.84	Pass	401
1920	3000	1	RMS	2972	-45.34	-13	32.34	Pass	1081
3000	7000	1	RMS	3779	-53.71	-13	40.71	Pass	4001
7000	20000	1	RMS	19788	-45.75	-13	32.75	Pass	13002




**1.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.35	-69.82	-13	56.82	Pass	2986
30	1000	0.1	RMS	927.452	-59.42	-13	46.42	Pass	9701
1000	1840	1	RMS	1840	-47.97	-13	34.97	Pass	841
1840	1920	1	RMS	1891.6	9.43	60	50.57	Pass	401
1920	3000	1	RMS	1920	-39.09	-13	26.09	Pass	1081
3000	7000	1	RMS	6978	-57.6	-13	44.6	Pass	4001
7000	20000	1	RMS	17505	-45.63	-13	32.63	Pass	13002




**1.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.21	-69.22	-13	56.22	Pass	2986
30	1000	0.1	RMS	996.898	-59.48	-13	46.48	Pass	9701
1000	1840	1	RMS	1777	-48.47	-13	35.47	Pass	841
1840	1920	1	RMS	1890.4	21.21	60	38.79	Pass	401
1920	3000	1	RMS	2969	-45.32	-13	32.32	Pass	1081
3000	7000	1	RMS	3781	-53.21	-13	40.21	Pass	4001
7000	20000	1	RMS	17498	-45.63	-13	32.63	Pass	13002




**1.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.19	-69.35	-13	56.35	Pass	2986
30	1000	0.1	RMS	998.999	-59.49	-13	46.49	Pass	9701
1000	1840	1	RMS	1799	-48.34	-13	35.34	Pass	841
1840	1920	1	RMS	1909.4	20.96	60	39.04	Pass	401
1920	3000	1	RMS	2969	-45.29	-13	32.29	Pass	1081
3000	7000	1	RMS	3819	-49.57	-13	36.57	Pass	4001
7000	20000	1	RMS	17498	-45.77	-13	32.77	Pass	13002




**1.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	14.19	-69.68	-13	56.68	Pass	2986
30	1000	0.1	RMS	901.335	-59.32	-13	46.32	Pass	9701
1000	1840	1	RMS	1840	-39.58	-13	26.58	Pass	841
1840	1920	1	RMS	1862.4	5.96	60	54.04	Pass	401
1920	3000	1	RMS	1920	-42.38	-13	29.38	Pass	1081
3000	7000	1	RMS	6980	-57.78	-13	44.78	Pass	4001
7000	20000	1	RMS	17496	-45.57	-13	32.57	Pass	13002




**1.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	26.08	-69.72	-13	56.72	Pass	2986
30	1000	0.1	RMS	926.351	-58.63	-13	45.63	Pass	9701
1000	1840	1	RMS	1840	-48.31	-13	35.31	Pass	841
1840	1920	1	RMS	1850.6	21.44	60	38.56	Pass	401
1920	3000	1	RMS	2992	-45.55	-13	32.55	Pass	1081
3000	7000	1	RMS	3701	-54.11	-13	41.11	Pass	4001
7000	20000	1	RMS	17499	-45.66	-13	32.66	Pass	13002




**1.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71	-13	58	Pass	401
0.15	30	0.01	RMS	8.47	-69.33	-13	56.33	Pass	2986
30	1000	0.1	RMS	890.027	-59.4	-13	46.4	Pass	9701
1000	1840	1	RMS	1809	-48.24	-13	35.24	Pass	841
1840	1920	1	RMS	1889.2	21.39	60	38.61	Pass	401
1920	3000	1	RMS	2976	-45.59	-13	32.59	Pass	1081
3000	7000	1	RMS	3779	-54.07	-13	41.07	Pass	4001
7000	20000	1	RMS	17500	-45.71	-13	32.71	Pass	13002




**1.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	18.33	-69.02	-13	56.02	Pass	2986
30	1000	0.1	RMS	913.243	-59.57	-13	46.57	Pass	9701
1000	1840	1	RMS	1840	-40.28	-13	27.28	Pass	841
1840	1920	1	RMS	1863.8	6.11	60	53.89	Pass	401
1920	3000	1	RMS	1920	-41.03	-13	28.03	Pass	1081
3000	7000	1	RMS	6978	-57.59	-13	44.59	Pass	4001
7000	20000	1	RMS	17500	-45.6	-13	32.6	Pass	13002




**1.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.23	-69.55	-13	56.55	Pass	2986
30	1000	0.1	RMS	885.424	-59.5	-13	46.5	Pass	9701
1000	1840	1	RMS	1799	-48.36	-13	35.36	Pass	841
1840	1920	1	RMS	1860.6	21.44	60	38.56	Pass	401
1920	3000	1	RMS	2971	-45.36	-13	32.36	Pass	1081
3000	7000	1	RMS	3721	-54.81	-13	41.81	Pass	4001
7000	20000	1	RMS	17497	-45.78	-13	32.78	Pass	13002




**1.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-74.14	-13	61.14	Pass	401
0.15	30	0.01	RMS	0.57	-69.29	-13	56.29	Pass	2986
30	1000	0.1	RMS	897.532	-59.7	-13	46.7	Pass	9701
1000	1840	1	RMS	1831	-48.38	-13	35.38	Pass	841
1840	1920	1	RMS	1899.2	21.12	60	38.88	Pass	401
1920	3000	1	RMS	2973	-45.47	-13	32.47	Pass	1081
3000	7000	1	RMS	3799	-54.24	-13	41.24	Pass	4001
7000	20000	1	RMS	17503	-45.5	-13	32.5	Pass	13002




**1.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	1.77	-69.18	-13	56.18	Pass	2986
30	1000	0.1	RMS	904.036	-59.38	-13	46.38	Pass	9701
1000	1840	1	RMS	1840	-40.2	-13	27.2	Pass	841
1840	1920	1	RMS	1872	6.19	60	53.81	Pass	401
1920	3000	1	RMS	1920	-38.51	-13	25.51	Pass	1081
3000	7000	1	RMS	6975	-57.69	-13	44.69	Pass	4001
7000	20000	1	RMS	17498	-45.73	-13	32.73	Pass	13002




**1.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.39	-69.48	-13	56.48	Pass	2986
30	1000	0.1	RMS	902.335	-59.62	-13	46.62	Pass	9701
1000	1840	1	RMS	1799	-48.3	-13	35.3	Pass	841
1840	1920	1	RMS	1870.6	21.32	60	38.68	Pass	401
1920	3000	1	RMS	2970	-45.35	-13	32.35	Pass	1081
3000	7000	1	RMS	3741	-53.13	-13	40.13	Pass	4001
7000	20000	1	RMS	17498	-45.78	-13	32.78	Pass	13002



**1.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	27.25	-70.02	-13	57.02	Pass	2986
30	1000	0.1	RMS	994.696	-59.48	-13	46.48	Pass	9701
1000	1840	1	RMS	1797	-48.47	-13	35.47	Pass	841
1840	1920	1	RMS	1909.2	21.15	60	38.85	Pass	401
1920	3000	1	RMS	2967	-45.47	-13	32.47	Pass	1081
3000	7000	1	RMS	3819	-50.14	-13	37.14	Pass	4001
7000	20000	1	RMS	17502	-45.55	-13	32.55	Pass	13002



## 2. n7


### 2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.08	-25	48.08	Pass	401
0.15	30	0.01	RMS	0.23	-69.7	-25	44.7	Pass	2986
30	1000	0.1	RMS	863.409	-59.42	-25	34.42	Pass	9701
1000	2495	1	RMS	2495	-37.56	-25	12.56	Pass	1496
2495	2575	1	RMS	2503.6	14.23	60	45.77	Pass	401
2575	3000	1	RMS	2970	-45.56	-25	20.56	Pass	426
3000	7000	1	RMS	6982	-57.71	-25	32.71	Pass	4001
7000	26000	1	RMS	24099	-43.89	-25	18.89	Pass	19003




**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-72.75	-25	47.75	Pass	401
0.15	30	0.01	RMS	0.25	-69.38	-25	44.38	Pass	2986
30	1000	0.1	RMS	882.422	-59.61	-25	34.61	Pass	9701
1000	2495	1	RMS	2495	-45.27	-25	20.27	Pass	1496
2495	2575	1	RMS	2500.2	20.37	60	39.63	Pass	401
2575	3000	1	RMS	2970	-45.48	-25	20.48	Pass	426
3000	7000	1	RMS	6979	-57.73	-25	32.73	Pass	4001
7000	26000	1	RMS	24102	-43.99	-25	18.99	Pass	19003




**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.83	-25	47.83	Pass	401
0.15	30	0.01	RMS	0.15	-69.57	-25	44.57	Pass	2986
30	1000	0.1	RMS	928.853	-59.53	-25	34.53	Pass	9701
1000	2495	1	RMS	2494	-46.4	-25	21.4	Pass	1496
2495	2575	1	RMS	2504.6	20.38	60	39.62	Pass	401
2575	3000	1	RMS	2971	-45.52	-25	20.52	Pass	426
3000	7000	1	RMS	6980	-57.64	-25	32.64	Pass	4001
7000	26000	1	RMS	24105	-44.13	-25	19.13	Pass	19003




**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-25	48.44	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-25	44.21	Pass	2986
30	1000	0.1	RMS	989.693	-59.44	-25	34.44	Pass	9701
1000	2495	1	RMS	2492	-46.56	-25	21.56	Pass	1496
2495	2575	1	RMS	2536	14.21	60	45.79	Pass	401
2575	3000	1	RMS	2971	-45.73	-25	20.73	Pass	426
3000	7000	1	RMS	6982	-57.74	-25	32.74	Pass	4001
7000	26000	1	RMS	25099	-44.05	-25	19.05	Pass	19003




**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-72.84	-25	47.84	Pass	401
0.15	30	0.01	RMS	18.75	-69.6	-25	44.6	Pass	2986
30	1000	0.1	RMS	898.433	-59.38	-25	34.38	Pass	9701
1000	2495	1	RMS	2494	-46.86	-25	21.86	Pass	1496
2495	2575	1	RMS	2532.8	20.41	60	39.59	Pass	401
2575	3000	1	RMS	2970	-45.51	-25	20.51	Pass	426
3000	7000	1	RMS	6979	-57.7	-25	32.7	Pass	4001
7000	26000	1	RMS	25091	-44	-25	19	Pass	19003




**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.39	-25	46.39	Pass	401
0.15	30	0.01	RMS	0.68	-70.16	-25	45.16	Pass	2986
30	1000	0.1	RMS	898.533	-59.48	-25	34.48	Pass	9701
1000	2495	1	RMS	2495	-46.5	-25	21.5	Pass	1496
2495	2575	1	RMS	2537	20.41	60	39.59	Pass	401
2575	3000	1	RMS	2970	-45.51	-25	20.51	Pass	426
3000	7000	1	RMS	6977	-57.59	-25	32.59	Pass	4001
7000	26000	1	RMS	25104	-44.21	-25	19.21	Pass	19003




**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-25	47.93	Pass	401
0.15	30	0.01	RMS	0.44	-69.64	-25	44.64	Pass	2986
30	1000	0.1	RMS	907.939	-59.64	-25	34.64	Pass	9701
1000	2495	1	RMS	2494	-47.12	-25	22.12	Pass	1496
2495	2575	1	RMS	2568.6	14.66	60	45.34	Pass	401
2575	3000	1	RMS	2575	-36.73	-25	11.73	Pass	426
3000	7000	1	RMS	6981	-57.58	-25	32.58	Pass	4001
7000	26000	1	RMS	24108	-44.16	-25	19.16	Pass	19003




**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-73.15	-25	48.15	Pass	401
0.15	30	0.01	RMS	2.33	-69.46	-25	44.46	Pass	2986
30	1000	0.1	RMS	883.223	-59.67	-25	34.67	Pass	9701
1000	2495	1	RMS	2493	-46.65	-25	21.65	Pass	1496
2495	2575	1	RMS	2565.2	20.76	60	39.24	Pass	401
2575	3000	1	RMS	2969	-45.4	-25	20.4	Pass	426
3000	7000	1	RMS	6979	-57.6	-25	32.6	Pass	4001
7000	26000	1	RMS	24105	-44.02	-25	19.02	Pass	19003




**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-71.99	-25	46.99	Pass	401
0.15	30	0.01	RMS	0.22	-69.47	-25	44.47	Pass	2986
30	1000	0.1	RMS	908.639	-59.49	-25	34.49	Pass	9701
1000	2495	1	RMS	2493	-46.51	-25	21.51	Pass	1496
2495	2575	1	RMS	2569.6	20.89	60	39.11	Pass	401
2575	3000	1	RMS	2970	-45.53	-25	20.53	Pass	426
3000	7000	1	RMS	6977	-57.62	-25	32.62	Pass	4001
7000	26000	1	RMS	24102	-44.04	-25	19.04	Pass	19003




**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-25	47.3	Pass	401
0.15	30	0.01	RMS	0.2	-69.62	-25	44.62	Pass	2986
30	1000	0.1	RMS	903.436	-59.28	-25	34.28	Pass	9701
1000	2475	1	RMS	2475	-46.11	-25	21.11	Pass	1476
2475	2595	1	RMS	2502	7.53	60	52.47	Pass	401
2595	3000	1	RMS	2980	-45.55	-25	20.55	Pass	406
3000	7000	1	RMS	6995	-57.87	-25	32.87	Pass	4001
7000	26000	1	RMS	25079	-43.98	-25	18.98	Pass	19003




**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.08	-25	47.08	Pass	401
0.15	30	0.01	RMS	20.6	-69.47	-25	44.47	Pass	2986
30	1000	0.1	RMS	964.977	-59.61	-25	34.61	Pass	9701
1000	2475	1	RMS	2456	-47.33	-25	22.33	Pass	1476
2475	2595	1	RMS	2500.5	20.79	60	39.21	Pass	401
2595	3000	1	RMS	2979	-45.58	-25	20.58	Pass	406
3000	7000	1	RMS	6981	-57.88	-25	32.88	Pass	4001
7000	26000	1	RMS	25100	-43.91	-25	18.91	Pass	19003




**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.56	-25	47.56	Pass	401
0.15	30	0.01	RMS	0.17	-69.82	-25	44.82	Pass	2986
30	1000	0.1	RMS	899.433	-59.58	-25	34.58	Pass	9701
1000	2475	1	RMS	2215	-47.22	-25	22.22	Pass	1476
2475	2595	1	RMS	2524.2	20.75	60	39.25	Pass	401
2595	3000	1	RMS	2980	-45.59	-25	20.59	Pass	406
3000	7000	1	RMS	5049	-57.39	-25	32.39	Pass	4001
7000	26000	1	RMS	25107	-43.87	-25	18.87	Pass	19003




**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-25	47.83	Pass	401
0.15	30	0.01	RMS	0.3	-69.97	-25	44.97	Pass	2986
30	1000	0.1	RMS	878.92	-59.29	-25	34.29	Pass	9701
1000	2475	1	RMS	2474	-47.07	-25	22.07	Pass	1476
2475	2595	1	RMS	2539.2	7.22	60	52.78	Pass	401
2595	3000	1	RMS	2969	-45.59	-25	20.59	Pass	406
3000	7000	1	RMS	6980	-57.6	-25	32.6	Pass	4001
7000	26000	1	RMS	24095	-44.05	-25	19.05	Pass	19003




**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-25	46.94	Pass	401
0.15	30	0.01	RMS	0.22	-70	-25	45	Pass	2986
30	1000	0.1	RMS	879.02	-59.6	-25	34.6	Pass	9701
1000	2475	1	RMS	2179	-47.09	-25	22.09	Pass	1476
2475	2595	1	RMS	2523	20.82	60	39.18	Pass	401
2595	3000	1	RMS	2970	-45.54	-25	20.54	Pass	406
3000	7000	1	RMS	5046	-57.07	-25	32.07	Pass	4001
7000	26000	1	RMS	24145	-44.14	-25	19.14	Pass	19003




**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.85	-25	46.85	Pass	401
0.15	30	0.01	RMS	0.36	-69.66	-25	44.66	Pass	2986
30	1000	0.1	RMS	893.83	-59.36	-25	34.36	Pass	9701
1000	2475	1	RMS	2455	-46.67	-25	21.67	Pass	1476
2475	2595	1	RMS	2546.7	20.23	60	39.77	Pass	401
2595	3000	1	RMS	2977	-45.45	-25	20.45	Pass	406
3000	7000	1	RMS	6996	-57.88	-25	32.88	Pass	4001
7000	26000	1	RMS	25090	-44.12	-25	19.12	Pass	19003




**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.97	-25	47.97	Pass	401
0.15	30	0.01	RMS	0.22	-69.44	-25	44.44	Pass	2986
30	1000	0.1	RMS	993.396	-59.43	-25	34.43	Pass	9701
1000	2475	1	RMS	2183	-47.13	-25	22.13	Pass	1476
2475	2595	1	RMS	2546.4	7.31	60	52.69	Pass	401
2595	3000	1	RMS	2595	-44.12	-25	19.12	Pass	406
3000	7000	1	RMS	6976	-57.59	-25	32.59	Pass	4001
7000	26000	1	RMS	25093	-44.06	-25	19.06	Pass	19003




**2.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-72.75	-25	47.75	Pass	401
0.15	30	0.01	RMS	2.88	-69.66	-25	44.66	Pass	2986
30	1000	0.1	RMS	902.335	-59.34	-25	34.34	Pass	9701
1000	2475	1	RMS	2466	-47.26	-25	22.26	Pass	1476
2475	2595	1	RMS	2545.5	20.16	60	39.84	Pass	401
2595	3000	1	RMS	2982	-45.66	-25	20.66	Pass	406
3000	7000	1	RMS	6979	-57.7	-25	32.7	Pass	4001
7000	26000	1	RMS	25085	-43.8	-25	18.8	Pass	19003




**2.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.94	-25	47.94	Pass	401
0.15	30	0.01	RMS	4.9	-69.89	-25	44.89	Pass	2986
30	1000	0.1	RMS	904.136	-59.55	-25	34.55	Pass	9701
1000	2475	1	RMS	2455	-46.92	-25	21.92	Pass	1476
2475	2595	1	RMS	2569.2	21.1	60	38.9	Pass	401
2595	3000	1	RMS	2986	-45.67	-25	20.67	Pass	406
3000	7000	1	RMS	6975	-57.71	-25	32.71	Pass	4001
7000	26000	1	RMS	25092	-43.99	-25	18.99	Pass	19003




**2.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.32	-25	47.32	Pass	401
0.15	30	0.01	RMS	0.15	-69.49	-25	44.49	Pass	2986
30	1000	0.1	RMS	896.431	-59.4	-25	34.4	Pass	9701
1000	2450	1	RMS	2191	-47.18	-25	22.18	Pass	1451
2450	2620	1	RMS	2536.7	4.3	60	55.7	Pass	401
2620	3000	1	RMS	2975.3	-45.46	-25	20.46	Pass	401
3000	7000	1	RMS	6975	-57.9	-25	32.9	Pass	4001
7000	26000	1	RMS	25085	-43.93	-25	18.93	Pass	19003




**2.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.81	-25	46.81	Pass	401
0.15	30	0.01	RMS	24.81	-69.67	-25	44.67	Pass	2986
30	1000	0.1	RMS	901.134	-59.32	-25	34.32	Pass	9701
1000	2450	1	RMS	2204	-47.27	-25	22.27	Pass	1451
2450	2620	1	RMS	2500.575	20.66	60	39.34	Pass	401
2620	3000	1	RMS	2981	-45.55	-25	20.55	Pass	401
3000	7000	1	RMS	6982	-57.96	-25	32.96	Pass	4001
7000	26000	1	RMS	25113	-43.95	-25	18.95	Pass	19003




**2.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-25	47.31	Pass	401
0.15	30	0.01	RMS	0.62	-69.95	-25	44.95	Pass	2986
30	1000	0.1	RMS	999.199	-59.62	-25	34.62	Pass	9701
1000	2450	1	RMS	2202	-47.27	-25	22.27	Pass	1451
2450	2620	1	RMS	2549.025	20.02	60	39.98	Pass	401
2620	3000	1	RMS	2977.2	-45.74	-25	20.74	Pass	401
3000	7000	1	RMS	6982	-58	-25	33	Pass	4001
7000	26000	1	RMS	25099	-43.79	-25	18.79	Pass	19003




**2.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.29	-25	48.29	Pass	401
0.15	30	0.01	RMS	0.39	-69.18	-25	44.18	Pass	2986
30	1000	0.1	RMS	906.838	-59.51	-25	34.51	Pass	9701
1000	2450	1	RMS	2422	-47.37	-25	22.37	Pass	1451
2450	2620	1	RMS	2538.4	4.26	60	55.74	Pass	401
2620	3000	1	RMS	2969.6	-45.55	-25	20.55	Pass	401
3000	7000	1	RMS	6983	-57.63	-25	32.63	Pass	4001
7000	26000	1	RMS	25102	-44.19	-25	19.19	Pass	19003




**2.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.12	-25	48.12	Pass	401
0.15	30	0.01	RMS	0.18	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	876.318	-59.69	-25	34.69	Pass	9701
1000	2450	1	RMS	2448	-47.16	-25	22.16	Pass	1451
2450	2620	1	RMS	2510.775	20.13	60	39.87	Pass	401
2620	3000	1	RMS	2970.55	-45.55	-25	20.55	Pass	401
3000	7000	1	RMS	6978	-57.93	-25	32.93	Pass	4001
7000	26000	1	RMS	24102	-44.09	-25	19.09	Pass	19003




**2.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-25	47.91	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-25	44.69	Pass	2986
30	1000	0.1	RMS	995.197	-59.34	-25	34.34	Pass	9701
1000	2450	1	RMS	2198	-47.4	-25	22.4	Pass	1451
2450	2620	1	RMS	2558.8	20.22	60	39.78	Pass	401
2620	3000	1	RMS	2971.5	-45.76	-25	20.76	Pass	401
3000	7000	1	RMS	6983	-57.7	-25	32.7	Pass	4001
7000	26000	1	RMS	25080	-44.03	-25	19.03	Pass	19003




**2.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-72.76	-25	47.76	Pass	401
0.15	30	0.01	RMS	0.19	-70.23	-25	45.23	Pass	2986
30	1000	0.1	RMS	906.938	-59.52	-25	34.52	Pass	9701
1000	2450	1	RMS	2432	-47.36	-25	22.36	Pass	1451
2450	2620	1	RMS	2534.575	4.44	60	55.56	Pass	401
2620	3000	1	RMS	2965.8	-45.59	-25	20.59	Pass	401
3000	7000	1	RMS	6970	-57.81	-25	32.81	Pass	4001
7000	26000	1	RMS	24096	-43.85	-25	18.85	Pass	19003




**2.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-73.62	-25	48.62	Pass	401
0.15	30	0.01	RMS	29.1	-69.28	-25	44.28	Pass	2986
30	1000	0.1	RMS	904.537	-59.33	-25	34.33	Pass	9701
1000	2450	1	RMS	2421	-47.35	-25	22.35	Pass	1451
2450	2620	1	RMS	2520.55	20.72	60	39.28	Pass	401
2620	3000	1	RMS	2970.55	-45.72	-25	20.72	Pass	401
3000	7000	1	RMS	6976	-57.97	-25	32.97	Pass	4001
7000	26000	1	RMS	25101	-43.96	-25	18.96	Pass	19003



**2.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-25	47.37	Pass	401
0.15	30	0.01	RMS	25.97	-69.5	-25	44.5	Pass	2986
30	1000	0.1	RMS	906.738	-59.44	-25	34.44	Pass	9701
1000	2450	1	RMS	2211	-47.21	-25	22.21	Pass	1451
2450	2620	1	RMS	2569	20.89	60	39.11	Pass	401
2620	3000	1	RMS	2982.9	-45.62	-25	20.62	Pass	401
3000	7000	1	RMS	6972	-57.78	-25	32.78	Pass	4001
7000	26000	1	RMS	25104	-43.91	-25	18.91	Pass	19003



## 4. n5


**4.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.29	-69.02	-13	56.02	Pass	2986
30	814	0.1	RMS	813.9	-54.1	-13	41.1	Pass	7841
814	859	0.1	RMS	824.7	4.85	60	55.15	Pass	451
859	1000	0.1	RMS	877.4	-59.61	-13	46.61	Pass	1411
1000	3000	1	RMS	2970	-45.5	-13	32.5	Pass	2001
3000	10000	1	RMS	9971	-55.72	-13	42.72	Pass	7001




**4.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.18	-69.9	-13	56.9	Pass	2986
30	814	0.1	RMS	482.4	-59.96	-13	46.96	Pass	7841
814	859	0.1	RMS	824.3	17.92	60	42.08	Pass	451
859	1000	0.1	RMS	879.3	-59.54	-13	46.54	Pass	1411
1000	3000	1	RMS	2976	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	9926	-55.96	-13	42.96	Pass	7001




**4.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	25.08	-69.43	-13	56.43	Pass	2986
30	814	0.1	RMS	743.9	-60.13	-13	47.13	Pass	7841
814	859	0.1	RMS	828.7	17.4	60	42.6	Pass	451
859	1000	0.1	RMS	917.1	-59.63	-13	46.63	Pass	1411
1000	3000	1	RMS	2964	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	9963	-55.85	-13	42.85	Pass	7001




**4.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.16	-70.1	-13	57.1	Pass	2986
30	814	0.1	RMS	813.4	-59.99	-13	46.99	Pass	7841
814	859	0.1	RMS	837.6	4.64	60	55.36	Pass	451
859	1000	0.1	RMS	877.3	-59.65	-13	46.65	Pass	1411
1000	3000	1	RMS	2972	-45.58	-13	32.58	Pass	2001
3000	10000	1	RMS	9998	-55.82	-13	42.82	Pass	7001




**4.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.52	-69.42	-13	56.42	Pass	2986
30	814	0.1	RMS	706.6	-60.06	-13	47.06	Pass	7841
814	859	0.1	RMS	834.3	17.82	60	42.18	Pass	451
859	1000	0.1	RMS	896.4	-59.68	-13	46.68	Pass	1411
1000	3000	1	RMS	2984	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	9962	-55.91	-13	42.91	Pass	7001




**4.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	60.01	Pass	401
0.15	30	0.01	RMS	0.28	-69.63	-13	56.63	Pass	2986
30	814	0.1	RMS	727	-59.94	-13	46.94	Pass	7841
814	859	0.1	RMS	838.7	17.37	60	42.63	Pass	451
859	1000	0.1	RMS	907.1	-59.49	-13	46.49	Pass	1411
1000	3000	1	RMS	2975	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	10000	-55.84	-13	42.84	Pass	7001




**4.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.31	-69.33	-13	56.33	Pass	2986
30	814	0.1	RMS	480.2	-60.07	-13	47.07	Pass	7841
814	859	0.1	RMS	844.5	4.71	60	55.29	Pass	451
859	1000	0.1	RMS	868.3	-59.69	-13	46.69	Pass	1411
1000	3000	1	RMS	2972	-45.53	-13	32.53	Pass	2001
3000	10000	1	RMS	9994	-55.72	-13	42.72	Pass	7001




**4.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.16	-69.33	-13	56.33	Pass	2986
30	814	0.1	RMS	643.2	-60.08	-13	47.08	Pass	7841
814	859	0.1	RMS	844.3	17.85	60	42.15	Pass	451
859	1000	0.1	RMS	999.3	-59.61	-13	46.61	Pass	1411
1000	3000	1	RMS	2982	-45.63	-13	32.63	Pass	2001
3000	10000	1	RMS	9952	-55.85	-13	42.85	Pass	7001




**4.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.62	-13	58.62	Pass	401
0.15	30	0.01	RMS	0.21	-69.59	-13	56.59	Pass	2986
30	814	0.1	RMS	810.2	-59.02	-13	46.02	Pass	7841
814	859	0.1	RMS	848.7	17.34	60	42.66	Pass	451
859	1000	0.1	RMS	913.9	-59.69	-13	46.69	Pass	1411
1000	3000	1	RMS	2968	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	9972	-55.75	-13	42.75	Pass	7001




**4.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.2	-69.86	-13	56.86	Pass	2986
30	814	0.1	RMS	813.8	-47.77	-13	34.77	Pass	7841
814	859	0.1	RMS	835.9	0.23	60	59.77	Pass	451
859	1000	0.1	RMS	898.5	-59.66	-13	46.66	Pass	1411
1000	3000	1	RMS	2977	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	9965	-55.73	-13	42.73	Pass	7001




**4.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.21	-69.77	-13	56.77	Pass	2986
30	814	0.1	RMS	813.7	-59.94	-13	46.94	Pass	7841
814	859	0.1	RMS	824.5	18.03	60	41.97	Pass	451
859	1000	0.1	RMS	902.4	-59.67	-13	46.67	Pass	1411
1000	3000	1	RMS	2975	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	9978	-55.85	-13	42.85	Pass	7001




**4.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.2	-70	-13	57	Pass	2986
30	814	0.1	RMS	470.8	-60.02	-13	47.02	Pass	7841
814	859	0.1	RMS	838.5	18.23	60	41.77	Pass	451
859	1000	0.1	RMS	916.5	-59.68	-13	46.68	Pass	1411
1000	3000	1	RMS	2982	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9971	-55.84	-13	42.84	Pass	7001




**4.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.76	-13	60.76	Pass	401
0.15	30	0.01	RMS	0.26	-69.66	-13	56.66	Pass	2986
30	814	0.1	RMS	812.9	-52.16	-13	39.16	Pass	7841
814	859	0.1	RMS	835.3	0.05	60	59.95	Pass	451
859	1000	0.1	RMS	913.2	-59.5	-13	46.5	Pass	1411
1000	3000	1	RMS	2971	-45.5	-13	32.5	Pass	2001
3000	10000	1	RMS	9998	-55.98	-13	42.98	Pass	7001




**4.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.55	-70.1	-13	57.1	Pass	2986
30	814	0.1	RMS	683.7	-60.11	-13	47.11	Pass	7841
814	859	0.1	RMS	829.5	18.09	60	41.91	Pass	451
859	1000	0.1	RMS	902	-59.63	-13	46.63	Pass	1411
1000	3000	1	RMS	2970	-45.47	-13	32.47	Pass	2001
3000	10000	1	RMS	9990	-55.85	-13	42.85	Pass	7001




**4.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.28	-69.65	-13	56.65	Pass	2986
30	814	0.1	RMS	481.2	-60.03	-13	47.03	Pass	7841
814	859	0.1	RMS	843.5	18.2	60	41.8	Pass	451
859	1000	0.1	RMS	996.4	-59.56	-13	46.56	Pass	1411
1000	3000	1	RMS	2976	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	9962	-56.03	-13	43.03	Pass	7001




**4.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.18	-69.44	-13	56.44	Pass	2986
30	814	0.1	RMS	813.8	-53.63	-13	40.63	Pass	7841
814	859	0.1	RMS	836.9	0.36	60	59.64	Pass	451
859	1000	0.1	RMS	893.2	-59.68	-13	46.68	Pass	1411
1000	3000	1	RMS	2971	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	9956	-55.91	-13	42.91	Pass	7001




**4.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-13	56.64	Pass	2986
30	814	0.1	RMS	630	-60.05	-13	47.05	Pass	7841
814	859	0.1	RMS	834.5	18.16	60	41.84	Pass	451
859	1000	0.1	RMS	921.4	-59.71	-13	46.71	Pass	1411
1000	3000	1	RMS	2970	-45.41	-13	32.41	Pass	2001
3000	10000	1	RMS	9980	-55.76	-13	42.76	Pass	7001




**4.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.32	-70.19	-13	57.19	Pass	2986
30	814	0.1	RMS	809.9	-60.14	-13	47.14	Pass	7841
814	859	0.1	RMS	848.5	18.15	60	41.85	Pass	451
859	1000	0.1	RMS	882.5	-59.59	-13	46.59	Pass	1411
1000	3000	1	RMS	2975	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	9966	-55.97	-13	42.97	Pass	7001




**4.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.29	-69.92	-13	56.92	Pass	2986
30	814	0.1	RMS	813.9	-48.1	-13	35.1	Pass	7841
814	859	0.1	RMS	835.5	-0.85	60	60.85	Pass	451
859	1000	0.1	RMS	985.8	-59.62	-13	46.62	Pass	1411
1000	3000	1	RMS	2972	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	9940	-55.88	-13	42.88	Pass	7001




**4.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.22	-69.98	-13	56.98	Pass	2986
30	814	0.1	RMS	717.4	-60.09	-13	47.09	Pass	7841
814	859	0.1	RMS	824.5	17.84	60	42.16	Pass	451
859	1000	0.1	RMS	911.6	-59.63	-13	46.63	Pass	1411
1000	3000	1	RMS	2974	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	9934	-55.91	-13	42.91	Pass	7001




**4.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.17	-69.28	-13	56.28	Pass	2986
30	814	0.1	RMS	632.3	-60.03	-13	47.03	Pass	7841
814	859	0.1	RMS	843.4	17.7	60	42.3	Pass	451
859	1000	0.1	RMS	909.8	-59.68	-13	46.68	Pass	1411
1000	3000	1	RMS	2970	-45.57	-13	32.57	Pass	2001
3000	10000	1	RMS	9965	-55.77	-13	42.77	Pass	7001




**4.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-73.78	-13	60.78	Pass	401
0.15	30	0.01	RMS	0.15	-69.27	-13	56.27	Pass	2986
30	814	0.1	RMS	814	-50.04	-13	37.04	Pass	7841
814	859	0.1	RMS	838	-0.88	60	60.88	Pass	451
859	1000	0.1	RMS	884.5	-59.67	-13	46.67	Pass	1411
1000	3000	1	RMS	2968	-45.57	-13	32.57	Pass	2001
3000	10000	1	RMS	9970	-55.79	-13	42.79	Pass	7001




**4.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.17	-69.46	-13	56.46	Pass	2986
30	814	0.1	RMS	813.5	-59.92	-13	46.92	Pass	7841
814	859	0.1	RMS	827	17.91	60	42.09	Pass	451
859	1000	0.1	RMS	903.9	-59.73	-13	46.73	Pass	1411
1000	3000	1	RMS	2973	-45.5	-13	32.5	Pass	2001
3000	10000	1	RMS	9974	-55.76	-13	42.76	Pass	7001




**4.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	2.08	-69.36	-13	56.36	Pass	2986
30	814	0.1	RMS	756.1	-60.15	-13	47.15	Pass	7841
814	859	0.1	RMS	845.9	17.82	60	42.18	Pass	451
859	1000	0.1	RMS	909.5	-59.51	-13	46.51	Pass	1411
1000	3000	1	RMS	2973	-45.53	-13	32.53	Pass	2001
3000	10000	1	RMS	9997	-55.76	-13	42.76	Pass	7001




**4.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.49	-69.79	-13	56.79	Pass	2986
30	814	0.1	RMS	813.8	-51.08	-13	38.08	Pass	7841
814	859	0.1	RMS	835.6	-0.83	60	60.83	Pass	451
859	1000	0.1	RMS	993.1	-59.61	-13	46.61	Pass	1411
1000	3000	1	RMS	2970	-45.39	-13	32.39	Pass	2001
3000	10000	1	RMS	10000	-55.89	-13	42.89	Pass	7001




**4.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	1.15	-70.37	-13	57.37	Pass	2986
30	814	0.1	RMS	486.6	-59.93	-13	46.93	Pass	7841
814	859	0.1	RMS	829.5	17.91	60	42.09	Pass	451
859	1000	0.1	RMS	872.6	-59.61	-13	46.61	Pass	1411
1000	3000	1	RMS	2971	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	9983	-55.73	-13	42.73	Pass	7001



**4.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73	-13	60	Pass	401
0.15	30	0.01	RMS	24.62	-69.97	-13	56.97	Pass	2986
30	814	0.1	RMS	480.6	-60.05	-13	47.05	Pass	7841
814	859	0.1	RMS	848.4	17.74	60	42.26	Pass	451
859	1000	0.1	RMS	892.3	-59.65	-13	46.65	Pass	1411
1000	3000	1	RMS	2974	-45.47	-13	32.47	Pass	2001
3000	10000	1	RMS	9998	-55.99	-13	42.99	Pass	7001



## 5. n12 15kHz


**5.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.16	-69.68	-13	56.68	Pass	2986
30	689	0.1	RMS	490	-59.97	-13	46.97	Pass	6591
689	726	0.1	RMS	702.505	4.96	60	55.04	Pass	401
726	1000	0.1	RMS	910.9	-59.13	-13	46.13	Pass	2741
1000	3000	1	RMS	2968	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	9968	-55.92	-13	42.92	Pass	7001




**5.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.16	-69.3	-13	56.3	Pass	2986
30	689	0.1	RMS	478.2	-59.94	-13	46.94	Pass	6591
689	726	0.1	RMS	699.36	18.04	60	41.96	Pass	401
726	1000	0.1	RMS	898.3	-59.22	-13	46.22	Pass	2741
1000	3000	1	RMS	2980	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	9975	-55.81	-13	42.81	Pass	7001




**5.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.52	-69.53	-13	56.53	Pass	2986
30	689	0.1	RMS	664.4	-60.17	-13	47.17	Pass	6591
689	726	0.1	RMS	703.615	17.97	60	42.03	Pass	401
726	1000	0.1	RMS	999.4	-59.16	-13	46.16	Pass	2741
1000	3000	1	RMS	2969	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	9993	-55.72	-13	42.72	Pass	7001




**5.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	1.08	-69.6	-13	56.6	Pass	2986
30	689	0.1	RMS	466.4	-60.17	-13	47.17	Pass	6591
689	726	0.1	RMS	705.743	5.14	60	54.86	Pass	401
726	1000	0.1	RMS	892.7	-58.94	-13	45.94	Pass	2741
1000	3000	1	RMS	2979	-45.47	-13	32.47	Pass	2001
3000	10000	1	RMS	9989	-56.06	-13	43.06	Pass	7001




**5.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.28	-69.1	-13	56.1	Pass	2986
30	689	0.1	RMS	479.5	-60.16	-13	47.16	Pass	6591
689	726	0.1	RMS	705.373	17.78	60	42.22	Pass	401
726	1000	0.1	RMS	891.3	-59.05	-13	46.05	Pass	2741
1000	3000	1	RMS	2969	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	9995	-55.79	-13	42.79	Pass	7001




**5.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.19	-69.72	-13	56.72	Pass	2986
30	689	0.1	RMS	481.2	-60.08	-13	47.08	Pass	6591
689	726	0.1	RMS	709.628	18.07	60	41.93	Pass	401
726	1000	0.1	RMS	868.4	-59.15	-13	46.15	Pass	2741
1000	3000	1	RMS	2973	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	9958	-55.85	-13	42.85	Pass	7001




**5.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-69.44	-13	56.44	Pass	2986
30	689	0.1	RMS	484.4	-60.11	-13	47.11	Pass	6591
689	726	0.1	RMS	711.755	5.04	60	54.96	Pass	401
726	1000	0.1	RMS	926	-59.32	-13	46.32	Pass	2741
1000	3000	1	RMS	2975	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	9961	-55.83	-13	42.83	Pass	7001




**5.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	1.46	-69.98	-13	56.98	Pass	2986
30	689	0.1	RMS	489.9	-59.95	-13	46.95	Pass	6591
689	726	0.1	RMS	711.293	17.97	60	42.03	Pass	401
726	1000	0.1	RMS	996.3	-59.15	-13	46.15	Pass	2741
1000	3000	1	RMS	2984	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9998	-55.8	-13	42.8	Pass	7001




**5.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-13	56.82	Pass	2986
30	689	0.1	RMS	499.8	-60.16	-13	47.16	Pass	6591
689	726	0.1	RMS	715.64	18.18	60	41.82	Pass	401
726	1000	0.1	RMS	996.5	-59.28	-13	46.28	Pass	2741
1000	3000	1	RMS	2969	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	9998	-55.68	-13	42.68	Pass	7001




**5.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	1.4	-69.61	-13	56.61	Pass	2986
30	689	0.1	RMS	492.7	-60.13	-13	47.13	Pass	6591
689	726	0.1	RMS	701.673	1.95	60	58.05	Pass	401
726	1000	0.1	RMS	873.5	-59.22	-13	46.22	Pass	2741
1000	3000	1	RMS	2965	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	9968	-55.82	-13	42.82	Pass	7001




**5.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.46	-69.91	-13	56.91	Pass	2986
30	689	0.1	RMS	466.7	-60.18	-13	47.18	Pass	6591
689	726	0.1	RMS	699.36	17.87	60	42.13	Pass	401
726	1000	0.1	RMS	877.1	-59.08	-13	46.08	Pass	2741
1000	3000	1	RMS	2980	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	9923	-55.98	-13	42.98	Pass	7001




**5.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.16	-68.93	-13	55.93	Pass	2986
30	689	0.1	RMS	642.8	-60.19	-13	47.19	Pass	6591
689	726	0.1	RMS	708.61	18.22	60	41.78	Pass	401
726	1000	0.1	RMS	999.1	-58.96	-13	45.96	Pass	2741
1000	3000	1	RMS	2966	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9942	-55.83	-13	42.83	Pass	7001




**5.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.27	-69.74	-13	56.74	Pass	2986
30	689	0.1	RMS	623.9	-60.2	-13	47.2	Pass	6591
689	726	0.1	RMS	703.985	2.05	60	57.95	Pass	401
726	1000	0.1	RMS	985.7	-59.11	-13	46.11	Pass	2741
1000	3000	1	RMS	2972	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	9976	-55.75	-13	42.75	Pass	7001




**5.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-69.6	-13	56.6	Pass	2986
30	689	0.1	RMS	475.4	-60.17	-13	47.17	Pass	6591
689	726	0.1	RMS	702.875	18.08	60	41.92	Pass	401
726	1000	0.1	RMS	882.1	-59.28	-13	46.28	Pass	2741
1000	3000	1	RMS	2972	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	9988	-55.9	-13	42.9	Pass	7001




**5.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.21	-69.38	-13	56.38	Pass	2986
30	689	0.1	RMS	661.6	-60.04	-13	47.04	Pass	6591
689	726	0.1	RMS	712.033	17.75	60	42.25	Pass	401
726	1000	0.1	RMS	902.3	-59.07	-13	46.07	Pass	2741
1000	3000	1	RMS	2972	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	9986	-55.92	-13	42.92	Pass	7001




**5.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.3	-69.66	-13	56.66	Pass	2986
30	689	0.1	RMS	495	-60.12	-13	47.12	Pass	6591
689	726	0.1	RMS	712.865	1.86	60	58.14	Pass	401
726	1000	0.1	RMS	912.1	-59.08	-13	46.08	Pass	2741
1000	3000	1	RMS	2975	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	10000	-55.78	-13	42.78	Pass	7001




**5.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.056	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.15	-69.57	-13	56.57	Pass	2986
30	689	0.1	RMS	478.7	-60.09	-13	47.09	Pass	6591
689	726	0.1	RMS	706.39	18.3	60	41.7	Pass	401
726	1000	0.1	RMS	894.2	-59.07	-13	46.07	Pass	2741
1000	3000	1	RMS	2970	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	9989	-55.81	-13	42.81	Pass	7001




**5.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.18	-13	58.18	Pass	401
0.15	30	0.01	RMS	0.63	-69.46	-13	56.46	Pass	2986
30	689	0.1	RMS	485.5	-60.03	-13	47.03	Pass	6591
689	726	0.1	RMS	715.548	17.9	60	42.1	Pass	401
726	1000	0.1	RMS	996.7	-59.21	-13	46.21	Pass	2741
1000	3000	1	RMS	2981	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	9927	-55.91	-13	42.91	Pass	7001




**5.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.86	-68.84	-13	55.84	Pass	2986
30	689	0.1	RMS	483.6	-60.11	-13	47.11	Pass	6591
689	726	0.1	RMS	703.338	0.34	60	59.66	Pass	401
726	1000	0.1	RMS	908.1	-59.23	-13	46.23	Pass	2741
1000	3000	1	RMS	2974	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	9985	-55.83	-13	42.83	Pass	7001




**5.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.33	-69.85	-13	56.85	Pass	2986
30	689	0.1	RMS	661.4	-60.33	-13	47.33	Pass	6591
689	726	0.1	RMS	699.453	18.3	60	41.7	Pass	401
726	1000	0.1	RMS	990	-59.02	-13	46.02	Pass	2741
1000	3000	1	RMS	2978	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	9937	-55.92	-13	42.92	Pass	7001




**5.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	5.52	-69.91	-13	56.91	Pass	2986
30	689	0.1	RMS	466.9	-60.14	-13	47.14	Pass	6591
689	726	0.1	RMS	713.513	18.32	60	41.68	Pass	401
726	1000	0.1	RMS	996.4	-59.21	-13	46.21	Pass	2741
1000	3000	1	RMS	2982	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	9997	-55.86	-13	42.86	Pass	7001




**5.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	25.25	-69.67	-13	56.67	Pass	2986
30	689	0.1	RMS	648.4	-60.09	-13	47.09	Pass	6591
689	726	0.1	RMS	702.875	0.5	60	59.5	Pass	401
726	1000	0.1	RMS	895.7	-59.03	-13	46.03	Pass	2741
1000	3000	1	RMS	2970	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	9951	-55.83	-13	42.83	Pass	7001




**5.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.38	-70.17	-13	57.17	Pass	2986
30	689	0.1	RMS	474.6	-60.09	-13	47.09	Pass	6591
689	726	0.1	RMS	700.47	18.4	60	41.6	Pass	401
726	1000	0.1	RMS	879.2	-59.08	-13	46.08	Pass	2741
1000	3000	1	RMS	2977	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	9942	-55.99	-13	42.99	Pass	7001




**5.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	12.31	-69.73	-13	56.73	Pass	2986
30	689	0.1	RMS	657.7	-60.23	-13	47.23	Pass	6591
689	726	0.1	RMS	714.53	18.22	60	41.78	Pass	401
726	1000	0.1	RMS	897.3	-59.08	-13	46.08	Pass	2741
1000	3000	1	RMS	2971	-45.53	-13	32.53	Pass	2001
3000	10000	1	RMS	9997	-55.81	-13	42.81	Pass	7001




**5.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.2	-69.96	-13	56.96	Pass	2986
30	689	0.1	RMS	475.9	-60.17	-13	47.17	Pass	6591
689	726	0.1	RMS	703.893	0.42	60	59.58	Pass	401
726	1000	0.1	RMS	994.9	-58.87	-13	45.87	Pass	2741
1000	3000	1	RMS	2975	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	9999	-55.93	-13	42.93	Pass	7001




**5.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.51	-13	60.51	Pass	401
0.15	30	0.01	RMS	0.2	-69.29	-13	56.29	Pass	2986
30	689	0.1	RMS	480.2	-60.14	-13	47.14	Pass	6591
689	726	0.1	RMS	701.488	18.36	60	41.64	Pass	401
726	1000	0.1	RMS	915.8	-59.32	-13	46.32	Pass	2741
1000	3000	1	RMS	2968	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	9948	-55.84	-13	42.84	Pass	7001



**5.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.69	-13	60.69	Pass	401
0.15	30	0.01	RMS	0.38	-69.79	-13	56.79	Pass	2986
30	689	0.1	RMS	482.8	-59.96	-13	46.96	Pass	6591
689	726	0.1	RMS	715.548	17.9	60	42.1	Pass	401
726	1000	0.1	RMS	888.5	-59.16	-13	46.16	Pass	2741
1000	3000	1	RMS	2974	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	9987	-55.81	-13	42.81	Pass	7001



## 6. n26 15kHz(824-849)


**6.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.27	-69.33	-13	56.33	Pass	2986
30	814	0.1	RMS	814	-54.04	-13	41.04	Pass	7841
814	859	0.1	RMS	824.8	4.99	60	55.01	Pass	451
859	1000	0.1	RMS	873.8	-59.52	-13	46.52	Pass	1411
1000	3000	1	RMS	2970	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	9955	-55.87	-13	42.87	Pass	7001




**6.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.61	-13	60.61	Pass	401
0.15	30	0.01	RMS	0.81	-69.47	-13	56.47	Pass	2986
30	814	0.1	RMS	727.1	-60.08	-13	47.08	Pass	7841
814	859	0.1	RMS	824.3	17.91	60	42.09	Pass	451
859	1000	0.1	RMS	883.4	-59.67	-13	46.67	Pass	1411
1000	3000	1	RMS	2973	-45.49	-13	32.49	Pass	2001
3000	10000	1	RMS	9997	-55.85	-13	42.85	Pass	7001




**6.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.127	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.15	-69.44	-13	56.44	Pass	2986
30	814	0.1	RMS	786.9	-60.05	-13	47.05	Pass	7841
814	859	0.1	RMS	828.7	17.53	60	42.47	Pass	451
859	1000	0.1	RMS	870	-59.73	-13	46.73	Pass	1411
1000	3000	1	RMS	2979	-45.5	-13	32.5	Pass	2001
3000	10000	1	RMS	9954	-55.85	-13	42.85	Pass	7001




**6.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-13	58.44	Pass	401
0.15	30	0.01	RMS	0.21	-70	-13	57	Pass	2986
30	814	0.1	RMS	769.2	-60.11	-13	47.11	Pass	7841
814	859	0.1	RMS	834.9	4.79	60	55.21	Pass	451
859	1000	0.1	RMS	892.6	-59.68	-13	46.68	Pass	1411
1000	3000	1	RMS	2973	-45.47	-13	32.47	Pass	2001
3000	10000	1	RMS	9995	-55.99	-13	42.99	Pass	7001




**6.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.19	-13	58.19	Pass	401
0.15	30	0.01	RMS	29.48	-70.06	-13	57.06	Pass	2986
30	814	0.1	RMS	377.2	-60.1	-13	47.1	Pass	7841
814	859	0.1	RMS	834.3	17.92	60	42.08	Pass	451
859	1000	0.1	RMS	898.9	-59.59	-13	46.59	Pass	1411
1000	3000	1	RMS	2982	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	9948	-55.78	-13	42.78	Pass	7001




**6.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.33	-69.76	-13	56.76	Pass	2986
30	814	0.1	RMS	483.6	-59.97	-13	46.97	Pass	7841
814	859	0.1	RMS	838.7	17.44	60	42.56	Pass	451
859	1000	0.1	RMS	913.4	-59.83	-13	46.83	Pass	1411
1000	3000	1	RMS	2974	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	9956	-55.85	-13	42.85	Pass	7001




**6.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.28	-70.32	-13	57.32	Pass	2986
30	814	0.1	RMS	470.4	-60.1	-13	47.1	Pass	7841
814	859	0.1	RMS	844.7	4.85	60	55.15	Pass	451
859	1000	0.1	RMS	898.9	-59.73	-13	46.73	Pass	1411
1000	3000	1	RMS	2971	-45.5	-13	32.5	Pass	2001
3000	10000	1	RMS	9983	-56.02	-13	43.02	Pass	7001




**6.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.16	-69.6	-13	56.6	Pass	2986
30	814	0.1	RMS	475.6	-60.06	-13	47.06	Pass	7841
814	859	0.1	RMS	844.3	18	60	42	Pass	451
859	1000	0.1	RMS	899.2	-59.77	-13	46.77	Pass	1411
1000	3000	1	RMS	2966	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	9964	-55.81	-13	42.81	Pass	7001




**6.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.34	-70.03	-13	57.03	Pass	2986
30	814	0.1	RMS	810.2	-58.92	-13	45.92	Pass	7841
814	859	0.1	RMS	848.7	17.4	60	42.6	Pass	451
859	1000	0.1	RMS	877.7	-59.54	-13	46.54	Pass	1411
1000	3000	1	RMS	2970	-45.43	-13	32.43	Pass	2001
3000	10000	1	RMS	9997	-55.74	-13	42.74	Pass	7001




**6.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.44	-68.76	-13	55.76	Pass	2986
30	814	0.1	RMS	814	-47.82	-13	34.82	Pass	7841
814	859	0.1	RMS	835.9	0.16	60	59.84	Pass	451
859	1000	0.1	RMS	904.2	-59.42	-13	46.42	Pass	1411
1000	3000	1	RMS	2975	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	10000	-55.96	-13	42.96	Pass	7001




**6.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.18	-69.32	-13	56.32	Pass	2986
30	814	0.1	RMS	483.8	-60.09	-13	47.09	Pass	7841
814	859	0.1	RMS	824.5	18.1	60	41.9	Pass	451
859	1000	0.1	RMS	913.7	-59.62	-13	46.62	Pass	1411
1000	3000	1	RMS	2979	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	9941	-55.87	-13	42.87	Pass	7001




**6.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.17	-69.82	-13	56.82	Pass	2986
30	814	0.1	RMS	708.1	-60.15	-13	47.15	Pass	7841
814	859	0.1	RMS	838.5	18.23	60	41.77	Pass	451
859	1000	0.1	RMS	910.5	-59.65	-13	46.65	Pass	1411
1000	3000	1	RMS	2978	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	9961	-56.05	-13	43.05	Pass	7001




**6.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.27	-69.73	-13	56.73	Pass	2986
30	814	0.1	RMS	813.1	-52.06	-13	39.06	Pass	7841
814	859	0.1	RMS	835.3	0.05	60	59.95	Pass	451
859	1000	0.1	RMS	878	-59.75	-13	46.75	Pass	1411
1000	3000	1	RMS	2982	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	9983	-56.14	-13	43.14	Pass	7001




**6.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	2.05	-69.33	-13	56.33	Pass	2986
30	814	0.1	RMS	487.7	-60.13	-13	47.13	Pass	7841
814	859	0.1	RMS	829.5	18.11	60	41.89	Pass	451
859	1000	0.1	RMS	915.5	-59.88	-13	46.88	Pass	1411
1000	3000	1	RMS	2971	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	9948	-55.88	-13	42.88	Pass	7001




**6.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-13	55.66	Pass	2986
30	814	0.1	RMS	637.6	-60.17	-13	47.17	Pass	7841
814	859	0.1	RMS	843.5	18.08	60	41.92	Pass	451
859	1000	0.1	RMS	883.5	-59.72	-13	46.72	Pass	1411
1000	3000	1	RMS	2974	-45.58	-13	32.58	Pass	2001
3000	10000	1	RMS	9995	-55.86	-13	42.86	Pass	7001




**6.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.18	-70.27	-13	57.27	Pass	2986
30	814	0.1	RMS	813.8	-53.4	-13	40.4	Pass	7841
814	859	0.1	RMS	836.8	0.44	60	59.56	Pass	451
859	1000	0.1	RMS	914.2	-59.79	-13	46.79	Pass	1411
1000	3000	1	RMS	2971	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	9956	-55.71	-13	42.71	Pass	7001




**6.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-73.66	-13	60.66	Pass	401
0.15	30	0.01	RMS	0.16	-69.89	-13	56.89	Pass	2986
30	814	0.1	RMS	484.5	-59.9	-13	46.9	Pass	7841
814	859	0.1	RMS	834.5	17.97	60	42.03	Pass	451
859	1000	0.1	RMS	919.5	-59.56	-13	46.56	Pass	1411
1000	3000	1	RMS	2968	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	9934	-55.88	-13	42.88	Pass	7001




**6.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.16	-69.37	-13	56.37	Pass	2986
30	814	0.1	RMS	479.8	-60.04	-13	47.04	Pass	7841
814	859	0.1	RMS	848.5	18.18	60	41.82	Pass	451
859	1000	0.1	RMS	907.1	-59.84	-13	46.84	Pass	1411
1000	3000	1	RMS	2979	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	9998	-55.84	-13	42.84	Pass	7001




**6.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.17	-69.18	-13	56.18	Pass	2986
30	814	0.1	RMS	813.8	-48.19	-13	35.19	Pass	7841
814	859	0.1	RMS	835.6	-0.92	60	60.92	Pass	451
859	1000	0.1	RMS	898.9	-59.57	-13	46.57	Pass	1411
1000	3000	1	RMS	2973	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	9960	-55.83	-13	42.83	Pass	7001




**6.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	1.09	-69.59	-13	56.59	Pass	2986
30	814	0.1	RMS	622.4	-59.99	-13	46.99	Pass	7841
814	859	0.1	RMS	824.5	17.85	60	42.15	Pass	451
859	1000	0.1	RMS	885.1	-59.68	-13	46.68	Pass	1411
1000	3000	1	RMS	2971	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	9993	-56.08	-13	43.08	Pass	7001




**6.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.23	-69.97	-13	56.97	Pass	2986
30	814	0.1	RMS	485.3	-60.04	-13	47.04	Pass	7841
814	859	0.1	RMS	843.4	17.65	60	42.35	Pass	451
859	1000	0.1	RMS	911	-59.66	-13	46.66	Pass	1411
1000	3000	1	RMS	2982	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	9917	-55.98	-13	42.98	Pass	7001




**6.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.19	-69.18	-13	56.18	Pass	2986
30	814	0.1	RMS	814	-49.99	-13	36.99	Pass	7841
814	859	0.1	RMS	838	-0.89	60	60.89	Pass	451
859	1000	0.1	RMS	989.6	-59.63	-13	46.63	Pass	1411
1000	3000	1	RMS	2971	-45.58	-13	32.58	Pass	2001
3000	10000	1	RMS	9968	-55.87	-13	42.87	Pass	7001




**6.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.79	-70.1	-13	57.1	Pass	2986
30	814	0.1	RMS	736.8	-60.02	-13	47.02	Pass	7841
814	859	0.1	RMS	827	17.88	60	42.12	Pass	451
859	1000	0.1	RMS	909.9	-59.88	-13	46.88	Pass	1411
1000	3000	1	RMS	2972	-45.41	-13	32.41	Pass	2001
3000	10000	1	RMS	9975	-55.74	-13	42.74	Pass	7001




**6.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.26	-70.04	-13	57.04	Pass	2986
30	814	0.1	RMS	378.2	-60.24	-13	47.24	Pass	7841
814	859	0.1	RMS	845.9	17.75	60	42.25	Pass	451
859	1000	0.1	RMS	894.5	-59.81	-13	46.81	Pass	1411
1000	3000	1	RMS	2972	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	9961	-56.07	-13	43.07	Pass	7001




**6.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.43	-69.27	-13	56.27	Pass	2986
30	814	0.1	RMS	813.9	-51.01	-13	38.01	Pass	7841
814	859	0.1	RMS	835.5	-0.79	60	60.79	Pass	451
859	1000	0.1	RMS	891.7	-59.81	-13	46.81	Pass	1411
1000	3000	1	RMS	2970	-45.53	-13	32.53	Pass	2001
3000	10000	1	RMS	9981	-55.85	-13	42.85	Pass	7001




**6.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.26	-70.03	-13	57.03	Pass	2986
30	814	0.1	RMS	732.4	-60.23	-13	47.23	Pass	7841
814	859	0.1	RMS	829.5	17.84	60	42.16	Pass	451
859	1000	0.1	RMS	908.3	-59.68	-13	46.68	Pass	1411
1000	3000	1	RMS	2974	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	9927	-56.08	-13	43.08	Pass	7001



**6.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.2	-68.95	-13	55.95	Pass	2986
30	814	0.1	RMS	474.8	-59.93	-13	46.93	Pass	7841
814	859	0.1	RMS	848.4	17.62	60	42.38	Pass	451
859	1000	0.1	RMS	904.3	-59.71	-13	46.71	Pass	1411
1000	3000	1	RMS	2970	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9991	-55.78	-13	42.78	Pass	7001



## 1. n41


**1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.77	-25	45.77	Pass	401
0.15	30	0.01	RMS	0.78	-68.69	-25	43.69	Pass	2986
30	1000	0.1	RMS	963.176	-59.08	-25	34.08	Pass	9701
1000	2486	1	RMS	2486	-46.96	-25	21.96	Pass	1487
2486	2700	1	RMS	2681.81	11.75	60	48.25	Pass	401
2700	3000	1	RMS	2700	-39.46	-25	14.46	Pass	401
3000	7000	1	RMS	6976	-57.77	-25	32.77	Pass	4001
7000	26500	1	RMS	25097	-44.12	-25	19.12	Pass	19503




**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.25	-25	46.25	Pass	401
0.15	30	0.01	RMS	0.82	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	892.729	-59.08	-25	34.08	Pass	9701
1000	2486	1	RMS	2440	-47.07	-25	22.07	Pass	1487
2486	2700	1	RMS	2680.74	20.05	60	39.95	Pass	401
2700	3000	1	RMS	2971.5	-45.66	-25	20.66	Pass	401
3000	7000	1	RMS	6974	-57.88	-25	32.88	Pass	4001
7000	26500	1	RMS	25089	-44.19	-25	19.19	Pass	19503




**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.17	-25	46.17	Pass	401
0.15	30	0.01	RMS	28.7	-68.81	-25	43.81	Pass	2986
30	1000	0.1	RMS	996.798	-59.16	-25	34.16	Pass	9701
1000	2486	1	RMS	2482	-46.96	-25	21.96	Pass	1487
2486	2700	1	RMS	2688.765	20.33	60	39.67	Pass	401
2700	3000	1	RMS	2978.25	-45.67	-25	20.67	Pass	401
3000	7000	1	RMS	6981	-57.84	-25	32.84	Pass	4001
7000	26500	1	RMS	25105	-44.12	-25	19.12	Pass	19503




**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-71.84	-25	46.84	Pass	401
0.15	30	0.01	RMS	22.11	-69.15	-25	44.15	Pass	2986
30	1000	0.1	RMS	985.39	-59.1	-25	34.1	Pass	9701
1000	2486	1	RMS	2486	-41.61	-25	16.61	Pass	1487
2486	2700	1	RMS	2503.655	11.62	60	48.38	Pass	401
2700	3000	1	RMS	2970.75	-45.68	-25	20.68	Pass	401
3000	7000	1	RMS	6983	-57.9	-25	32.9	Pass	4001
7000	26500	1	RMS	25100	-44.19	-25	19.19	Pass	19503




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.58	-25	46.58	Pass	401
0.15	30	0.01	RMS	9.3	-69.42	-25	44.42	Pass	2986
30	1000	0.1	RMS	912.042	-59.05	-25	34.05	Pass	9701
1000	2486	1	RMS	2477	-47.07	-25	22.07	Pass	1487
2486	2700	1	RMS	2496.7	20.02	60	39.98	Pass	401
2700	3000	1	RMS	2973.75	-45.63	-25	20.63	Pass	401
3000	7000	1	RMS	4994	-51.99	-25	26.99	Pass	4001
7000	26500	1	RMS	25121	-44.24	-25	19.24	Pass	19503




**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.6	-25	45.6	Pass	401
0.15	30	0.01	RMS	0.15	-68.97	-25	43.97	Pass	2986
30	1000	0.1	RMS	872.616	-58.33	-25	33.33	Pass	9701
1000	2486	1	RMS	2484	-46.69	-25	21.69	Pass	1487
2486	2700	1	RMS	2504.725	19.94	60	40.06	Pass	401
2700	3000	1	RMS	2973	-45.57	-25	20.57	Pass	401
3000	7000	1	RMS	5010	-50.93	-25	25.93	Pass	4001
7000	26500	1	RMS	25109	-44.19	-25	19.19	Pass	19503




**1.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.16	-25	46.16	Pass	401
0.15	30	0.01	RMS	0.24	-69.06	-25	44.06	Pass	2986
30	1000	0.1	RMS	895.131	-59.27	-25	34.27	Pass	9701
1000	2486	1	RMS	2486	-47.16	-25	22.16	Pass	1487
2486	2700	1	RMS	2595.675	11.63	60	48.37	Pass	401
2700	3000	1	RMS	2976.75	-45.74	-25	20.74	Pass	401
3000	7000	1	RMS	6983	-57.7	-25	32.7	Pass	4001
7000	26500	1	RMS	25112	-44.15	-25	19.15	Pass	19503




**1.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-72.01	-25	47.01	Pass	401
0.15	30	0.01	RMS	2.1	-69.44	-25	44.44	Pass	2986
30	1000	0.1	RMS	889.927	-59.37	-25	34.37	Pass	9701
1000	2486	1	RMS	2486	-46.8	-25	21.8	Pass	1487
2486	2700	1	RMS	2588.72	19.67	60	40.33	Pass	401
2700	3000	1	RMS	2970.75	-45.73	-25	20.73	Pass	401
3000	7000	1	RMS	5178	-51.81	-25	26.81	Pass	4001
7000	26500	1	RMS	24105	-44.05	-25	19.05	Pass	19503




**1.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.4	-25	46.4	Pass	401
0.15	30	0.01	RMS	0.73	-68.75	-25	43.75	Pass	2986
30	1000	0.1	RMS	896.031	-59.26	-25	34.26	Pass	9701
1000	2486	1	RMS	2470	-47.15	-25	22.15	Pass	1487
2486	2700	1	RMS	2596.745	20.15	60	39.85	Pass	401
2700	3000	1	RMS	2968.5	-45.72	-25	20.72	Pass	401
3000	7000	1	RMS	5194	-52.79	-25	27.79	Pass	4001
7000	26500	1	RMS	24132	-44.23	-25	19.23	Pass	19503




**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.98	-25	45.98	Pass	401
0.15	30	0.01	RMS	0.24	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	907.038	-59.09	-25	34.09	Pass	9701
1000	2446	1	RMS	2197	-47.23	-25	22.23	Pass	1447
2446	2740	1	RMS	2499.655	4.04	60	55.96	Pass	401
2740	3000	1	RMS	2968.15	-45.56	-25	20.56	Pass	401
3000	7000	1	RMS	6980	-57.67	-25	32.67	Pass	4001
7000	26500	1	RMS	25110	-44.16	-25	19.16	Pass	19503




**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.04	-25	46.04	Pass	401
0.15	30	0.01	RMS	0.45	-68.84	-25	43.84	Pass	2986
30	1000	0.1	RMS	905.938	-58.96	-25	33.96	Pass	9701
1000	2446	1	RMS	2421	-47.32	-25	22.32	Pass	1447
2446	2740	1	RMS	2496.715	19.71	60	40.29	Pass	401
2740	3000	1	RMS	2972.05	-45.61	-25	20.61	Pass	401
3000	7000	1	RMS	4994	-52.82	-25	27.82	Pass	4001
7000	26500	1	RMS	25084	-43.96	-25	18.96	Pass	19503




**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-25	46.64	Pass	401
0.15	30	0.01	RMS	27.76	-68.69	-25	43.69	Pass	2986
30	1000	0.1	RMS	896.732	-59.25	-25	34.25	Pass	9701
1000	2446	1	RMS	2204	-47.31	-25	22.31	Pass	1447
2446	2740	1	RMS	2544.49	19.46	60	40.54	Pass	401
2740	3000	1	RMS	2973.35	-45.62	-25	20.62	Pass	401
3000	7000	1	RMS	5090	-49.55	-25	24.55	Pass	4001
7000	26500	1	RMS	24093	-44.14	-25	19.14	Pass	19503




**1.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.16	-25	46.16	Pass	401
0.15	30	0.01	RMS	28.15	-69.41	-25	44.41	Pass	2986
30	1000	0.1	RMS	883.923	-59.13	-25	34.13	Pass	9701
1000	2446	1	RMS	2186	-47.22	-25	22.22	Pass	1447
2446	2740	1	RMS	2570.215	4.48	60	55.52	Pass	401
2740	3000	1	RMS	2970.75	-45.65	-25	20.65	Pass	401
3000	7000	1	RMS	6968	-58.06	-25	33.06	Pass	4001
7000	26500	1	RMS	25091	-44.06	-25	19.06	Pass	19503




**1.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.4	-25	46.4	Pass	401
0.15	30	0.01	RMS	5.03	-69.25	-25	44.25	Pass	2986
30	1000	0.1	RMS	996.598	-59.32	-25	34.32	Pass	9701
1000	2446	1	RMS	2174	-47.41	-25	22.41	Pass	1447
2446	2740	1	RMS	2568.745	20.27	60	39.73	Pass	401
2740	3000	1	RMS	2971.4	-45.72	-25	20.72	Pass	401
3000	7000	1	RMS	5138	-49.36	-25	24.36	Pass	4001
7000	26500	1	RMS	25102	-44.13	-25	19.13	Pass	19503




**1.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.68	-25	46.68	Pass	401
0.15	30	0.01	RMS	23.74	-68.65	-25	43.65	Pass	2986
30	1000	0.1	RMS	484.7	-59.41	-25	34.41	Pass	9701
1000	2446	1	RMS	2182	-47.39	-25	22.39	Pass	1447
2446	2740	1	RMS	2616.52	20.19	60	39.81	Pass	401
2740	3000	1	RMS	2970.1	-45.66	-25	20.66	Pass	401
3000	7000	1	RMS	5233	-55.35	-25	30.35	Pass	4001
7000	26500	1	RMS	25082	-44.36	-25	19.36	Pass	19503




**1.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.9	-25	45.9	Pass	401
0.15	30	0.01	RMS	19.77	-69.12	-25	44.12	Pass	2986
30	1000	0.1	RMS	900.134	-59.25	-25	34.25	Pass	9701
1000	2446	1	RMS	2196	-47.33	-25	22.33	Pass	1447
2446	2740	1	RMS	2642.98	5.49	60	54.51	Pass	401
2740	3000	1	RMS	2966.85	-45.73	-25	20.73	Pass	401
3000	7000	1	RMS	6974	-57.78	-25	32.78	Pass	4001
7000	26500	1	RMS	25105	-44.2	-25	19.2	Pass	19503




**1.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.47	-25	45.47	Pass	401
0.15	30	0.01	RMS	0.57	-68.86	-25	43.86	Pass	2986
30	1000	0.1	RMS	749.5	-59.24	-25	34.24	Pass	9701
1000	2446	1	RMS	2436	-47.33	-25	22.33	Pass	1447
2446	2740	1	RMS	2640.775	20.38	60	39.62	Pass	401
2740	3000	1	RMS	2973.35	-45.7	-25	20.7	Pass	401
3000	7000	1	RMS	6981	-57.61	-25	32.61	Pass	4001
7000	26500	1	RMS	25104	-44.06	-25	19.06	Pass	19503




**1.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-25	46.68	Pass	401
0.15	30	0.01	RMS	0.37	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	847.5	-59.26	-25	34.26	Pass	9701
1000	2446	1	RMS	2164	-47.28	-25	22.28	Pass	1447
2446	2740	1	RMS	2688.55	19.98	60	40.02	Pass	401
2740	3000	1	RMS	2980.5	-45.67	-25	20.67	Pass	401
3000	7000	1	RMS	6975	-57.94	-25	32.94	Pass	4001
7000	26500	1	RMS	25102	-43.92	-25	18.92	Pass	19503




**1.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-71.23	-25	46.23	Pass	401
0.15	30	0.01	RMS	0.41	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	910.04	-58.16	-25	33.16	Pass	9701
1000	2396	1	RMS	2211	-47.34	-25	22.34	Pass	1397
2396	2790	1	RMS	2570.345	1.48	60	58.52	Pass	401
2790	3000	1	RMS	2973.225	-45.57	-25	20.57	Pass	401
3000	7000	1	RMS	6975	-57.93	-25	32.93	Pass	4001
7000	26500	1	RMS	25089	-44.14	-25	19.14	Pass	19503




**1.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.22	-25	46.22	Pass	401
0.15	30	0.01	RMS	19.48	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	897.932	-58.09	-25	33.09	Pass	9701
1000	2396	1	RMS	2182	-47.31	-25	22.31	Pass	1397
2396	2790	1	RMS	2496.47	19.38	60	40.62	Pass	401
2790	3000	1	RMS	2967.975	-45.46	-25	20.46	Pass	401
3000	7000	1	RMS	4994	-51.5	-25	26.5	Pass	4001
7000	26500	1	RMS	25114	-44.04	-25	19.04	Pass	19503




**1.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-72.14	-25	47.14	Pass	401
0.15	30	0.01	RMS	21.1	-67.35	-25	42.35	Pass	2986
30	1000	0.1	RMS	891.528	-58.47	-25	33.47	Pass	9701
1000	2396	1	RMS	2193	-47.45	-25	22.45	Pass	1397
2396	2790	1	RMS	2593.985	17.86	60	42.14	Pass	401
2790	3000	1	RMS	2975.85	-45.58	-25	20.58	Pass	401
3000	7000	1	RMS	5190	-52.1	-25	27.1	Pass	4001
7000	26500	1	RMS	25103	-44.31	-25	19.31	Pass	19503




**1.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.82	-25	46.82	Pass	401
0.15	30	0.01	RMS	1.49	-69.19	-25	44.19	Pass	2986
30	1000	0.1	RMS	986.891	-59.17	-25	34.17	Pass	9701
1000	2396	1	RMS	2184	-47.31	-25	22.31	Pass	1397
2396	2790	1	RMS	2568.375	1.43	60	58.57	Pass	401
2790	3000	1	RMS	2969.025	-45.65	-25	20.65	Pass	401
3000	7000	1	RMS	6979	-57.9	-25	32.9	Pass	4001
7000	26500	1	RMS	25115	-44.25	-25	19.25	Pass	19503




**1.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.094	-72.05	-25	47.05	Pass	401
0.15	30	0.01	RMS	0.88	-69.19	-25	44.19	Pass	2986
30	1000	0.1	RMS	915.944	-57.98	-25	32.98	Pass	9701
1000	2396	1	RMS	2197	-47.43	-25	22.43	Pass	1397
2396	2790	1	RMS	2543.75	18.77	60	41.23	Pass	401
2790	3000	1	RMS	2970.075	-45.63	-25	20.63	Pass	401
3000	7000	1	RMS	5088	-47.98	-25	22.98	Pass	4001
7000	26500	1	RMS	25101	-44.06	-25	19.06	Pass	19503




**1.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.38	-25	45.38	Pass	401
0.15	30	0.01	RMS	1.05	-68.75	-25	43.75	Pass	2986
30	1000	0.1	RMS	846.2	-58.42	-25	33.42	Pass	9701
1000	2396	1	RMS	2195	-47.43	-25	22.43	Pass	1397
2396	2790	1	RMS	2641.265	19.77	60	40.23	Pass	401
2790	3000	1	RMS	2972.175	-45.62	-25	20.62	Pass	401
3000	7000	1	RMS	6987	-57.75	-25	32.75	Pass	4001
7000	26500	1	RMS	25098	-44.28	-25	19.28	Pass	19503




**1.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.12	-25	46.12	Pass	401
0.15	30	0.01	RMS	0.26	-68.83	-25	43.83	Pass	2986
30	1000	0.1	RMS	837.8	-58.56	-25	33.56	Pass	9701
1000	2396	1	RMS	2200	-47.29	-25	22.29	Pass	1397
2396	2790	1	RMS	2604.82	2.32	60	57.68	Pass	401
2790	3000	1	RMS	2976.9	-45.58	-25	20.58	Pass	401
3000	7000	1	RMS	6975	-57.84	-25	32.84	Pass	4001
7000	26500	1	RMS	25099	-43.9	-25	18.9	Pass	19503




**1.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-71.67	-25	46.67	Pass	401
0.15	30	0.01	RMS	26.23	-67.65	-25	42.65	Pass	2986
30	1000	0.1	RMS	837.7	-58.31	-25	33.31	Pass	9701
1000	2396	1	RMS	2186	-47.31	-25	22.31	Pass	1397
2396	2790	1	RMS	2590.045	17.66	60	42.34	Pass	401
2790	3000	1	RMS	2974.8	-45.59	-25	20.59	Pass	401
3000	7000	1	RMS	5182	-51.3	-25	26.3	Pass	4001
7000	26500	1	RMS	25102	-44.02	-25	19.02	Pass	19503



**1.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.28	-25	46.28	Pass	401
0.15	30	0.01	RMS	8.85	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	902.435	-58.26	-25	33.26	Pass	9701
1000	2396	1	RMS	2187	-47.41	-25	22.41	Pass	1397
2396	2790	1	RMS	2688.545	19.72	60	40.28	Pass	401
2790	3000	1	RMS	2973.75	-45.6	-25	20.6	Pass	401
3000	7000	1	RMS	6985	-57.8	-25	32.8	Pass	4001
7000	26500	1	RMS	25100	-43.85	-25	18.85	Pass	19503



## 2. n38\_PC3


**2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.08	-25	46.08	Pass	401
0.15	30	0.01	RMS	29.45	-64.77	-25	39.77	Pass	2986
30	1000	0.1	RMS	601.8	-55.53	-25	30.53	Pass	9701
1000	2560	1	RMS	2560	-39.54	-25	14.54	Pass	1561
2560	2630	1	RMS	2571.725	12	60	48	Pass	401
2630	3000	1	RMS	2971.325	-45.07	-25	20.07	Pass	401
3000	7000	1	RMS	5150	-55.53	-25	30.53	Pass	4001
7000	26500	1	RMS	25078	-42.49	-25	17.49	Pass	19503




**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.95	-25	44.95	Pass	401
0.15	30	0.01	RMS	26.29	-64.53	-25	39.53	Pass	2986
30	1000	0.1	RMS	752.9	-54.63	-25	29.63	Pass	9701
1000	2560	1	RMS	2507	-45.7	-25	20.7	Pass	1561
2560	2630	1	RMS	2570.85	20.84	60	39.16	Pass	401
2630	3000	1	RMS	2972.25	-45.13	-25	20.13	Pass	401
3000	7000	1	RMS	5142	-48.69	-25	23.69	Pass	4001
7000	26500	1	RMS	25397	-41.64	-25	16.64	Pass	19503




**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-25	45.92	Pass	401
0.15	30	0.01	RMS	29.82	-63.45	-25	38.45	Pass	2986
30	1000	0.1	RMS	901.635	-55.15	-25	30.15	Pass	9701
1000	2560	1	RMS	2507	-46.03	-25	21.03	Pass	1561
2560	2630	1	RMS	2579.075	20.28	60	39.72	Pass	401
2630	3000	1	RMS	2981.5	-45.36	-25	20.36	Pass	401
3000	7000	1	RMS	5158	-49.81	-25	24.81	Pass	4001
7000	26500	1	RMS	24203	-42.47	-25	17.47	Pass	19503




**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.29	-25	45.29	Pass	401
0.15	30	0.01	RMS	10.87	-64.99	-25	39.99	Pass	2986
30	1000	0.1	RMS	947.365	-54.68	-25	29.68	Pass	9701
1000	2560	1	RMS	2547	-46.07	-25	21.07	Pass	1561
2560	2630	1	RMS	2598.15	11.72	60	48.28	Pass	401
2630	3000	1	RMS	2969.475	-45.26	-25	20.26	Pass	401
3000	7000	1	RMS	6968	-56.43	-25	31.43	Pass	4001
7000	26500	1	RMS	25466	-42.12	-25	17.12	Pass	19503




**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-69.87	-25	44.87	Pass	401
0.15	30	0.01	RMS	22.34	-65.08	-25	40.08	Pass	2986
30	1000	0.1	RMS	828.5	-54.92	-25	29.92	Pass	9701
1000	2560	1	RMS	2500	-45.59	-25	20.59	Pass	1561
2560	2630	1	RMS	2590.8	20.3	60	39.7	Pass	401
2630	3000	1	RMS	2973.175	-45.24	-25	20.24	Pass	401
3000	7000	1	RMS	5182	-51.91	-25	26.91	Pass	4001
7000	26500	1	RMS	25123	-42.75	-25	17.75	Pass	19503




**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.081	-70.33	-25	45.33	Pass	401
0.15	30	0.01	RMS	12.51	-65.14	-25	40.14	Pass	2986
30	1000	0.1	RMS	967.879	-54.7	-25	29.7	Pass	9701
1000	2560	1	RMS	2555	-45.85	-25	20.85	Pass	1561
2560	2630	1	RMS	2599.2	20.47	60	39.53	Pass	401
2630	3000	1	RMS	2973.175	-45.32	-25	20.32	Pass	401
3000	7000	1	RMS	5198	-53.19	-25	28.19	Pass	4001
7000	26500	1	RMS	25084	-42.68	-25	17.68	Pass	19503




**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	23.09	-63.95	-25	38.95	Pass	2986
30	1000	0.1	RMS	922.949	-54.83	-25	29.83	Pass	9701
1000	2560	1	RMS	2500	-45.87	-25	20.87	Pass	1561
2560	2630	1	RMS	2618.1	11.89	60	48.11	Pass	401
2630	3000	1	RMS	2630	-40.06	-25	15.06	Pass	401
3000	7000	1	RMS	6967	-56.44	-25	31.44	Pass	4001
7000	26500	1	RMS	26105	-42.85	-25	17.85	Pass	19503




**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.88	-25	44.88	Pass	401
0.15	30	0.01	RMS	17.93	-64.78	-25	39.78	Pass	2986
30	1000	0.1	RMS	824.5	-55.11	-25	30.11	Pass	9701
1000	2560	1	RMS	2525	-45.46	-25	20.46	Pass	1561
2560	2630	1	RMS	2610.75	20.66	60	39.34	Pass	401
2630	3000	1	RMS	2972.25	-45.21	-25	20.21	Pass	401
3000	7000	1	RMS	5222	-52.92	-25	27.92	Pass	4001
7000	26500	1	RMS	26136	-42.07	-25	17.07	Pass	19503




**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	21.14	-64.57	-25	39.57	Pass	2986
30	1000	0.1	RMS	772.3	-55.6	-25	30.6	Pass	9701
1000	2560	1	RMS	2540	-45.52	-25	20.52	Pass	1561
2560	2630	1	RMS	2619.15	20.62	60	39.38	Pass	401
2630	3000	1	RMS	2970.4	-45.35	-25	20.35	Pass	401
3000	7000	1	RMS	5238	-55.96	-25	30.96	Pass	4001
7000	26500	1	RMS	25529	-42.65	-25	17.65	Pass	19503




**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-70.92	-25	45.92	Pass	401
0.15	30	0.01	RMS	0.25	-64.89	-25	39.89	Pass	2986
30	1000	0.1	RMS	924.35	-54.24	-25	29.24	Pass	9701
1000	2550	1	RMS	2550	-41.96	-25	16.96	Pass	1551
2550	2640	1	RMS	2572.275	8.56	60	51.44	Pass	401
2640	3000	1	RMS	2978.4	-45.28	-25	20.28	Pass	401
3000	7000	1	RMS	6971	-56.32	-25	31.32	Pass	4001
7000	26500	1	RMS	24091	-42.52	-25	17.52	Pass	19503




**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.91	-25	44.91	Pass	401
0.15	30	0.01	RMS	20.51	-64.85	-25	39.85	Pass	2986
30	1000	0.1	RMS	802.1	-54.79	-25	29.79	Pass	9701
1000	2550	1	RMS	2529	-45.71	-25	20.71	Pass	1551
2550	2640	1	RMS	2570.925	20.85	60	39.15	Pass	401
2640	3000	1	RMS	2977.5	-45.21	-25	20.21	Pass	401
3000	7000	1	RMS	5142	-48.12	-25	23.12	Pass	4001
7000	26500	1	RMS	24070	-42.5	-25	17.5	Pass	19503




**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-69.33	-25	44.33	Pass	401
0.15	30	0.01	RMS	24.38	-64.81	-25	39.81	Pass	2986
30	1000	0.1	RMS	917.846	-55.33	-25	30.33	Pass	9701
1000	2550	1	RMS	2512	-46.07	-25	21.07	Pass	1551
2550	2640	1	RMS	2588.925	20.26	60	39.74	Pass	401
2640	3000	1	RMS	2976.6	-45.31	-25	20.31	Pass	401
3000	7000	1	RMS	5178	-51.16	-25	26.16	Pass	4001
7000	26500	1	RMS	25084	-42.29	-25	17.29	Pass	19503




**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-70.94	-25	45.94	Pass	401
0.15	30	0.01	RMS	17.75	-65.27	-25	40.27	Pass	2986
30	1000	0.1	RMS	987.292	-54.97	-25	29.97	Pass	9701
1000	2550	1	RMS	2546	-45.93	-25	20.93	Pass	1551
2550	2640	1	RMS	2602.2	8.53	60	51.47	Pass	401
2640	3000	1	RMS	2966.7	-45.37	-25	20.37	Pass	401
3000	7000	1	RMS	6971	-56.62	-25	31.62	Pass	4001
7000	26500	1	RMS	26164	-42.84	-25	17.84	Pass	19503




**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.65	-25	44.65	Pass	401
0.15	30	0.01	RMS	24.72	-65.87	-25	40.87	Pass	2986
30	1000	0.1	RMS	982.789	-55	-25	30	Pass	9701
1000	2550	1	RMS	2511	-45.61	-25	20.61	Pass	1551
2550	2640	1	RMS	2586	20.1	60	39.9	Pass	401
2640	3000	1	RMS	2971.2	-45.27	-25	20.27	Pass	401
3000	7000	1	RMS	5172	-50.51	-25	25.51	Pass	4001
7000	26500	1	RMS	25088	-41.9	-25	16.9	Pass	19503




**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-70.35	-25	45.35	Pass	401
0.15	30	0.01	RMS	25.76	-65.03	-25	40.03	Pass	2986
30	1000	0.1	RMS	869.413	-55.02	-25	30.02	Pass	9701
1000	2550	1	RMS	2519	-45.79	-25	20.79	Pass	1551
2550	2640	1	RMS	2604	20.69	60	39.31	Pass	401
2640	3000	1	RMS	2973.9	-45.27	-25	20.27	Pass	401
3000	7000	1	RMS	5208	-52.43	-25	27.43	Pass	4001
7000	26500	1	RMS	25055	-42.27	-25	17.27	Pass	19503




**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.083	-71.03	-25	46.03	Pass	401
0.15	30	0.01	RMS	2.65	-64.75	-25	39.75	Pass	2986
30	1000	0.1	RMS	928.553	-55.11	-25	30.11	Pass	9701
1000	2550	1	RMS	2448	-45.99	-25	20.99	Pass	1551
2550	2640	1	RMS	2615.7	8.7	60	51.3	Pass	401
2640	3000	1	RMS	2640	-41.31	-25	16.31	Pass	401
3000	7000	1	RMS	6968	-56.32	-25	31.32	Pass	4001
7000	26500	1	RMS	25895	-42.41	-25	17.41	Pass	19503




**2.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.88	-25	44.88	Pass	401
0.15	30	0.01	RMS	25.31	-65	-25	40	Pass	2986
30	1000	0.1	RMS	662.9	-54.87	-25	29.87	Pass	9701
1000	2550	1	RMS	2516	-45.85	-25	20.85	Pass	1551
2550	2640	1	RMS	2601.075	20.55	60	39.45	Pass	401
2640	3000	1	RMS	2969.4	-45.27	-25	20.27	Pass	401
3000	7000	1	RMS	5202	-52.69	-25	27.69	Pass	4001
7000	26500	1	RMS	25068	-42.04	-25	17.04	Pass	19503




**2.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.8	-25	43.8	Pass	401
0.15	30	0.01	RMS	24.78	-65.52	-25	40.52	Pass	2986
30	1000	0.1	RMS	853.503	-54.95	-25	29.95	Pass	9701
1000	2550	1	RMS	2517	-45.87	-25	20.87	Pass	1551
2550	2640	1	RMS	2619.075	20.81	60	39.19	Pass	401
2640	3000	1	RMS	2976.6	-45.07	-25	20.07	Pass	401
3000	7000	1	RMS	5238	-54.12	-25	29.12	Pass	4001
7000	26500	1	RMS	25731	-42.76	-25	17.76	Pass	19503




**1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.48	-25	45.48	Pass	401
0.15	30	0.01	RMS	18.17	-66.31	-25	41.31	Pass	2986
30	1000	0.1	RMS	998.299	-56.28	-25	31.28	Pass	9701
1000	2530	1	RMS	2530	-43.68	-25	18.68	Pass	1531
2530	2660	1	RMS	2571.925	5.21	60	54.79	Pass	401
2660	3000	1	RMS	2965.15	-45.32	-25	20.32	Pass	401
3000	7000	1	RMS	6980	-56.38	-25	31.38	Pass	4001
7000	26500	1	RMS	25387	-42.39	-25	17.39	Pass	19503




**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.34	-25	45.34	Pass	401
0.15	30	0.01	RMS	23.27	-65.57	-25	40.57	Pass	2986
30	1000	0.1	RMS	771.3	-56.23	-25	31.23	Pass	9701
1000	2530	1	RMS	2501	-46.34	-25	21.34	Pass	1531
2530	2660	1	RMS	2570.95	20.5	60	39.5	Pass	401
2660	3000	1	RMS	2985.55	-45.41	-25	20.41	Pass	401
3000	7000	1	RMS	5142	-48.42	-25	23.42	Pass	4001
7000	26500	1	RMS	25800	-42.93	-25	17.93	Pass	19503




**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.35	-25	43.35	Pass	401
0.15	30	0.01	RMS	26.84	-66.1	-25	41.1	Pass	2986
30	1000	0.1	RMS	904.036	-56.38	-25	31.38	Pass	9701
1000	2530	1	RMS	2486	-46.05	-25	21.05	Pass	1531
2530	2660	1	RMS	2608.975	20.61	60	39.39	Pass	401
2660	3000	1	RMS	2971.95	-45.38	-25	20.38	Pass	401
3000	7000	1	RMS	5218	-52.48	-25	27.48	Pass	4001
7000	26500	1	RMS	26226	-42.78	-25	17.78	Pass	19503




**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.64	-25	43.64	Pass	401
0.15	30	0.01	RMS	16.24	-66.04	-25	41.04	Pass	2986
30	1000	0.1	RMS	874.417	-56.07	-25	31.07	Pass	9701
1000	2530	1	RMS	2530	-44.53	-25	19.53	Pass	1531
2530	2660	1	RMS	2607.025	5.32	60	54.68	Pass	401
2660	3000	1	RMS	2660.85	-44.9	-25	19.9	Pass	401
3000	7000	1	RMS	6905	-56.56	-25	31.56	Pass	4001
7000	26500	1	RMS	24806	-42.93	-25	17.93	Pass	19503




**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.08	-25	45.08	Pass	401
0.15	30	0.01	RMS	23.31	-64.65	-25	39.65	Pass	2986
30	1000	0.1	RMS	994.496	-55.88	-25	30.88	Pass	9701
1000	2530	1	RMS	2487	-45.8	-25	20.8	Pass	1531
2530	2660	1	RMS	2576.15	20.17	60	39.83	Pass	401
2660	3000	1	RMS	2969.4	-45.28	-25	20.28	Pass	401
3000	7000	1	RMS	5152	-49.04	-25	24.04	Pass	4001
7000	26500	1	RMS	25991	-42.57	-25	17.57	Pass	19503




**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.7	-25	44.7	Pass	401
0.15	30	0.01	RMS	15.92	-66.32	-25	41.32	Pass	2986
30	1000	0.1	RMS	904.136	-56.09	-25	31.09	Pass	9701
1000	2530	1	RMS	2497	-46.19	-25	21.19	Pass	1531
2530	2660	1	RMS	2613.85	20.71	60	39.29	Pass	401
2660	3000	1	RMS	2971.1	-45.41	-25	20.41	Pass	401
3000	7000	1	RMS	5228	-54.45	-25	29.45	Pass	4001
7000	26500	1	RMS	25462	-42.62	-25	17.62	Pass	19503




**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-70.97	-25	45.97	Pass	401
0.15	30	0.01	RMS	18.65	-64.69	-25	39.69	Pass	2986
30	1000	0.1	RMS	490.5	-56.51	-25	31.51	Pass	9701
1000	2530	1	RMS	2530	-45.37	-25	20.37	Pass	1531
2530	2660	1	RMS	2611.575	5.29	60	54.71	Pass	401
2660	3000	1	RMS	2660	-43.98	-25	18.98	Pass	401
3000	7000	1	RMS	6982	-56.77	-25	31.77	Pass	4001
7000	26500	1	RMS	26066	-42.94	-25	17.94	Pass	19503




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.13	-25	45.13	Pass	401
0.15	30	0.01	RMS	9.08	-65.39	-25	40.39	Pass	2986
30	1000	0.1	RMS	897.032	-55.35	-25	30.35	Pass	9701
1000	2530	1	RMS	2517	-46.23	-25	21.23	Pass	1531
2530	2660	1	RMS	2581.025	19.93	60	40.07	Pass	401
2660	3000	1	RMS	2978.75	-45.33	-25	20.33	Pass	401
3000	7000	1	RMS	5162	-49.86	-25	24.86	Pass	4001
7000	26500	1	RMS	25138	-42.97	-25	17.97	Pass	19503



**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.94	-25	44.94	Pass	401
0.15	30	0.01	RMS	10.99	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	958.573	-56.03	-25	31.03	Pass	9701
1000	2530	1	RMS	2432	-46.18	-25	21.18	Pass	1531
2530	2660	1	RMS	2618.725	20.39	60	39.61	Pass	401
2660	3000	1	RMS	2991.5	-45.54	-25	20.54	Pass	401
3000	7000	1	RMS	5238	-55.8	-25	30.8	Pass	4001
7000	26500	1	RMS	25708	-42.84	-25	17.84	Pass	19503



### 3. n66


**3.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	19.03	-69.89	-13	56.89	Pass	2986
30	1000	0.1	RMS	901.635	-59.52	-13	46.52	Pass	9701
1000	1700	1	RMS	1700	-43.72	-13	30.72	Pass	701
1700	1790	1	RMS	1711.025	14.74	60	45.26	Pass	401
1790	3000	1	RMS	2997	-45.62	-13	32.62	Pass	1211
3000	7000	1	RMS	6978	-57.73	-13	44.73	Pass	4001
7000	20000	1	RMS	17503	-45.81	-13	32.81	Pass	13002




**3.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.28	-69.53	-13	56.53	Pass	2986
30	1000	0.1	RMS	896.031	-59.56	-13	46.56	Pass	9701
1000	1700	1	RMS	1668	-48.97	-13	35.97	Pass	701
1700	1790	1	RMS	1710.125	20.77	60	39.23	Pass	401
1790	3000	1	RMS	2970	-45.33	-13	32.33	Pass	1211
3000	7000	1	RMS	6978	-57.92	-13	44.92	Pass	4001
7000	20000	1	RMS	17500	-45.39	-13	32.39	Pass	13002




**3.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	23.45	-69.86	-13	56.86	Pass	2986
30	1000	0.1	RMS	860.808	-59.56	-13	46.56	Pass	9701
1000	1700	1	RMS	1689	-48.78	-13	35.78	Pass	701
1700	1790	1	RMS	1714.625	20.8	60	39.2	Pass	401
1790	3000	1	RMS	2979	-45.6	-13	32.6	Pass	1211
3000	7000	1	RMS	6977	-57.71	-13	44.71	Pass	4001
7000	20000	1	RMS	17500	-45.94	-13	32.94	Pass	13002




**3.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.41	-69.71	-13	56.71	Pass	2986
30	1000	0.1	RMS	902.836	-59.49	-13	46.49	Pass	9701
1000	1700	1	RMS	1690	-48.99	-13	35.99	Pass	701
1700	1790	1	RMS	1746.125	14.73	60	45.27	Pass	401
1790	3000	1	RMS	2974	-45.31	-13	32.31	Pass	1211
3000	7000	1	RMS	6979	-57.75	-13	44.75	Pass	4001
7000	20000	1	RMS	19780	-45.93	-13	32.93	Pass	13002




**3.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	19.25	-70.34	-13	57.34	Pass	2986
30	1000	0.1	RMS	897.032	-59.22	-13	46.22	Pass	9701
1000	1700	1	RMS	1699	-48.93	-13	35.93	Pass	701
1700	1790	1	RMS	1742.75	20.72	60	39.28	Pass	401
1790	3000	1	RMS	2971	-45.42	-13	32.42	Pass	1211
3000	7000	1	RMS	6982	-57.96	-13	44.96	Pass	4001
7000	20000	1	RMS	17500	-45.56	-13	32.56	Pass	13002




**3.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.66	-69.08	-13	56.08	Pass	2986
30	1000	0.1	RMS	906.338	-59.39	-13	46.39	Pass	9701
1000	1700	1	RMS	1696	-48.89	-13	35.89	Pass	701
1700	1790	1	RMS	1747.025	20.81	60	39.19	Pass	401
1790	3000	1	RMS	2971	-45.58	-13	32.58	Pass	1211
3000	7000	1	RMS	6981	-57.69	-13	44.69	Pass	4001
7000	20000	1	RMS	17503	-45.76	-13	32.76	Pass	13002




**3.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.18	-68.51	-13	55.51	Pass	2986
30	1000	0.1	RMS	916.244	-59.26	-13	46.26	Pass	9701
1000	1700	1	RMS	1698	-48.97	-13	35.97	Pass	701
1700	1790	1	RMS	1776.05	14.86	60	45.14	Pass	401
1790	3000	1	RMS	1790	-44.85	-13	31.85	Pass	1211
3000	7000	1	RMS	6975	-57.98	-13	44.98	Pass	4001
7000	20000	1	RMS	17503	-45.49	-13	32.49	Pass	13002




**3.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.37	-13	58.37	Pass	401
0.15	30	0.01	RMS	1.3	-68.82	-13	55.82	Pass	2986
30	1000	0.1	RMS	981.188	-59.45	-13	46.45	Pass	9701
1000	1700	1	RMS	1651	-48.92	-13	35.92	Pass	701
1700	1790	1	RMS	1775.15	20.91	60	39.09	Pass	401
1790	3000	1	RMS	2971	-45.33	-13	32.33	Pass	1211
3000	7000	1	RMS	6980	-57.86	-13	44.86	Pass	4001
7000	20000	1	RMS	17499	-45.41	-13	32.41	Pass	13002




**3.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.21	-69.33	-13	56.33	Pass	2986
30	1000	0.1	RMS	901.134	-59.6	-13	46.6	Pass	9701
1000	1700	1	RMS	1699	-48.99	-13	35.99	Pass	701
1700	1790	1	RMS	1779.425	20.85	60	39.15	Pass	401
1790	3000	1	RMS	2968	-45.4	-13	32.4	Pass	1211
3000	7000	1	RMS	6981	-57.83	-13	44.83	Pass	4001
7000	20000	1	RMS	17498	-45.64	-13	32.64	Pass	13002




**3.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.2	-69.19	-13	56.19	Pass	2986
30	1000	0.1	RMS	911.641	-59.48	-13	46.48	Pass	9701
1000	1700	1	RMS	1700	-35.89	-13	22.89	Pass	701
1700	1790	1	RMS	1711.475	9.9	60	50.1	Pass	401
1790	3000	1	RMS	2925	-45.73	-13	32.73	Pass	1211
3000	7000	1	RMS	6984	-57.71	-13	44.71	Pass	4001
7000	20000	1	RMS	17498	-45.67	-13	32.67	Pass	13002




**3.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	24.89	-69.97	-13	56.97	Pass	2986
30	1000	0.1	RMS	893.529	-59.46	-13	46.46	Pass	9701
1000	1700	1	RMS	1700	-48.54	-13	35.54	Pass	701
1700	1790	1	RMS	1710.35	21.03	60	38.97	Pass	401
1790	3000	1	RMS	2973	-45.54	-13	32.54	Pass	1211
3000	7000	1	RMS	6980	-57.65	-13	44.65	Pass	4001
7000	20000	1	RMS	17505	-45.81	-13	32.81	Pass	13002




**3.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.28	-69.58	-13	56.58	Pass	2986
30	1000	0.1	RMS	995.497	-59.59	-13	46.59	Pass	9701
1000	1700	1	RMS	1697	-49.05	-13	36.05	Pass	701
1700	1790	1	RMS	1729.25	21.08	60	38.92	Pass	401
1790	3000	1	RMS	2972	-45.38	-13	32.38	Pass	1211
3000	7000	1	RMS	6918	-57.55	-13	44.55	Pass	4001
7000	20000	1	RMS	17501	-45.56	-13	32.56	Pass	13002




**3.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.2	-69.57	-13	56.57	Pass	2986
30	1000	0.1	RMS	901.134	-59.28	-13	46.28	Pass	9701
1000	1700	1	RMS	1700	-44.29	-13	31.29	Pass	701
1700	1790	1	RMS	1750.85	8.99	60	51.01	Pass	401
1790	3000	1	RMS	2976	-45.65	-13	32.65	Pass	1211
3000	7000	1	RMS	6982	-57.68	-13	44.68	Pass	4001
7000	20000	1	RMS	17501	-45.69	-13	32.69	Pass	13002




**3.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	26.1	-69.41	-13	56.41	Pass	2986
30	1000	0.1	RMS	905.437	-59.45	-13	46.45	Pass	9701
1000	1700	1	RMS	1686	-48.91	-13	35.91	Pass	701
1700	1790	1	RMS	1735.55	20.86	60	39.14	Pass	401
1790	3000	1	RMS	2969	-45.35	-13	32.35	Pass	1211
3000	7000	1	RMS	6942	-57.64	-13	44.64	Pass	4001
7000	20000	1	RMS	17496	-45.58	-13	32.58	Pass	13002




**3.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.17	-69.62	-13	56.62	Pass	2986
30	1000	0.1	RMS	849.3	-59.57	-13	46.57	Pass	9701
1000	1700	1	RMS	1700	-48.75	-13	35.75	Pass	701
1700	1790	1	RMS	1754.225	20.91	60	39.09	Pass	401
1790	3000	1	RMS	2978	-45.64	-13	32.64	Pass	1211
3000	7000	1	RMS	6981	-57.6	-13	44.6	Pass	4001
7000	20000	1	RMS	17500	-45.72	-13	32.72	Pass	13002




**3.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	12.97	-69.54	-13	56.54	Pass	2986
30	1000	0.1	RMS	978.586	-59.6	-13	46.6	Pass	9701
1000	1700	1	RMS	1700	-48.64	-13	35.64	Pass	701
1700	1790	1	RMS	1777.175	9.44	60	50.56	Pass	401
1790	3000	1	RMS	1790	-35.45	-13	22.45	Pass	1211
3000	7000	1	RMS	6979	-57.88	-13	44.88	Pass	4001
7000	20000	1	RMS	17502	-45.5	-13	32.5	Pass	13002




**3.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-69.65	-13	56.65	Pass	2986
30	1000	0.1	RMS	906.838	-59.46	-13	46.46	Pass	9701
1000	1700	1	RMS	1672	-48.99	-13	35.99	Pass	701
1700	1790	1	RMS	1760.525	20.84	60	39.16	Pass	401
1790	3000	1	RMS	2973	-45.31	-13	32.31	Pass	1211
3000	7000	1	RMS	6973	-57.67	-13	44.67	Pass	4001
7000	20000	1	RMS	17499	-45.62	-13	32.62	Pass	13002




**3.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.25	-69.91	-13	56.91	Pass	2986
30	1000	0.1	RMS	912.342	-59.5	-13	46.5	Pass	9701
1000	1700	1	RMS	1699	-48.81	-13	35.81	Pass	701
1700	1790	1	RMS	1779.425	21.09	60	38.91	Pass	401
1790	3000	1	RMS	2977	-45.71	-13	32.71	Pass	1211
3000	7000	1	RMS	6977	-57.77	-13	44.77	Pass	4001
7000	20000	1	RMS	17498	-45.72	-13	32.72	Pass	13002




**3.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.16	-69.88	-13	56.88	Pass	2986
30	1000	0.1	RMS	899.734	-59.43	-13	46.43	Pass	9701
1000	1700	1	RMS	1699	-36.95	-13	23.95	Pass	701
1700	1790	1	RMS	1712.375	7.1	60	52.9	Pass	401
1790	3000	1	RMS	1790	-41.17	-13	28.17	Pass	1211
3000	7000	1	RMS	6977	-57.94	-13	44.94	Pass	4001
7000	20000	1	RMS	17496	-45.64	-13	32.64	Pass	13002




**3.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.71	-68.75	-13	55.75	Pass	2986
30	1000	0.1	RMS	902.535	-59.57	-13	46.57	Pass	9701
1000	1700	1	RMS	1700	-48.53	-13	35.53	Pass	701
1700	1790	1	RMS	1710.575	21.1	60	38.9	Pass	401
1790	3000	1	RMS	2972	-45.36	-13	32.36	Pass	1211
3000	7000	1	RMS	6977	-57.67	-13	44.67	Pass	4001
7000	20000	1	RMS	17500	-45.71	-13	32.71	Pass	13002




**3.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.083	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.29	-69.65	-13	56.65	Pass	2986
30	1000	0.1	RMS	869.313	-59.39	-13	46.39	Pass	9701
1000	1700	1	RMS	1700	-48.99	-13	35.99	Pass	701
1700	1790	1	RMS	1749.275	21	60	39	Pass	401
1790	3000	1	RMS	2969	-45.43	-13	32.43	Pass	1211
3000	7000	1	RMS	6988	-57.83	-13	44.83	Pass	4001
7000	20000	1	RMS	17498	-45.54	-13	32.54	Pass	13002




**3.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.62	-69.63	-13	56.63	Pass	2986
30	1000	0.1	RMS	901.134	-59.37	-13	46.37	Pass	9701
1000	1700	1	RMS	1700	-37.43	-13	24.43	Pass	701
1700	1790	1	RMS	1750.4	6.39	60	53.61	Pass	401
1790	3000	1	RMS	1790	-39.84	-13	26.84	Pass	1211
3000	7000	1	RMS	6980	-57.68	-13	44.68	Pass	4001
7000	20000	1	RMS	17499	-45.58	-13	32.58	Pass	13002




**3.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	25.84	-69.65	-13	56.65	Pass	2986
30	1000	0.1	RMS	994.096	-59.51	-13	46.51	Pass	9701
1000	1700	1	RMS	1700	-48.7	-13	35.7	Pass	701
1700	1790	1	RMS	1725.425	20.91	60	39.09	Pass	401
1790	3000	1	RMS	2973	-45.58	-13	32.58	Pass	1211
3000	7000	1	RMS	6976	-57.82	-13	44.82	Pass	4001
7000	20000	1	RMS	17497	-45.75	-13	32.75	Pass	13002




**3.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.36	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	896.631	-59.43	-13	46.43	Pass	9701
1000	1700	1	RMS	1694	-48.84	-13	35.84	Pass	701
1700	1790	1	RMS	1764.125	20.86	60	39.14	Pass	401
1790	3000	1	RMS	2974	-45.6	-13	32.6	Pass	1211
3000	7000	1	RMS	6979	-57.66	-13	44.66	Pass	4001
7000	20000	1	RMS	19790	-45.85	-13	32.85	Pass	13002




**3.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.18	-69.35	-13	56.35	Pass	2986
30	1000	0.1	RMS	870.814	-59.47	-13	46.47	Pass	9701
1000	1700	1	RMS	1700	-41.16	-13	28.16	Pass	701
1700	1790	1	RMS	1747.925	6.67	60	53.33	Pass	401
1790	3000	1	RMS	1790	-37.98	-13	24.98	Pass	1211
3000	7000	1	RMS	6979	-57.65	-13	44.65	Pass	4001
7000	20000	1	RMS	17501	-45.44	-13	32.44	Pass	13002




**3.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.26	-69.32	-13	56.32	Pass	2986
30	1000	0.1	RMS	886.725	-59.38	-13	46.38	Pass	9701
1000	1700	1	RMS	1686	-48.89	-13	35.89	Pass	701
1700	1790	1	RMS	1740.5	20.89	60	39.11	Pass	401
1790	3000	1	RMS	2976	-45.42	-13	32.42	Pass	1211
3000	7000	1	RMS	6977	-57.72	-13	44.72	Pass	4001
7000	20000	1	RMS	19814	-45.89	-13	32.89	Pass	13002



**3.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.23	-69.29	-13	56.29	Pass	2986
30	1000	0.1	RMS	906.038	-59.44	-13	46.44	Pass	9701
1000	1700	1	RMS	1672	-48.87	-13	35.87	Pass	701
1700	1790	1	RMS	1779.2	21.17	60	38.83	Pass	401
1790	3000	1	RMS	2974	-45.3	-13	32.3	Pass	1211
3000	7000	1	RMS	6970	-57.76	-13	44.76	Pass	4001
7000	20000	1	RMS	17499	-45.58	-13	32.58	Pass	13002



## 1. n77(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.6	-13	55.6	Pass	401
0.15	30	0.01	RMS	7.88	-64.86	-13	51.86	Pass	2986
30	1000	0.1	RMS	920.147	-55.3	-13	42.3	Pass	9701
1000	3000	1	RMS	2973	-44.98	-13	31.98	Pass	2001
3000	3440	1	RMS	3101	-36.54	-13	23.54	Pass	441
3440	3560	1	RMS	3457.7	13.59	60	46.41	Pass	401
3560	7000	1	RMS	6970	-56.41	-13	43.41	Pass	3441
7000	26500	1	RMS	26099	-42.45	-13	29.45	Pass	19503




**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-70.37	-13	57.37	Pass	401
0.15	30	0.01	RMS	10.73	-65.08	-13	52.08	Pass	2986
30	1000	0.1	RMS	483.8	-54.95	-13	41.95	Pass	9701
1000	3000	1	RMS	2949	-44.82	-13	31.82	Pass	2001
3000	3440	1	RMS	3431	-40.69	-13	27.69	Pass	441
3440	3560	1	RMS	3450.8	21.56	60	38.44	Pass	401
3560	7000	1	RMS	6902	-55.37	-13	42.37	Pass	3441
7000	26500	1	RMS	25211	-42.53	-13	29.53	Pass	19503




**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.055	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	4.54	-64.77	-13	51.77	Pass	2986
30	1000	0.1	RMS	975.984	-55.44	-13	42.44	Pass	9701
1000	3000	1	RMS	3000	-44.62	-13	31.62	Pass	2001
3000	3440	1	RMS	3413	-40.42	-13	27.42	Pass	441
3440	3560	1	RMS	3459.2	21.88	60	38.12	Pass	401
3560	7000	1	RMS	6918	-55.75	-13	42.75	Pass	3441
7000	26500	1	RMS	25701	-42.46	-13	29.46	Pass	19503




**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.34	-13	55.34	Pass	401
0.15	30	0.01	RMS	3.22	-64.15	-13	51.15	Pass	2986
30	1000	0.1	RMS	922.048	-55.13	-13	42.13	Pass	9701
1000	3000	1	RMS	2976	-44.11	-13	31.11	Pass	2001
3000	3440	1	RMS	3403	-40.65	-13	27.65	Pass	441
3440	3560	1	RMS	3503.3	12.72	60	47.28	Pass	401
3560	7000	1	RMS	6999	-55.92	-13	42.92	Pass	3441
7000	26500	1	RMS	26049	-42.33	-13	29.33	Pass	19503




**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-70.1	-13	57.1	Pass	401
0.15	30	0.01	RMS	0.55	-65.02	-13	52.02	Pass	2986
30	1000	0.1	RMS	660.3	-55.29	-13	42.29	Pass	9701
1000	3000	1	RMS	2988	-44.67	-13	31.67	Pass	2001
3000	3440	1	RMS	3407	-40.65	-13	27.65	Pass	441
3440	3560	1	RMS	3495.8	20.88	60	39.12	Pass	401
3560	7000	1	RMS	6992	-55.38	-13	42.38	Pass	3441
7000	26500	1	RMS	25853	-42.87	-13	29.87	Pass	19503




**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.97	-13	54.97	Pass	401
0.15	30	0.01	RMS	16.17	-63.99	-13	50.99	Pass	2986
30	1000	0.1	RMS	944.563	-55.7	-13	42.7	Pass	9701
1000	3000	1	RMS	2989	-44.47	-13	31.47	Pass	2001
3000	3440	1	RMS	3405	-40.55	-13	27.55	Pass	441
3440	3560	1	RMS	3504.2	20.86	60	39.14	Pass	401
3560	7000	1	RMS	6923	-56.73	-13	43.73	Pass	3441
7000	26500	1	RMS	24101	-42.18	-13	29.18	Pass	19503




**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	25.96	-63.47	-13	50.47	Pass	2986
30	1000	0.1	RMS	908.139	-54.84	-13	41.84	Pass	9701
1000	3000	1	RMS	2929	-44.48	-13	31.48	Pass	2001
3000	3440	1	RMS	3392	-40.61	-13	27.61	Pass	441
3440	3560	1	RMS	3541.7	12.66	60	47.34	Pass	401
3560	7000	1	RMS	3560	-41.15	-13	28.15	Pass	3441
7000	26500	1	RMS	25760	-42.4	-13	29.4	Pass	19503




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.18	-13	55.18	Pass	401
0.15	30	0.01	RMS	10.85	-65.27	-13	52.27	Pass	2986
30	1000	0.1	RMS	642.3	-55.32	-13	42.32	Pass	9701
1000	3000	1	RMS	2972	-44.44	-13	31.44	Pass	2001
3000	3440	1	RMS	3408	-40.54	-13	27.54	Pass	441
3440	3560	1	RMS	3540.8	20.87	60	39.13	Pass	401
3560	7000	1	RMS	3561	-55.84	-13	42.84	Pass	3441
7000	26500	1	RMS	25792	-42.98	-13	29.98	Pass	19503




**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.38	-13	56.38	Pass	401
0.15	30	0.01	RMS	3.65	-64.5	-13	51.5	Pass	2986
30	1000	0.1	RMS	984.89	-55.14	-13	42.14	Pass	9701
1000	3000	1	RMS	2888	-45.03	-13	32.03	Pass	2001
3000	3440	1	RMS	3098	-36.8	-13	23.8	Pass	441
3440	3560	1	RMS	3549.2	20.81	60	39.19	Pass	401
3560	7000	1	RMS	3560	-52.01	-13	39.01	Pass	3441
7000	26500	1	RMS	23377	-38.3	-13	25.3	Pass	19503




**1.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.49	-13	55.49	Pass	401
0.15	30	0.01	RMS	24.34	-64.76	-13	51.76	Pass	2986
30	1000	0.1	RMS	731.7	-54.81	-13	41.81	Pass	9701
1000	3000	1	RMS	2926	-44.77	-13	31.77	Pass	2001
3000	3440	1	RMS	3440	-35.45	-13	22.45	Pass	441
3440	3560	1	RMS	3460.4	6	60	54	Pass	401
3560	7000	1	RMS	3560	-47.8	-13	34.8	Pass	3441
7000	26500	1	RMS	25125	-42.52	-13	29.52	Pass	19503




**1.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	9.81	-64.81	-13	51.81	Pass	2986
30	1000	0.1	RMS	885.224	-54.89	-13	41.89	Pass	9701
1000	3000	1	RMS	2976	-44.19	-13	31.19	Pass	2001
3000	3440	1	RMS	3406	-40.6	-13	27.6	Pass	441
3440	3560	1	RMS	3451.4	21.52	60	38.48	Pass	401
3560	7000	1	RMS	6980	-56.41	-13	43.41	Pass	3441
7000	26500	1	RMS	24385	-42.78	-13	29.78	Pass	19503




**1.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.14	-13	57.14	Pass	401
0.15	30	0.01	RMS	24.93	-64.72	-13	51.72	Pass	2986
30	1000	0.1	RMS	878.62	-55.87	-13	42.87	Pass	9701
1000	3000	1	RMS	2974	-44.68	-13	31.68	Pass	2001
3000	3440	1	RMS	3413	-40.59	-13	27.59	Pass	441
3440	3560	1	RMS	3498.8	20.73	60	39.27	Pass	401
3560	7000	1	RMS	6997	-55.61	-13	42.61	Pass	3441
7000	26500	1	RMS	24401	-43.01	-13	30.01	Pass	19503




**1.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.62	-13	57.62	Pass	401
0.15	30	0.01	RMS	13.77	-64.74	-13	51.74	Pass	2986
30	1000	0.1	RMS	630.8	-55.16	-13	42.16	Pass	9701
1000	3000	1	RMS	2980	-44.71	-13	31.71	Pass	2001
3000	3440	1	RMS	3438	-38.83	-13	25.83	Pass	441
3440	3560	1	RMS	3482	5.55	60	54.45	Pass	401
3560	7000	1	RMS	3560	-40.41	-13	27.41	Pass	3441
7000	26500	1	RMS	24134	-42.62	-13	29.62	Pass	19503




**1.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.34	-13	55.34	Pass	401
0.15	30	0.01	RMS	25.81	-63.78	-13	50.78	Pass	2986
30	1000	0.1	RMS	823	-55.06	-13	42.06	Pass	9701
1000	3000	1	RMS	2967	-44.71	-13	31.71	Pass	2001
3000	3440	1	RMS	3418	-40.57	-13	27.57	Pass	441
3440	3560	1	RMS	3476.3	21.38	60	38.62	Pass	401
3560	7000	1	RMS	3571	-53.83	-13	40.83	Pass	3441
7000	26500	1	RMS	25438	-43.04	-13	30.04	Pass	19503




**1.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.69	-13	56.69	Pass	401
0.15	30	0.01	RMS	20.04	-64.02	-13	51.02	Pass	2986
30	1000	0.1	RMS	914.243	-55.56	-13	42.56	Pass	9701
1000	3000	1	RMS	2941	-44.7	-13	31.7	Pass	2001
3000	3440	1	RMS	3419	-40.82	-13	27.82	Pass	441
3440	3560	1	RMS	3523.7	20.38	60	39.62	Pass	401
3560	7000	1	RMS	6976	-56.92	-13	43.92	Pass	3441
7000	26500	1	RMS	25526	-42.9	-13	29.9	Pass	19503




**1.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.44	-13	57.44	Pass	401
0.15	30	0.01	RMS	5.67	-65.24	-13	52.24	Pass	2986
30	1000	0.1	RMS	994.296	-55.04	-13	42.04	Pass	9701
1000	3000	1	RMS	2834	-44.97	-13	31.97	Pass	2001
3000	3440	1	RMS	3410	-40.4	-13	27.4	Pass	441
3440	3560	1	RMS	3539	5.25	60	54.75	Pass	401
3560	7000	1	RMS	3560	-36.26	-13	23.26	Pass	3441
7000	26500	1	RMS	24786	-42.84	-13	29.84	Pass	19503




**1.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.19	-13	55.19	Pass	401
0.15	30	0.01	RMS	8.71	-64.55	-13	51.55	Pass	2986
30	1000	0.1	RMS	659.2	-55.48	-13	42.48	Pass	9701
1000	3000	1	RMS	2980	-44.84	-13	31.84	Pass	2001
3000	3440	1	RMS	3097	-33.36	-13	20.36	Pass	441
3440	3560	1	RMS	3501.2	20.92	60	39.08	Pass	401
3560	7000	1	RMS	3596	-55.26	-13	42.26	Pass	3441
7000	26500	1	RMS	23300	-38.6	-13	25.6	Pass	19503




**1.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.12	-13	57.12	Pass	401
0.15	30	0.01	RMS	26.73	-65.08	-13	52.08	Pass	2986
30	1000	0.1	RMS	736.9	-55.2	-13	42.2	Pass	9701
1000	3000	1	RMS	2982	-44.81	-13	31.81	Pass	2001
3000	3440	1	RMS	3404	-40.55	-13	27.55	Pass	441
3440	3560	1	RMS	3548.6	20.5	60	39.5	Pass	401
3560	7000	1	RMS	3560	-52.43	-13	39.43	Pass	3441
7000	26500	1	RMS	24108	-42.59	-13	29.59	Pass	19503




**1.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.88	-13	56.88	Pass	401
0.15	30	0.01	RMS	17.12	-64.71	-13	51.71	Pass	2986
30	1000	0.1	RMS	337.2	-55.33	-13	42.33	Pass	9701
1000	3000	1	RMS	2784	-44.65	-13	31.65	Pass	2001
3000	3440	1	RMS	3424	-35.51	-13	22.51	Pass	441
3440	3560	1	RMS	3464.3	2.48	60	57.52	Pass	401
3560	7000	1	RMS	3560	-36.35	-13	23.35	Pass	3441
7000	26500	1	RMS	23237	-37.84	-13	24.84	Pass	19503




**1.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.35	-13	58.35	Pass	401
0.15	30	0.01	RMS	26.24	-64.74	-13	51.74	Pass	2986
30	1000	0.1	RMS	516.8	-55.85	-13	42.85	Pass	9701
1000	3000	1	RMS	2940	-44.7	-13	31.7	Pass	2001
3000	3440	1	RMS	3420	-40.75	-13	27.75	Pass	441
3440	3560	1	RMS	3451.1	21.38	60	38.62	Pass	401
3560	7000	1	RMS	3647	-52.43	-13	39.43	Pass	3441
7000	26500	1	RMS	25542	-42.81	-13	29.81	Pass	19503



**1.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.81	-13	54.81	Pass	401
0.15	30	0.01	RMS	18.02	-65.02	-13	52.02	Pass	2986
30	1000	0.1	RMS	611.4	-55.72	-13	42.72	Pass	9701
1000	3000	1	RMS	2959	-44.69	-13	31.69	Pass	2001
3000	3440	1	RMS	3425	-40.7	-13	27.7	Pass	441
3440	3560	1	RMS	3548.9	20.59	60	39.41	Pass	401
3560	7000	1	RMS	3560	-52.06	-13	39.06	Pass	3441
7000	26500	1	RMS	25542	-42.45	-13	29.45	Pass	19503



## 2. n77(3700-3980)


2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.43	-13	56.43	Pass	401
0.15	30	0.01	RMS	13.13	-63.69	-13	50.69	Pass	2986
30	1000	0.1	RMS	915.844	-55.37	-13	42.37	Pass	9701
1000	3000	1	RMS	2762	-44.65	-13	31.65	Pass	2001
3000	3690	1	RMS	3150	-34.67	-13	21.67	Pass	691
3690	3990	1	RMS	3708	11.77	60	48.23	Pass	401
3990	7000	1	RMS	6932	-56.65	-13	43.65	Pass	3011
7000	26500	1	RMS	23306	-39.32	-13	26.32	Pass	19503




**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.17	-13	55.17	Pass	401
0.15	30	0.01	RMS	28.1	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	705.1	-55.33	-13	42.33	Pass	9701
1000	3000	1	RMS	2791	-45.03	-13	32.03	Pass	2001
3000	3690	1	RMS	3400	-40.64	-13	27.64	Pass	691
3690	3990	1	RMS	3700.5	18.32	60	41.68	Pass	401
3990	7000	1	RMS	6972	-56.39	-13	43.39	Pass	3011
7000	26500	1	RMS	25729	-42.44	-13	29.44	Pass	19503




**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.61	-13	57.61	Pass	401
0.15	30	0.01	RMS	28.55	-65.51	-13	52.51	Pass	2986
30	1000	0.1	RMS	943.963	-55.34	-13	42.34	Pass	9701
1000	3000	1	RMS	2957	-44.62	-13	31.62	Pass	2001
3000	3690	1	RMS	3401	-40.62	-13	27.62	Pass	691
3690	3990	1	RMS	3709.5	18.38	60	41.62	Pass	401
3990	7000	1	RMS	6990	-56.79	-13	43.79	Pass	3011
7000	26500	1	RMS	25753	-42.56	-13	29.56	Pass	19503




**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.54	-13	56.54	Pass	401
0.15	30	0.01	RMS	0.35	-65.82	-13	52.82	Pass	2986
30	1000	0.1	RMS	973.482	-55.54	-13	42.54	Pass	9701
1000	3000	1	RMS	2982	-44.89	-13	31.89	Pass	2001
3000	3690	1	RMS	3424	-40.14	-13	27.14	Pass	691
3690	3990	1	RMS	3837	12.36	60	47.64	Pass	401
3990	7000	1	RMS	6955	-57	-13	44	Pass	3011
7000	26500	1	RMS	25090	-42.41	-13	29.41	Pass	19503




**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.96	-13	55.96	Pass	401
0.15	30	0.01	RMS	12.02	-64.04	-13	51.04	Pass	2986
30	1000	0.1	RMS	480.5	-55.52	-13	42.52	Pass	9701
1000	3000	1	RMS	2971	-44.95	-13	31.95	Pass	2001
3000	3690	1	RMS	3379	-40.58	-13	27.58	Pass	691
3690	3990	1	RMS	3835.5	18.9	60	41.1	Pass	401
3990	7000	1	RMS	6984	-57.03	-13	44.03	Pass	3011
7000	26500	1	RMS	26177	-42.45	-13	29.45	Pass	19503




**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.39	-13	56.39	Pass	401
0.15	30	0.01	RMS	0.82	-64.99	-13	51.99	Pass	2986
30	1000	0.1	RMS	995.897	-55.24	-13	42.24	Pass	9701
1000	3000	1	RMS	2920	-44.64	-13	31.64	Pass	2001
3000	3690	1	RMS	3432	-40.4	-13	27.4	Pass	691
3690	3990	1	RMS	3843.75	18.38	60	41.62	Pass	401
3990	7000	1	RMS	6940	-56.96	-13	43.96	Pass	3011
7000	26500	1	RMS	25336	-42.55	-13	29.55	Pass	19503




**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.38	-13	57.38	Pass	401
0.15	30	0.01	RMS	2.42	-64.85	-13	51.85	Pass	2986
30	1000	0.1	RMS	803	-55.27	-13	42.27	Pass	9701
1000	3000	1	RMS	2985	-44.6	-13	31.6	Pass	2001
3000	3690	1	RMS	3416	-40.38	-13	27.38	Pass	691
3690	3990	1	RMS	3972	12.07	60	47.93	Pass	401
3990	7000	1	RMS	3990	-43.04	-13	30.04	Pass	3011
7000	26500	1	RMS	24058	-42.88	-13	29.88	Pass	19503




**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	21.25	-63.09	-13	50.09	Pass	2986
30	1000	0.1	RMS	668.4	-55.46	-13	42.46	Pass	9701
1000	3000	1	RMS	2998	-44.8	-13	31.8	Pass	2001
3000	3690	1	RMS	3412	-40.36	-13	27.36	Pass	691
3690	3990	1	RMS	3970.5	18.71	60	41.29	Pass	401
3990	7000	1	RMS	3990	-55.86	-13	42.86	Pass	3011
7000	26500	1	RMS	24189	-42.58	-13	29.58	Pass	19503




**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	15.97	-65.01	-13	52.01	Pass	2986
30	1000	0.1	RMS	864.41	-55.15	-13	42.15	Pass	9701
1000	3000	1	RMS	2943	-44.81	-13	31.81	Pass	2001
3000	3690	1	RMS	3156	-35.85	-13	22.85	Pass	691
3690	3990	1	RMS	3978.75	18.45	60	41.55	Pass	401
3990	7000	1	RMS	3990	-51.71	-13	38.71	Pass	3011
7000	26500	1	RMS	26142	-42.86	-13	29.86	Pass	19503




**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.56	-13	55.56	Pass	401
0.15	30	0.01	RMS	4.84	-64.82	-13	51.82	Pass	2986
30	1000	0.1	RMS	996.498	-54.97	-13	41.97	Pass	9701
1000	3000	1	RMS	3000	-44.89	-13	31.89	Pass	2001
3000	3690	1	RMS	3689	-36.64	-13	23.64	Pass	691
3690	3990	1	RMS	3743.25	4.46	60	55.54	Pass	401
3990	7000	1	RMS	6989	-57.06	-13	44.06	Pass	3011
7000	26500	1	RMS	24108	-42.38	-13	29.38	Pass	19503




**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.6	-13	56.6	Pass	401
0.15	30	0.01	RMS	11.17	-64.54	-13	51.54	Pass	2986
30	1000	0.1	RMS	488.9	-55.52	-13	42.52	Pass	9701
1000	3000	1	RMS	2983	-44.83	-13	31.83	Pass	2001
3000	3690	1	RMS	3414	-40.32	-13	27.32	Pass	691
3690	3990	1	RMS	3701.25	19.26	60	40.74	Pass	401
3990	7000	1	RMS	6995	-56.76	-13	43.76	Pass	3011
7000	26500	1	RMS	25783	-42.7	-13	29.7	Pass	19503




**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.79	-13	56.79	Pass	401
0.15	30	0.01	RMS	2.36	-64.24	-13	51.24	Pass	2986
30	1000	0.1	RMS	981.188	-55.59	-13	42.59	Pass	9701
1000	3000	1	RMS	2973	-44.75	-13	31.75	Pass	2001
3000	3690	1	RMS	3432	-40.42	-13	27.42	Pass	691
3690	3990	1	RMS	3748.5	19.05	60	40.95	Pass	401
3990	7000	1	RMS	6937	-56.68	-13	43.68	Pass	3011
7000	26500	1	RMS	26064	-42.19	-13	29.19	Pass	19503




**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	5.55	-65.63	-13	52.63	Pass	2986
30	1000	0.1	RMS	413.6	-55.23	-13	42.23	Pass	9701
1000	3000	1	RMS	2890	-45.03	-13	32.03	Pass	2001
3000	3690	1	RMS	3426	-40.38	-13	27.38	Pass	691
3690	3990	1	RMS	3818.25	5.1	60	54.9	Pass	401
3990	7000	1	RMS	6998	-56.97	-13	43.97	Pass	3011
7000	26500	1	RMS	26085	-42.69	-13	29.69	Pass	19503




**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.39	-13	56.39	Pass	401
0.15	30	0.01	RMS	0.4	-65.09	-13	52.09	Pass	2986
30	1000	0.1	RMS	999.7	-55.42	-13	42.42	Pass	9701
1000	3000	1	RMS	2913	-44.63	-13	31.63	Pass	2001
3000	3690	1	RMS	3403	-40.39	-13	27.39	Pass	691
3690	3990	1	RMS	3816	19.69	60	40.31	Pass	401
3990	7000	1	RMS	6993	-56.42	-13	43.42	Pass	3011
7000	26500	1	RMS	25425	-42.57	-13	29.57	Pass	19503



**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.08	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	26.51	-66.01	-13	53.01	Pass	2986
30	1000	0.1	RMS	772.8	-54.72	-13	41.72	Pass	9701
1000	3000	1	RMS	2836	-44.96	-13	31.96	Pass	2001
3000	3690	1	RMS	3411	-40.45	-13	27.45	Pass	691
3690	3990	1	RMS	3864	19	60	41	Pass	401
3990	7000	1	RMS	6975	-56.55	-13	43.55	Pass	3011
7000	26500	1	RMS	26142	-42.13	-13	29.13	Pass	19503



**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.51	-13	56.51	Pass	401
0.15	30	0.01	RMS	27.57	-65.2	-13	52.2	Pass	2986
30	1000	0.1	RMS	840.1	-55.42	-13	42.42	Pass	9701
1000	3000	1	RMS	2929	-44.84	-13	31.84	Pass	2001
3000	3690	1	RMS	3384	-40.6	-13	27.6	Pass	691
3690	3990	1	RMS	3946.5	4.91	60	55.09	Pass	401
3990	7000	1	RMS	3990	-28.38	-13	15.38	Pass	3011
7000	26500	1	RMS	25164	-42.65	-13	29.65	Pass	19503

