



2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.59	-13	56.59	Pass	401
0.15	30	0.01	RMS	21.45	-63.71	-13	50.71	Pass	2986
30	1000	0.1	RMS	987.091	-55.18	-13	42.18	Pass	9701
1000	3000	1	RMS	2972	-44.59	-13	31.59	Pass	2001
3000	3690	1	RMS	3154	-36.07	-13	23.07	Pass	691
3690	3990	1	RMS	3931.5	18.42	60	41.58	Pass	401
3990	7000	1	RMS	4026	-53.77	-13	40.77	Pass	3011
7000	26500	1	RMS	23358	-37.54	-13	24.54	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.33	-13	56.33	Pass	401
0.15	30	0.01	RMS	3.03	-65.04	-13	52.04	Pass	2986
30	1000	0.1	RMS	882.522	-55.33	-13	42.33	Pass	9701
1000	3000	1	RMS	2970	-44.71	-13	31.71	Pass	2001
3000	3690	1	RMS	3427	-40.58	-13	27.58	Pass	691
3690	3990	1	RMS	3978.75	19.54	60	40.46	Pass	401
3990	7000	1	RMS	3990	-51.63	-13	38.63	Pass	3011
7000	26500	1	RMS	26115	-43.28	-13	30.28	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-69.86	-13	56.86	Pass	401
0.15	30	0.01	RMS	8.52	-65.84	-13	52.84	Pass	2986
30	1000	0.1	RMS	881.121	-55.23	-13	42.23	Pass	9701
1000	3000	1	RMS	2968	-44.32	-13	31.32	Pass	2001
3000	3690	1	RMS	3686	-37.64	-13	24.64	Pass	691
3690	3990	1	RMS	3776.25	1.35	60	58.65	Pass	401
3990	7000	1	RMS	7000	-56.5	-13	43.5	Pass	3011
7000	26500	1	RMS	24432	-42.83	-13	29.83	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.86	-13	55.86	Pass	401
0.15	30	0.01	RMS	6.36	-64.6	-13	51.6	Pass	2986
30	1000	0.1	RMS	929.253	-55.24	-13	42.24	Pass	9701
1000	3000	1	RMS	2938	-44.57	-13	31.57	Pass	2001
3000	3690	1	RMS	3400	-40.43	-13	27.43	Pass	691
3690	3990	1	RMS	3701.25	18.49	60	41.51	Pass	401
3990	7000	1	RMS	6949	-56.87	-13	43.87	Pass	3011
7000	26500	1	RMS	25062	-42.61	-13	29.61	Pass	19503




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.75	-13	56.75	Pass	401
0.15	30	0.01	RMS	16.02	-65.69	-13	52.69	Pass	2986
30	1000	0.1	RMS	984.79	-55.65	-13	42.65	Pass	9701
1000	3000	1	RMS	2930	-44.49	-13	31.49	Pass	2001
3000	3690	1	RMS	3420	-40.33	-13	27.33	Pass	691
3690	3990	1	RMS	3798.75	18.96	60	41.04	Pass	401
3990	7000	1	RMS	6997	-57.05	-13	44.05	Pass	3011
7000	26500	1	RMS	24090	-42.39	-13	29.39	Pass	19503




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.67	-13	56.67	Pass	401
0.15	30	0.01	RMS	6.6	-65.97	-13	52.97	Pass	2986
30	1000	0.1	RMS	669.2	-55.21	-13	42.21	Pass	9701
1000	3000	1	RMS	2762	-44.5	-13	31.5	Pass	2001
3000	3690	1	RMS	3405	-40.51	-13	27.51	Pass	691
3690	3990	1	RMS	3816	1.8	60	58.2	Pass	401
3990	7000	1	RMS	3990	-46.33	-13	33.33	Pass	3011
7000	26500	1	RMS	25453	-42.11	-13	29.11	Pass	19503




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.44	-13	55.44	Pass	401
0.15	30	0.01	RMS	9.01	-65.26	-13	52.26	Pass	2986
30	1000	0.1	RMS	916.645	-55.43	-13	42.43	Pass	9701
1000	3000	1	RMS	2936	-44.67	-13	31.67	Pass	2001
3000	3690	1	RMS	3414	-40.19	-13	27.19	Pass	691
3690	3990	1	RMS	3791.25	18.92	60	41.08	Pass	401
3990	7000	1	RMS	6990	-56.66	-13	43.66	Pass	3011
7000	26500	1	RMS	25538	-42.19	-13	29.19	Pass	19503




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.29	-13	56.29	Pass	401
0.15	30	0.01	RMS	28.31	-66	-13	53	Pass	2986
30	1000	0.1	RMS	659.1	-55.44	-13	42.44	Pass	9701
1000	3000	1	RMS	2971	-44.82	-13	31.82	Pass	2001
3000	3690	1	RMS	3411	-40.56	-13	27.56	Pass	691
3690	3990	1	RMS	3888.75	19.48	60	40.52	Pass	401
3990	7000	1	RMS	6982	-56.73	-13	43.73	Pass	3011
7000	26500	1	RMS	26245	-42.79	-13	29.79	Pass	19503




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.34	-13	56.34	Pass	401
0.15	30	0.01	RMS	29.69	-65.92	-13	52.92	Pass	2986
30	1000	0.1	RMS	851.702	-55.32	-13	42.32	Pass	9701
1000	3000	1	RMS	2967	-44.64	-13	31.64	Pass	2001
3000	3690	1	RMS	3155	-34.75	-13	21.75	Pass	691
3690	3990	1	RMS	3889.5	1.56	60	58.44	Pass	401
3990	7000	1	RMS	3992	-32.42	-13	19.42	Pass	3011
7000	26500	1	RMS	25090	-42.05	-13	29.05	Pass	19503




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.85	-13	55.85	Pass	401
0.15	30	0.01	RMS	5.6	-65.47	-13	52.47	Pass	2986
30	1000	0.1	RMS	898.833	-55.39	-13	42.39	Pass	9701
1000	3000	1	RMS	2856	-44.74	-13	31.74	Pass	2001
3000	3690	1	RMS	3434	-40.24	-13	27.24	Pass	691
3690	3990	1	RMS	3881.25	18.78	60	41.22	Pass	401
3990	7000	1	RMS	4077	-51.92	-13	38.92	Pass	3011
7000	26500	1	RMS	25772	-42.77	-13	29.77	Pass	19503



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	6.62	-65.72	-13	52.72	Pass	2986
30	1000	0.1	RMS	491.8	-55.24	-13	42.24	Pass	9701
1000	3000	1	RMS	2975	-44.76	-13	31.76	Pass	2001
3000	3690	1	RMS	3414	-40.47	-13	27.47	Pass	691
3690	3990	1	RMS	3978.75	19.27	60	40.73	Pass	401
3990	7000	1	RMS	3990	-52.11	-13	39.11	Pass	3011
7000	26500	1	RMS	24447	-42.59	-13	29.59	Pass	19503



1. n26 15kHz(814-824)


1.1. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	25.26	-70.19	-13	57.19	Pass	2986
30	804	0.1	RMS	490.4	-60.09	-13	47.09	Pass	7741
804	834	0.1	RMS	818.175	4.98	60	55.02	Pass	401
834	1000	0.1	RMS	834.2	-58.03	-13	45.03	Pass	1661
1000	3000	1	RMS	2984	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	9999	-56.02	-13	43.02	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.17	-69.99	-13	56.99	Pass	2986
30	804	0.1	RMS	797.3	-60.11	-13	47.11	Pass	7741
804	834	0.1	RMS	814.35	18.27	60	41.73	Pass	401
834	1000	0.1	RMS	852.8	-59.57	-13	46.57	Pass	1661
1000	3000	1	RMS	2981	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	9928	-55.96	-13	42.96	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.3	-69.49	-13	56.49	Pass	2986
30	804	0.1	RMS	483.8	-60.16	-13	47.16	Pass	7741
804	834	0.1	RMS	818.625	18.19	60	41.81	Pass	401
834	1000	0.1	RMS	898.3	-59.5	-13	46.5	Pass	1661
1000	3000	1	RMS	2974	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	9899	-56	-13	43	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-68.95	-13	55.95	Pass	2986
30	804	0.1	RMS	790.2	-59.98	-13	46.98	Pass	7741
804	834	0.1	RMS	819.975	4.87	60	55.13	Pass	401
834	1000	0.1	RMS	834	-56.08	-13	43.08	Pass	1661
1000	3000	1	RMS	2965	-45.53	-13	32.53	Pass	2001
3000	10000	1	RMS	9959	-55.71	-13	42.71	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.36	-69.61	-13	56.61	Pass	2986
30	804	0.1	RMS	645.8	-59.95	-13	46.95	Pass	7741
804	834	0.1	RMS	816.825	18.39	60	41.61	Pass	401
834	1000	0.1	RMS	901.8	-59.65	-13	46.65	Pass	1661
1000	3000	1	RMS	2963	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	9995	-55.84	-13	42.84	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.62	-69.71	-13	56.71	Pass	2986
30	804	0.1	RMS	758.8	-60.2	-13	47.2	Pass	7741
804	834	0.1	RMS	821.175	18.22	60	41.78	Pass	401
834	1000	0.1	RMS	885	-59.57	-13	46.57	Pass	1661
1000	3000	1	RMS	2978	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	9923	-55.94	-13	42.94	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.28	-70.31	-13	57.31	Pass	2986
30	804	0.1	RMS	482.3	-60.18	-13	47.18	Pass	7741
804	834	0.1	RMS	821.175	4.84	60	55.16	Pass	401
834	1000	0.1	RMS	834.3	-54.28	-13	41.28	Pass	1661
1000	3000	1	RMS	2966	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	9967	-55.77	-13	42.77	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-69.65	-13	56.65	Pass	2986
30	804	0.1	RMS	776.3	-60.07	-13	47.07	Pass	7741
804	834	0.1	RMS	819.3	18	60	42	Pass	401
834	1000	0.1	RMS	928.7	-59.6	-13	46.6	Pass	1661
1000	3000	1	RMS	2967	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	9959	-55.74	-13	42.74	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-13	60.41	Pass	401
0.15	30	0.01	RMS	0.86	-70.04	-13	57.04	Pass	2986
30	804	0.1	RMS	705.1	-60.17	-13	47.17	Pass	7741
804	834	0.1	RMS	823.65	18.34	60	41.66	Pass	401
834	1000	0.1	RMS	990.9	-59.7	-13	46.7	Pass	1661
1000	3000	1	RMS	2979	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	9959	-55.89	-13	42.89	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.19	-69.21	-13	56.21	Pass	2986
30	804	0.1	RMS	740.4	-60.08	-13	47.08	Pass	7741
804	834	0.1	RMS	821.025	1.89	60	58.11	Pass	401
834	1000	0.1	RMS	834.2	-47.71	-13	34.71	Pass	1661
1000	3000	1	RMS	2969	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	9951	-55.73	-13	42.73	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.15	-69.33	-13	56.33	Pass	2986
30	804	0.1	RMS	726.7	-60.11	-13	47.11	Pass	7741
804	834	0.1	RMS	814.425	18.29	60	41.71	Pass	401
834	1000	0.1	RMS	852.8	-59.46	-13	46.46	Pass	1661
1000	3000	1	RMS	2964	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	9970	-55.84	-13	42.84	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-13	58.88	Pass	401
0.15	30	0.01	RMS	0.34	-69.23	-13	56.23	Pass	2986
30	804	0.1	RMS	486.4	-60.13	-13	47.13	Pass	7741
804	834	0.1	RMS	823.575	18.33	60	41.67	Pass	401
834	1000	0.1	RMS	891.9	-59.74	-13	46.74	Pass	1661
1000	3000	1	RMS	2973	-45.47	-13	32.47	Pass	2001
3000	10000	1	RMS	9993	-55.76	-13	42.76	Pass	7001



1. n78(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.34	-13	56.34	Pass	401
0.15	30	0.01	RMS	28.06	-64.41	-13	51.41	Pass	2986
30	1000	0.1	RMS	769	-55.11	-13	42.11	Pass	9701
1000	3000	1	RMS	2976	-44.81	-13	31.81	Pass	2001
3000	3440	1	RMS	3085	-35.04	-13	22.04	Pass	441
3440	3560	1	RMS	3458.3	13.66	60	46.34	Pass	401
3560	7000	1	RMS	6997	-56.32	-13	43.32	Pass	3441
7000	26500	1	RMS	22947	-36.17	-13	23.17	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.85	-13	55.85	Pass	401
0.15	30	0.01	RMS	0.6	-63.48	-13	50.48	Pass	2986
30	1000	0.1	RMS	813.2	-55	-13	42	Pass	9701
1000	3000	1	RMS	2972	-44.55	-13	31.55	Pass	2001
3000	3440	1	RMS	3401	-40.74	-13	27.74	Pass	441
3440	3560	1	RMS	3450.8	21.55	60	38.45	Pass	401
3560	7000	1	RMS	6992	-56.65	-13	43.65	Pass	3441
7000	26500	1	RMS	24095	-41.76	-13	28.76	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.4	-13	56.4	Pass	401
0.15	30	0.01	RMS	17.62	-65.21	-13	52.21	Pass	2986
30	1000	0.1	RMS	875.618	-54.62	-13	41.62	Pass	9701
1000	3000	1	RMS	2753	-44.86	-13	31.86	Pass	2001
3000	3440	1	RMS	3421	-40.52	-13	27.52	Pass	441
3440	3560	1	RMS	3459.2	21.84	60	38.16	Pass	401
3560	7000	1	RMS	6918	-56.12	-13	43.12	Pass	3441
7000	26500	1	RMS	25084	-42.53	-13	29.53	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.46	-13	54.46	Pass	401
0.15	30	0.01	RMS	1.21	-64.79	-13	51.79	Pass	2986
30	1000	0.1	RMS	916.945	-56.09	-13	43.09	Pass	9701
1000	3000	1	RMS	2844	-45.03	-13	32.03	Pass	2001
3000	3440	1	RMS	3418	-40.79	-13	27.79	Pass	441
3440	3560	1	RMS	3503.3	12.81	60	47.19	Pass	401
3560	7000	1	RMS	6979	-56.79	-13	43.79	Pass	3441
7000	26500	1	RMS	24730	-42.55	-13	29.55	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.02	-13	56.02	Pass	401
0.15	30	0.01	RMS	19.39	-64.92	-13	51.92	Pass	2986
30	1000	0.1	RMS	960.774	-55.51	-13	42.51	Pass	9701
1000	3000	1	RMS	2924	-44.81	-13	31.81	Pass	2001
3000	3440	1	RMS	3432	-40.56	-13	27.56	Pass	441
3440	3560	1	RMS	3495.8	20.86	60	39.14	Pass	401
3560	7000	1	RMS	6991	-56.25	-13	43.25	Pass	3441
7000	26500	1	RMS	25455	-42.94	-13	29.94	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.1	-13	54.1	Pass	401
0.15	30	0.01	RMS	16.24	-63.97	-13	50.97	Pass	2986
30	1000	0.1	RMS	821.2	-55.4	-13	42.4	Pass	9701
1000	3000	1	RMS	2749	-44.82	-13	31.82	Pass	2001
3000	3440	1	RMS	3413	-40.45	-13	27.45	Pass	441
3440	3560	1	RMS	3504.2	20.85	60	39.15	Pass	401
3560	7000	1	RMS	6971	-56.56	-13	43.56	Pass	3441
7000	26500	1	RMS	25104	-42.13	-13	29.13	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.17	-13	54.17	Pass	401
0.15	30	0.01	RMS	26.07	-63.86	-13	50.86	Pass	2986
30	1000	0.1	RMS	887.225	-54.79	-13	41.79	Pass	9701
1000	3000	1	RMS	2980	-44.44	-13	31.44	Pass	2001
3000	3440	1	RMS	3425	-40.88	-13	27.88	Pass	441
3440	3560	1	RMS	3548	12.58	60	47.42	Pass	401
3560	7000	1	RMS	3560	-40.76	-13	27.76	Pass	3441
7000	26500	1	RMS	24407	-42.54	-13	29.54	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.46	-13	56.46	Pass	401
0.15	30	0.01	RMS	23.11	-65.11	-13	52.11	Pass	2986
30	1000	0.1	RMS	873.616	-54.95	-13	41.95	Pass	9701
1000	3000	1	RMS	2966	-44.87	-13	31.87	Pass	2001
3000	3440	1	RMS	3418	-40.73	-13	27.73	Pass	441
3440	3560	1	RMS	3540.8	20.75	60	39.25	Pass	401
3560	7000	1	RMS	3561	-55.71	-13	42.71	Pass	3441
7000	26500	1	RMS	23119	-42.35	-13	29.35	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.56	-13	54.56	Pass	401
0.15	30	0.01	RMS	0.68	-65.36	-13	52.36	Pass	2986
30	1000	0.1	RMS	985.19	-54.81	-13	41.81	Pass	9701
1000	3000	1	RMS	2925	-44.81	-13	31.81	Pass	2001
3000	3440	1	RMS	3416	-40.46	-13	27.46	Pass	441
3440	3560	1	RMS	3549.2	20.56	60	39.44	Pass	401
3560	7000	1	RMS	3560	-52.27	-13	39.27	Pass	3441
7000	26500	1	RMS	24064	-42.68	-13	29.68	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.21	-13	54.21	Pass	401
0.15	30	0.01	RMS	11.41	-65.88	-13	52.88	Pass	2986
30	1000	0.1	RMS	885.124	-54.78	-13	41.78	Pass	9701
1000	3000	1	RMS	2983	-44.35	-13	31.35	Pass	2001
3000	3440	1	RMS	3440	-34.96	-13	21.96	Pass	441
3440	3560	1	RMS	3459.5	5.97	60	54.03	Pass	401
3560	7000	1	RMS	3560	-48.7	-13	35.7	Pass	3441
7000	26500	1	RMS	23295	-36.84	-13	23.84	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.52	-13	55.52	Pass	401
0.15	30	0.01	RMS	26.8	-62.3	-13	49.3	Pass	2986
30	1000	0.1	RMS	922.549	-55.45	-13	42.45	Pass	9701
1000	3000	1	RMS	2965	-44.49	-13	31.49	Pass	2001
3000	3440	1	RMS	3423	-40.63	-13	27.63	Pass	441
3440	3560	1	RMS	3451.1	21.43	60	38.57	Pass	401
3560	7000	1	RMS	6992	-56.93	-13	43.93	Pass	3441
7000	26500	1	RMS	25912	-42.53	-13	29.53	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.28	-13	56.28	Pass	401
0.15	30	0.01	RMS	0.6	-64.91	-13	51.91	Pass	2986
30	1000	0.1	RMS	882.422	-54.96	-13	41.96	Pass	9701
1000	3000	1	RMS	2974	-44.57	-13	31.57	Pass	2001
3000	3440	1	RMS	3423	-40.63	-13	27.63	Pass	441
3440	3560	1	RMS	3498.8	20.78	60	39.22	Pass	401
3560	7000	1	RMS	6997	-55.88	-13	42.88	Pass	3441
7000	26500	1	RMS	25334	-42.21	-13	29.21	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.99	-13	55.99	Pass	401
0.15	30	0.01	RMS	0.6	-64.22	-13	51.22	Pass	2986
30	1000	0.1	RMS	954.97	-55.14	-13	42.14	Pass	9701
1000	3000	1	RMS	2970	-44.23	-13	31.23	Pass	2001
3000	3440	1	RMS	3440	-38.77	-13	25.77	Pass	441
3440	3560	1	RMS	3482.6	5.55	60	54.45	Pass	401
3560	7000	1	RMS	3560	-41.1	-13	28.1	Pass	3441
7000	26500	1	RMS	25443	-42.18	-13	29.18	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.6	-64.7	-13	51.7	Pass	2986
30	1000	0.1	RMS	806.6	-55.04	-13	42.04	Pass	9701
1000	3000	1	RMS	2973	-44.52	-13	31.52	Pass	2001
3000	3440	1	RMS	3406	-40.68	-13	27.68	Pass	441
3440	3560	1	RMS	3476.3	21.16	60	38.84	Pass	401
3560	7000	1	RMS	3571	-56.18	-13	43.18	Pass	3441
7000	26500	1	RMS	25034	-42.5	-13	29.5	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.68	-13	56.68	Pass	401
0.15	30	0.01	RMS	29.58	-64.08	-13	51.08	Pass	2986
30	1000	0.1	RMS	988.492	-55.43	-13	42.43	Pass	9701
1000	3000	1	RMS	2980	-44.97	-13	31.97	Pass	2001
3000	3440	1	RMS	3417	-40.58	-13	27.58	Pass	441
3440	3560	1	RMS	3523.7	20.36	60	39.64	Pass	401
3560	7000	1	RMS	6993	-56.57	-13	43.57	Pass	3441
7000	26500	1	RMS	24247	-42.74	-13	29.74	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.77	-13	55.77	Pass	401
0.15	30	0.01	RMS	0.6	-63.6	-13	50.6	Pass	2986
30	1000	0.1	RMS	997.298	-55.69	-13	42.69	Pass	9701
1000	3000	1	RMS	2898	-44.69	-13	31.69	Pass	2001
3000	3440	1	RMS	3414	-40.42	-13	27.42	Pass	441
3440	3560	1	RMS	3538.7	5.19	60	54.81	Pass	401
3560	7000	1	RMS	3560	-35.75	-13	22.75	Pass	3441
7000	26500	1	RMS	25521	-42.88	-13	29.88	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.68	-13	54.68	Pass	401
0.15	30	0.01	RMS	27.78	-65.42	-13	52.42	Pass	2986
30	1000	0.1	RMS	893.93	-55.3	-13	42.3	Pass	9701
1000	3000	1	RMS	3000	-45	-13	32	Pass	2001
3000	3440	1	RMS	3412	-40.72	-13	27.72	Pass	441
3440	3560	1	RMS	3501.2	20.82	60	39.18	Pass	401
3560	7000	1	RMS	3596	-53.99	-13	40.99	Pass	3441
7000	26500	1	RMS	26141	-42.54	-13	29.54	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.79	-13	55.79	Pass	401
0.15	30	0.01	RMS	1.93	-65	-13	52	Pass	2986
30	1000	0.1	RMS	775.6	-55.62	-13	42.62	Pass	9701
1000	3000	1	RMS	2978	-45.01	-13	32.01	Pass	2001
3000	3440	1	RMS	3416	-40.65	-13	27.65	Pass	441
3440	3560	1	RMS	3548.6	20.36	60	39.64	Pass	401
3560	7000	1	RMS	3560	-51.99	-13	38.99	Pass	3441
7000	26500	1	RMS	24095	-42.35	-13	29.35	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.49	-13	56.49	Pass	401
0.15	30	0.01	RMS	11.51	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	990.994	-54.7	-13	41.7	Pass	9701
1000	3000	1	RMS	2976	-45.16	-13	32.16	Pass	2001
3000	3440	1	RMS	3429	-35.35	-13	22.35	Pass	441
3440	3560	1	RMS	3461.3	2.47	60	57.53	Pass	401
3560	7000	1	RMS	3560	-36.12	-13	23.12	Pass	3441
7000	26500	1	RMS	23284	-38.97	-13	25.97	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.55	-13	55.55	Pass	401
0.15	30	0.01	RMS	0.58	-64.58	-13	51.58	Pass	2986
30	1000	0.1	RMS	649	-54.11	-13	41.11	Pass	9701
1000	3000	1	RMS	2967	-44.57	-13	31.57	Pass	2001
3000	3440	1	RMS	3405	-40.53	-13	27.53	Pass	441
3440	3560	1	RMS	3451.1	21.37	60	38.63	Pass	401
3560	7000	1	RMS	3647	-52.99	-13	39.99	Pass	3441
7000	26500	1	RMS	24208	-42.74	-13	29.74	Pass	19503



1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-69.68	-13	56.68	Pass	401
0.15	30	0.01	RMS	0.6	-61.84	-13	48.84	Pass	2986
30	1000	0.1	RMS	907.239	-55.49	-13	42.49	Pass	9701
1000	3000	1	RMS	2963	-44.84	-13	31.84	Pass	2001
3000	3440	1	RMS	3391	-40.57	-13	27.57	Pass	441
3440	3560	1	RMS	3548.9	20.52	60	39.48	Pass	401
3560	7000	1	RMS	3560	-52.27	-13	39.27	Pass	3441
7000	26500	1	RMS	25108	-42.29	-13	29.29	Pass	19503



3. n78(3700-3800)


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.19	-13	56.19	Pass	401
0.15	30	0.01	RMS	9.2	-63.67	-13	50.67	Pass	2986
30	1000	0.1	RMS	396.3	-55.38	-13	42.38	Pass	9701
1000	3000	1	RMS	2760	-44.74	-13	31.74	Pass	2001
3000	3690	1	RMS	3132	-33.55	-13	20.55	Pass	691
3690	3810	1	RMS	3708.3	11.57	60	48.43	Pass	401
3810	7000	1	RMS	6957	-56.82	-13	43.82	Pass	3191
7000	26500	1	RMS	22898	-36.26	-13	23.26	Pass	19503




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.68	-13	54.68	Pass	401
0.15	30	0.01	RMS	0.6	-62.39	-13	49.39	Pass	2986
30	1000	0.1	RMS	744.4	-55.21	-13	42.21	Pass	9701
1000	3000	1	RMS	2979	-44.97	-13	31.97	Pass	2001
3000	3690	1	RMS	3397	-40.41	-13	27.41	Pass	691
3690	3810	1	RMS	3700.8	19.74	60	40.26	Pass	401
3810	7000	1	RMS	6991	-56.45	-13	43.45	Pass	3191
7000	26500	1	RMS	25178	-42.23	-13	29.23	Pass	19503




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.88	-13	56.88	Pass	401
0.15	30	0.01	RMS	20.46	-64.74	-13	51.74	Pass	2986
30	1000	0.1	RMS	899.934	-55.65	-13	42.65	Pass	9701
1000	3000	1	RMS	2978	-44.37	-13	31.37	Pass	2001
3000	3690	1	RMS	3410	-40.2	-13	27.2	Pass	691
3690	3810	1	RMS	3709.2	19.69	60	40.31	Pass	401
3810	7000	1	RMS	6969	-56.29	-13	43.29	Pass	3191
7000	26500	1	RMS	24126	-42.63	-13	29.63	Pass	19503




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.18	-13	56.18	Pass	401
0.15	30	0.01	RMS	18.3	-64.54	-13	51.54	Pass	2986
30	1000	0.1	RMS	758	-55.42	-13	42.42	Pass	9701
1000	3000	1	RMS	2972	-44.77	-13	31.77	Pass	2001
3000	3690	1	RMS	3431	-40.25	-13	27.25	Pass	691
3690	3810	1	RMS	3753.3	11.97	60	48.03	Pass	401
3810	7000	1	RMS	6971	-56.4	-13	43.4	Pass	3191
7000	26500	1	RMS	24130	-42.26	-13	29.26	Pass	19503




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.33	-13	55.33	Pass	401
0.15	30	0.01	RMS	8.77	-64.61	-13	51.61	Pass	2986
30	1000	0.1	RMS	721.7	-55.63	-13	42.63	Pass	9701
1000	3000	1	RMS	2784	-44.66	-13	31.66	Pass	2001
3000	3690	1	RMS	3409	-40.3	-13	27.3	Pass	691
3690	3810	1	RMS	3745.8	20.16	60	39.84	Pass	401
3810	7000	1	RMS	6994	-56.39	-13	43.39	Pass	3191
7000	26500	1	RMS	25825	-41.92	-13	28.92	Pass	19503




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.7	-13	55.7	Pass	401
0.15	30	0.01	RMS	29.01	-66.19	-13	53.19	Pass	2986
30	1000	0.1	RMS	990.494	-55.08	-13	42.08	Pass	9701
1000	3000	1	RMS	2870	-45.02	-13	32.02	Pass	2001
3000	3690	1	RMS	3421	-40.25	-13	27.25	Pass	691
3690	3810	1	RMS	3754.2	20.09	60	39.91	Pass	401
3810	7000	1	RMS	6972	-56.68	-13	43.68	Pass	3191
7000	26500	1	RMS	24103	-41.78	-13	28.78	Pass	19503




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.3	-13	52.3	Pass	401
0.15	30	0.01	RMS	0.6	-64.89	-13	51.89	Pass	2986
30	1000	0.1	RMS	888.226	-54.35	-13	41.35	Pass	9701
1000	3000	1	RMS	2984	-44.61	-13	31.61	Pass	2001
3000	3690	1	RMS	3418	-40.04	-13	27.04	Pass	691
3690	3810	1	RMS	3798.3	11.56	60	48.44	Pass	401
3810	7000	1	RMS	3810	-39.47	-13	26.47	Pass	3191
7000	26500	1	RMS	25030	-41.99	-13	28.99	Pass	19503




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.45	-13	55.45	Pass	401
0.15	30	0.01	RMS	15.69	-65.25	-13	52.25	Pass	2986
30	1000	0.1	RMS	475	-54.32	-13	41.32	Pass	9701
1000	3000	1	RMS	2941	-44.16	-13	31.16	Pass	2001
3000	3690	1	RMS	3398	-40.06	-13	27.06	Pass	691
3690	3810	1	RMS	3790.8	19.74	60	40.26	Pass	401
3810	7000	1	RMS	3811	-55.94	-13	42.94	Pass	3191
7000	26500	1	RMS	25525	-42.04	-13	29.04	Pass	19503




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.55	-13	55.55	Pass	401
0.15	30	0.01	RMS	0.6	-64.07	-13	51.07	Pass	2986
30	1000	0.1	RMS	961.575	-55.25	-13	42.25	Pass	9701
1000	3000	1	RMS	2977	-44.6	-13	31.6	Pass	2001
3000	3690	1	RMS	3417	-40.42	-13	27.42	Pass	691
3690	3810	1	RMS	3799.2	19.69	60	40.31	Pass	401
3810	7000	1	RMS	3810	-52.66	-13	39.66	Pass	3191
7000	26500	1	RMS	25879	-42.43	-13	29.43	Pass	19503




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.75	-13	54.75	Pass	401
0.15	30	0.01	RMS	4.21	-65.4	-13	52.4	Pass	2986
30	1000	0.1	RMS	868.513	-54.83	-13	41.83	Pass	9701
1000	3000	1	RMS	2974	-44.44	-13	31.44	Pass	2001
3000	3690	1	RMS	3150	-32.45	-13	19.45	Pass	691
3690	3810	1	RMS	3744	4.33	60	55.67	Pass	401
3810	7000	1	RMS	3812	-48.22	-13	35.22	Pass	3191
7000	26500	1	RMS	23297	-38.87	-13	25.87	Pass	19503




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	0.6	-64.26	-13	51.26	Pass	2986
30	1000	0.1	RMS	918.846	-54.7	-13	41.7	Pass	9701
1000	3000	1	RMS	2971	-44.49	-13	31.49	Pass	2001
3000	3690	1	RMS	3423	-40.28	-13	27.28	Pass	691
3690	3810	1	RMS	3701.1	19.28	60	40.72	Pass	401
3810	7000	1	RMS	6975	-57.12	-13	44.12	Pass	3191
7000	26500	1	RMS	25030	-42.56	-13	29.56	Pass	19503




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-68.1	-13	55.1	Pass	401
0.15	30	0.01	RMS	15.84	-64.6	-13	51.6	Pass	2986
30	1000	0.1	RMS	704.8	-55.4	-13	42.4	Pass	9701
1000	3000	1	RMS	2749	-44.87	-13	31.87	Pass	2001
3000	3690	1	RMS	3370	-40.43	-13	27.43	Pass	691
3690	3810	1	RMS	3748.8	20.09	60	39.91	Pass	401
3810	7000	1	RMS	6908	-57.19	-13	44.19	Pass	3191
7000	26500	1	RMS	25096	-42.12	-13	29.12	Pass	19503




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.47	-13	54.47	Pass	401
0.15	30	0.01	RMS	11	-64.27	-13	51.27	Pass	2986
30	1000	0.1	RMS	981.188	-54.57	-13	41.57	Pass	9701
1000	3000	1	RMS	2919	-45.05	-13	32.05	Pass	2001
3000	3690	1	RMS	3378	-40.61	-13	27.61	Pass	691
3690	3810	1	RMS	3771.3	4.45	60	55.55	Pass	401
3810	7000	1	RMS	3810	-40.81	-13	27.81	Pass	3191
7000	26500	1	RMS	25186	-42.73	-13	29.73	Pass	19503




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.64	-13	54.64	Pass	401
0.15	30	0.01	RMS	0.6	-65.04	-13	52.04	Pass	2986
30	1000	0.1	RMS	854.704	-55.09	-13	42.09	Pass	9701
1000	3000	1	RMS	2977	-44.58	-13	31.58	Pass	2001
3000	3690	1	RMS	3409	-40.21	-13	27.21	Pass	691
3690	3810	1	RMS	3726.3	19.95	60	40.05	Pass	401
3810	7000	1	RMS	3821	-53.32	-13	40.32	Pass	3191
7000	26500	1	RMS	25026	-42.4	-13	29.4	Pass	19503




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.35	-13	55.35	Pass	401
0.15	30	0.01	RMS	26.25	-64.95	-13	51.95	Pass	2986
30	1000	0.1	RMS	702.7	-55.72	-13	42.72	Pass	9701
1000	3000	1	RMS	2975	-44.62	-13	31.62	Pass	2001
3000	3690	1	RMS	3403	-40.31	-13	27.31	Pass	691
3690	3810	1	RMS	3773.7	20.13	60	39.87	Pass	401
3810	7000	1	RMS	6975	-56.28	-13	43.28	Pass	3191
7000	26500	1	RMS	25513	-42.75	-13	29.75	Pass	19503




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-67.52	-13	54.52	Pass	401
0.15	30	0.01	RMS	0.6	-62.57	-13	49.57	Pass	2986
30	1000	0.1	RMS	914.043	-54.84	-13	41.84	Pass	9701
1000	3000	1	RMS	2960	-44.53	-13	31.53	Pass	2001
3000	3690	1	RMS	3394	-40.39	-13	27.39	Pass	691
3690	3810	1	RMS	3778.2	4.48	60	55.52	Pass	401
3810	7000	1	RMS	3812	-33.82	-13	20.82	Pass	3191
7000	26500	1	RMS	24084	-42.5	-13	29.5	Pass	19503




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-67.63	-13	54.63	Pass	401
0.15	30	0.01	RMS	0.6	-65.15	-13	52.15	Pass	2986
30	1000	0.1	RMS	963.076	-55.13	-13	42.13	Pass	9701
1000	3000	1	RMS	2971	-44.67	-13	31.67	Pass	2001
3000	3690	1	RMS	3413	-40.54	-13	27.54	Pass	691
3690	3810	1	RMS	3751.2	20.2	60	39.8	Pass	401
3810	7000	1	RMS	3846	-55.81	-13	42.81	Pass	3191
7000	26500	1	RMS	25556	-41.98	-13	28.98	Pass	19503




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-65.81	-13	52.81	Pass	401
0.15	30	0.01	RMS	0.6	-62.02	-13	49.02	Pass	2986
30	1000	0.1	RMS	878.519	-54.62	-13	41.62	Pass	9701
1000	3000	1	RMS	2962	-45	-13	32	Pass	2001
3000	3690	1	RMS	3423	-40.31	-13	27.31	Pass	691
3690	3810	1	RMS	3798.9	19.52	60	40.48	Pass	401
3810	7000	1	RMS	3823	-51.61	-13	38.61	Pass	3191
7000	26500	1	RMS	24816	-42.95	-13	29.95	Pass	19503




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-67.35	-13	54.35	Pass	401
0.15	30	0.01	RMS	0.6	-63.74	-13	50.74	Pass	2986
30	1000	0.1	RMS	800.2	-55.1	-13	42.1	Pass	9701
1000	3000	1	RMS	2757	-44.54	-13	31.54	Pass	2001
3000	3690	1	RMS	3686	-38.07	-13	25.07	Pass	691
3690	3810	1	RMS	3777	1.37	60	58.63	Pass	401
3810	7000	1	RMS	3815	-35.18	-13	22.18	Pass	3191
7000	26500	1	RMS	23251	-33.45	-13	20.45	Pass	19503




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.43	-13	54.43	Pass	401
0.15	30	0.01	RMS	0.6	-62.69	-13	49.69	Pass	2986
30	1000	0.1	RMS	699.4	-55.17	-13	42.17	Pass	9701
1000	3000	1	RMS	2986	-44.63	-13	31.63	Pass	2001
3000	3690	1	RMS	3391	-40.45	-13	27.45	Pass	691
3690	3810	1	RMS	3701.1	19.23	60	40.77	Pass	401
3810	7000	1	RMS	3848	-53.96	-13	40.96	Pass	3191
7000	26500	1	RMS	24804	-42.46	-13	29.46	Pass	19503



3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.54	-13	56.54	Pass	401
0.15	30	0.01	RMS	0.6	-64.44	-13	51.44	Pass	2986
30	1000	0.1	RMS	748.5	-55.71	-13	42.71	Pass	9701
1000	3000	1	RMS	2994	-44.34	-13	31.34	Pass	2001
3000	3690	1	RMS	3419	-40.39	-13	27.39	Pass	691
3690	3810	1	RMS	3798.9	19.7	60	40.3	Pass	401
3810	7000	1	RMS	3848	-50.62	-13	37.62	Pass	3191
7000	26500	1	RMS	25967	-42.86	-13	29.86	Pass	19503



--BLANK BELOW--