


Band:DC_26A_78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
845.091	-56.99	3.28	-13.0	43.99	185.00	Vertical	Horizontal	N/A
889.372	-53.89	4.63	-13.0	40.89	243.00	Vertical	Horizontal	N/A
1689.900	-60.67	-5.97	-13.0	47.67	44.00	Vertical	Horizontal	Pass
2534.400	-48.68	-0.89	-13.0	35.68	171.00	Vertical	Horizontal	Pass
7961.750	-36.39	24.94	-13.0	23.39	182.00	Vertical	Horizontal	Pass
19665.900	-44.26	16.69	-13.0	31.26	1.00	Vertical	Horizontal	Pass

Band:DC_66A_78A(3450-3550MHz),Channel:LOW range,BW:5+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
66.472	-81.61	-17.09	-13.0	68.61	0.00	Horizontal	Horizontal	Pass
2153.700	-36.51	3.56	-13.0	23.51	230.00	Horizontal	Horizontal	N/A
3229.250	-49.91	9.67	-13.0	36.91	236.00	Horizontal	Horizontal	Pass
7955.750	-36.11	24.79	-13.0	23.11	1.00	Horizontal	Horizontal	Pass
14066.962	-50.22	12.47	-13.0	37.22	337.00	Horizontal	Horizontal	Pass
19667.700	-43.58	16.69	-13.0	30.58	360.00	Horizontal	Horizontal	Pass

Band:DC_66A_78A(3450-3550MHz),Channel:LOW range,BW:5+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
66.618	-81.10	-16.03	-13.0	68.10	38.00	Horizontal	Vertical	Pass
2153.100	-37.25	3.55	-13.0	24.25	241.00	Horizontal	Vertical	N/A
3229.250	-50.59	9.10	-13.0	37.59	38.00	Horizontal	Vertical	Pass
7181.000	-38.39	22.38	-13.0	25.39	190.00	Horizontal	Vertical	Pass
13796.325	-50.33	12.25	-13.0	37.33	38.00	Horizontal	Vertical	Pass
19874.699	-43.24	16.66	-13.0	30.24	36.00	Horizontal	Vertical	Pass

Band:DC_66A_78A(3450-3550MHz),Channel:LOW range,BW:5+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
65.502	-72.83	-16.75	-13.0	59.83	107.00	Vertical	Vertical	Pass
2155.100	-50.10	3.64	-13.0	37.10	148.00	Vertical	Vertical	N/A
3229.250	-50.12	9.10	-13.0	37.12	31.00	Vertical	Vertical	Pass
7481.250	-38.15	21.15	-13.0	25.15	36.00	Vertical	Vertical	Pass
13810.763	-49.74	12.46	-13.0	36.74	360.00	Vertical	Vertical	Pass
19807.199	-43.41	16.67	-13.0	30.41	1.00	Vertical	Vertical	Pass

Band:DC_66A_78A(3450-3550MHz),Channel:LOW range,BW:5+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
65.890	-72.48	-16.85	-13.0	59.48	360.00	Vertical	Horizontal	Pass
2156.100	-47.64	3.69	-13.0	34.64	116.00	Vertical	Horizontal	N/A
3229.250	-49.25	9.67	-13.0	36.25	1.00	Vertical	Horizontal	Pass
7955.250	-36.10	24.91	-13.0	23.10	1.00	Vertical	Horizontal	Pass
12593.724	-49.93	10.88	-13.0	36.93	360.00	Vertical	Horizontal	Pass
19808.100	-43.29	16.67	-13.0	30.29	36.00	Vertical	Horizontal	Pass

Band:DC_66A_78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
68.170	-81.54	-17.88	-13.0	68.54	13.00	Horizontal	Horizontal	Pass
2198.800	-40.92	3.74	-13.0	27.92	229.00	Horizontal	Horizontal	Pass
3792.250	-48.16	13.24	-13.0	35.16	1.00	Horizontal	Horizontal	N/A
7230.500	-36.70	23.49	-13.0	23.70	348.00	Horizontal	Horizontal	Pass
12507.750	-50.47	9.95	-13.0	37.47	31.00	Horizontal	Horizontal	Pass
19667.249	-43.86	16.69	-13.0	30.86	360.00	Horizontal	Horizontal	Pass

Band:DC_66A_78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
66.472	-81.33	-17.09	-13.0	68.33	35.00	Horizontal	Vertical	Pass
2197.300	-40.00	3.67	-13.0	27.00	251.00	Horizontal	Vertical	Pass
3836.500	-47.66	13.56	-13.0	34.66	3.00	Horizontal	Vertical	Pass
7215.500	-36.75	23.45	-13.0	23.75	360.00	Horizontal	Vertical	Pass
12900.675	-50.35	11.37	-13.0	37.35	36.00	Horizontal	Vertical	Pass
19795.499	-44.04	16.67	-13.0	31.04	1.00	Horizontal	Vertical	Pass

Band:DC_66A_78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
65.599	-70.98	-16.77	-13.0	57.98	61.00	Vertical	Vertical	Pass
2197.300	-53.45	3.67	-13.0	40.45	145.00	Vertical	Vertical	Pass
3834.000	-48.09	13.54	-13.0	35.09	1.00	Vertical	Vertical	Pass
7887.000	-36.55	24.87	-13.0	23.55	1.00	Vertical	Vertical	Pass
12589.688	-50.02	10.90	-13.0	37.02	359.00	Vertical	Vertical	Pass
19655.551	-43.20	16.69	-13.0	30.20	359.00	Vertical	Vertical	Pass

Band:DC_66A_78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_5A_n78A(Mid) & 26A_N78A(Mid)_814-849&3400-3600_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
62.834	-73.70	-16.19	-13.0	60.70	231.00	Vertical	Horizontal	Pass
2197.600	-51.96	3.69	-13.0	38.96	235.00	Vertical	Horizontal	Pass
3742.000	-47.68	12.97	-13.0	34.68	1.00	Vertical	Horizontal	Pass
7220.000	-37.21	23.32	-13.0	24.21	157.00	Vertical	Horizontal	Pass
13792.125	-50.00	12.07	-13.0	37.00	36.00	Vertical	Horizontal	Pass
17998.426	-44.27	16.94	-13.0	31.27	234.00	Vertical	Horizontal	Pass

Band:DC_38A_78A(3450-3550MHz),Channel:MID range,BW:5+10M


RSE(5G NSA FCC)_NSA_38A_n78A_n2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1560.100	-57.20	-1.03	-25.0	32.20	20.00	Horizontal	Horizontal	Pass
2611.900	-50.55	9.32	-25.0	25.55	249.00	Horizontal	Horizontal	N/A
3548.750	-39.86	11.08	-25.0	14.86	25.00	Horizontal	Horizontal	N/A
7460.750	-36.52	23.40	-25.0	11.52	205.00	Horizontal	Horizontal	Pass
12590.162	-50.00	10.90	-25.0	25.00	280.00	Horizontal	Horizontal	Pass
19751.850	-44.15	16.68	-25.0	19.15	1.00	Horizontal	Horizontal	Pass

Band:DC_38A_78A(3450-3550MHz),Channel:MID range,BW:5+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1560.300	-57.21	-0.98	-25.0	32.21	63.00	Horizontal	Vertical	Pass
2624.800	-36.29	9.41	-25.0	11.29	332.00	Horizontal	Vertical	N/A
3548.750	-39.14	11.08	-25.0	14.14	1.00	Horizontal	Vertical	N/A
7952.500	-36.65	24.86	-25.0	11.65	1.00	Horizontal	Vertical	Pass
12874.162	-49.52	10.93	-25.0	24.52	1.00	Horizontal	Vertical	Pass
19656.450	-43.66	16.69	-25.0	18.66	360.00	Horizontal	Vertical	Pass

Band:DC_38A_78A(3450-3550MHz),Channel:MID range,BW:5+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1559.900	-57.35	-1.08	-25.0	32.35	1.00	Vertical	Vertical	Pass
2627.200	-33.24	9.43	-25.0	8.24	93.00	Vertical	Vertical	N/A
3548.750	-41.54	11.08	-25.0	16.54	267.00	Vertical	Vertical	N/A
7885.750	-36.10	23.72	-25.0	11.10	153.00	Vertical	Vertical	Pass
12612.013	-50.06	10.69	-25.0	25.06	1.00	Vertical	Vertical	Pass
19735.650	-44.11	16.68	-25.0	19.11	1.00	Vertical	Vertical	Pass

Band:DC_38A_78A(3450-3550MHz),Channel:MID range,BW:5+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1920.200	-55.37	0.75	-25.0	30.37	42.00	Vertical	Horizontal	Pass
2628.300	-34.87	9.44	-25.0	9.87	42.00	Vertical	Horizontal	N/A
3548.250	-45.62	11.08	-25.0	20.62	360.00	Vertical	Horizontal	N/A
7955.750	-36.23	24.79	-25.0	11.23	1.00	Vertical	Horizontal	Pass
12777.825	-49.90	11.00	-25.0	24.90	360.00	Vertical	Horizontal	Pass
19734.301	-44.20	16.68	-25.0	19.20	360.00	Vertical	Horizontal	Pass

Band:DC_38A_78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2542.200	-44.26	7.77	-25.0	19.26	314.00	Horizontal	Horizontal	Pass
2644.700	-45.77	9.65	-25.0	20.77	183.00	Horizontal	Horizontal	Pass
2695.300	-46.16	7.84	-25.0	21.16	23.00	Horizontal	Horizontal	Pass
3750.750	-37.85	13.06	-25.0	12.85	147.00	Horizontal	Horizontal	N/A
7998.250	-35.95	24.54	-25.0	10.95	360.00	Horizontal	Horizontal	Pass
19650.599	-43.52	16.69	-25.0	18.52	1.00	Horizontal	Horizontal	Pass

Band:DC_38A_78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2593.200	-47.85	9.24	-25.0	22.85	99.00	Horizontal	Vertical	N/A
2644.800	-47.44	9.65	-25.0	22.44	360.00	Horizontal	Vertical	Pass
3751.000	-40.37	13.06	-25.0	15.37	1.00	Horizontal	Vertical	N/A
7910.500	-36.00	23.92	-25.0	11.00	1.00	Horizontal	Vertical	Pass
12596.338	-49.48	10.87	-25.0	24.48	360.00	Horizontal	Vertical	Pass
19779.750	-44.06	16.67	-25.0	19.06	360.00	Horizontal	Vertical	Pass

Band:DC_38A_78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1560.100	-57.88	-1.03	-25.0	32.88	1.00	Vertical	Vertical	Pass
2593.000	-48.23	9.24	-25.0	23.23	196.00	Vertical	Vertical	N/A
2644.800	-45.53	9.65	-25.0	20.53	178.00	Vertical	Vertical	Pass
3750.500	-45.28	13.06	-25.0	20.28	360.00	Vertical	Vertical	N/A
7942.250	-36.00	24.84	-25.0	11.00	73.00	Vertical	Vertical	Pass
19756.800	-43.96	16.68	-25.0	18.96	344.00	Vertical	Vertical	Pass

Band:DC_38A_78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_38A_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
2542.400	-47.68	7.81	-25.0	22.68	80.00	Vertical	Horizontal	Pass
2592.900	-49.80	9.24	-25.0	24.80	61.00	Vertical	Horizontal	N/A
2645.400	-48.32	9.72	-25.0	23.32	51.00	Vertical	Horizontal	Pass
3750.500	-46.26	13.06	-25.0	21.26	360.00	Vertical	Horizontal	N/A
7939.500	-35.69	24.82	-25.0	10.69	360.00	Vertical	Horizontal	Pass
19809.450	-44.09	16.67	-25.0	19.09	1.00	Vertical	Horizontal	Pass

Band:DC_41A_n78A(3450-3550MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_7A_n78A_841A(Low)_n78A_2496-2570&3300-3600_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1319.800	-60.06	-1.14	-25.0	35.06	1.00	Horizontal	Horizontal	Pass
2680.700	-51.12	9.37	-25.0	26.12	1.00	Horizontal	Horizontal	N/A
3548.750	-35.54	11.08	-25.0	10.54	137.00	Horizontal	Horizontal	N/A
5769.250	-43.09	16.91	-25.0	18.09	360.00	Horizontal	Horizontal	Pass
7961.000	-36.24	24.44	-25.0	11.24	198.00	Horizontal	Horizontal	Pass
19655.999	-43.31	16.69	-25.0	18.31	127.00	Horizontal	Horizontal	Pass

Band:DC_41A_n78A(3450-3550MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_7A_n78A_841A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1440.200	-58.90	-0.97	-25.0	33.90	1.00	Horizontal	Vertical	Pass
2683.400	-50.86	9.38	-25.0	25.86	1.00	Horizontal	Vertical	N/A
3548.750	-37.22	11.08	-25.0	12.22	360.00	Horizontal	Vertical	N/A
7951.750	-36.21	24.73	-25.0	11.21	360.00	Horizontal	Vertical	Pass
12539.575	-50.41	10.41	-25.0	25.41	216.00	Horizontal	Vertical	Pass
19890.448	-43.91	16.66	-25.0	18.91	360.00	Horizontal	Vertical	Pass

Band:DC_41A_n78A(3450-3550MHz),Channel:HIGH range,BW:5+10M

RSE(5G NSA FCC)_NSA_7A_n78A_841A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1560.000	-58.16	-1.02	-25.0	33.16	205.00	Vertical	Vertical	Pass
2691.500	-50.90	9.41	-25.0	25.90	1.00	Vertical	Vertical	N/A
3548.750	-42.50	11.08	-25.0	17.50	346.00	Vertical	Vertical	N/A
7950.750	-36.04	24.65	-25.0	11.04	0.00	Vertical	Vertical	Pass
12880.987	-50.36	11.00	-25.0	25.36	179.00	Vertical	Vertical	Pass
19768.949	-43.95	16.67	-25.0	18.95	172.00	Vertical	Vertical	Pass

Band:DC_41A_n78A(3450-3550MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_7A_n78A_841A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
1560.000	-58.01	-1.02	-25.0	33.01	309.00	Vertical	Horizontal	Pass
2624.400	-50.25	9.18	-25.0	25.25	291.00	Vertical	Horizontal	Pass
3548.750	-45.65	11.08	-25.0	20.65	36.00	Vertical	Horizontal	N/A
7960.000	-36.35	24.52	-25.0	11.35	360.00	Vertical	Horizontal	Pass
13383.675	-50.05	11.77	-25.0	25.05	231.00	Vertical	Horizontal	Pass
19808.999	-44.01	16.67	-25.0	19.01	236.00	Vertical	Horizontal	Pass

Band:DC_41A_n78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_7A_n78A_841A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
65.308	-78.84	-16.75	-25.0	53.84	350.00	Horizontal	Horizontal	Pass
2623.700	-51.04	9.18	-25.0	26.04	38.00	Horizontal	Horizontal	Pass
3796.250	-47.82	13.25	-25.0	22.82	0.00	Horizontal	Horizontal	N/A
7534.250	-35.97	24.07	-25.0	10.97	0.00	Horizontal	Horizontal	Pass
12730.050	-50.32	10.50	-25.0	25.32	37.00	Horizontal	Horizontal	Pass
19681.651	-43.94	16.69	-25.0	18.94	117.00	Horizontal	Horizontal	Pass

Band:DC_41A_n78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_7A_n78A_841A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
63.319	-79.39	-16.31	-25.0	54.39	240.00	Horizontal	Vertical	Pass
2697.800	-51.25	9.42	-25.0	26.25	142.00	Horizontal	Vertical	N/A
3796.250	-40.17	13.25	-25.0	15.17	360.00	Horizontal	Vertical	N/A
7960.000	-35.90	24.86	-25.0	10.90	360.00	Horizontal	Vertical	Pass
13387.088	-50.49	11.85	-25.0	25.49	150.00	Horizontal	Vertical	Pass
19766.700	-43.16	16.67	-25.0	18.16	0.00	Horizontal	Vertical	Pass

Band:DC_41A_n78A(3700-3800MHz),Channel:HIGH range,BW:5+10M


RSE(5G NSA FCC)_NSA_7A_n78A_841A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
64.386	-68.56	-16.66	-25.0	43.56	316.00	Vertical	Vertical	Pass
2682.600	-50.87	9.38	-25.0	25.87	25.00	Vertical	Vertical	N/A
3796.500	-41.82	13.25	-25.0	16.82	99.00	Vertical	Vertical	N/A
7534.500	-36.63	24.09	-25.0	11.63	360.00	Vertical	Vertical	Pass
13802.100	-50.44	12.41	-25.0	25.44	210.00	Vertical	Vertical	Pass
19881.900	-44.07	16.66	-25.0	19.07	0.00	Vertical	Vertical	Pass

Band:DC_41A_n78A(3700-3800MHz),Channel:HIGH range,BW:5+10M

RSE(5G NSA FCC)_NSA 7A_n78A &41A(Low)_n78A_2496-2570&3300-3800_30M-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	Limit (dBm)	Margin (dB)	Table (o)	ANT	EUT	Verdict
65.162	-69.79	-16.75	-25.0	44.79	359.00	Vertical	Horizontal	Pass
2691.500	-50.91	9.41	-25.0	25.91	249.00	Vertical	Horizontal	N/A
3793.500	-46.37	13.24	-25.0	21.37	1.00	Vertical	Horizontal	N/A
7530.250	-36.66	23.87	-25.0	11.66	360.00	Vertical	Horizontal	Pass
12591.825	-50.42	10.89	-25.0	25.42	10.00	Vertical	Horizontal	Pass
19891.350	-44.30	16.66	-25.0	19.30	120.00	Vertical	Horizontal	Pass

--BLANK BELOW--